Quinton Hazell®

Steering & Suspension

- Direction et suspension
- Lenkung/achsaufhängung
- Direcciòn y suspension
- Sterzo e sospensione
- Stuur-& ophangingdelen
- Układ kierowniczy Zawieszenie
- Рулевой механизм/ Подвеска



QH

QH™
GENUINE PARTS
SINCE 1946

Quinton Hazell®

www.tetrosylexpress.com



FILTERS

Moprod®

Tetrosyl®

Tetrosyl Group supply 100 countries across the globe, with a diverse range of products and brands.

Tetrosyl is the leading manufacturer of Car Care in Europe, the largest independent blender of Lubricants and the largest producer of winter care products in the UK.

The Tetrosyl Group also manufactures and supplies crash repair systems, automotive parts, trade and retail paints, DIY tools, in-car connectivity, leisure products and a home improvement range.

QH6

Edition 1

QH6 2016

Alfa Romeo 3-28
Aston Martin 29
Audi 30-104
BMW 105-164
BMW (Mini) 165-169
Chevrolet 170-178
Chrysler 179-189
Citroën 190-274
Dacia 275-280
Daewoo 281-292
Daihatsu 293-298
Dodge 299
Fiat 300-346
Ford 347-425
Honda 426-460
Hyundai 461-488
Isuzu 489-491
Iveco 492-493
Jaguar 494-501
Jeep 502-504
Kia 505-524
Lada 525
Lancia 526-539
Land Rover 540-554
LDV 555-557
Lexus 558-562
London Taxi Int. 563-564
Lotus 565
Mazda 566-590
MCC Smart 591-593
Mercedes 594-649
Mitsubishi 650-677
Nissan 678-711
Opel 712-761
Perodua 762
Peugeot 763-827
Porsche 828-832
Proton 833-838
Renault 839-905
Rover 906-922
Saab 923-930
Seat 931-969
Skoda 970-988
SsangYong 989-990
Subaru 991-999
Suzuki 1000-1010
Talbot 1011
Taxi 1012-1013
Toyota 1014-1054
Vauxhall 1055-1108
Volkswagen 1109-1221
Volvo 1222-1243

(GB) **APPLICATIONS**

(F) **APPLICATIONS**

(D) **ANWENDUNGSLISTE**

(E) **APLICACIONES**

(I) **APPLICAZIONI**

(NL) **TOEPASSINGEN**

(GB) **NUMERICAL LIST**

(F) **LISTE NUMERIQUE**

(D) **NUMERISCHELIST**

(E) **LISTA NUMÉRICA**

(I) **INDICE NUMERICO**

(NL) **NUMERIEKELIJST**

Model
Modèle
Modell
Modelo
Model
Modello

Model Code
Type
Typ
Código de modelo
Model Code
Codice Modello


Year
Année
Jahr
Año
Jaar
Anno

Make
Marque
Hersteller
Marca
Merk
Marca

FORD

Mondeo IV 03/07-12/15

BBA,BBD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3558S	Female M18x1.5, Ø 16.8mm Cone, L=112mm
1b	Tie Rod End - Outer	⇨		QR3550S	Female M18x1.5, Ø 16.8mm Cone, L=112mm
2	Rack End	⇦⇨		QR3592S	Male M18x1.5, M16x1.5 Swivel, L=335mm
20a	Suspension Arm - Front			QSA2339S	
20b	Suspension Arm - Front			QSA2340S	
21	Ball Joint - Front			QSJ3418S	Ø 18.0mm Cone, PCD=58mm
24a	Suspension Arm Bush - Front			EMS8456	Front
24b	Suspension Arm Bush - Front			EMS8445	Rear
24c	Suspension Arm Bush - Front			EMS8446	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3538S	L=300mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer
30	Suspension Arm - Rear			QSJ3657S	Spring Seat Carrier
30'	Suspension Arm - Rear			QSJ3535S	Track Control Arm, Straight
32	Suspension Arm - Rear		Std.Susp.	QSJ3632S	Track Control Arm, Curved
34a	Suspension Arm Bush - Rear			EMS8550	Trailing Arm
34b	Suspension Arm Bush - Rear			EMS8551	Trailing Arm

390

Key Number
Index des représentations graphiques
Bildnummer
Referencia foto/dibujo
Sleutel code
Numero chiave

Product Description
Désignation de Produit
Produkt Beschreibung
Descripción de producto
Product omschrijving
Descrizione prodotto

Position
Position
Position
Posición
Positie
Posizione


Notes
Notes
Notizen
Notas
Notitie
Note

Part Number
Référence
Bestellnummer
Referencia nummer
Riferimento

Information
Information
Information
Información
Informatie
Informazioni

Alfa 33 — 01/81-09/94


905A, 907A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	01/81-06/88	QR1545S	Male M14x1.0 ↻, Ø 12.6mm Cone
1	Tie Rod End - Outer	⇦⇨	07/88-09/94	QR2706S	Male M14x1.0 ↻, Ø 12.5mm Cone
20a	Suspension Arm - Front	↲	07/88-09/94	QSJ9810S	M12 Ball Pin, Ø 14.3mm Cone, L=460mm
20b	Suspension Arm - Front	↳	07/88-09/94	QSJ9800S	M12 Ball Pin, Ø 14.3mm Cone, L=460mm
21	Ball Joint - Front	⇦⇨		QSJ962S	Ø 14.5mm Cone
24b	Suspension Arm Bush - Front	⇦⇨	07/88-09/94	EMS8149	Inner
61	Top Strut Bearing - Front	⇦⇨	01/81-07/86	-	
61	Top Strut Bearing - Front	⇦⇨	08/86-09/94	QAM126	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	12/88-09/94	EMR1835	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	01/81-07/86	-	

Alfa 75, 90 — 05/85-12/92

162B




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1783S	Female M14x1.5 ↻, Ø 12.6mm Cone, L=72.8mm
2	Rack End	⇦⇨		QR2024S	Male M14x1.5 ↻,M14x1.5 Swivel, L=245mm
2	Rack End	⇦⇨		-	
21	Ball Joint - Front	⇦⇨		QSJ844S	Ø 16mm Cone
23	Ball Joint - Front	↱↰		QSJ1158S	Ø 14.5mm Cone

Alfa 145, 146

10/94-09/96

930A 1.3i 8v,1.6i 8v,1.7 16v




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9115S	Female M18x1.5
1b	Tie Rod End - Outer	⇨		QR9116S	Female M18x1.5
4a	Tie Rod Assembly	⇦		QDL5229S	
4b	Tie Rod Assembly	⇨		QDL5236S	
20a	Suspension Arm - Front	⇦		QSA999S	
20b	Suspension Arm - Front	⇨		QSA998S	
24a	Suspension Arm Bush - Front	⇦		EMS3001	Front
24b	Suspension Arm Bush - Front	⇨		EMS3000	Front
24c	Suspension Arm Bush - Front	⇦		EMS3021	Rear
24d	Suspension Arm Bush - Front	⇨		EMS2524	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1970S	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1968	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM101	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR1836	
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR1837	
63a	Top Strut Mounting - Front inc.Bearing	⇦		EMA1836	
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA1837	
30a	Suspension Arm - Rear	⇦	exc.ABS	QSJ3358S	Radius Arm

Alfa 145, 146 continued... 10/94-09/96

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
30a	Suspension Arm - Rear	↲	ABS	**QSJ3360S**	Radius Arm
30b	Suspension Arm - Rear	↳	exc.ABS	**QSJ3359S**	Radius Arm
30b	Suspension Arm - Rear	↳	ABS	**QSJ3361S**	Radius Arm
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9009**	

Alfa 145, 146 10/96-02/01

930A 1.4i 16v TS,1.6i 16v TS



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2380S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨		**QR2379S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
2	Rack End	⇦⇨		**QR2844S**	Male M12x1.5 RH, L=305mm
20a	Suspension Arm - Front	↲		**QSA999S**	
20b	Suspension Arm - Front	↳		**QSA998S**	
24a	Suspension Arm Bush - Front	↲		**EMS3001**	Front
24b	Suspension Arm Bush - Front	↳		**EMS3000**	Front
24c	Suspension Arm Bush - Front	↲		**EMS3021**	Rear
24d	Suspension Arm Bush - Front	↳		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1968**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR1836**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR1837**	


continued...

Alfa 145, 146 continued... 10/96-02/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63a	Top Strut Mounting - Front inc.Bearing	⇦		EMA1836	
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA1837	
30a	Suspension Arm - Rear		exc.ABS	QSJ3358S	Radius Arm
30a	Suspension Arm - Rear		ABS	QSJ3360S	Radius Arm
30b	Suspension Arm - Rear		exc.ABS	QSJ3359S	Radius Arm
30b	Suspension Arm - Rear		ABS	QSJ3361S	Radius Arm
37	Suspension Arm Repair Kit - Rear	⇦⊏⇨		QWB9009	

Alfa 145, 146 10/94-02/01

930A 1.9TD,1.9JTD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	1.9TD	QR2380S	Female M12x1.5, Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨	1.9TD	QR2379S	Female M12x1.5, Ø 12mm Cone, L=128mm
1	Tie Rod End - Outer	⇦⊏⇨	1.9JTD	QR3355S	Female M14x1.5, Ø 12.5mm Cone, L=113mm
2	Rack End	⇦⊏⇨	1.9TD	QR2844S	Male M12x1.5, L=305mm
2	Rack End	⇦⊏⇨	1.9JTD	QR5213S	Male M14x1.5, M14x1.5 Swivel, L=308mm


Alfa 145, 146 continued... 10/94-02/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front	↲		**QSA999S**	
20b	Suspension Arm - Front	↳		**QSA998S**	
24a	Suspension Arm Bush - Front	↲		**EMS3001**	Front
24b	Suspension Arm Bush - Front	↳		**EMS3000**	Front
24c	Suspension Arm Bush - Front	↲		**EMS3021**	Rear
24d	Suspension Arm Bush - Front	↳		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1969**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR1781**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR1782**	
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA1781**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA1782**	
30a	Suspension Arm - Rear	↲	exc.ABS	**QSJ3358S**	Radius Arm
30a	Suspension Arm - Rear	↲	ABS	**QSJ3360S**	Radius Arm
30b	Suspension Arm - Rear	↳	exc.ABS	**QSJ3359S**	Radius Arm
30b	Suspension Arm - Rear	↳	ABS	**QSJ3361S**	Radius Arm
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9009**	

Alfa 145, 146

930A 1.8,2.0

10/94-02/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	10/94-03/95	**QR2380S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨	10/94-03/95	**QR2379S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
1	Tie Rod End - Outer	⇦⇨	03/95-02/01	**QR9925S**	Female M14x1.5 RH
2	Rack End	⇦⇨	10/94-03/95	**QR2844S**	Male M12x1.5 RH, L=305mm
2	Rack End	⇦⇨	03/95-02/01	**QR5213S**	Male M14x1.5, M14x1.5 Swivel, L=308mm
20a	Suspension Arm - Front	↲		**QSA999S**	
20b	Suspension Arm - Front	↳		**QSA998S**	
24a	Suspension Arm Bush - Front	↲		**EMS3001**	Front
24b	Suspension Arm Bush - Front	↳		**EMS3000**	Front
24c	Suspension Arm Bush - Front	↲		**EMS3021**	Rear
24d	Suspension Arm Bush - Front	↳		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1968**	Outer, Ø 22mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**-**	Inner, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	-ch.0059643	**EMR1836**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	ch.0059644-	**-**	


Alfa 145, 146 continued... 10/94-02/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62b	Top Strut Mounting - Front exc.Bearing	⇨	-ch.0059643	**EMR1837**	
62b	Top Strut Mounting - Front exc.Bearing	⇨	ch.0059644-	**-**	
63a	Top Strut Mounting - Front inc.Bearing	⇦	-ch.0059643	**EMA1836**	
63b	Top Strut Mounting - Front inc.Bearing	⇨	-ch.0059643	**EMA1837**	
30a	Suspension Arm - Rear	↲	exc.ABS	**QSJ3358S**	Radius Arm
30a	Suspension Arm - Rear	↲	ABS	**QSJ3360S**	Radius Arm
30b	Suspension Arm - Rear	↳	exc.ABS	**QSJ3359S**	Radius Arm
30b	Suspension Arm - Rear	↳	ABS	**QSJ3361S**	Radius Arm
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9009**	

Alfa 147

937A

03/01-06/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9901S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR9902S	Female M14x1.5
2	Rack End	⇦⇨		QR9907S	Male M14x1.5


Alfa 147 continued... 03/01-06/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA9904S**	
20b	Suspension Arm - Front			**QSA9905S**	
22a	Suspension Arm - Front			**QSA1785S**	
22b	Suspension Arm - Front			**QSA1788S**	
24a	Suspension Arm Bush - Front			**EMS8083**	Front
24b	Suspension Arm Bush - Front			**EMS8081**	Front
24c	Suspension Arm Bush - Front			**EMS8082**	Rear
24d	Suspension Arm Bush - Front			**EMS8084**	Rear
24e	Suspension Arm Bush - Front			**EMS8039**	Outer
24f	Suspension Arm Bush - Front			**EMS8056**	Front, Rear
25	Stabiliser Link - Front			**QLS1752S**	L=125mm
26	Stabiliser Bar Bush - Front			**EMB7187**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front			**EMB3004**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front			**EMB7188**	Outer, Ø 24mm
30	Suspension Arm - Rear			**QDL5290S**	Front
30[1]	Suspension Arm - Rear			**QDL5291S**	Rear
30a	Suspension Arm - Rear			**QSJ3382S**	Longitudinal Link
30b	Suspension Arm - Rear			**QSJ3383S**	Longitudinal Link
34a	Suspension Arm Bush - Rear			**EMS8524**	Front
34b	Suspension Arm Bush - Rear			**EMS8217**	Rear
35	Stabiliser Link - Rear			**QLS1757S**	L=180mm
36	Stabiliser Bar Bush - Rear			**EMB1971**	Outer

Alfa 155

02/92-12/97

167A 1.6 16v TS, 1.7,1.8,2.0 8v TS,1.9TD




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2380S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨		**QR2379S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
2	Rack End	⇦⇨		**QR2844S**	Male M12x1.5 RH, L=305mm
20a	Suspension Arm - Front	↲		**QSA999S**	46474556
20b	Suspension Arm - Front	↳		**QSA998S**	46474557
24a	Suspension Arm Bush - Front	↲		**EMS3001**	Front
24b	Suspension Arm Bush - Front	↳		**EMS3000**	Front
24c	Suspension Arm Bush - Front	↲		**EMS3021**	Rear
24d	Suspension Arm Bush - Front	↳		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1969**	Outer, Ø 23mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	05/95-12/97	**-**	Inner, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	-ch.0059643	**EMR1836**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	ch.0059644-	**-**	
62b	Top Strut Mounting - Front exc.Bearing	⇨	-ch.0059643	**EMR1837**	
62b	Top Strut Mounting - Front exc.Bearing	⇨	ch.0059644-	**-**	
63a	Top Strut Mounting - Front inc.Bearing	⇦	-ch.0059643	**EMA1836**	
63b	Top Strut Mounting - Front inc.Bearing	⇨	-ch.0059643	**EMA1837**	
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9009**	

Alfa 155

167A 1.8,2.0 16v TS

02/92-12/97



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	05/95-12/97	**QR9925S**	Female M14x1.5
1a	Tie Rod End - Outer	⇦	02/92-03/95	**QR2380S**	Female M12x1.5 , Ø 12mm Cone, L=128mm
1a	Tie Rod End - Outer	⇦	03/95-05/95	**-**	
1b	Tie Rod End - Outer	⇨	02/92-03/95	**QR2379S**	Female M12x1.5 , Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨	03/95-05/95	**-**	
2	Rack End	⇦⇨	02/92-03/95	**QR2844S**	Male M12x1.5 , L=305mm
2	Rack End	⇦⇨	03/95-05/95	**-**	
2	Rack End	⇦⇨	05/95-12/97	**QR5213S**	Male M14x1.5, M14x1.5 Swivel, L=308mm
20a	Suspension Arm - Front	⇦		**QSA999S**	
20b	Suspension Arm - Front	⇨		**QSA998S**	
24a	Suspension Arm Bush - Front	⇦		**EMS3001**	Front
24b	Suspension Arm Bush - Front	⇨		**EMS3000**	Front
24c	Suspension Arm Bush - Front	⇦		**EMS3021**	Rear
24d	Suspension Arm Bush - Front	⇨		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1969**	Outer, Ø 23mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	05/95-12/97	**-**	Inner, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	-ch.0059643	**EMR1836**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	ch.0059644-	**-**	
62b	Top Strut Mounting - Front exc.Bearing	⇨	-ch.0059643	**EMR1837**	
62b	Top Strut Mounting - Front exc.Bearing	⇨	ch.0059644-	**-**	


continued...

Alfa 155 continued... 02/92-12/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63a	Top Strut Mounting - Front inc.Bearing	⇦	-ch.0059643	**EMA1836**	
63b	Top Strut Mounting - Front inc.Bearing	⇨	-ch.0059643	**EMA1837**	
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9009**	

Alfa 155 02/92-12/97

167A 2.0 Turbo,2.5 V6,2.5TD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	02/92-03/95	**QR9922S**	Female M12x1.5
1a	Tie Rod End - Outer	⇦	03/95-05/95	**-**	
1b	Tie Rod End - Outer	⇨	02/92-03/95	**QR9921S**	Female M12x1.5
1b	Tie Rod End - Outer	⇨	03/95-05/95	**-**	
1	Tie Rod End - Outer	⇦⇨	05/95-12/97	**QR3355S**	Female M14x1.5, Ø 12.5mm Cone, L=113mm
2	Rack End	⇦⇨	02/92-03/95	**QR2844S**	Male M12x1.5, L=305mm
2	Rack End	⇦⇨	03/95-05/95	**-**	
2	Rack End	⇦⇨	05/95-12/97	**QR5213S**	Male M14x1.5, M14x1.5 Swivel, L=308mm
20a	Suspension Arm - Front	↲		**QSA999S**	
20b	Suspension Arm - Front	↳		**QSA998S**	
24a	Suspension Arm Bush - Front	↲		**EMS3001**	Front
24b	Suspension Arm Bush - Front	↳		**EMS3000**	Front
24c	Suspension Arm Bush - Front	↲		**EMS3021**	Rear
24d	Suspension Arm Bush - Front	↳		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1969**	Outer, Ø 23mm


Alfa 155 continued... 02/92-12/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26[1]	Stabiliser Bar Bush - Front	⇨⇦	05/95-12/97	**-**	Inner, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	-ch.0059643	**EMR1836**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	ch.0059644-	**-**	
62b	Top Strut Mounting - Front exc.Bearing	⇨	-ch.0059643	**EMR1837**	
62b	Top Strut Mounting - Front exc.Bearing	⇨	ch.0059644-	**-**	
63a	Top Strut Mounting - Front inc.Bearing	⇦	-ch.0059643	**EMA1836**	
63b	Top Strut Mounting - Front inc.Bearing	⇨	-ch.0059643	**EMA1837**	
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9009**	

Alfa 156

932A

09/97-05/06




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9901S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR9902S	Female M14x1.5
2	Rack End	⇦⇨		QR9903S	Male M14x1.5, L=218mm
20a	Suspension Arm - Front			QSA9904S	
20b	Suspension Arm - Front			QSA9905S	
22a	Suspension Arm - Front			QSA1785S	
22b	Suspension Arm - Front			QSA1788S	
24a	Suspension Arm Bush - Front			EMS8083	Front
24b	Suspension Arm Bush - Front			EMS8081	Front
24c	Suspension Arm Bush - Front			EMS8082	Rear
24d	Suspension Arm Bush - Front			EMS8084	Rear
24e	Suspension Arm Bush - Front			EMS8039	Outer
24f	Suspension Arm Bush - Front			EMS8056	Front, Rear
25	Stabiliser Link - Front	⇦⇨		QLS1752S	L=125mm

Alfa 156 continued... 09/97-05/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3004	Outer
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8524	Front
34b	Suspension Arm Bush - Rear	⇦⇨		EMS8217	Rear
35	Stabiliser Link - Rear	⇦⇨		QLS1757S	L=180mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB1971	Outer

Alfa 159 09/05-08/12

939AX,939BX



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3648S	Female M20x1.5 ↻, Ø 14.6mm Cone, L=117mm
1b	Tie Rod End - Outer	⇨		QR3649S	Female M20x1.5 ↻, Ø 14.6mm Cone, L=117mm
2	Rack End	⇦⇨		QR3589S	
20a	Suspension Arm - Front	↲		QSA2384S	
20b	Suspension Arm - Front	↳		QSA2385S	
22a	Suspension Arm - Front	↰		QSA2455S	
22b	Suspension Arm - Front	↱		QSA2456S	


continued...

Alfa 159 continued... 09/05-08/12

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS8497**	Front
24b	Suspension Arm Bush - Front			**EMS8498**	Rear
24c	Suspension Arm Bush - Front			**EMS8499**	Rear
24d	Suspension Arm Bush - Front			**EMS8495**	Front
24e	Suspension Arm Bush - Front			**EMS8496**	Rear
25a	Stabiliser Link - Front			**QLS3576S**	L=102mm
25b	Stabiliser Link - Front			**QLS3577S**	L=102mm
32	Suspension Arm - Rear			**QSJ3493S**	
35a	Stabiliser Link - Rear			**QLS3574S**	L=116mm
35b	Stabiliser Link - Rear			**QLS3575S**	L=116mm

Alfa 164 01/87-08/98

164A




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR2405S**	Female M14x1.5 , Ø 12.5mm Cone, L=147mm
2	Rack End			**QR2406S**	Male M14x1.5 , M14x1.5 Swivel, L=290mm
20a	Suspension Arm - Front		2.0 T Spark, 01/87-01/92, -ch.6256028	**QSA900S**	Ø 13mm Cone, Ø 14mm Stabiliser Bar Hole
20a	Suspension Arm - Front		exc.2.0 T Spark,3.0i V6 24V Q4, 01/87-01/92, -ch.6256028	**QSA907S**	Ø 15mm Cone, Ø 14mm Stabiliser Bar Hole
20a	Suspension Arm - Front		2.0 T Spark, 01/92-08/98, ch.6256029-	**QSA961S**	Ø 13mm Cone, Ø 20mm Stabiliser Bar Hole
20a	Suspension Arm - Front		exc.2.0 T Spark,3.0i V6 24V Q4, 01/92-08/98, ch.6256029-	**QSA9130S**	Ø 15mm Cone, Ø 20mm Stabiliser Bar Hole
20b	Suspension Arm - Front		2.0 T Spark, 01/87-01/92, -ch.6256028	**QSA901S**	Ø 13mm Cone, Ø 14mm Stabiliser Bar Hole
20b	Suspension Arm - Front		exc.2.0 T Spark,3.0i V6 24V Q4, 01/87-01/92, -ch.6256028	**QSA906S**	Ø 15mm Cone, Ø 14mm Stabiliser Bar Hole
20b	Suspension Arm - Front		2.0 T Spark, 01/92-08/98, ch.6256029-	**QSA960S**	Ø 13mm Cone, Ø 20mm Stabiliser Bar Hole
21	Ball Joint - Front		2.0 T Spark, 01/87-08/92	**QSJ1085S**	Ø 13mm Cone
21	Ball Joint - Front		2.0 T Spark, 09/92-08/98	**QSJ1159S**	Ø 15mm Cone
21	Ball Joint - Front		exc.2.0 T Spark	**QSJ1159S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front		exc.3.0i V6	**EMS2665**	Front
24b	Suspension Arm Bush - Front		exc.2.0 Turbo,3.0i V6	**-**	Rear
24b	Suspension Arm Bush - Front		2.0 Turbo,3.0i V6	**EMS2666**	Rear
24b	Suspension Arm Bush - Front		Armoured body	**-**	Rear
61	Top Strut Bearing - Front			**QAM126**	

Alfa 164 continued... 01/87-08/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	09/92-08/98	**EMA1838**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.4x4	**EMR1785**	

Alfa 166 09/98-06/08

936A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9901S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9902S**	Female M14x1.5
2	Rack End	⇦⇨	-2003 Model Year	**QR9907S**	Male M14x1.5
2	Rack End	⇦⇨	2003 Model Year-	**-**	
20a	Suspension Arm - Front			**QSA9908S**	
20b	Suspension Arm - Front			**QSA9909S**	
22a	Suspension Arm - Front			**QSA1787S**	
22b	Suspension Arm - Front			**QSA1784S**	
24a	Suspension Arm Bush - Front			**EMS8130**	Front
24b	Suspension Arm Bush - Front			**EMS8131**	Rear


continued...

Alfa 166 continued... 09/98-06/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24c	Suspension Arm Bush - Front	⇩⇩		**EMS8132**	Outer
24d	Suspension Arm Bush - Front	⇧⇧		**EMS8129**	Front, Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1747S**	L=144mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB3006**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB3007**	Outer, Ø 22mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	2.0 Turbo,2.5i V6,3.0i V6	**EMB7186**	Inner
35a	Stabiliser Link - Rear	⇦		**QLS3261S**	L=95mm
35b	Stabiliser Link - Rear	⇨		**QLS3260S**	L=95mm
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.Traction Control	**EMB3009**	Outer, Ø 20mm
36	Stabiliser Bar Bush - Rear	⇦⇨	Traction Control	**-**	Outer
65a	Top Strut Mounting - Rear exc.Bearing	⇦		**EMR5009**	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		**EMR5008**	

Brera 09/05-03/11

939DX



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3648S**	Female M20x1.5 ↻, Ø 14.6mm Cone, L=117mm
1b	Tie Rod End - Outer	⇨		**QR3649S**	Female M20x1.5 ↻, Ø 14.6mm Cone, L=117mm

Brera continued... 09/05-03/11

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		**QR3589S**	
20a	Suspension Arm - Front	↲		**QSA2384S**	
20b	Suspension Arm - Front	↳		**QSA2385S**	
22a	Suspension Arm - Front	↰		**QSA2455S**	
22b	Suspension Arm - Front	↱		**QSA2456S**	
24a	Suspension Arm Bush - Front	⇊		**EMS8497**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8498**	Rear
24c	Suspension Arm Bush - Front	↳		**EMS8499**	Rear
24d	Suspension Arm Bush - Front	⇈		**EMS8495**	Front
24e	Suspension Arm Bush - Front	⇈		**EMS8496**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3576S**	L=102mm
25b	Stabiliser Link - Front	⇨		**QLS3577S**	L=102mm
32	Suspension Arm - Rear	⇈		**QSJ3493S**	
35a	Stabiliser Link - Rear	⇦		**QLS3574S**	L=116mm
35b	Stabiliser Link - Rear	⇨		**QLS3575S**	L=116mm

Giulietta 04/10-

940




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3874S**	Female M16x1.5, Ø 13.3mm Cone, L=94mm
1b	Tie Rod End - Outer	⇨		**QR3875S**	Female M16x1.5, Ø 13.3mm Cone, L=94mm
20a	Suspension Arm - Front			**QSA2555S**	
20b	Suspension Arm - Front			**QSA2556S**	
21	Ball Joint - Front			**QSJ3759S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3786S**	L=296mm
35a	Stabiliser Link - Rear	⇦		**QLS3787S**	L=113mm
35b	Stabiliser Link - Rear	⇨		**QLS3788S**	L=113mm

GT 11/03-03/11



GT continued...


11/03-03/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9901S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9902S**	Female M14x1.5
2	Rack End	⇦⇨	exc.3.2 GTA	**QR9903S**	Male M14x1.5 , L=218mm
2	Rack End	⇦⇨	3.2 GTA	**QR9907S**	Male M14x1.5
20a	Suspension Arm - Front	⇦		**QSA9904S**	
20b	Suspension Arm - Front	⇨		**QSA9905S**	
22a	Suspension Arm - Front	⇦		**QSA1785S**	
22b	Suspension Arm - Front	⇨		**QSA1788S**	
24a	Suspension Arm Bush - Front	⇦		**EMS8083**	Front
24b	Suspension Arm Bush - Front	⇨		**EMS8081**	Front
24c	Suspension Arm Bush - Front	⇦		**EMS8082**	Rear
24d	Suspension Arm Bush - Front	⇨		**EMS8084**	Rear
24e	Suspension Arm Bush - Front	⇦⇨		**EMS8039**	Outer
24f	Suspension Arm Bush - Front	⇦⇨		**EMS8056**	Front, Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1752S**	L=125mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB3004**	Outer
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8524**	Front
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8217**	Rear
35	Stabiliser Link - Rear	⇦⇨		**QLS1757S**	L=180mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB1971**	Outer

GTV
916


04/95-10/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	1.8TS,2.0TS,2.0TS 16v	**QR9925S**	Female M14x1.5
1	Tie Rod End - Outer	⇦⇨	2.0 Turbo V6,2.4JTD,3.0 V6,3.2 V6	**QR3355S**	Female M14x1.5 , Ø 12.5mm Cone, L=113mm
2	Rack End	⇦⇨		**QR5213S**	Male M14x1.5, M14x1.5 Swivel, L=308mm
20a	Suspension Arm - Front	⇦		**QSA999S**	
20b	Suspension Arm - Front	⇨		**QSA998S**	
24a	Suspension Arm Bush - Front	⇦		**EMS3001**	Front
24b	Suspension Arm Bush - Front	⇨		**EMS3000**	Front
24c	Suspension Arm Bush - Front	⇦		**EMS3021**	Rear
24d	Suspension Arm Bush - Front	⇨		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨	exc.Turbo,2.0JTS,3.0i V6,3.2i V6	**QLS1970S**	L=113mm
25¹	Stabiliser Link - Front	⇦⇨	Turbo,2.0JTS,3.0i V6,3.2i V6	**QLS1551S**	L=270mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.Turbo,2.0JTS,3.0i V6,3.2i V6	**EMB1972**	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	Turbo,2.0JTS,3.0i V6,3.2i V6	**-**	Outer
33	Ball Joint - Rear	⇦⇨		**QSJ1745S**	Ø 13mm Cone, M12 Ball Pin, L=110mm
35a	Stabiliser Link - Rear	⇦		**QLS1759S**	L=95mm
35b	Stabiliser Link - Rear	⇨		**QLS1760S**	L=95mm

MiTo
145A


08/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3556S**	Female M14x1.5 , Ø 12mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		**QR3557S**	Female M14x1.5 , Ø 12mm Cone, L=113mm
2	Rack End	⇦⇨		**QR3550S**	Male M14x1.5 , M14x1.5 Swivel, L=305mm
20a	Suspension Arm - Front		exc.Electronic Susp.	**QSA2326S**	
20a	Suspension Arm - Front		Electronic Susp.	**-**	
20b	Suspension Arm - Front		exc.Xenon Headlights,exc.Electronic Susp.	**QSA2327S**	
20b	Suspension Arm - Front		Xenon Headlights, exc.Electronic Susp.	**-**	
20b	Suspension Arm - Front		Xenon Headlights, Electronic Susp.	**-**	
21	Ball Joint - Front			**QSJ3393S**	Ø 16mm Cone, 65mm Pcd,Ø 13mm Groove
24a	Suspension Arm Bush - Front			**EMS8348**	Front
24b	Suspension Arm Bush - Front			**EMS8349**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3527S**	L=301mm
62	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5052**	

RZ, SZ
162D1, 162C1


09/88-08/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1783S	Female M14x1.5 , Ø 12.6mm Cone, L=72.8mm
21	Ball Joint - Front			QSJ844S	Ø 16mm Cone
23	Ball Joint - Front			QSJ1158S	Ø 14.5mm Cone

Spider
916S

06/95-04/05




Spider continued... 06/95-04/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	1.8TS,2.0TS,2.0TS 16v	**QR9925S**	Female M14x1.5
1	Tie Rod End - Outer	⇦⇨	2.0 Turbo V6,3.0 V6,3.2 V6	**QR3355S**	Female M14x1.5, Ø 12.5mm Cone, L=113mm
2	Rack End	⇦⇨		**QR5213S**	Male M14x1.5, M14x1.5 Swivel, L=308mm
20a	Suspension Arm - Front	⇦		**QSA999S**	
20b	Suspension Arm - Front	⇨		**QSA998S**	
24a	Suspension Arm Bush - Front	⇦		**EMS3001**	Front
24b	Suspension Arm Bush - Front	⇨		**EMS3000**	Front
24c	Suspension Arm Bush - Front	⇦		**EMS3021**	Rear
24d	Suspension Arm Bush - Front	⇨		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨	exc.Turbo,2.0JTS,3.0i V6,3.2i V6	**QLS1970S**	L=113mm
25[1]	Stabiliser Link - Front	⇦⇨	Turbo,2.0JTS,3.0i V6,3.2i V6	**QLS1551S**	L=270mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.Turbo,2.0JTS,3.0i V6,3.2i V6	**EMB1972**	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	Turbo,2.0JTS,3.0i V6,3.2i V6	**EMB7033**	Outer, Ø 20mm
33	Ball Joint - Rear	⇦⇨		**QSJ1745S**	Ø 13mm Cone, M12 Ball Pin, L=110mm
35a	Stabiliser Link - Rear	⇦		**QLS1759S**	L=95mm
35b	Stabiliser Link - Rear	⇨		**QLS1760S**	L=95mm

Spider
939DX

06/06-03/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3648S**	Female M20x1.5 , Ø 14.6mm Cone, L=117mm
1b	Tie Rod End - Outer	⇨		**QR3649S**	Female M20x1.5 , Ø 14.6mm Cone, L=117mm
2	Rack End	⇦⇨		**QR3589S**	
20a	Suspension Arm - Front	⇦		**QSA2384S**	
20b	Suspension Arm - Front	⇨		**QSA2385S**	
22a	Suspension Arm - Front	⇦		**QSA2455S**	
22b	Suspension Arm - Front	⇨		**QSA2456S**	
24a	Suspension Arm Bush - Front	⇦		**EMS8498**	Front
24b	Suspension Arm Bush - Front	⇨		**EMS8499**	Front
24c	Suspension Arm Bush - Front	⇦⇨		**EMS8497**	Rear
24d	Suspension Arm Bush - Front	⇦⇨		**EMS8495**	Front
24e	Suspension Arm Bush - Front	⇦⇨		**EMS8496**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3576S**	L=102mm
25b	Stabiliser Link - Front	⇨		**QLS3577S**	L=102mm
35a	Stabiliser Link - Rear	⇦		**QLS3574S**	L=116mm
35b	Stabiliser Link - Rear	⇨		**QLS3575S**	L=116mm

Cygnet




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3819S	
21	Ball Joint - Front			QSJ3270S	Ø 16.5mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3748S	

80

04/88-07/91

89, 8A ch.89.J373599-8A.N200000




80 continued... 04/88-07/91

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1835S	Female M14x1.5 ↻, Ø 10.8mm Cone, L=75mm
2a	Rack End	⇦		QR5007S	Female M14x1.5 ↻
3	Tie Rod Connector	⇦⇨		QR5005S	2xMale M14x1.5, L=110mm
4a	Tie Rod Assembly	⇦		QDL2245S	Ø 10.7mm Cone
4a	Tie Rod Assembly	⇦		QDL2936S	
4b	Tie Rod Assembly	⇨		QDL2850S	
4b	Tie Rod Assembly	⇨		-	
20	Suspension Arm - Front	⇦⇨		QSA1675S	
20a	Suspension Arm - Front	↲	, exc.mtr.5 cyl.170PS	QSA1530S	
20b	Suspension Arm - Front	↳	, exc.mtr.5 cyl.170PS	QSA1531S	
21a	Ball Joint - Front	↲		QSJ1162S	Ø 19mm Cone, 2 Round Holes
21a[1]	Ball Joint - Front	↲	, exc.mtr.5 cyl.170PS	QSJ1164S	Ø 19mm Cone, 2 Slotted Holes
21a[2]	Ball Joint - Front	↲	, mtr.5 cyl.170PS	QSJ1071S	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	↳		QSJ1163S	Ø 19mm Cone, 2 Round Holes
21b[1]	Ball Joint - Front	↳	, exc.mtr.5 cyl.170PS	QSJ1165S	Ø 19mm Cone, 2 Slotted Holes
24	Suspension Arm Bush - Front	⇦⇨		EMS1711	Front, Rear
24	Suspension Arm Bush - Front	⇦⇨	, exc.mtr.5 cyl.170PS	EMS1867	Front, Rear
24	Suspension Arm Bush - Front	⇦⇨	, mtr.5 cyl.170PS	EMS8054	Front, Rear
25	Stabiliser Link - Front	⇦⇨		QLS2967S	L=270mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB7027	Inner, Ø 21.5mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		-	Inner, Ø 22.5mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1767	Ø 14mm
92	Subframe Mounting - Front	⇦⇨	MAN	EM2441	Front
92	Subframe Mounting - Front	⇦⇨	AUTO 3 Spd.	-	Front
92	Subframe Mounting - Front	⇦⇨	AUTO 4 Spd.	EM3078	Front
92[1]	Subframe Mounting - Front	⇩		EM2451	
92[2]	Subframe Mounting - Front	⇦⇨		EM2438	Rear, Ø 10mm
16	Axle Mounting - Rear	⇦⇨		EMS2445	
34	Suspension Arm Bush - Rear	⇦⇨		EMS2445	

80 Quattro

08/89-09/91

89Q ch.8A.L045001-8A.N200000



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1835S**	Female M14x1.5 LH, Ø 10.8mm Cone, L=75mm
2a	Rack End	⇦		**QR5007S**	Female M14x1.5 LH
3	Tie Rod Connector	⇦⇨		**QR5005S**	2xMale M14x1.5, L=110mm
4a	Tie Rod Assembly	⇦		**QDL2245S**	Ø 10.7mm Cone
4a	Tie Rod Assembly	⇦		**QDL2936S**	
4b	Tie Rod Assembly	⇨		**QDL2850S**	
4b	Tie Rod Assembly	⇨		-	
20a	Suspension Arm - Front	↲	exc.mtr.2.3 7A 170PS	**QSA1530S**	
20b	Suspension Arm - Front	↳	exc.mtr.2.3 7A 170PS	**QSA1531S**	
21a	Ball Joint - Front	↲	exc.mtr.2.3 7A 170PS	**QSJ1164S**	Ø 19mm Cone, 2 Slotted Holes
21a¹	Ball Joint - Front	↲	mtr.2.3 7A 170PS	**QSJ1071S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	↳	exc.mtr.2.3 7A 170PS	**QSJ1165S**	Ø 19mm Cone, 2 Slotted Holes


80 Quattro continued... 08/89-09/91

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front		exc.mtr.2.3 7A 170PS	**EMS1867**	Front, Rear
24b	Suspension Arm Bush - Front		mtr.2.3 7A 170PS	**EMS8054**	Front, Rear
25	Stabiliser Link - Front			**QLS2967S**	L=270mm
61	Top Strut Bearing - Front			**QAM125**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1767**	Ø 14mm
92	Subframe Mounting - Front			**EM2441**	
31a	Ball Joint - Rear			**QSJ1676S**	Ø 19mm Cone
31b	Ball Joint - Rear			**QSJ1677S**	Ø 19mm Cone
35	Stabiliser Link - Rear			**QLS3176S**	L=300mm

80

B4 ch.8C.N000001-8C.T010000

08/91-07/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1835S**	Female M14x1.5 , Ø 10.8mm Cone, L=75mm
2a	Rack End	⇦		**QR5007S**	Female M14x1.5
3	Tie Rod Connector	⇦⇨		**QR5005S**	2xMale M14x1.5, L=110mm
4a	Tie Rod Assembly	⇦		**QDL2245S**	Ø 10.7mm Cone
4a	Tie Rod Assembly	⇦		**QDL2936S**	
4b	Tie Rod Assembly	⇨		**QDL2850S**	
4b	Tie Rod Assembly	⇨		**-**	
20a	Suspension Arm - Front		exc.mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**QSA1006S**	
20a	Suspension Arm - Front		mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**-**	
20b	Suspension Arm - Front		exc.mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**QSA1001S**	
20b	Suspension Arm - Front		mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**-**	


80 continued... 08/91-07/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21a	Ball Joint - Front		exc.mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**QSJ1345S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front		mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**QSJ1678S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		exc.mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**QSJ1346S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**QSJ1679S**	Ø 19mm Cone, 3 Slotted Holes
24	Suspension Arm Bush - Front		exc.mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**EMS1867**	Front, Rear
24	Suspension Arm Bush - Front		mtr.2.8 V6 AAH: 09/91-04/92 ch.8C.N000352-8C.N175591	**EMS8054**	Front, Rear
25	Stabiliser Link - Front	⇦⇨		**QLS2967S**	L=270mm
26[1]	Stabiliser Bar Bush - Front	⇦⇨		**EMB2157**	Inner, Ø 23.5mm
26[1]	Stabiliser Bar Bush - Front	⇦⇨		**-**	Inner, Ø 24.5mm
61	Top Strut Bearing - Front	⇦⇨		**QAM125**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1767**	Ø 14mm
92	Subframe Mounting - Front	⇦⇨	1.9D,2.0 -ch.8C.P053245	**EM2426**	Front, Ø 10mm
92	Subframe Mounting - Front	⇦⇨	1.9D,2.0 ch.8C.P053246-	**-**	Front, Ø 12mm
92	Subframe Mounting - Front	⇦⇨	2.3 -ch.8C.P053245	**EM3078**	Front
92	Subframe Mounting - Front	⇦⇨	2.3 ch.8C.P053246-	**-**	Front
92[1]	Subframe Mounting - Front	⇦⇨	1.9D,2.3 -ch.8C.P053245	**EM2438**	Rear, Ø 10mm
92[1]	Subframe Mounting - Front	⇦⇨	1.9D,2.0 4 cyl.ch.8C.P053246-	**-**	Rear, Bush, Ø 12mm
92[1]	Subframe Mounting - Front	⇦⇨	2.8 -ch.8C.N190000	**-**	Rear
34	Suspension Arm Bush - Rear	⇦⇨		**EMS2448**	

80 Quattro

08/91-07/95

B4 ch.8C.N000001-8C.T010000



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1835S**	Female M14x1.5 RH, Ø 10.8mm Cone, L=75mm
2a	Rack End	⇦		**QR5007S**	Female M14x1.5 RH
3	Tie Rod Connector	⇦⇨		**QR5005S**	2xMale M14x1.5, L=110mm
4a	Tie Rod Assembly	⇦		**QDL2245S**	Ø 10.7mm Cone
4a	Tie Rod Assembly	⇦		**QDL2936S**	
4b	Tie Rod Assembly	⇨		**QDL2850S**	
4b	Tie Rod Assembly	⇨		-	
20a	Suspension Arm - Front	↲	exc.RS2, exc.mtr.2.2 ABY	**QSA1006S**	
20a	Suspension Arm - Front	↲	exc.RS2, mtr.2.2 ABY, 08/93-02/94, -ch.8C.R125000	-	
20a	Suspension Arm - Front	↲	exc.RS2, mtr.2.2 ABY, 02/94-07/95, ch.8C.R125001-	**QSA1006S**	
20a	Suspension Arm - Front	↲	RS2	-	
20b	Suspension Arm - Front	↳	exc.RS2, exc.mtr.2.2 ABY	**QSA1001S**	
20b	Suspension Arm - Front	↳	exc.RS2, mtr.2.2 ABY, 08/93-02/94, -ch.8C.R125000	-	


80 Quattro continued... 08/91-07/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		exc.RS2, mtr.2.2 ABY, 02/94-07/95, ch.8C.R125001-	**QSA1001S**	
20b	Suspension Arm - Front		RS2	**-**	
21a	Ball Joint - Front		exc.RS2, exc.mtr.2.2 ABY	**QSJ1345S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front		exc.RS2, mtr.2.2 ABY, 08/93-02/94, -ch.8C.R125000	**QSJ1678S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front		exc.RS2, mtr.2.2 ABY, 02/94-07/95, ch.8C.R125001-	**QSJ1345S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front		RS2	**QSJ1678S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		exc.RS2, exc.mtr.2.2 ABY	**QSJ1346S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		exc.RS2, mtr.2.2 ABY, 08/93-02/94, -ch.8C.R125000	**QSJ1679S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		exc.RS2, mtr.2.2 ABY, 02/94-07/95, ch.8C.R125001-	**QSJ1346S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		RS2	**QSJ1679S**	Ø 19mm Cone, 3 Slotted Holes
24a	Suspension Arm Bush - Front		exc.RS2, exc.mtr.2.2 ABY	**EMS1867**	Front, Rear
24b	Suspension Arm Bush - Front		RS2 mtr.2.2 ABY	**EMS8054**	Front, Rear
25	Stabiliser Link - Front		exc.RS2	**QLS2967S**	L=270mm
25	Stabiliser Link - Front		RS2	**QLS3065S**	L=270mm
61	Top Strut Bearing - Front			**QAM125**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1767**	Ø 14mm
32	Suspension Arm - Rear			**QDL3177S**	Tie Rod
35a	Stabiliser Link - Rear		exc.RS2	**QLS3178S**	L=230mm
35b	Stabiliser Link - Rear		exc.RS2	**QLS3179S**	L=230mm

90

04/88-07/91

89, 8A ch.89.J373599-8A.N200000




90 continued... 04/88-07/91

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1835S	Female M14x1.5 R, Ø 10.8mm Cone, L=75mm
2a	Rack End	⇦		QR5007S	Female M14x1.5 R
3	Tie Rod Connector	⇦⇨		QR5005S	2xMale M14x1.5, L=110mm
4a	Tie Rod Assembly	⇦		QDL2245S	Ø 10.7mm Cone
4a	Tie Rod Assembly	⇦		QDL2936S	
4b	Tie Rod Assembly	⇨		QDL2850S	
4b	Tie Rod Assembly	⇨		-	
20	Suspension Arm - Front			QSA1675S	
20a	Suspension Arm - Front		, exc.mtr.5 cyl.170PS	QSA1530S	
20b	Suspension Arm - Front		, exc.mtr.5 cyl.170PS	QSA1531S	
21a	Ball Joint - Front			QSJ1162S	Ø 19mm Cone, 2 Round Holes
21a[1]	Ball Joint - Front		, 5 cyl. exc.2.3 mtr.7A 170PS	QSJ1164S	Ø 19mm Cone, 2 Slotted Holes
21a[2]	Ball Joint - Front		, 5 cyl. 2.3 mtr.7A 170PS	QSJ1071S	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front			QSJ1163S	Ø 19mm Cone, 2 Round Holes
21b[1]	Ball Joint - Front		, 5 cyl. exc.2.3 mtr.7A 170PS	QSJ1165S	Ø 19mm Cone, 2 Slotted Holes
24	Suspension Arm Bush - Front			EMS1711	Front, Rear
24	Suspension Arm Bush - Front		, 5 cyl. exc.2.3 mtr.7A 170PS	EMS1867	Front, Rear
24	Suspension Arm Bush - Front		, 5 cyl. 2.3 mtr.7A 170PS	EMS8054	Front, Rear
25	Stabiliser Link - Front	⇦⇨		QLS2967S	L=270mm
61	Top Strut Bearing - Front	⇦⇨		QAM125	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1767	Ø 14mm
92	Subframe Mounting - Front	⇦⇨	MAN	EM2441	
92	Subframe Mounting - Front	⇦⇨	AUTO 3 Spd.	-	
92	Subframe Mounting - Front	⇦⇨	AUTO 4 Spd.	EM3078	
92[1]	Subframe Mounting - Front	⇩		EM2451	Gearbox Mounting
92[2]	Subframe Mounting - Front	⇦⇨		EM2438	Rear, Ø 10mm
34	Suspension Arm Bush - Rear	⇦⇨		EMS2445	

90 Quattro 08/89-09/91

89Q ch.8A.L045001-8A.N200000




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1835S	Female M14x1.5 RH, Ø 10.8mm Cone, L=75mm
2a	Rack End	⇦		QR5007S	Female M14x1.5 RH
3	Tie Rod Connector	⇦⇨		QR5005S	2xMale M14x1.5, L=110mm
4a	Tie Rod Assembly	⇦		QDL2245S	Ø 10.7mm Cone
4a	Tie Rod Assembly	⇦		QDL2936S	
4b	Tie Rod Assembly	⇨		QDL2850S	
4b	Tie Rod Assembly	⇨		-	
20a	Suspension Arm - Front	↲	exc.mtr.2.3 7A 170PS	QSA1530S	
20a	Suspension Arm - Front	↲	mtr.2.3 7A 170PS	-	
20b	Suspension Arm - Front	↳	exc.mtr.2.3 7A 170PS	QSA1531S	
20b	Suspension Arm - Front	↳	mtr.2.3 7A 170PS	-	
21a	Ball Joint - Front	↲	exc.mtr.2.3 7A 170PS	QSJ1164S	Ø 19mm Cone, 2 Slotted Holes
21a¹	Ball Joint - Front	↲	mtr.2.3 7A 170PS	QSJ1071S	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	↳	exc.mtr.2.3 7A 170PS	QSJ1165S	Ø 19mm Cone, 2 Slotted Holes
24	Suspension Arm Bush - Front	↲↳	exc.mtr.2.3 7A 170PS	EMS1867	Front, Rear
24	Suspension Arm Bush - Front	↲↳	mtr.2.3 7A 170PS	EMS8054	Front, Rear
25	Stabiliser Link - Front	⇦⇨		QLS2967S	L=270mm
61	Top Strut Bearing - Front	⇦⇨		QAM125	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1767	Ø 14mm
31a	Ball Joint - Rear	↲		QSJ1676S	Ø 19mm Cone

90 Quattro continued... 08/89-09/91

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
31b	Ball Joint - Rear			**QSJ1677S**	Ø 19mm Cone
35	Stabiliser Link - Rear	⇦⇨		**QLS3176S**	L=300mm

100 08/82-11/90


44 ch.43.D000001-44.M050000



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-ch.44E068500	**QR2374S**	Female M14x1.5, Ø 12.5mm Cone
1a	Tie Rod End - Outer	⇦	ch.44E068501-	**QR2066S**	Female M16x1.5, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨	-ch.44E068500	**QR2250S**	Female M14x1.5, Ø 12.5mm Cone, L=73mm
1b	Tie Rod End - Outer	⇨	ch.44E068501-	**QR2065S**	Female M16x1.5, Ø 12.5mm Cone
20a	Suspension Arm - Front		, ch.43.D000001-44.G020996, 08/82-08/85	**QSJ990S**	Ø 18mm Cone
20a	Suspension Arm - Front		exc.ABS, ch.43.D000001-44.L111380, 08/85-07/90	**QSJ990S**	Ø 18mm Cone
20a	Suspension Arm - Front		exc.ABS, ch.44.L111381-44.M050000, 07/90-11/90	**QSJ1363S**	Ø 19mm Cone
20a	Suspension Arm - Front		ABS, ch.43.D000001-44.M017381, 08/85-09/90	**QSJ990S**	Ø 18mm Cone
20a	Suspension Arm - Front		ABS, ch.44.M017382-44.N050000, 09/90-11/90	**QSJ1363S**	Ø 19mm Cone
20b	Suspension Arm - Front		, ch.43.D000001-44.G020996, 08/82-08/85	**QSJ991S**	Ø 18mm Cone
20b	Suspension Arm - Front		exc.ABS, ch.43.D000001-44.L111380, 08/85-07/90	**QSJ991S**	Ø 18mm Cone
20b	Suspension Arm - Front		exc.ABS, ch.44.L111381-44.M050000, 07/90-11/90	**QSJ1364S**	Ø 19mm Cone
20b	Suspension Arm - Front		ABS, ch.43.D000001-44.M017381, 08/85-09/90	**QSJ991S**	Ø 18mm Cone
20b	Suspension Arm - Front		ABS, ch.44.M017382-44.N050000, 09/90-11/90	**QSJ1364S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2442**	Outer, x2
24b	Suspension Arm Bush - Front	⇨⇦		**EMS2440**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨	Saloon, ch.43.D000001-44.H180000, 08/82-07/87	**-**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨	Avant	**-**	Outer, Ø 22mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1761**	

100 Quattro 10/84-11/90

44Q ch.44.F000001-44.M050000




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Manual Strg	**QR2374S**	Female M14x1.5 , Ø 12.5mm Cone
1a	Tie Rod End - Outer	⇦		**QR2066S**	Female M16x1.5 , Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨	Manual Strg	**QR2250S**	Female M14x1.5 , Ø 12.5mm Cone, L=73mm
1b	Tie Rod End - Outer	⇨		**QR2065S**	Female M16x1.5 , Ø 12.5mm Cone
20a	Suspension Arm - Front		, ch.44.F000001-44.G024418, 10/84-09/85	**QSJ990S**	Ø 18mm Cone
20a	Suspension Arm - Front		exc.ABS, ch.44.F000001-44.L111380, 09/85-07/90	**QSJ990S**	Ø 18mm Cone
20a	Suspension Arm - Front		exc.ABS, ch.44.L111381-44.M050000, 07/90-11/90	**QSJ1363S**	Ø 19mm Cone
20a	Suspension Arm - Front		ABS, ch.44.F000001-44.M017381, 08/85-09/90	**QSJ990S**	Ø 18mm Cone
20a	Suspension Arm - Front		ABS, ch.44.M017382-44.M050000, 09/90-11/90	**QSJ1363S**	Ø 19mm Cone
20b	Suspension Arm - Front		, ch.44.F000001-44.G024418, 10/84-09/85	**QSJ991S**	Ø 18mm Cone
20b	Suspension Arm - Front		exc.ABS, ch.44.F000001-44.L111380, 09/85-07/90	**QSJ991S**	Ø 18mm Cone
20b	Suspension Arm - Front		exc.ABS, ch.44.L111381-44.M050000, 07/90-11/90	**QSJ1364S**	Ø 19mm Cone
20b	Suspension Arm - Front		ABS, ch.44.F000001-44.M017381, 08/85-09/90	**QSJ991S**	Ø 18mm Cone
20b	Suspension Arm - Front		ABS, ch.44.M017382-44.M050000, 09/90-11/90	**QSJ1364S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2442**	Outer, x2
24b	Suspension Arm Bush - Front	⇨⇦		**EMS2440**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨	ch.44.F000001-44.H180000, 10/84-07/87	**-**	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	ch.44.H180001-44M050000, 07/87-11/90	**-**	Outer
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1761**	
32a	Suspension Arm - Rear		ch.44.F000001-44.G073363, 10/84-01/86	**-**	
32a	Suspension Arm - Rear		ch.44.G073364-44.M050000, 01/86-11/90	**QDL2950S**	
32b	Suspension Arm - Rear		ch.44.F000001-44.G073363, 10/84-01/86	**-**	
32b	Suspension Arm - Rear		ch.44.G073364-44.M050000, 01/86-11/90	**QDL2951S**	

100

C4 ch.4A.M000001-4A.R100000


12/90-07/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	ch.4A.M000001-4A.P001983, 12/90-07/92	**QR2848S**	Female M18x1.5 ↻, Ø 12.5mm Cone
1a	Tie Rod End - Outer	⇦	ch.4A.P001984-4A.R100000, 08/92-07/94	**QR2066S**	Female M16x1.5 ↻, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨	ch.4A.M000001-4A.P001983, 12/90-07/92	**QR2849S**	Female M18x1.5 ↻, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨	ch.4A.P001984-4A.R100000, 08/92-07/94	**QR2065S**	Female M16x1.5 ↻, Ø 12.5mm Cone
4a	Tie Rod Assembly	⇦	ch.4A.P001984-4A.R100000, 08/92-07/94	**QDL2955S**	
4b	Tie Rod Assembly	⇨	ch.4A.P001984-4A.R100000, 08/92-07/94	**QDL2956S**	
20a	Suspension Arm - Front	↲		**QSJ1343S**	Ø 19mm Cone (Outer), Ø 15mm (Inner)
20b	Suspension Arm - Front	↳		**QSJ1344S**	Ø 19mm Cone (Outer), Ø 15mm (Inner)
24a	Suspension Arm Bush - Front	⇳		**EMS8053**	Inner
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2447**	Outer, 2 required
26	Stabiliser Bar Bush - Front	⇦⇨	Saloon	**-**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨	Saloon	**EMB2419**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨	Avant	**-**	Outer, Ø 26mm
61	Top Strut Bearing - Front	⇦⇨		**QAM128**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1924**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1924**	EMR1924 + QAM128
92a	Subframe Mounting - Front	⇦	2.0,2.3,2.4D,2.5D,2.8 10/91-07/94	**EM2428**	
92b	Subframe Mounting - Front	⇨	2.0,2.3,2.4D,2.5D,2.8 10/91-07/94	**EM2427**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS3418**	

100 Quattro — 12/90-07/94


C4 ch.4A.M000001-4A.R100000



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2066S**	Female M16x1.5 , Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR2065S**	Female M16x1.5 , Ø 12.5mm Cone
4a	Tie Rod Assembly	⇦	exc.mtr.4.2 ABH V8	**QDL2955S**	
4b	Tie Rod Assembly	⇨	exc.mtr.4.2 ABH V8	**QDL2956S**	
20a	Suspension Arm - Front			**QSJ1343S**	Ø 19mm Cone (Outer), Ø 15mm (Inner)
20b	Suspension Arm - Front			**QSJ1344S**	Ø 19mm Cone (Outer), Ø 15mm (Inner)
24a	Suspension Arm Bush - Front	⇨⇦		**EMS8053**	Inner
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2447**	Outer, 2 required
61	Top Strut Bearing - Front	⇦⇨		**QAM128**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1924**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1924**	
32a	Suspension Arm - Rear			**QDL2950S**	
32b	Suspension Arm - Rear			**QDL2951S**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3004S**	L=120mm

200 — 08/83-12/90

43 ch.44.E024681-44.M050000




200 continued... 08/83-12/90

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2066S	Female M16x1.5, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR2065S	Female M16x1.5, Ø 12.5mm Cone
20a	Suspension Arm - Front		ch.44.E024681-44.M017381, 08/83-09/90	QSJ990S	Ø 18mm Cone
20a	Suspension Arm - Front		ch.44.M017382-44.M050000, 09/90-12/90	QSJ1363S	Ø 19mm Cone
20b	Suspension Arm - Front		ch.44.E024681-44.M017381, 08/83-09/90	QSJ991S	Ø 18mm Cone
20b	Suspension Arm - Front		ch.44.M017382-44.M050000, 09/90-12/90	QSJ1364S	Ø 19mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS2442	Outer, x2
24b	Suspension Arm Bush - Front	⇨⇦		EMS2440	Inner
26	Stabiliser Bar Bush - Front	⇦⇨	ch.44.E024681-44.H180000, 08/83-07/87	-	Outer, Ø 21mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1761	

200 Quattro 08/84-11/90


44



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2066S	Female M16x1.5, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR2065S	Female M16x1.5, Ø 12.5mm Cone
20a	Suspension Arm - Front		exc.ABS, -ch.44.L111380, 08/84-07/90, exc.mtr.3B	QSJ990S	Ø 18mm Cone
20a	Suspension Arm - Front		exc.ABS, ch.44.L111381-, 07/90-11/90, exc.mtr.3B	QSJ1363S	Ø 19mm Cone
20a	Suspension Arm - Front		ABS, -ch.44.M017381, 08/84-07/90, exc.mtr.3B	QSJ990S	Ø 18mm Cone
20a	Suspension Arm - Front		ABS, ch.44.M017382-, 07/90-11/90, exc.mtr.3B	QSJ1363S	Ø 19mm Cone
20a	Suspension Arm - Front		mtr.3B	QSJ1363S	Ø 19mm Cone
20b	Suspension Arm - Front		exc.ABS, -ch.44.L111380, 08/84-07/90, exc.mtr.3B	QSJ991S	Ø 18mm Cone
20b	Suspension Arm - Front		exc.ABS, ch.44.L111381-, 07/90-11/90, exc.mtr.3B	QSJ1364S	Ø 19mm Cone
20b	Suspension Arm - Front		ABS, -ch.44.M017381, 08/84-07/90, exc.mtr.3B	QSJ991S	Ø 18mm Cone
20b	Suspension Arm - Front		ABS, ch.44.M017382-, 07/90-11/90, exc.mtr.3B	QSJ1364S	Ø 19mm Cone
20b	Suspension Arm - Front		mtr.3B	QSJ1364S	Ø 19mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS2442	Outer, x2
24b	Suspension Arm Bush - Front	⇨⇦		EMS2440	Inner
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	2.2 Turbo mtr.MC,1B	EMR1761	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	2.2 Turbo mtr.3B	-	
32a	Suspension Arm - Rear			QDL2950S	
32b	Suspension Arm - Rear			QDL2951S	

A1 05/10-


8X



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3259S**	
1b	Tie Rod End - Outer	⇨		**QR3260S**	
2	Rack End	⇦⇨	-10/14	**QR3820S**	
2	Rack End	⇦⇨	11/14-	**-**	
4a	Tie Rod Assembly	⇦		**QDL3295S**	
4b	Tie Rod Assembly	⇨		**QDL3296S**	
20a	Suspension Arm - Front	↲	1.2TFSi. 1.4TFSi, 2.0TDi -12/10	**QSA2579S**	
20b	Suspension Arm - Front	↳	1.2TFSi. 1.4TFSi, 2.0TDi -12/10	**QSA2580S**	
20a	Suspension Arm - Front	↲	1.2TFSi. 1.4TFSi, 2.0TDi 12/10-	**QSA2570S**	
20b	Suspension Arm - Front	↳	1.2TFSi. 1.4TFSi, 2.0TDi 12/10-	**QSA2571S**	
20a	Suspension Arm - Front	↲	1.6TDi -07/10	**QSA2579S**	
20b	Suspension Arm - Front	↳	1.6TDi -07/10	**QSA2580S**	
20a	Suspension Arm - Front	↲	1.6TDi 07/10-	**QSA2570S**	
20b	Suspension Arm - Front	↳	1.6TDi 07/10-	**QSA2571S**	
20a	Suspension Arm - Front	↲	1.0 TFSi, 2.0TFSi	**QSA2579S**	
20b	Suspension Arm - Front	↳	1.0 TFSi, 2.0TFSi	**QSA2580S**	
21a	Ball Joint - Front	↲		**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3269S**	Ø 15mm Cone, M12x1.5
25	Stabiliser Link - Front	⇦⇨		**QLS3299S**	L=274mm
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2334**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6011**	

A2
8Z

09/00-07/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	, exc.mtr.ANY 1.2 3L TDi	**QR3318S**	Female M14x1.5 , L=95mm
1a	Tie Rod End - Outer	⇦	mtr.ANY 1.2 3L TDi,	**QR3560S**	Female M14x1.5 , Ø 12.8mm Cone, L=95mm
1a	Tie Rod End - Outer	⇦	mtr.ANY 1.2 3L TDi,	**QR3560S**	Female M14x1.5 , Ø 12.8mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨	, exc.mtr.ANY 1.2 3L TDi	**QR3319S**	Female M14x1.5 , L=95mm
1b	Tie Rod End - Outer	⇨	mtr.ANY 1.2 3L TDi,	**QR3561S**	Female M14x1.5 , Ø 12.8mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨	mtr.ANY 1.2 3L TDi,	**QR3561S**	Female M14x1.5 , Ø 12.8mm Cone, L=95mm
2	Rack End	⇦⇨		**QR3820S**	Male M14, M14 Swivel, L=330mm
4a	Tie Rod Assembly	⇦	, exc.mtr.ANY 1.2 3L TDi	**QDL3274S**	M14x1.5 , Cone Ø 13.5mm, L=382mm
4a	Tie Rod Assembly	⇦	mtr.ANY 1.2 3L TDi,	**-**	
4a	Tie Rod Assembly	⇦	mtr.ANY 1.2 3L TDi,	**-**	
4b	Tie Rod Assembly	⇨	, exc.mtr.ANY 1.2 3L TDi	**QDL3275S**	M14x1.5 , Cone Ø 13.5mm, L=382mm
4b	Tie Rod Assembly	⇨	mtr.ANY 1.2 3L TDi,	**-**	
4b	Tie Rod Assembly	⇨	mtr.ANY 1.2 3L TDi,	**-**	
20a	Suspension Arm - Front	↲	mtr.ANY 1.2 3L TDi,	**-**	
20a	Suspension Arm - Front	↲	mtr.ANY 1.2 3L TDi,	**-**	
20a	Suspension Arm - Front	↲	mtr.AUA,BBY,BAD -ch.8Z.3019683	**QSA2042S**	
20a	Suspension Arm - Front	↲	mtr.AMF -ch.8Z.3019683	**QSA2343S**	
20b	Suspension Arm - Front	↳	mtr.ANY 1.2 3L TDi,	**-**	
20b	Suspension Arm - Front	↳	mtr.ANY 1.2 3L TDi,	**-**	
20b	Suspension Arm - Front	↳	mtr.AUA,BBY,BAD -ch.8Z.3019683	**QSA2043S**	
20b	Suspension Arm - Front	↳	mtr.AMF -ch.8Z.3019683	**QSA2344S**	
24a	Suspension Arm Bush - Front	↲↳	mtr.1.2,1.4 AMF	**EMS8223**	Front
24a	Suspension Arm Bush - Front	↲↳	mtr.1.4 AUA,BBY,1.6 BAD	**EMS8146**	Front
24b	Suspension Arm Bush - Front	↲↳	mtr.1.2,1.4 AMF	**EMS8224**	Rear
24b	Suspension Arm Bush - Front	↲↳	mtr.1.4 AUA,BBY,1.6 BAD	**EMS8225**	Rear

continued...

A2 continued... 09/00-07/05


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⊐⇨	mtr.ANY 1.2 3L TDi	QLS3322S	L=59mm
25	Stabiliser Link - Front	⇦⊐⇨	exc.mtr.ANY 1.2 3L TDi	QLS3299S	L=274mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB7254	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB7249	Outer, Ø 20.8mm
61	Top Strut Bearing - Front	⇦⊐⇨		QAM158	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		EMR6084	
65	Top Strut Mounting - Rear exc.Bearing	⇦⊐⇨		EMR6011	

A3 09/96-06/03

8L ch.8L.V000001-



A3 continued... 09/96-06/03



A3 continued... 09/96-06/03


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	ch.8L.V000001-8L.W050421, 09/96-09/97	QR3041S	Female M14x1.5, Ø 13.3mm Cone, L=75mm
1a	Tie Rod End - Outer	⇦	ch.8L.W050422-10/97-06/03	QR3259S	Female M14x1.5, Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨	ch.8L.V000001-8L.W050421, 09/96-09/97	QR3040S	Female M14x1.5, Ø 13.3mm Cone, L=75mm
1b	Tie Rod End - Outer	⇨	ch.8L.W050422-10/97-06/03	QR3260S	Female M14x1.5, Ø 13.2mm Cone, L=95mm
2	Rack End	⇦⇨	ch.8L.V000001-8L.W050421, 09/96-09/97	QR5218S	Male M14x1.5, M18x1.5 Swivel, L=358mm
2	Rack End	⇦⇨	ch.8L.W050422-10/97-06/03	QR5306S	Male M14x1.5, M16x1.5mm Swivel, L=340mm
4a	Tie Rod Assembly	⇦	ch.8L.V000001-8L.W050421, 09/96-09/97	QDL3047S	
4a	Tie Rod Assembly	⇦	ch.8L.W050422-10/97-06/03	QDL3257S	
4b	Tie Rod Assembly	⇨	ch.8L.V000001-8L.W050421, 09/96-09/97	QDL3045S	
4b	Tie Rod Assembly	⇨	ch.8L.W050422-10/97-06/03	QDL3258S	
20	Suspension Arm - Front			QSA1672S	Not Complete
20a	Suspension Arm - Front			QSA1533S	Complete
20b	Suspension Arm - Front			QSA1532S	Complete
21a	Ball Joint - Front			QSJ1604S	Ø 15mm Cone
21b	Ball Joint - Front			QSJ1603S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS2659	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3054S	Ø 21mm Bar, L=105mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨		QLS3250S	Ø 23mm, L=105mm, Metal
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7122	Outer, Ø 19mm Bar, Ø 17mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7041	Outer, Ø 21mm Bar, Ø 19mm Bush
27[1]	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3079	Outer, Ø 21mm Bar, Ø 19mm Bush
27[2]	Stabiliser Link Bush - Front	⇦⇨		EMB7057	
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2334	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2334	
92	Subframe Mounting - Front			EM4106	
34	Suspension Arm Bush - Rear	⇦⇨		EMS8521	Axle, 69mm Dia
34	Suspension Arm Bush - Rear	⇦⇨		EMS4045	Axle, 72mm Dia
35	Stabiliser Link - Rear	⇦⇨	exc.H.D.Susp.	QLS3327S	L=182mm
35	Stabiliser Link - Rear	⇦⇨	H.D.Susp.	QLS3542S	L=196mm
38	Subframe Repair Kit - Rear	⇦⇨		QSK233S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6011	

A3 Quattro 09/96-06/03


8L ch.8L.V000001-



A3 Quattro continued... 09/96-06/03









A3 Quattro continued... 09/96-06/03


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	ch.8L.V000001-8L.W050421, 09/96-09/97	QR3041S	Female M14x1.5, Ø 13.3mm Cone, L=75mm
1a	Tie Rod End - Outer	⇦	ch.8L.W050422-10/97-06/03	QR3259S	Female M14x1.5, Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨	ch.8L.V000001-8L.W050421, 09/96-09/97	QR3040S	Female M14x1.5, Ø 13.3mm Cone, L=75mm
1b	Tie Rod End - Outer	⇨	ch.8L.W050422-10/97-06/03	QR3260S	Female M14x1.5, Ø 13.2mm Cone, L=95mm
2	Rack End	⇦⇨	ch.8L.V000001-8L.W050421, 09/96-09/97	QR5218S	Male M14x1.5, M18x1.5 Swivel, L=358mm
2	Rack End	⇦⇨	ch.8L.W050422-10/97-06/03	QR5306S	Male M14x1.5, M16x1.5mm Swivel, L=340mm
4a	Tie Rod Assembly	⇦	ch.8L.V000001-8L.W050421, 09/96-09/97	QDL3047S	
4a	Tie Rod Assembly	⇦	ch.8L.W050422-10/97-06/03	QDL3257S	
4b	Tie Rod Assembly	⇨	ch.8L.V000001-8L.W050421, 09/96-09/97	QDL3045S	
4b	Tie Rod Assembly	⇨	ch.8L.W050422-10/97-06/03	QDL3258S	
20	Suspension Arm - Front			QSA1672S	Not Complete
20a	Suspension Arm - Front			QSA1533S	Complete
20b	Suspension Arm - Front			QSA1532S	Complete
21a	Ball Joint - Front			QSJ1604S	Ø 15mm Cone
21b	Ball Joint - Front			QSJ1603S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS2659	Rear
25	Stabiliser Link - Front	⇦⇨	ch.8L.V000001-8L.X140001, 09/96-06/99	QLS3054S	Ø 21mm Bar, L=105mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨	ch.8L.V000001-8L.X140001, 09/96-06/99	QLS3250S	Ø 23mm, L=105mm, Metal
25a	Stabiliser Link - Front	⇦	ch.8L.X140002-, 07/99-06/03	QLS3332S	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front	⇨	ch.8L.X140002-, 07/99-06/03	QLS3333S	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.V000001-8L.X140001, 09/96-06/99	EMB7041	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.X140002-8L.Y200000, 07/99-08/00	EMB7122	Outer, Ø 19mm Bar, Ø 17mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	EMB7122	Outer, Ø 19mm Bar, Ø 17mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	EMB7041	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	-	Outer, Ø 20mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	EMB7100	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3079	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	EMBK2664	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2334	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2334	
92	Subframe Mounting - Front			EM4106	
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8424	Front,Trailing Arm
35	Stabiliser Link - Rear	⇦⇨	exc.H.D.Susp.	QLS3327S	L=182mm
35	Stabiliser Link - Rear	⇦⇨	H.D.Susp.	QLS3542S	L=196mm

S3 Quattro 08/98-06/03

8L



S3 Quattro continued... 08/98-06/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9976S**	Female M16x1.5 RH, Ø 13.1mm Cone, M12 Swivel
1b	Tie Rod End - Outer	⇨		**QR9977S**	Female M16x1.5 RH, Ø 13.1mm Cone, M12 Swivel
2	Rack End	⇦⇨		**QR3452S**	Male M16x1.5 RH, M16x1.5 Swivel, L=355mm
20a	Suspension Arm - Front			**QSA2024S**	
20b	Suspension Arm - Front			**QSA2025S**	
21	Ball Joint - Front			**QSJ3343S**	M12x1.5mm Ball Pin, Ø 15.5mm Cone
24a	Suspension Arm Bush - Front		-ch.8L.Y117500	**EMS1997**	Front
24a	Suspension Arm Bush - Front		ch.8L.Y117501-	**EMS8226**	Front
24b	Suspension Arm Bush - Front		-ch.8L.Y117500	**EMS2659**	Rear
24b	Suspension Arm Bush - Front		ch.8L.Y117501-	**EMS8227**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3332S**	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front	⇨		**QLS3333S**	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.V000001-8L.X140001, 09/96-06/99	**EMB7041**	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.X140002-8L.Y200000, 07/99-08/00	**EMB7122**	Outer, Ø 19mm Bar, Ø 17mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	**EMB7122**	Outer, Ø 19mm Bar, Ø 17mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	**EMB7041**	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	**-**	Outer, Ø 20mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	**EMB7100**	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3079**	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨	ch.8L.1000001-, 08/00-06/03	**EMBK2664**	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8424**	Front,Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3327S**	L=182mm

A3, A3 Quattro

06/03-08/12

8P1




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm

A3, A3 Quattro continued... 06/03-08/12

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front	↙		**QSA2016S**	Cast Type
20a[1]	Suspension Arm - Front	↙		**QSA2018S**	Sheet Steel Type
20b	Suspension Arm - Front	↘		**QSA2017S**	Cast Type
20b[1]	Suspension Arm - Front	↘		**QSA2019S**	Sheet Steel Type
21a	Ball Joint - Front	↙		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↘		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↙↘		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↙		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↘		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	↙↘		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	↙		**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	↘		**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear	⇦⇨		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm

A3 04/12-


8V



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	
1b	Tie Rod End - Outer	⇨		**QR5325S**	
2	Rack End	⇦⇨		**QR5323S**	
20a	Suspension Arm - Front	↙		**QSA2728S**	Without Ball Joint
20b	Suspension Arm - Front	↘		**QSA2729S**	Without Ball Joint
21a	Ball Joint - Front	↙	PR-1ZE,1ZF,1ZP	**QSJ3295S**	
21a[1]	Ball Joint - Front	↙	PR-1ZA,1LC,1LJ	**QSJ2117S**	
21b	Ball Joint - Front	↘	PR-1ZE,1ZF,1ZP	**QSJ3296S**	
21b[1]	Ball Joint - Front	↘	PR-1ZA,1LC,1LJ	**QSJ2118S**	
24a	Suspension Arm Bush - Front	↙↘		**EMS8228**	Front
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	

A4 11/94-11/00

B5 ch.8D.S000001-8D.1200000




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	Std.Susp.	QR9973S	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	30mm Lowered Susp.	QR3334S	Male M14x1.5, Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR2954S	Female M14x1.5, M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨	Std.Susp.	QDL3276S	Male M14x1.5
4	Tie Rod Assembly	⇦⇨	30mm Lowered Susp.	-	
10	Suspension Repair Kit - Front (Complete)		Std.Susp.	QSJ5003K	QR9973S (2x), QSJ1588S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
20	Suspension Arm - Front	⇦⇨		QSJ1588S	Front of Wheel, Ø 20.6mm Cone L=365mm
20a[1]	Suspension Arm - Front	⇦		QSJ1584S	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front	⇨		QSJ1583S	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front	⇦	Std.Susp.	QSJ1680S	Front of Wheel, Ø 16mm Cone L=270mm

A4 continued... 11/94-11/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
22a	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3407S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		Std.Susp.	**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3408S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front		Std.Susp., ch.8D.S000001-8D.W260129	**QSJ1704S**	Rear of Wheel, Ø 16mm Cone
22a[1]	Suspension Arm - Front		Std.Susp., ch.8D.W260130-8D.1200000	**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22a[1]	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3409S**	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front		Std.Susp., ch.8D.S000001-8D.W260129	**QSJ1705S**	Rear of Wheel, Ø 16mm Cone
22b[1]	Suspension Arm - Front		Std.Susp., ch.8D.W260130-8D.1200000	**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3410S**	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front		Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1588S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1588S	**EMS2691**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S	**EMS2694**	Inner, Front of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
24f	Suspension Arm Bush - Front		30mm Lowered Susp.	**-**	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3237S**	L=90mm
25b	Stabiliser Link - Front	⇨		**QLS3238S**	L=90mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.Avant	**EMB7043**	Outer, Ø 27mm Bar, Ø 25mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	Avant	**EMB7044**	Outer, Ø 29mm Bar, Ø 27mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.Avant	**EMBK3087**	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	Avant	**EMBK3085**	Outer, Ø 27mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	-ch.8D.T241259	**-**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	ch.8D.T241260-	**EMR1843**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS4047**	Axle
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.Avant	**EMR6040**	

A4 Quattro 11/94-11/00

B5 ch.8D.S000001-8D.1200000



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	Std.Susp.	QR9973S	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	30mm Lowered Susp.	QR3334S	Male M14x1.5 , Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR2954S	Female M14x1.5 , M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨	Std.Susp.	QDL3276S	Male M14x1.5
4	Tie Rod Assembly	⇦⇨	30mm Lowered Susp.	-	
10	Suspension Repair Kit - Front (Complete)		Std.Susp.	QSJ5003K	QR9973S (2x), QSJ1588S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
20	Suspension Arm - Front			QSJ1588S	Front of Wheel, Ø 20.6mm Cone L=365mm


A4 Quattro continued... 11/94-11/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a[1]	Suspension Arm - Front			**QSJ1584S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front			**QSJ1583S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front		Std.Susp.	**QSJ1680S**	Front of Wheel, Ø 16mm Cone L=270mm
22a	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3407S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		Std.Susp.	**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3408S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front		Std.Susp., ch.8D.S000001-8D.W260129	**QSJ1704S**	Rear of Wheel, Ø 16mm Cone
22a[1]	Suspension Arm - Front		Std.Susp., ch.8D.W260130-8D.1200000	**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22a[1]	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3409S**	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front		Std.Susp., ch.8D.S000001-8D.W260129	**QSJ1705S**	Rear of Wheel, Ø 16mm Cone
22b[1]	Suspension Arm - Front		Std.Susp., ch.8D.W260130-8D.1200000	**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3410S**	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front		Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1588S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1588S	**EMS2691**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S	**EMS2694**	Inner, Front of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
24f	Suspension Arm Bush - Front		30mm Lowered Susp.	**-**	Inner, Rear of Wheel
25a	Stabiliser Link - Front			**QLS3237S**	L=90mm
25b	Stabiliser Link - Front			**QLS3238S**	L=90mm
26	Stabiliser Bar Bush - Front		exc.Avant	**EMB7043**	Outer, Ø 27mm Bar, Ø 25mm Bush
26	Stabiliser Bar Bush - Front		Avant	**EMB7044**	Outer, Ø 29mm Bar, Ø 27mm Bush
27	Stabiliser Bar Bush Kit - Front		exc.Avant	**EMBK3087**	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front		Avant	**EMBK3085**	Outer, Ø 27mm
32	Suspension Arm - Rear			**QDL3180S**	
34	Suspension Arm Bush - Rear			**EMS4047**	Axle
35a	Stabiliser Link - Rear			**QLS3178S**	L=230mm
35b	Stabiliser Link - Rear			**QLS3179S**	L=230mm


A4

12/00-12/04

B6 ch.8E.1.000001-8E.5400000



A4 continued... 12/00-12/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.Sport Susp. PR-1BV	QR9973S	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	Sport Susp. PR-1BV	QR3334S	Male M14x1.5 , Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR2954S	Female M14x1.5 , M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨	exc.Sport Susp. PR-1BV	QDL3276S	Male M14x1.5
4	Tie Rod Assembly	⇦⇨	Sport Susp. PR-1BV	-	Male M14x1.5
10	Suspension Repair Kit - Front (Complete)		exc.Sport Susp. PR-1BV	QSJ5005K	QR9973S (2x), QSJ1919S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3272S, QLS3273S
10	Suspension Repair Kit - Front (Complete)		Sport Susp. PR-1BV, S4	QSJ5007K	QR3334S (2x), QSJ1919S (2x), QSJ1584S, QSJ1583S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3272S, QLS3273S
20	Suspension Arm - Front			QSJ1919S	Front of Wheel, Ø 16.3mm Cone
20a[1]	Suspension Arm - Front			QSJ1584S	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front			QSJ1583S	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front		exc.Sport Susp. PR-1BV	QSJ1680S	Front of Wheel, Ø 16mm Cone L=270mm
22a	Suspension Arm - Front		Sport Susp. PR-1BV	QSJ3407S	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		exc.Sport Susp. PR-1BV	QSJ1681S	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		Sport Susp. PR-1BV	QSJ3408S	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front		exc.Sport Susp. PR-1BV	QSJ1910S	Rear of Wheel, M16 Ball Pin, L=250mm
22a[1]	Suspension Arm - Front		Sport Susp. PR-1BV	QSJ3409S	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front		exc.Sport Susp. PR-1BV	QSJ1911S	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front		Sport Susp. PR-1BV	QSJ3410S	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front		Fitted to QSJ1583S & QSJ1584S	EMS8236	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1919S	EMS2692	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1919S	EMS8231	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S, exc.Sport Susp. PR-1BV	EMS2694	Inner, Front of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S, exc.Sport Susp. PR-1BV	EMS2694	Inner, Rear of Wheel
24f	Suspension Arm Bush - Front		Sport Susp. PR-1BV	-	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		QLS3272S	L=93mm
25b	Stabiliser Link - Front	⇨		QLS3273S	L=93mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7209	Outer, Ø 29mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3086	Outer, Ø 29mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6092	


continued...


A4 continued... 12/00-12/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
30	Suspension Arm - Rear	⇦⇨		QDL3268S	Centre,Track Control Arm, L=337mm
32a	Suspension Arm - Rear	↰		QSJ3721S	
32b	Suspension Arm - Rear	↱		QSJ3722S	
34a	Suspension Arm Bush - Rear	↰↱		EMS8410	Hub
34b	Suspension Arm Bush - Rear	↰↱		EMS8409	Inner
35	Stabiliser Link - Rear	⇦⇨		QLS3506S	L=90.5mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7266	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7269	Outer, Ø 17.5mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6144	


A4 Quattro, S4 12/00-12/04

B6 ch.8E.1.000001-8E.5400000





A4 Quattro, S4 continued... 12/00-12/04




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.Sport Susp. PR-1BV, S4	QR9973S	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	Sport Susp. PR-1BV, S4	QR3334S	Male M14x1.5 , Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR2954S	Female M14x1.5 , M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨	exc.Sport Susp. PR-1BV, S4	QDL3276S	Male M14x1.5
4	Tie Rod Assembly	⇦⇨	Sport Susp. PR-1BV, S4	-	
10	Suspension Repair Kit - Front (Complete)		exc.Sport Susp. PR-1BV, S4	QSJ5005K	QR9973S (2x), QSJ1919S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3272S, QLS3273S
10	Suspension Repair Kit - Front (Complete)		Sport Susp. PR-1BV, S4	QSJ5007K	QR3334S (2x), QSJ1919S (2x), QSJ1584S, QSJ1583S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3272S, QLS3273S
20	Suspension Arm - Front	⇦⇨		QSJ1919S	Front of Wheel, Ø 16.3mm Cone
20a[1]	Suspension Arm - Front	⇦		QSJ1584S	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front	⇨		QSJ1583S	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front	⇦	exc.Sport Susp. PR-1BV, S4	QSJ1680S	Front of Wheel, Ø 16mm Cone L=270mm
22a	Suspension Arm - Front	⇦	Sport Susp. PR-1BV, S4	QSJ3407S	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front	⇨	exc.Sport Susp. PR-1BV, S4	QSJ1681S	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front	⇨	Sport Susp. PR-1BV, S4	QSJ3408S	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front	⇦	exc.Sport Susp. PR-1BV, S4	QSJ1910S	Rear of Wheel, M16 Ball Pin, L=250mm
22a[1]	Suspension Arm - Front	⇦	Sport Susp. PR-1BV, S4	QSJ3409S	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front	⇨	exc.Sport Susp. PR-1BV, S4	QSJ1911S	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front	⇨	Sport Susp. PR-1BV, S4	QSJ3410S	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1583S & QSJ1584S	EMS8236	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1919S	EMS2692	Inner, Front of Wheel
24c	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1919S	EMS8231	Outer, Front of Wheel
24d	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1680S & QSJ1681S, exc.Sport Susp. PR-1BV, S4	EMS2694	Inner, Front of Wheel
24e	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1910S & QSJ1911S, exc.Sport Susp. PR-1BV, S4	EMS2694	Inner, Rear of Wheel
24f	Suspension Arm Bush - Front	⇦⇨	Sport Susp. PR-1BV & S4	-	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		QLS3272S	L=93mm
25b	Stabiliser Link - Front	⇨		QLS3273S	L=93mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7209	Outer, Ø 29mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3086	Outer, Ø 29mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6092	
30	Suspension Arm - Rear	⇦⇨		QDL3268S	Centre,Track Control Arm, L=337mm
32a	Suspension Arm - Rear	⇦		QSJ3721S	
32b	Suspension Arm - Rear	⇨		QSJ3722S	
35	Stabiliser Link - Rear	⇦⇨		QLS3506S	L=90.5mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7266	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7269	Outer, Ø 17.5mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6144	

A4

B7 ch.8E.5400001-

12/04-06/08



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3334S	Male M14x1.5 ↻, Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR2954S	Female M14x1.5 ↻, M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨		-	


A4 continued... 12/04-06/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
10	Suspension Repair Kit - Front (Complete)			**QSJ5010K**	QR3334S (2x), QSJ1919S (2x), QSJ3461S, QSJ3462S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3272S, QLS3273S
20	Suspension Arm - Front			**QSJ1919S**	Front of Wheel, Ø 16.3mm Cone
20a[1]	Suspension Arm - Front			**QSJ3461S**	Rear of Wheel
20b[1]	Suspension Arm - Front			**QSJ3462S**	Rear of Wheel
22a	Suspension Arm - Front			**QSJ3407S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front			**QSJ3408S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front			**QSJ3409S**	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front			**QSJ3410S**	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front		Fitted to 20a & 20b	**EMS8501**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1919S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1919S	**EMS8231**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ3407S & QSJ3408S & QSJ3409S & QSJ3410S	**-**	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3272S**	L=93mm
25b	Stabiliser Link - Front	⇨		**QLS3273S**	L=93mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7209**	Outer, Ø 29mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3086**	Outer, Ø 29mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6092**	
30	Suspension Arm - Rear	⇦⇨		**QDL3268S**	Centre,Track Control Arm, L=337mm
32a	Suspension Arm - Rear			**QSJ3721S**	
32b	Suspension Arm - Rear			**QSJ3722S**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS4047**	Axle
35	Stabiliser Link - Rear	⇦⇨		**QLS3506S**	L=90.5mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7266**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7269**	Outer, Ø 17.5mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6144**	

A4 Quattro, S4

12/04-06/08

B7 ch.8E.5400001-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3334S	Male M14x1.5, Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR2954S	Female M14x1.5, M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨		-	

A4 Quattro, S4 continued... 12/04-06/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
10	Suspension Repair Kit - Front (Complete)			**QSJ5010K**	QR3334S (2x), QSJ1919S (2x), QSJ3461S, QSJ3462S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3272S, QLS3273S
20	Suspension Arm - Front			**QSJ1919S**	Front of Wheel, Ø 16.3mm Cone
20a[1]	Suspension Arm - Front			**QSJ3461S**	Rear of Wheel
20b[1]	Suspension Arm - Front			**QSJ3462S**	Rear of Wheel
22a	Suspension Arm - Front			**QSJ3407S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front			**QSJ3408S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front			**QSJ3409S**	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front			**QSJ3410S**	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front		Fitted to 20a & 20b	**EMS8501**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1919S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1919S	**EMS8231**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ3407S & QSJ3408S & QSJ3409S & QSJ3410S	**-**	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3272S**	L=93mm
25b	Stabiliser Link - Front	⇨		**QLS3273S**	L=93mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7209**	Outer, Ø 29mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3086**	Outer, Ø 29mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6092**	
30	Suspension Arm - Rear	⇦⇨		**QDL3268S**	Centre,Track Control Arm, L=337mm
32a	Suspension Arm - Rear			**QSJ3721S**	
32b	Suspension Arm - Rear			**QSJ3722S**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS4047**	Axle
35	Stabiliser Link - Rear	⇦⇨		**QLS3506S**	L=90.5mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7266**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7269**	Outer, Ø 17.5mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6144**	

A4 Cabrio, S4 Cabrio 04/02-

B6,B7 ch.8H.1000001-



A4 Cabrio, S4 Cabrio continued... 04/02-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	4&6 cyl. -ch.8H.5014475	QR9973S	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	4&6 cyl. ch.8H.5014476-	QR3334S	Male M14x1.5, Ø 17.5mm Cone L=180mm
1	Tie Rod End - Outer	⇦⇨	8 cyl.	QR3334S	Male M14x1.5, Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR2954S	Female M14x1.5, M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨	4&6 cyl. -ch.8H.5014475	QDL3276S	Male M14x1.5
4	Tie Rod Assembly	⇦⇨	4&6 cyl. ch.8H.5014476-	-	
4	Tie Rod Assembly	⇦⇨	8 cyl.	-	
10	Suspension Repair Kit - Front (Complete)		4&6 cyl., PR-1BA&1BE -ch.8H.5014475	QSJ5005K	QR9973S (2x), QSJ1919S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3272S, QLS3273S
10	Suspension Repair Kit - Front (Complete)		4&6 cyl., PR-1BA&1BD&1BE&1BV ch.8H.5014476-6999999	QSJ5007K	QR3334S (2x), QSJ1919S (2x), QSJ1584S, QSJ1583S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3272S, QLS3273S
10	Suspension Repair Kit - Front (Complete)		4&6 cyl., PR-1BA&1BD&1BE&1BV ch.8H.7000001-	QSJ5010K	QR3334S (2x), QSJ1919S (2x), QSJ3461S, QSJ3462S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3272S, QLS3273S
10	Suspension Repair Kit - Front (Complete)		8 cyl., -ch.8H.6999999	QSJ5007K	QR3334S (2x), QSJ1919S (2x), QSJ1584S, QSJ1583S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3272S, QLS3273S
10	Suspension Repair Kit - Front (Complete)		8 cyl., ch.8H.7000001-	QSJ5010K	QR3334S (2x), QSJ1919S (2x), QSJ3461S, QSJ3462S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3272S, QLS3273S
20	Suspension Arm - Front			QSJ1919S	Front of Wheel, Ø 16.3mm Cone
20a[1]	Suspension Arm - Front		-ch.8H.6999999	QSJ1584S	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20a[1]	Suspension Arm - Front		ch.8H.7000001	QSJ3461S	Rear of Wheel
20b[1]	Suspension Arm - Front		-ch.8H.6999999	QSJ1583S	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front		ch.8H.7000001	QSJ3462S	Rear of Wheel
22a	Suspension Arm - Front		4&6 cyl., PR-1BA&1BE -ch.8H.5014475	QSJ1680S	Front of Wheel, Ø 16mm Cone L=270mm
22a	Suspension Arm - Front		4&6 cyl., PR-1BA&1BE ch.8H.5014476-	QSJ3407S	Front of Wheel, Ø 16mm Cone L=270mm
22a	Suspension Arm - Front		4&6 cyl., PR-1BD&1BV	QSJ3407S	Front of Wheel, Ø 16mm Cone L=270mm
22a	Suspension Arm - Front		8 cyl.	QSJ3407S	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		4&6 cyl., PR-1BA&1BE -ch.8H.5014475	QSJ1681S	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		4&6 cyl., PR-1BA&1BE ch.8H.5014476-	QSJ3408S	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		4&6 cyl., PR-1BD&1BV	QSJ3408S	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		8 cyl.	QSJ3408S	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front		4&6 cyl., PR-1BA&1BE -ch.8H.5014475	QSJ1910S	Rear of Wheel, M16 Ball Pin, L=250mm
22a[1]	Suspension Arm - Front		4&6 cyl., PR-1BA&1BE ch.8H.5014476-	QSJ3409S	Rear of Wheel, Ø 16mm Cone L=250mm
22a[1]	Suspension Arm - Front		4&6 cyl., PR-1BD&1BV	QSJ3409S	Rear of Wheel, Ø 16mm Cone L=250mm
22a[1]	Suspension Arm - Front		8 cyl.	QSJ3409S	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front		4&6 cyl., PR-1BA&1BE -ch.8H.5014475	QSJ1911S	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front		4&6 cyl., PR-1BA&1BE ch.8H.5014476-	QSJ3410S	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front		4&6 cyl., PR-1BD&1BV	QSJ3410S	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front		8 cyl.	QSJ3410S	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front		Fitted to QSJ1583S & QSJ1584S	EMS8236	Inner, Rear of Wheel
24a	Suspension Arm Bush - Front		Fitted to 8E0 407 693AL, 8E0 407 694AL	EMS8501	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1919S	EMS2692	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1919S	EMS8231	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S	EMS2694	Inner, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ3407S & QSJ3408S	-	Inner, Front of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S	EMS2694	Inner, Rear of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ3409S & QSJ3410S	-	Inner, Rear of Wheel
24f	Suspension Arm Bush - Front		S4	-	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		QLS3272S	L=93mm
25b	Stabiliser Link - Front	⇨		QLS3273S	L=93mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7209	Outer, Ø 29mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3086	Outer, Ø 29mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6092	
30	Suspension Arm - Rear	⇦⇨		QDL3268S	Centre,Track Control Arm, L=337mm


continued...

A4 Cabrio, S4 Cabrio continued... 04/02-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
32a	Suspension Arm - Rear	⇦		QSJ3721S	
32b	Suspension Arm - Rear	⇨		QSJ3722S	
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8410	Hub
34b	Suspension Arm Bush - Rear	⇦⇨		EMS8409	Inner
35	Stabiliser Link - Rear	⇦⇨		QLS3506S	L=90.5mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		-	

A4, Quattro, S4 exc Allroad 11/07-

B8 8K2,8K5




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-12/12	QR3676S	Female M14x1.5
1b	Tie Rod End - Outer	⇨	-12/12	QR3677S	Female M14x1.5
1a	Tie Rod End - Outer	⇦	01/13-	QR3924S	
1b	Tie Rod End - Outer	⇨	01/13-	QR3925S	
2	Rack End	⇦⇨		QR3588S	
20a	Suspension Arm - Front		-07/11	QSJ3485S	Front of Wheel
20a¹	Suspension Arm - Front		08/11-	QSJ3689S	Front of Wheel
20b	Suspension Arm - Front		-07/11	QSJ3486S	Front of Wheel

A4, Quattro, S4 exc Allroad continued... 11/07-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b[1]	Suspension Arm - Front		08/11-	**QSJ3690S**	Front of Wheel
20a[1]	Suspension Arm - Front			**QSJ3564S**	Ø 14.4mm Cone, Rear of Wheel
20b[1]	Suspension Arm - Front			**QSJ3565S**	Ø 14.4mm Cone, Rear of Wheel
20a[1]	Suspension Arm - Front			**QSJ3625S**	Ø 16.8mm Cone, Rear of Wheel
20b[1]	Suspension Arm - Front			**QSJ3626S**	Ø 16.8mm Cone, Rear of Wheel
21	Ball Joint - Front		-07/11	**QSJ3484S**	Front of Wheel, M12
21[1]	Ball Joint - Front		08/11-	**QSJ3740S**	Front of Wheel, M14
22a	Suspension Arm - Front			**QSJ3482S**	Front of Wheel,L=268mm, Ø 16.0mm Cone
22b	Suspension Arm - Front			**QSJ3483S**	Front of Wheel,L=268mm, Ø 16.0mm Cone
22a[1]	Suspension Arm - Front			**QSJ3480S**	Rear of Wheel,L=235mm, Ø 16.0mm Cone
22b[1]	Suspension Arm - Front			**QSJ3481S**	Rear of Wheel,L=235mm, Ø 16.0mm Cone
24c	Suspension Arm Bush - Front			**EMS8235**	Front of Wheel, Outer
24d	Suspension Arm Bush - Front			**EMS2694**	Inner, Front, Rear of Wheel
25	Stabiliser Link - Front			**QLS3633S**	L=170mm
26	Stabiliser Bar Bush - Front			**EMB7043**	Outer, Ø 25mm Bush
27	Stabiliser Bar Bush Kit - Front			**EMBK3083**	Outer, Ø 23.5mm
27	Stabiliser Bar Bush Kit - Front			**EMBK3087**	Outer, Ø 25mm
30a	Suspension Arm - Rear			**QSJ3723S**	
30b	Suspension Arm - Rear			**QSJ3724S**	
32a	Suspension Arm - Rear			**QSJ3478S**	
32b	Suspension Arm - Rear			**QSJ3479S**	
35	Stabiliser Link - Rear			**QLS3631S**	L=62mm

A4 Quattro Allroad 04/09-

B8 8KH



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-12/12	QR3676S	Female M14x1.5
1b	Tie Rod End - Outer	⇨	-12/12	QR3677S	Female M14x1.5
1a	Tie Rod End - Outer	⇦	01/13-	QR3924S	
1b	Tie Rod End - Outer	⇨	01/13-	QR3925S	
2	Rack End	⇦⇨		QR3588S	
20a	Suspension Arm - Front	⇦	-07/11	QSJ3485S	Front of Wheel
20a¹	Suspension Arm - Front	⇦	08/11-	QSJ3689S	Front of Wheel
20b	Suspension Arm - Front	⇨	-07/11	QSJ3486S	Front of Wheel
20b¹	Suspension Arm - Front	⇨	08/11-	QSJ3690S	Front of Wheel
20a²	Suspension Arm - Front	⇦		QSJ3564S	Rear of Wheel, Ø 14.4mm Cone
20b²	Suspension Arm - Front	⇨		QSJ3565S	Rear of Wheel, Ø 14.4mm Cone
20a³	Suspension Arm - Front	⇦		QSJ3625S	Rear of Wheel, Ø 16.8mm Cone
20b³	Suspension Arm - Front	⇨		QSJ3626S	Rear of Wheel, Ø 16.8mm Cone
21	Ball Joint - Front	⇦⇨	-07/11	QSJ3484S	Front of Wheel, M12


A4 Quattro Allroad continued... 04/09-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21[1]	Ball Joint - Front		08/11-	**QSJ3740S**	Front of Wheel, M14
22a	Suspension Arm - Front			**QSJ3663S**	Front of Wheel
22b	Suspension Arm - Front			**QSJ3664S**	Front of Wheel
22a[1]	Suspension Arm - Front			**QSJ3665S**	Rear of Wheel
22b[1]	Suspension Arm - Front			**QSJ3666S**	Rear of Wheel
24c	Suspension Arm Bush - Front			**EMS8235**	Front of Wheel, Outer
24d	Suspension Arm Bush - Front			**EMS2694**	Inner
25	Stabiliser Link - Front			**QLS3633S**	L=170mm
					
30a	Suspension Arm - Rear			**QSJ3723S**	
30b	Suspension Arm - Rear			**QSJ3724S**	
32a	Suspension Arm - Rear			**QSJ3478S**	
32b	Suspension Arm - Rear			**QSJ3479S**	
35	Stabiliser Link - Rear			**QLS3631S**	L=62mm

AUDI

A5 06/07-

B8 8T3



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3676S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR3677S**	Female M14x1.5
2	Rack End	⇦⇨		**QR3588S**	-
20a	Suspension Arm - Front	↲	-07/11	**QSJ3485S**	Front of Wheel
20a¹	Suspension Arm - Front	↲	08/11-	**QSJ3689S**	Front of Wheel
20b	Suspension Arm - Front	↳	-07/11	**QSJ3486S**	Front of Wheel
20b¹	Suspension Arm - Front	↳	08/11-	**QSJ3690S**	Front of Wheel
20a¹	Suspension Arm - Front	↲		**QSJ3564S**	Rear of Wheel, Ø 14.4mm Cone
20b¹	Suspension Arm - Front	↳		**QSJ3565S**	Rear of Wheel, Ø 14.4mm Cone
20a¹	Suspension Arm - Front	↲		**QSJ3625S**	Rear of Wheel, Ø 16.8mm Cone
20b¹	Suspension Arm - Front	↳		**QSJ3626S**	Rear of Wheel, Ø 16.8mm Cone
21	Ball Joint - Front	⇩⇩	-07/11	**QSJ3484S**	Front of Wheel, M12
21¹	Ball Joint - Front	⇩⇩	08/11-	**QSJ3740S**	Front of Wheel, M14
22a	Suspension Arm - Front	↰		**QSJ3482S**	Front of Wheel,L=268mm, Ø 16.0mm Cone
22b	Suspension Arm - Front	↱		**QSJ3483S**	Front of Wheel,L=268mm, Ø 16.0mm Cone
22a¹	Suspension Arm - Front	↰		**QSJ3480S**	Rear of Wheel,L=235mm, Ø 16.0mm Cone
22b¹	Suspension Arm - Front	↱		**QSJ3481S**	Rear of Wheel,L=235mm, Ø 16.0mm Cone


A5 continued... 06/07-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24c	Suspension Arm Bush - Front			**EMS8235**	Front of Wheel, Outer
24d	Suspension Arm Bush - Front			**EMS2694**	Inner, Front, Rear of Wheel
25	Stabiliser Link - Front		-ch.8T.8011200	**QLS3632S**	L=110mm
25	Stabiliser Link - Front		ch.8T.8011201-	**QLS3633S**	L=170mm
26	Stabiliser Bar Bush - Front		-ch.8T.8011200, -09/2007	**EMB7300**	Outer, Ø 25mm Bush
26	Stabiliser Bar Bush - Front		ch.8T.8011201-, 09/2007-	**EMB7301**	Outer, Ø 23.5mm Bush
26	Stabiliser Bar Bush - Front			**EMB7043**	Outer, Ø 25mm Bush
27	Stabiliser Bar Bush Kit - Front		-09/2007	**EMBK3082**	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front		09/2007-	**EMBK3083**	Outer, Ø 23.5mm
27	Stabiliser Bar Bush Kit - Front			**EMBK3087**	Outer, Ø 25mm
30a	Suspension Arm - Rear			**QSJ3723S**	Tie Rod
30b	Suspension Arm - Rear			**QSJ3724S**	Tie Rod
32a	Suspension Arm - Rear			**QSJ3478S**	
32b	Suspension Arm - Rear			**QSJ3479S**	
35	Stabiliser Link - Rear			**QLS3631S**	L=62mm

A6

C4 ch.4A.S000001-4A.V200000

06/94-07/97




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2066S**	Female M16x1.5 , Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR2065S**	Female M16x1.5 , Ø 12.5mm Cone
4a	Tie Rod Assembly	⇦		**QDL2955S**	
4b	Tie Rod Assembly	⇨		**QDL2956S**	
20a	Suspension Arm - Front			**QSJ1343S**	Ø 19mm Cone (Outer), Ø 15mm (Inner)
20b	Suspension Arm - Front			**QSJ1344S**	Ø 19mm Cone (Outer), Ø 15mm (Inner)
24a	Suspension Arm Bush - Front	⇨⇦		**EMS8053**	Inner
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2447**	Outer, 2 required
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2419**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 26mm
61	Top Strut Bearing - Front	⇦⇨		**QAM128**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1924**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1924**	
92	Subframe Mounting - Front			**EM3417**	
34a	Suspension Arm Bush - Rear	⇦⇨	exc.Quattro,S6	**EMS3418**	
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS2663**	Panhard Rod Bush
93a	Subframe Mounting - Rear		1.8,2.0 CPU,CZX G'box	**EM2428**	
93a	Subframe Mounting - Rear		2.3,2.6,2.8	**EM2428**	
93b	Subframe Mounting - Rear		1.8,2.0 CPU,CZX G'box	**EM2427**	
93b	Subframe Mounting - Rear		2.3,2.6,2.8	**EM2427**	

A6 Quattro, S6

06/94-07/97

C4 ch.4A.S000001-4A.V200000




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2066S**	Female M16x1.5, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR2065S**	Female M16x1.5, Ø 12.5mm Cone
20a	Suspension Arm - Front			**QSJ1343S**	Ø 19mm Cone (Outer), Ø 15mm (Inner)
20b	Suspension Arm - Front			**QSJ1344S**	Ø 19mm Cone (Outer), Ø 15mm (Inner)
24a	Suspension Arm Bush - Front	⇨⇦		**EMS8053**	Inner
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2447**	Outer, 2 required
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2419**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 26mm
32a	Suspension Arm - Rear			**QDL2950S**	
32b	Suspension Arm - Rear			**QDL2951S**	
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS2663**	Panhard Rod Bush
35	Stabiliser Link - Rear	⇦⇨		**QLS3004S**	L=120mm

A6

08/97-06/01

4B ch.4B.W000001-4B.Y200000




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.mtr.AQJ,ANK	**QR9973S**	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	mtr.AQJ,ANK	**QR3334S**	Male M14x1.5, Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨	exc.mtr.AQJ,ANK	**QR2954S**	Female M14x1.5, M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨	exc.mtr.AQJ,ANK	**QDL3276S**	Male M14x1.5
10	Suspension Repair Kit - Front (Complete)		exc.mtr.AQJ,ANK	**QSJ5003K**	QR9973S (2x), QSJ1588S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
20	Suspension Arm - Front	⇦⇨		**QSJ1588S**	Front of Wheel, Ø 20.6mm Cone L=365mm
20a¹	Suspension Arm - Front	⇦		**QSJ1584S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b¹	Suspension Arm - Front	⇨		**QSJ1583S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front	⇦		**QSJ1680S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front	⇨		**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm

A6 continued... 08/97-06/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
22a[1]	Suspension Arm - Front			**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front			**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
24a	Suspension Arm Bush - Front		Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1588S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1588S	**EMS2691**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S, Std.Susp.	**EMS2694**	Inner, Front of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3237S**	L=90mm
25b	Stabiliser Link - Front	⇨		**QLS3238S**	L=90mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2419**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 26mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7044**	Outer, Ø 29mm Bar, Ø 27mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3085**	Outer, Ø 27mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1924**	
34a	Suspension Arm Bush - Rear	⇦		**EMS8405**	Axle
34b	Suspension Arm Bush - Rear	⇨		**EMS8406**	Axle
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6022**	

A6 Quattro, S6, exc.Allroad 08/97-06/01

4B ch.4B.W000001-4B.Y200000




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.mtr.AQJ,ANK	QR9973S	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	mtr.AQJ,ANK	QR3334S	Male M14x1.5, Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨	exc.mtr.AQJ,ANK	QR2954S	Female M14x1.5, M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨	exc.mtr.AQJ,ANK	QDL3276S	Male M14x1.5
10	Suspension Repair Kit - Front (Complete)		exc.mtr.AQJ,ANK	QSJ5003K	QR9973S (2x), QSJ1588S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
20	Suspension Arm - Front	⇦⇨		QSJ1588S	Front of Wheel, Ø 20.6mm Cone L=365mm
20a¹	Suspension Arm - Front	⇦		QSJ1584S	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b¹	Suspension Arm - Front	⇨		QSJ1583S	Rear of Wheel, Ø 15.6mm Cone, L=386mm

A6 Quattro, S6, exc.Allroad continued... 08/97-06/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
22a	Suspension Arm - Front			**QSJ1680S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front			**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front			**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front			**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
24a	Suspension Arm Bush - Front		Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1588S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1588S	**EMS2691**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S, Std.Susp.	**EMS2694**	Inner, Front of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3237S**	L=90mm
25b	Stabiliser Link - Front	⇨		**QLS3238S**	L=90mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2419**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 26mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7044**	Outer, Ø 29mm Bar, Ø 27mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3085**	Outer, Ø 27mm
34a	Suspension Arm Bush - Rear	⇦		**EMS8405**	Axle
34b	Suspension Arm Bush - Rear	⇨		**EMS8406**	Axle
35	Stabiliser Link - Rear	⇦⇨		**QLS3439S**	Metal
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6022**	

A6 Allroad 05/00-08/05

4B




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	-ch.4B.2150000, 05/00-06/02	**QR9973S**	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	ch.4B.2150001-, 06/02-08/05	**QR3334S**	Male M14x1.5 , Ø 17.5mm Cone L=180mm
20	Suspension Arm - Front			**-**	Front of Wheel
20a¹	Suspension Arm - Front			**QSJ3684S**	Rear of Wheel
20b¹	Suspension Arm - Front			**QSJ3685S**	Rear of Wheel
22a	Suspension Arm - Front			**QSJ1680S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front			**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm
22a¹	Suspension Arm - Front			**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b¹	Suspension Arm - Front			**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
24a	Suspension Arm Bush - Front			**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front			**EMS2691**	Outer, Front of Wheel
24c	Suspension Arm Bush - Front		05/00-09/02, -ch.4B-3-030000	**EMS8232**	Inner, Rear of Wheel
24d	Suspension Arm Bush - Front		09/02-08/05, ch.4B-3-030001-	**EMS8233**	Outer, Rear of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S, Std.Susp.	**EMS2694**	Inner, Front of Wheel
24f	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
25	Stabiliser Link - Front	⇦⇨		**QLS3235S**	L=90mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7044**	Outer, Ø 29mm Bar, Ø 27mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3085**	Outer, Ø 27mm

A6

4B ch.4B.2000001-

06/01-04/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	06/01-07/02, -ch.4B.3011544, exc.Sport Susp., exc.mtr.ANK	QR9973S	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	06/01-07/02, -ch.4B.3011544, Sport Susp., mtr.ANK	QR3334S	Male M14x1.5 , Ø 17.5mm Cone L=180mm
1	Tie Rod End - Outer	⇦⇨	07/02-, ch.4B.3011545-	QR3334S	Male M14x1.5 , Ø 17.5mm Cone L=180mm
10	Suspension Repair Kit - Front (Complete)		ch.4B.2031500-4B.3011544, Std.Susp.	QSJ5004K	QR9973S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		ch.4B.2031500-4B.3011544, 30mm Lowered Susp.	QSJ5008K	QR9973S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		07/02-, ch.4B.3011545-, Std.Susp.	QSJ5006K	QR3334S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		07/02-, ch.4B.3011545-, 30mm Lowered Susp.	QSJ5009K	QR3334S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3237S, QLS3238S

continued...

A6 continued... 06/01-04/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20	Suspension Arm - Front		ch.4B.2000001-4B.2031500, exc.1.9TDi 6 sp.G'box, 17/18'' Wheels	**QSJ1588S**	Front of Wheel, Ø 20.6mm Cone L=365mm
20	Suspension Arm - Front		ch.4B.2000001-4B.2031500, 1.9TDi 6 sp.G'box, 17/18'' Wheels	**QSJ3241S**	Front of Wheel, Ø 16mm Cone, M12x1.5
20	Suspension Arm - Front		ch.4B.2031500-	**QSJ3241S**	Front of Wheel, Ø 16mm Cone, M12x1.5
20a[1]	Suspension Arm - Front			**QSJ1584S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front			**QSJ1583S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front		Std.Susp.	**QSJ1680S**	Front of Wheel, Ø 16mm Cone L=270mm
22a	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3407S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		Std.Susp.	**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3408S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front		Std.Susp.	**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22a[1]	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3409S**	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front		Std.Susp.	**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3410S**	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front		Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1588S & QSJ3241S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1588S & QSJ3241S	**EMS2691**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S	**EMS2694**	Inner, Front of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
24f	Suspension Arm Bush - Front		Sport Susp.,S6	**-**	Inner
25a	Stabiliser Link - Front			**QLS3237S**	L=90mm
25b	Stabiliser Link - Front			**QLS3238S**	L=90mm
26	Stabiliser Bar Bush - Front			**-**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front			**EMB2419**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front			**-**	Outer, Ø 26mm
26	Stabiliser Bar Bush - Front			**EMB7044**	Outer, Ø 29mm Bar, Ø 27mm Bush
27	Stabiliser Bar Bush Kit - Front			**EMBK3085**	Outer, Ø 27mm
34a	Suspension Arm Bush - Rear			**EMS8405**	Axle
34b	Suspension Arm Bush - Rear			**EMS8406**	Axle
65	Top Strut Mounting - Rear exc.Bearing			**EMR6022**	


A6 Quattro, S6, exc.Allroad 06/01-04/04

4B ch.4B.2000001-





A6 Quattro, S6, exc.Allroad continued... 06/01-04/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	06/01-07/02, -ch.4B.3011544, exc.Sport Susp., exc.mtr.ANK	QR9973S	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	06/01-07/02, -ch.4B.3011544, Sport Susp., mtr.ANK	QR3334S	Male M14x1.5 , Ø 17.5mm Cone L=180mm
1	Tie Rod End - Outer	⇦⇨	07/02-, ch.4B.3011545-	QR3334S	Male M14x1.5 , Ø 17.5mm Cone L=180mm
10	Suspension Repair Kit - Front (Complete)		ch.4B.2031500-4B.3011544, Std.Susp.	QSJ5004K	QR9973S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		ch.4B.2031500-4B.3011544, 30mm Lowered Susp.	QSJ5008K	QR9973S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		07/02-, ch.4B.3011545-, Std.Susp.	QSJ5006K	QR3334S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		07/02-, ch.4B.3011545-, 30mm Lowered Susp.	QSJ5009K	QR3334S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		ch.4B.4030101-,S6	QSJ5009K	QR3334S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3237S, QLS3238S
20	Suspension Arm - Front		ch.4B.2000001-4B.2031500, exc.1.9TDi 6 sp.G'box, 17/18'' Wheels	QSJ1588S	Front of Wheel, Ø 20.6mm Cone L=365mm


continued...

A6 Quattro, S6, exc.Allroad continued... 06/01-04/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20	Suspension Arm - Front		ch.4B.2000001-4B.2031500, 1.9TDi CVT G'box, 1.9TDi 6 sp.G'box,2.4,2.5,2.7, 3.0 17/18" Wheels	**QSJ3241S**	Front of Wheel, Ø 16mm Cone, M12x1.5
20	Suspension Arm - Front		ch.4B.2031501-, exc.S6	**QSJ3241S**	Front of Wheel, Ø 16mm Cone, M12x1.5
20	Suspension Arm - Front		-ch.4B.4030100,S6	**-**	Front of Wheel
20	Suspension Arm - Front		ch.4B.4030101-,S6	**QSJ3241S**	Front of Wheel, Ø 16mm Cone, M12x1.5
20a[1]	Suspension Arm - Front			**QSJ1584S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front			**QSJ1583S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front		Std.Susp.	**QSJ1680S**	Front of Wheel, Ø 16mm Cone L=270mm
22a	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3407S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		Std.Susp.	**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3408S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front		Std.Susp.	**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22a[1]	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3409S**	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front		Std.Susp.	**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front		30mm Lowered Susp.	**QSJ3410S**	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front		Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1588S & QSJ3241S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1588S & QSJ3241S	**EMS2691**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S, Std.Susp.	**EMS2694**	Inner, Front of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
25a	Stabiliser Link - Front			**QLS3237S**	L=90mm
25b	Stabiliser Link - Front			**QLS3238S**	L=90mm
26	Stabiliser Bar Bush - Front			**EMB7044**	Outer, Ø 27mm
27	Stabiliser Bar Bush Kit - Front			**EMBK3085**	Outer, Ø 27mm
34a	Suspension Arm Bush - Rear			**EMS8405**	Axle
34b	Suspension Arm Bush - Rear			**EMS8406**	Axle
35	Stabiliser Link - Rear			**QLS3439S**	Metal

A6, A6 Allroad 04/04-03/12

4F




A6, A6 Allroad continued... 04/04-03/12



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3334S	Male M14x1.5 , Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR3529S	Female M16x1.5 , M16x1.5 Swivel, L=144mm
20	Suspension Arm - Front			QSJ3436S	Front of Wheel, L=460mm, Ø 20.8mm Cone
20a¹	Suspension Arm - Front			QSJ3449S	Rear of Wheel, L=393mm
20b¹	Suspension Arm - Front			QSJ3450S	Rear of Wheel, L=393mm
22a	Suspension Arm - Front			QSJ3447S	Front of Wheel, L=300mm, Ø 18.0mm Cone
22b	Suspension Arm - Front			QSJ3448S	Front of Wheel, L=300mm, Ø 18.0mm Cone
22a¹	Suspension Arm - Front			QSJ3445S	Rear of Wheel, L=257mm, Ø 18.0mm Cone
22b¹	Suspension Arm - Front			QSJ3446S	Rear of Wheel, L=257mm, Ø 18.0mm Cone
24a	Suspension Arm Bush - Front			EMS8234	Front of Wheel, Inner
24b	Suspension Arm Bush - Front			EMS8235	Front of Wheel, Outer
24c	Suspension Arm Bush - Front			EMS8236	Rear of Wheel
25	Stabiliser Link - Front	⇦⇨		QLS3599S	L=110mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7209	Outer, Ø 29mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3086	Outer, Ø 29mm
30	Suspension Arm - Rear			QSJ3688S	
34	Suspension Arm Bush - Rear	⇦⇨		-	Inner
35	Stabiliser Link - Rear	⇦⇨	exc.Air Susp.	QLS3412S	Plastic, L=100mm
35¹	Stabiliser Link - Rear	⇦⇨	with Air Susp.	QLS3413S	Metal, L=100mm


A6 11/10-

4G



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3924S	
1b	Tie Rod End - Outer	⇨		QR3925S	
2	Rack End	⇦⇨		QR3957S	
20a	Suspension Arm - Front		-07/11	QSJ3485S	Front of Wheel
20a¹	Suspension Arm - Front		08/11-	QSJ3689S	Front of Wheel
20b	Suspension Arm - Front		-07/11	QSJ3486S	Front of Wheel
20b¹	Suspension Arm - Front		08/11-	QSJ3690S	Front of Wheel
21	Ball Joint - Front		-07/11	QSJ3484S	Front of Wheel, M12
21¹	Ball Joint - Front		08/11-	QSJ3740S	Front of Wheel, M14
22a	Suspension Arm - Front			QSJ3663S	Front of Wheel
22b	Suspension Arm - Front			QSJ3664S	Front of Wheel
22a¹	Suspension Arm - Front			QSJ3665S	Rear of Wheel
22b¹	Suspension Arm - Front			QSJ3666S	Rear of Wheel
25	Stabiliser Link - Front	⇦⇨	Not built in Russia, Exc. electronic suspension control	QLS3633S	L=170mm
26	Stabiliser Bar Bush - Front	⇦⇨	-01/2011	EMB7043	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨	01/2011-	EMB7300	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨	01/2011-	EMB7301	Outer, Ø 23.5mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3087	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3082	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3083	Outer, Ø 23.5mm

A7 07/10-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3924S	
1b	Tie Rod End - Outer	⇨		QR3925S	
2	Rack End	⇦⇨		QR3957S	
20a	Suspension Arm - Front	↲	-08/11	QSJ3485S	Front of Wheel
20a	Suspension Arm - Front	↲	08/11-	QSJ3689S	Front of Wheel
20b	Suspension Arm - Front	↳	-08/11	QSJ3486S	Front of Wheel
20b	Suspension Arm - Front	↳	08/11-	QSJ3690S	Front of Wheel
20a¹	Suspension Arm - Front	↲		-	Rear of Wheel
20b¹	Suspension Arm - Front	↳		-	Rear of Wheel
21	Ball Joint - Front	⇦⇨	-08/11	QSJ3484S	Front of Wheel
21	Ball Joint - Front	⇦⇨	08/11-	QSJ3740S	Front of Wheel
22a	Suspension Arm - Front	↰		QSJ3663S	Front of Wheel
22b	Suspension Arm - Front	↱		QSJ3664S	Front of Wheel
22a¹	Suspension Arm - Front	↰		QSJ3665S	Rear of Wheel
22b¹	Suspension Arm - Front	↱		QSJ3666S	Rear of Wheel
24a	Suspension Arm Bush - Front	⇦⇨		-	Inner, Front of Wheel
24b	Suspension Arm Bush - Front	⇦⇨		EMS8235	Front of Wheel, Outer
24c	Suspension Arm Bush - Front	⇦⇨		-	Inner, Rear of Wheel
25	Stabiliser Link - Front	⇦⇨		QLS3633S	L=170mm
26	Stabiliser Bar Bush - Front	⇦⇨	-01/2011	EMB7043	Outer, Ø 27mm Bar, Ø 25mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	01/2011-	EMB7300	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨	01/2011-	EMB7301	Outer, Ø 23.5mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3087	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3082	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3083	Outer, Ø 23.5mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6092	

A8, A8 Quattro

06/94-07/02

D2 ch.4D.S000001-




A8, A8 Quattro continued... 06/94-07/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9973S**	Male M14x1.5
2	Rack End	⇦⇨		**QR2954S**	Female M14x1.5, M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨		**QDL3276S**	Male M14x1.5
20	Suspension Arm - Front	⇩	ch.4D.S000001-4D.X005500, 06/94-01/99	**QSJ1588S**	Front of Wheel, Ø 20.6mm Cone L=365mm
20	Suspension Arm - Front	⇩	ch.4D.X005501-, 01/99-, exc.20" Wheels	**QSJ3241S**	Front of Wheel, Ø 16mm Cone, M12x1.5
20	Suspension Arm - Front	⇩	ch.4D.X005501-, 01/99-, 20" Wheels	**-**	Front of Wheel
20a[1]	Suspension Arm - Front	⇩		**QSJ1584S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front	⇩		**QSJ1583S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22	Suspension Arm - Front	⇧		**QSJ1674S**	Front of Wheel, Ø 15.8mm Cone L=320mm
22a[1]	Suspension Arm - Front	⇧	-ch.4D.V.004000, 06/94-11/96	**QSJ1704S**	Rear of Wheel, Ø 16mm Cone
22a[1]	Suspension Arm - Front	⇧	ch.4D.V.004001-, 11/96-07/02	**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front	⇧	-ch.4D.V.004000, 06/94-11/96	**QSJ1705S**	Rear of Wheel, Ø 16mm Cone
22b[1]	Suspension Arm - Front	⇧	ch.4D.V.004001-, 11/96-07/02	**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
24a	Suspension Arm Bush - Front	⇩	Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front	⇩	Fitted to QSJ1588S & QSJ3241S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front	⇩	-ch.4D-S002700 06/94-07/95, Fitted to QSJ1588S & QSJ3241S	**EMS8239**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front	⇩	ch.4D-T002701- 07/95-07/02, Fitted to QSJ1588S & QSJ3241S	**EMS2691**	Outer, Front of Wheel
24e	Suspension Arm Bush - Front	⇧	Fitted to QSJ1704S & QSJ1705S	**EMS2694**	Inner, Rear of Wheel
24f	Suspension Arm Bush - Front	⇧	Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
24g	Suspension Arm Bush - Front	⇧	Fitted to QSJ1674S	**EMS8101**	Inner
25	Stabiliser Link - Front	⇦⇨		**QLS3235S**	L=90mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7043**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7044**	Outer, Ø 27mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3087**	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3085**	Outer, Ø 27mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1843**	
30a	Suspension Arm - Rear	⇩		**QLS3172S**	L=65mm
30b	Suspension Arm - Rear	⇩		**QLS3173S**	L=60mm
32	Suspension Arm - Rear	⇧		**QDL3170S**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3171S**	L=120mm

A8, A8 Quattro

4E


08/02-07/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3714S**	Male M16x1.5
2	Rack End	⇦⇨		**QR3611S**	Female M14x1.5, M16x1.5 Swivel, L=147mm
20	Suspension Arm - Front			**QSJ3442S**	Front of Wheel, L=461mm, Ø 20.8mm Cone
20a¹	Suspension Arm - Front			**QSJ3440S**	Rear of Wheel, L=392mm, Ø 18.4mm Cone
20b¹	Suspension Arm - Front			**QSJ3441S**	Rear of Wheel, L=392mm, Ø 18.4mm Cone
22a	Suspension Arm - Front			**QSJ3447S**	Front of Wheel, L=300mm, Ø 18.0mm Cone
22b	Suspension Arm - Front			**QSJ3448S**	Front of Wheel, L=300mm, Ø 18.0mm Cone
22a¹	Suspension Arm - Front			**QSJ3445S**	Rear of Wheel, L=257mm, Ø 18.0mm Cone
22b¹	Suspension Arm - Front			**QSJ3446S**	Rear of Wheel, L=257mm, Ø 18.0mm Cone
24a	Suspension Arm Bush - Front			**EMS8234**	Front of Wheel, Inner
24b	Suspension Arm Bush - Front			**EMS8235**	Front of Wheel, Outer
24c	Suspension Arm Bush - Front			**EMS8236**	Rear of Wheel
25	Stabiliser Link - Front	⇦⇨		**QLS3599S**	L=110mm
30a	Suspension Arm - Rear			**QSJ3691S**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3654S**	

A8, A8 Quattro 11/09-


4H



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4030S	
1b	Tie Rod End - Outer	⇨		QR4031S	
2	Rack End	⇦⇨	Electric PS	QR3957S	
2	Rack End	⇦⇨	Hydraulic PS	QR3588S	
21	Ball Joint - Front			QSJ3774S	Front of Wheel
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7300	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7044	Outer, Ø 27mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7302	Outer, Ø 28mm
32a	Suspension Arm - Rear			QSJ3478S	
32b	Suspension Arm - Rear			QSJ3479S	
35	Stabiliser Link - Rear	⇦⇨		QLS3631S	L=62mm

Cabriolet 05/91-08/00

89 ch.8G.N000001-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1835S**	Female M14x1.5 , Ø 10.8mm Cone, L=75mm
2a	Rack End	⇦		**QR5007S**	Female M14x1.5
3	Tie Rod Connector	⇦⇨		**QR5005S**	2xMale M14x1.5, L=110mm
4a	Tie Rod Assembly	⇦		**QDL2245S**	Ø 10.7mm Cone
4a	Tie Rod Assembly	⇦		**QDL2936S**	
4b	Tie Rod Assembly	⇨		**QDL2850S**	
4b	Tie Rod Assembly	⇨		**-**	
20a	Suspension Arm - Front	↲	4,5 cyl. -ch.8G.N001532	**-**	
20a	Suspension Arm - Front	↲	4,5 cyl. ch.8G.N001533-	**QSA1006S**	
20a	Suspension Arm - Front	↲	6 cyl., -ch.8G.R003924	**-**	
20a	Suspension Arm - Front	↲	6 cyl., ch.8G.R003925-	**QSA1006S**	
20b	Suspension Arm - Front	↳	4,5 cyl. -ch.8G.N001532	**-**	
20b	Suspension Arm - Front	↳	4,5 cyl. ch.8G.N001533-	**QSA1001S**	
20b	Suspension Arm - Front	↳	6 cyl., -ch.8G.R003924	**-**	
20b	Suspension Arm - Front	↳	6 cyl., ch.8G.R003925-	**QSA1001S**	
21a	Ball Joint - Front	↲	4,5 cyl. -ch.8G.N001532	**QSJ1678S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front	↲	4,5 cyl. ch.8G.N001533-	**QSJ1345S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front	↲	6 cyl., -ch.8G.R003924	**QSJ1678S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front	↲	6 cyl., ch.8G.R003925-	**QSJ1345S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	↳	4,5 cyl. -ch.8G.N001532	**QSJ1679S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	↳	4,5 cyl. ch.8G.N001533-	**QSJ1346S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	↳	6 cyl., -ch.8G.R003924	**QSJ1679S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	↳	6 cyl., ch.8G.R003925-	**QSJ1346S**	Ø 19mm Cone, 3 Slotted Holes
24	Suspension Arm Bush - Front	↲↳	4,5 cyl. -ch.8G.N001532	**EMS8054**	Front, Rear
24	Suspension Arm Bush - Front	↲↳	4,5 cyl. ch.8G.N001533-	**EMS1867**	Front, Rear
24	Suspension Arm Bush - Front	↲↳	6 cyl. -ch.8G.R003924	**EMS8054**	Front, Rear
24	Suspension Arm Bush - Front	↲↳	6 cyl. ch.8G.R003925-	**EMS1867**	Front, Rear
25	Stabiliser Link - Front	⇦⇨		**QLS2967S**	L=270mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2157**	Inner, Ø 23.5mm

Coupé

89 ch.8B.L003792-8B.T005000

09/89-12/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1835S**	Female M14x1.5 , Ø 10.8mm Cone, L=75mm
2a	Rack End	⇦		**QR5007S**	Female M14x1.5
3	Tie Rod Connector	⇦⇨		**QR5005S**	2xMale M14x1.5, L=110mm
4a	Tie Rod Assembly	⇦		**QDL2245S**	Ø 10.7mm Cone
4a	Tie Rod Assembly	⇦		**QDL2936S**	
4b	Tie Rod Assembly	⇨		**QDL2850S**	
4b	Tie Rod Assembly	⇨		**-**	
20a	Suspension Arm - Front		exc.mtr.2.0 3A/AAD AUTO, 2.8 AAH	**QSA1006S**	
20a	Suspension Arm - Front		mtr.2.0 3A/AAD, AUTO	**QSA1530S**	
20a	Suspension Arm - Front		mtr.2.8 AAH, ch.8B.L003792-8B.N000255, 09/89-08/91	**QSA1006S**	
20a	Suspension Arm - Front		mtr.2.8 AAH, ch.8B.N000255-8B.N009190, 09/91-04/92	**-**	
20a	Suspension Arm - Front		mtr.2.8 AAH, ch.8B.N009191-8B.T005000, 04/92-12/95	**QSA1006S**	

continued...

Coupé continued... 09/89-12/95


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		exc.mtr.2.0 3A/AAD AUTO, 2.8 AAH	**QSA1001S**	
20b	Suspension Arm - Front		mtr.2.0 3A/AAD, AUTO	**QSA1531S**	
20b	Suspension Arm - Front		mtr.2.8 AAH, ch.8B.L003792-8B.N000255, 09/89-08/91	**QSA1001S**	
20b	Suspension Arm - Front		mtr.2.8 AAH, ch.8B.N000255-8B.N009190, 09/91-04/92	**-**	
20b	Suspension Arm - Front		mtr.2.8 AAH, ch.8B.N009191-8B.T005000, 04/92-12/95	**QSA1001S**	
21a	Ball Joint - Front		exc.mtr.2.0 3A/AAD AUTO, 2.8 AAH	**QSJ1345S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front		mtr.2.0 3A/AAD, AUTO	**QSJ1164S**	Ø 19mm Cone, 2 Slotted Holes
21a	Ball Joint - Front		mtr.2.8 AAH, ch.8B.L003792-8B.N000255, 09/89-08/91	**QSJ1345S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front		mtr.2.8 AAH, ch.8B.N000255-8B.N009190, 09/91-04/92	**QSJ1678S**	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front		mtr.2.8 AAH, ch.8B.N009191-8B.T005000, 04/92-12/95	**QSJ1345S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		exc.mtr.2.0 3A/AAD AUTO, 2.8 AAH	**QSJ1346S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		mtr.2.0 3A/AAD, AUTO	**QSJ1165S**	Ø 19mm Cone, 2 Slotted Holes
21b	Ball Joint - Front		mtr.2.8 AAH, ch.8B.L003792-8B.N000255, 09/89-08/91	**QSJ1346S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		mtr.2.8 AAH, ch.8B.N000255-8B.N009190, 09/91-04/92	**QSJ1679S**	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front		mtr.2.8 AAH, ch.8B.N009191-8B.T005000, 04/92-12/95	**QSJ1346S**	Ø 19mm Cone, 3 Slotted Holes
24a	Suspension Arm Bush - Front		exc.2.8 AAH, ch.8B.N000255-8B.N009191, 09/91-04/92	**EMS1867**	Front, Rear
24b	Suspension Arm Bush - Front		2.8 AAH, ch.8B.N000255-8B.N009191, 09/91-04/92	**EMS8054**	Front, Rear
25	Stabiliser Link - Front			**QLS2967S**	L=270mm
63	Top Strut Mounting - Front inc.Bearing			**EMA1767**	Ø 14mm
92	Subframe Mounting - Front		mtr.4 cyl., -ch.8B.M040000	**EM2441**	Front
92	Subframe Mounting - Front		mtr.4 cyl., ch.8B.M040001-8B.P001000	**EM2426**	Front, Ø 10mm
92	Subframe Mounting - Front		mtr.4 cyl., ch.8B.P001001-	**-**	Front, Ø 12mm
92	Subframe Mounting - Front		mtr.5,6 cyl. -ch.8B.M040000	**EM3078**	Front
92	Subframe Mounting - Front		mtr.5,6 cyl., ch.8B.N000001-	**-**	Front, Ø 12mm
92¹	Subframe Mounting - Front		mtr.4 cyl., -ch.8B.P001000	**EM2438**	Rear, Ø 10mm
92¹	Subframe Mounting - Front		mtr.5 cyl., -ch.8B.M040000	**EM2438**	Rear, Ø 10mm
92¹	Subframe Mounting - Front		mtr.6 cyl., -ch.8B.M040000	**-**	Rear
92¹	Subframe Mounting - Front		mtr.6 cyl., ch.8B.N000001-	**-**	Rear, Bush, Ø 12mm

Coupé Quattro 11/88-07/95

89Q ch.8B.K000001-8B.S005000



Coupé Quattro continued... 11/88-07/95






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1835S	Female M14x1.5 RH, Ø 10.8mm Cone, L=75mm
2a	Rack End	⇦		QR5007S	Female M14x1.5 RH
3	Tie Rod Connector	⇦⇨		QR5005S	2xMale M14x1.5, L=110mm
4a	Tie Rod Assembly	⇦		QDL2245S	Ø 10.7mm Cone
4a	Tie Rod Assembly	⇦		QDL2936S	
4b	Tie Rod Assembly	⇨		QDL2850S	
4b	Tie Rod Assembly	⇨		-	
20a	Suspension Arm - Front	⇦	exc.mtr.2.2 3B/ABY	QSA1006S	
20a	Suspension Arm - Front	⇦	mtr.2.2 3B 09/90-07/91, 2.2 ABY 10/92-06/94	-	
20a	Suspension Arm - Front	⇦	mtr.2.2 3B 07/91-, 2.2 ABY 06/94-	QSA1006S	
20b	Suspension Arm - Front	⇨	exc.mtr.2.2 3B/ABY	QSA1001S	
20b	Suspension Arm - Front	⇨	mtr.2.2 3B 09/90-07/91, 2.2 ABY 10/92-06/94	-	
20b	Suspension Arm - Front	⇨	mtr.2.2 3B 07/91-, 2.2 ABY 06/94-	QSA1001S	
21a	Ball Joint - Front	⇦	exc.mtr.2.2 3B/ABY	QSJ1345S	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front	⇦	mtr.2.2 3B 09/90-07/91, 2.2 ABY 10/92-06/94	QSJ1678S	Ø 19mm Cone, 3 Slotted Holes
21a	Ball Joint - Front	⇦	mtr.2.2 3B 07/91-, 2.2 ABY 06/94-	QSJ1345S	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	⇨	exc.mtr.2.2 3B/ABY	QSJ1346S	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	⇨	mtr.2.2 3B 09/90-07/91, 2.2 ABY 10/92-06/94	QSJ1679S	Ø 19mm Cone, 3 Slotted Holes
21b	Ball Joint - Front	⇨	mtr.2.2 3B 07/91-, 2.2 ABY 06/94-	QSJ1346S	Ø 19mm Cone, 3 Slotted Holes
24a	Suspension Arm Bush - Front	⇦⇨	exc.mtr.2.2 3B/ABY	EMS1867	Front, Rear
24b	Suspension Arm Bush - Front	⇦⇨	mtr.2.2 3B,ABY	EMS8054	Front, Rear
25	Stabiliser Link - Front	⇦⇨	ch.8B.L000001-8B.S005000, 08/89-07/95	QLS2967S	L=270mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1767	Ø 14mm
92[1]	Subframe Mounting - Front	⇦⇨	mtr.5 cyl. 5 Spd.MAN	EM2451	Rear, Mounting
31a	Ball Joint - Rear	⇦		QSJ1676S	Ø 19mm Cone
31b	Ball Joint - Rear	⇨		QSJ1677S	Ø 19mm Cone
35	Stabiliser Link - Rear	⇦⇨		QLS3176S	L=300mm

Q3 06/11-

8U






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5324S	Female M16x1.5, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		QR5325S	Female M16x1.5, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		QR5323S	Male M16x1.5, M16x1.5 Swivel, L=310mm
20[1]	Suspension Arm - Front			QSA2402S	exc. Ball Joint
20a	Suspension Arm - Front			QSA2252S	With Ball Joint
20b	Suspension Arm - Front			QSA2253S	With Ball Joint
21a	Ball Joint - Front			QSJ3295S	
21b	Ball Joint - Front			QSJ3296S	
24a	Suspension Arm Bush - Front			EMS8228	Front
24b	Suspension Arm Bush - Front			EMS8356	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3328S	

Q5 11/08-



Q5 continued... 11/08-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc. CPMB,CJCD	**QR3676S**	Female M14x1.5
1a	Tie Rod End - Outer	⇦	CPMB,CJCD	**QR3924S**	
1b	Tie Rod End - Outer	⇨	exc. CPMB,CJCD	**QR3677S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨	CPMB,CJCD	**QR3925S**	
2	Rack End	⇦⇨	exc. CPMB,CJCD	**QR3588S**	-
2	Rack End	⇦⇨	CPMB,CJCD	**QR3957S**	
20a	Suspension Arm - Front			**QSJ3485S**	Front of Wheel
20b	Suspension Arm - Front			**QSJ3486S**	Front of Wheel
20a¹	Suspension Arm - Front			**QSJ3564S**	Rear of Wheel
20b¹	Suspension Arm - Front			**QSJ3565S**	Rear of Wheel
21	Ball Joint - Front			**QSJ3484S**	Front of Wheel
22a	Suspension Arm - Front			**QSJ3663S**	Front of Wheel
22b	Suspension Arm - Front			**QSJ3664S**	Front of Wheel
22a¹	Suspension Arm - Front			**QSJ3665S**	Rear of Wheel
22b¹	Suspension Arm - Front			**QSJ3666S**	Rear of Wheel
24a	Suspension Arm Bush - Front			**-**	Inner, Front of Wheel
24b	Suspension Arm Bush - Front			**-**	Rear of Wheel, Inner
24c	Suspension Arm Bush - Front			**EMS8235**	Front of Wheel, Outer
24d	Suspension Arm Bush - Front			**EMS2694**	Inner, Front, Rear of Wheel
25	Stabiliser Link - Front	⇦⇨		**QLS3633S**	L=170mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7044**	Outer, Ø 27mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7302**	Outer, Ø 28mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3085**	Outer, Ø 27mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3084**	Outer, Ø 28mm
32a	Suspension Arm - Rear			**QSJ3478S**	
32b	Suspension Arm - Rear			**QSJ3479S**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3631S**	L=62mm

Q7

4LB

03/06-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3568S**	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		**QR3569S**	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
2	Rack End	⇦⇨		**QR3610S**	Male M16x1.5 , M16x1.5 Swivel, L=305mm
4a	Tie Rod Assembly	⇦		**QDL3297S**	
4b	Tie Rod Assembly	⇨		**QDL3298S**	
20a	Suspension Arm - Front		-ch.4.L7002800	**-**	Steel
20a¹	Suspension Arm - Front		ch.4.L7002801-4.L8053604 exc.4.2 TDi	**QSA2473S**	Aluminium
20a¹	Suspension Arm - Front		ch.4.L8053605- , 4.2 TDi	**QSA2521S**	Aluminium
20b	Suspension Arm - Front		-ch.4.L7002800	**-**	Steel
20b¹	Suspension Arm - Front		ch.4.L7002801-4.L8053604 exc.4.2 TDi	**QSA2474S**	Aluminium

Q7 continued... 03/06-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b[1]	Suspension Arm - Front		ch.4.L8053605- , 4.2 TDi	QSA2522S	Aluminium
22	Suspension Arm - Front			QSA2351S	
24a	Suspension Arm Bush - Front			EMS8529	Front, Inner
24a	Suspension Arm Bush - Front			EMS8528	Front, Outer
24b	Suspension Arm Bush - Front			EMS8478	Rear
25	Stabiliser Link - Front			QLS3595S	L=197mm
32	Suspension Arm - Rear			QSJ3543S	Front
32a[1]	Suspension Arm - Rear			QSJ3605S	Rear, L=360mm
32b[1]	Suspension Arm - Rear			QSJ3606S	Rear, L=360mm
35a	Stabiliser Link - Rear			QLS3813S	L=209mm
35b	Stabiliser Link - Rear			QLS3814S	L=209mm

TT I 10/98-01/07

8N



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR9976S	Female M16x1.5 , Ø 13.1mm Cone, M12 Swivel
1b	Tie Rod End - Outer			QR9977S	Female M16x1.5 , Ø 13.1mm Cone, M12 Swivel
2	Rack End		exc.Sports Susp. 18'' Wheels	QR3452S	Male M16x1.5 , M16x1.5 Swivel, L=355mm
2	Rack End		Sports Susp. 18'' Wheels	QR3794S	Male M16x1.5 ,M16x1.5 Swivel L=333mm


continued...

TT I continued... 10/98-01/07


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA2024S**	
20b	Suspension Arm - Front			**QSA2025S**	
21	Ball Joint - Front			**QSJ3343S**	M12x1.5mm Ball Pin, Ø 15.5mm Cone
24a	Suspension Arm Bush - Front		-ch.8N.Y060000, 10/98-12/99	**EMS1997**	Front
24a	Suspension Arm Bush - Front		ch.8N.Y060001-, 12/99-01/07	**EMS8226**	Front
24b	Suspension Arm Bush - Front		-ch.8N.Y060000, 10/98-12/99	**EMS2659**	Rear
24b	Suspension Arm Bush - Front		ch.8N.Y060001-, 12/99-01/07	**EMS8227**	Rear
25a	Stabiliser Link - Front			**QLS3332S**	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front			**QLS3333S**	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front			**EMB7122**	Outer, Ø 19mm Bar, Ø 17mm Bush
26	Stabiliser Bar Bush - Front			**-**	Outer, Ø 20mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front			**EMB7041**	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front			**EMBK3079**	Outer, Ø 21mm Bar, Ø 19mm Bush
61	Top Strut Bearing - Front			**QAM120**	
34	Suspension Arm Bush - Rear		Quattro	**EMS8424**	Front,Trailing Arm
35	Stabiliser Link - Rear		exc.H.D.Susp.	**QLS3327S**	L=182mm
35	Stabiliser Link - Rear		H.D.Susp.	**QLS3542S**	L=196mm

TT II 08/06-06/15

8J3,8J9




TT II continued... 08/06-06/15



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3708S**	Female M16x1.5 ↻, Ø 14.7mm Cone, L=200mm
1b	Tie Rod End - Outer	⇨		**QR3709S**	Female M16x1.5 ↻, Ø 14.7mm Cone, L=200mm
2	Rack End	⇦⇨		**QR3588S**	
20	Suspension Arm - Front	⇦⇨		**QSA2633S**	Not Complete
20a	Suspension Arm - Front	⇦		**QSA2557S**	Complete
20b	Suspension Arm - Front	⇨		**QSA2558S**	Complete
21a	Ball Joint - Front	⇦		**QSJ3494S**	Ø 15.3mm Cone
21b	Ball Joint - Front	⇨		**QSJ3495S**	Ø 15.3mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8228**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8553**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	⇦		**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	⇨		**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear	⇦⇨		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨	exc.Quattro	**EMS8434**	Front, Trailing Arm
34d	Suspension Arm Bush - Rear	⇦⇨	Quattro	**EMS8424**	Front,Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm

TT III 07/14-


FV3



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3987S	
21a	Ball Joint - Front	↲		QSJ3494S	
21b	Ball Joint - Front	↳		QSJ3495S	
24a	Suspension Arm Bush - Front	↲↳		EMS8228	Front
25	Stabiliser Link - Front	⇦⇨		QLS3328S	

V8 08/88-07/94

D11 ch.44.K000001-4C.R005000




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2066S	Female M16x1.5 , Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR2065S	Female M16x1.5 , Ø 12.5mm Cone
20a	Suspension Arm - Front	↲		QSJ1363S	Ø 19mm Cone
20b	Suspension Arm - Front	↳		QSJ1364S	Ø 19mm Cone
24a	Suspension Arm Bush - Front	◇◇	ch.44.K000001-4C.M020000, 08/88-07/91	EMS2440	Inner
24a	Suspension Arm Bush - Front	◇◇	ch.4C.N000001-4C.R005000, 08/91-07/94	-	Inner
61	Top Strut Bearing - Front	⇦⇨	07/91-07/94	QAM128	
35	Stabiliser Link - Rear	⇦⇨		QLS3004S	L=120mm

1 Series

08/04-09/12

E81,E82,E87,E88 Hatchback & Coupé



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	mfr.TRW,ZF	QR3533S	Female M14x1.5, Ø 15.8mm Cone, L=135mm
1b	Tie Rod End - Outer	⇨	mfr.TRW,ZF	QR3534S	Female M14x1.5, Ø 15.8mm Cone, L=135mm
2	Rack End	⇦⇨	mfr.TRW	QR3532S	Male M14x1.5, M18x1.5 Swivel, L=231mm
2	Rack End	⇦⇨	mfr.ZF	QR3555S	Male M14x1.5, M18x1.5 Swivel, L=280mm
4a	Tie Rod Assembly	⇦	116i,118i,118d,120i mfr.TRW	QDL5292S	
4a	Tie Rod Assembly	⇦	130i, mfr.ZF	QDL5293S	
4a	Tie Rod Assembly	⇦	, mfr.ZF	QDL5293S	

continued...

1 Series continued... 08/04-09/12

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4b	Tie Rod Assembly	⇨	116i,118i,118d,120i mfr.TRW	**QDL5294S**	
4b	Tie Rod Assembly	⇨	130i, mfr.ZF	**QDL5295S**	
4b	Tie Rod Assembly	⇨	, mfr.ZF	**QDL5295S**	
20a	Suspension Arm - Front	↲		**QSJ3386S**	Front of Wheel
20b	Suspension Arm - Front	↳		**QSJ3387S**	Front of Wheel
20a¹	Suspension Arm - Front	↲		**QSJ3388S**	Rear of Wheel
20b¹	Suspension Arm - Front	↳		**QSJ3389S**	Rear of Wheel
24a	Suspension Arm Bush - Front	⇩⇩	Fitted to QSJ3386S & QSJ3387S	**EMS8340**	Front of Wheel, Inner
24b	Suspension Arm Bush - Front	⇩⇩	Fitted to QSJ3388S & QSJ3389S	**EMS8345**	Rear of Wheel, Inner
25a	Stabiliser Link - Front	⇦		**QLS3507S**	L=293mm
25b	Stabiliser Link - Front	⇨		**QLS3508S**	L=293mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7159**	Outer, Ø 26.5mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5028**	
16	Axle Mounting - Rear	⇦	08/04-05/05	**EM4443**	Rear, Differential
16	Axle Mounting - Rear	⇦	05/05-, exc.120d MAN	**EM4443**	Rear, Differential
16	Axle Mounting - Rear	⇦	05/05-, only 120d MAN	**EM4444**	Rear, Differential
32	Suspension Arm - Rear	⇧⇧		**QSJ3399S**	Front, L=239mm
32¹	Suspension Arm - Rear	⇧⇧		**QSJ3400S**	Centre, L=273mm
32²	Suspension Arm - Rear	⇧⇧		**QSJ3401S**	Rear, L=413mm
34a	Suspension Arm Bush - Rear	⇩⇩		**EMS8341**	Front, Hub
34b	Suspension Arm Bush - Rear	⇧⇧	Fitted to QSJ3400S	**EMS8342**	Centre, Inner
34c	Suspension Arm Bush - Rear	⇧⇧	Fitted to QSJ3400S	**EMS8343**	Centre, Outer
35	Stabiliser Link - Rear	⇦⇨		**QLS3509S**	L=160mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7160**	Outer, Ø 11mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7161**	Outer, Ø 13mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7162**	Outer, Ø 14mm
93	Subframe Mounting - Rear	⇦⇨		**EM4438**	Front
93	Subframe Mounting - Rear	⇦⇨	exc.120d MAN	**EM4439**	Rear
93	Subframe Mounting - Rear	⇦⇨	only 120d MAN	**EM4440**	Rear

1 Series 10/11-

F20,F21 exc 4x4








1 Series continued... 10/11-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3918S	
1b	Tie Rod End - Outer	⇨		QR3919S	
2	Rack End	⇦⇨		QR3920S	
20a	Suspension Arm - Front	↲		QSJ3639S	Front of Wheel
20b	Suspension Arm - Front	↳		QSJ3640S	Front of Wheel
20a[1]	Suspension Arm - Front	↲	exc. M135i	QSJ3641S	Rear of Wheel
20b[1]	Suspension Arm - Front	↳	exc. M135i	QSJ3642S	Rear of Wheel
25a	Stabiliser Link - Front	⇦		QLS3815S	
25b	Stabiliser Link - Front	⇨	Exc. Adaptive M Suspension	QLS3815S	
25b	Stabiliser Link - Front	⇨	Adaptive M Suspension	QLS3820S	
35a	Stabiliser Link - Rear	⇦		QLS3816S	
35b	Stabiliser Link - Rear	⇨		QLS3817S	

1 Series 10/11-

F20,F21 4x4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front	↲		QSJ3776S	Front of Wheel
20b	Suspension Arm - Front	↳		QSJ3777S	Front of Wheel
20a[1]	Suspension Arm - Front	↲		QSJ3778S	Rear of Wheel
20b[1]	Suspension Arm - Front	↳		QSJ3779S	Rear of Wheel
24a	Suspension Arm Bush - Front	⇦⇨		EMS8591	Front of Wheel
25a	Stabiliser Link - Front	⇦		QLS3815S	
25b	Stabiliser Link - Front	⇨	Exc. Adaptive M Suspension	QLS3815S	
25b	Stabiliser Link - Front	⇨	Adaptive M Suspension	QLS3820S	
35a	Stabiliser Link - Rear	⇦		QLS3816S	
35b	Stabiliser Link - Rear	⇨		QLS3817S	

2 Series

F22 exc 4x4

11/13-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3918S**	
1b	Tie Rod End - Outer	⇨		**QR3919S**	
2	Rack End	⇦⇨		**QR3920S**	
20a	Suspension Arm - Front	⇦		**QSJ3639S**	Front of Wheel
20b	Suspension Arm - Front	⇨		**QSJ3640S**	Front of Wheel
20a¹	Suspension Arm - Front	⇦		**QSJ3641S**	Rear of Wheel
20b¹	Suspension Arm - Front	⇨		**QSJ3642S**	Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3815S**	
25b	Stabiliser Link - Front	⇨	Exc. Adaptive M Suspension	**QLS3815S**	
25b¹	Stabiliser Link - Front	⇨	Adaptive M Suspension	**QLS3820S**	
35a	Stabiliser Link - Rear	⇦		**QLS3816S**	
35b	Stabiliser Link - Rear	⇨		**QLS3817S**	

2 Series

F22 4x4

11/13-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSJ3776S**	Front of Wheel
20b	Suspension Arm - Front			**QSJ3777S**	Front of Wheel
20a¹	Suspension Arm - Front			**QSJ3778S**	Rear of Wheel
20b¹	Suspension Arm - Front			**QSJ3779S**	Rear of Wheel
24a	Suspension Arm Bush - Front			**EMS8591**	Front of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3815S**	
25b	Stabiliser Link - Front	⇨	Exc. Adaptive M Suspension	**QLS3815S**	
25b	Stabiliser Link - Front	⇨	Adaptive M Suspension	**QLS3820S**	
35a	Stabiliser Link - Rear	⇦		**QLS3816S**	
35b	Stabiliser Link - Rear	⇨		**QLS3817S**	

3 Series

E30 exc.325iX

09/82-10/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2046S	Male M14x1.5 RH, Ø 12.6mm Cone
2	Rack End	⇦⇨	exc.Damper	QR5012S	Female M14x1.5 RH, L=250mm
2a	Rack End	⇦	Damper	QR5012S	Female M14x1.5 RH, L=250mm
2b	Rack End	⇨	Damper	QR2421S	Female M14x1.5 RH,M14x1.5 RH Swivel L=260mm
4	Tie Rod Assembly	⇦⇨	exc.Damper	QDL2786S	
4a	Tie Rod Assembly	⇦	Damper	QDL2786S	


3 Series continued... 09/82-10/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4b	Tie Rod Assembly	⇨	Damper	**QDL2787S**	
20a	Suspension Arm - Front			**QSA1398S**	Steel
20b	Suspension Arm - Front			**QSA1397S**	Steel
21	Ball Joint - Front			**QSJ998S**	Outer, Ø 14.5mm Cone
21[1]	Ball Joint - Front			**QSJ997S**	Inner, Ø 15mm Cone
24	Suspension Arm Bush - Front		316i,318i,318iS, exc.AC	**EMS2654**	Rear
24	Suspension Arm Bush - Front		316i,318i,318iS, with AC	**EMS2655**	Rear
24	Suspension Arm Bush - Front		320i,323i MAN	**EMS2655**	Rear
24	Suspension Arm Bush - Front		320i,323i AUTO	**EMS2656**	Rear
24	Suspension Arm Bush - Front		320iS,324d,325i	**EMS2656**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS2854S**	L=65mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB3069**	Outer, Ø 18.5mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB3070**	Outer, Ø 20mm
29	Suspension Arm Repair Kit - Front		316i,318i,318iS, exc.AC	**QSK236S**	Rear
29	Suspension Arm Repair Kit - Front		320i,323i AUTO	**-**	Rear
29	Suspension Arm Repair Kit - Front		320iS,324d,325i	**-**	Rear
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1581**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS2513**	Axle
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8337**	Hub
35	Stabiliser Link - Rear	⇦⇨		**QLS3262S**	L=133mm
37	Suspension Arm Bush Kit - Rear	⇦⇨		**QSK265S**	Front Ø 30.0mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR2239**	

3 Series

E30 325iX

09/85-10/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	Damper	**QR2046S**	Male M14x1.5 , Ø 12.6mm Cone
1a	Tie Rod End - Outer	⇦	exc.Damper	**QR2423S**	Female M14x1.5 , Ø 12.6mm Cone, L=265mm
1b	Tie Rod End - Outer	⇨	exc.Damper	**QR2424S**	Female M14x1.5 , Ø 12.6mm Cone, L=265mm
2a	Rack End	⇦	Damper	**QR5012S**	Female M14x1.5 , L=250mm
2b	Rack End	⇨	Damper	**QR2421S**	Female M14x1.5 ,M14x1.5 Swivel L=260mm
4a	Tie Rod Assembly	⇦	exc.Damper	**QDL2388S**	L=280mm, Ø 12.5mm Cone
4a¹	Tie Rod Assembly	⇦	Damper	**QDL2786S**	
4b	Tie Rod Assembly	⇨	exc.Damper	**QDL2387S**	L=280mm, Ø 12.5mm Cone
4b¹	Tie Rod Assembly	⇨	Damper	**QDL2787S**	
21	Ball Joint - Front			**QSJ1176S**	Outer, Ø 16.5mm Cone
21¹	Ball Joint - Front			**QSJ1175S**	Inner, Ø 13mm Cone
24	Suspension Arm Bush - Front			**-**	
25	Stabiliser Link - Front	⇦⇨		**QLS2736S**	L=245mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB3070**	Outer, Ø 20mm


3 Series continued... 09/85-10/94


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34	Suspension Arm Bush - Rear	⇦⇨		EMS8337	Hub
35	Stabiliser Link - Rear	⇦⇨		QLS3262S	L=133mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR2239	

3 Series


E36

09/90-05/01





3 Series continued... 09/90-05/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2425S	Female M14x1.5 RH, Ø 12.6mm Cone, L=215mm
1b	Tie Rod End - Outer	⇨		QR2426S	Female M14x1.5 RH, Ø 12.6mm Cone, L=215mm
2a	Rack End	⇦	,	QR3376S	Male M14x1.5 RH, M18x1.5 Swivel, L=220mm
2b	Rack End	⇨		QR3377S	Male M14x1.5 RH, M18x1.5 Swivel, L=220mm
2b	Rack End	⇨		QR3376S	Male M14x1.5 RH, M18x1.5 Swivel, L=220mm
4a	Tie Rod Assembly	⇦		QDL2851S	
4a	Tie Rod Assembly	⇦		QDL2851S	
4b	Tie Rod Assembly	⇨		QDL2853S	
4b[1]	Tie Rod Assembly	⇨		QDL2852S	
20a	Suspension Arm - Front		exc.M3	QSA1295S	exc.Bush
20b	Suspension Arm - Front		exc.M3	QSA1296S	exc.Bush
21	Ball Joint - Front		exc.M3	QSJ7000S	Outer, Ø 14.5mm Cone
21	Ball Joint - Front		exc.M3, Germany Only	QSJ6000S	Outer, Ø 14.5mm Cone, Full Metal Version
21[1]	Ball Joint - Front		exc.M3	QSJ7001S	Inner, Ø 15mm Cone
24	Suspension Arm Bush - Front		exc.M3	EMS1944	Rear, Bush
24	Suspension Arm Bush - Front		M3	EMS8144	Rear
24a	Suspension Arm Bush - Front		exc.M3	EMS8313	Rear, Bush, Bracket
24b	Suspension Arm Bush - Front		exc.M3	EMS8312	Rear, Bush, Bracket
25	Stabiliser Link - Front	⇦⇨	exc.M3, 09/90-10/91	QLS2764S	L=240mm
25	Stabiliser Link - Front	⇦⇨	exc.M3, 10/91-05/01	QLS2854S	L=65mm
25	Stabiliser Link - Front	⇦⇨	M3, 10/91-05/01	QLS3350S	L=261mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.M3	EMB3074	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨	316i M40 M Tech Susp.	-	Outer, Ø 27mm

continued...

3 Series continued... 09/90-05/01


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⊐⇨	318i M40 exc.M Tech Susp.	-	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	316i M40 exc.M Tech Susp.	-	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	318i M40 M Tech Susp.	-	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	320i M50,325i M50,325TD exc.M Tech Susp.	-	Outer, Ø 22.5mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	320i M50,325i M50,325TD exc.M Tech Susp.	**EMB7048**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	Cabriolet 320i,323i,325i, 328i exc.M Tech Susp.	**EMB7050**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	Cabriolet M3	**EMB7047**	Outer, Ø 22.5mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	Compact 316i exc.M Tech Susp.	**EMB7049**	Outer, Ø 23.5mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	Compact 316i M Tech Susp.	-	Outer, Ø 26mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	Compact 318TDS M Tech Susp.	**EMB7051**	Outer, Ø 25.5mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	Coupé 318iS exc.M Tech Susp.	**EMB7049**	Outer
29	Suspension Arm Repair Kit - Front	⇦⇨	exc.M3	**QSK239S**	Rear
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	Saloon,Coupé exc.320i M50,325i,325TD 09/90-06/92	**EMA2237**	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	Saloon,Coupé 320i M50,325i, 325TD 07/92-05/01	-	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	Cabriolet,Compact,Touring	**EMA2237**	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	M3 3.0 03/92-04/96	-	
63a	Top Strut Mounting - Front inc.Bearing	⇦	M3 3.2 08/94-02/00	-	
63b	Top Strut Mounting - Front inc.Bearing	⇨	M3 3.2 08/94-02/00	-	
16	Axle Mounting - Rear	⇦⇨	Compact 316i,318ti,318TDS	-	
16	Axle Mounting - Rear	⇦⇨	exc.M3	**EM4110**	Ø 60.5mm
16	Axle Mounting - Rear	⇦⇨	M3	-	Ø 62.5mm
16¹	Axle Mounting - Rear	⇦⇨		**EM4102**	Ø 62.5mm
30	Suspension Arm - Rear	⇦⇨		**QSJ3528S**	Control Arm
34a	Suspension Arm Bush - Rear	⇦⊐⇨	exc.M3	**EMS8145**	Outer, Front, Trailing Arm
34a	Suspension Arm Bush - Rear	⇦⊐⇨	M3	-	Outer, Front, Trailing Arm
34b	Suspension Arm Bush - Rear	⇦⊐⇨		**EMS8133**	Outer, Rear Trailing Arm
34c	Suspension Arm Bush - Rear	⇨⇦		**EMS8142**	Inner, Lower Arm
34d	Suspension Arm Bush - Rear	⇨⇦		**EMS8140**	Inner, Upper Arm
34e	Suspension Arm Bush - Rear	⇦⊐⇨	exc.M3	**EMS8141**	Outer, Lower Arm
34e	Suspension Arm Bush - Rear	⇦⊐⇨	M3	**EMS8133**	Outer, Lower Arm
35	Stabiliser Link - Rear	⇦⊐⇨	exc.Compact	**QLS3262S**	L=133mm
35	Stabiliser Link - Rear	⇦⊐⇨	Compact	**QLS3255S**	1xØ 6mm, 1xØ 8mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨	Compact 318ti M Tech Susp.	**EMB7052**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨	Touring 318i,318TDS,320i,325TD,TDS,328 exc.M Tech Susp.	**EMB7058**	Outer, Ø 15mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨	Compact 318ti exc.M Tech Susp.	-	Outer, Ø 14mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨	320i M50,325i M50,325TD exc.M Tech Susp.	-	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨	318i M40 exc.M Tech Susp.	**EMB7030**	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨	Touring 318i,318TDS,320i,325TD,TDS, 328 M Tech Susp.	**EMB7108**	Outer, Ø 18mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨	320i M50,325i M50,325TD M Tech Susp.	-	Outer, Ø 19mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨	M3	-	Outer, Ø 18mm
37	Suspension Arm Bush Kit - Rear	⇦⊐⇨	Compact Rear	**QSK265S**	Front Ø 30.0mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⊐⇨	Coupé,Cabriolet,Saloon M3	**EMR2238**	

3 Series 02/98-07/06

E46 exc.4x4,M3



3 Series continued... 02/98-07/06



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3229S	Female M14x1.5, Ø 14.7mm Cone, L=250mm
1b	Tie Rod End - Outer	⇨		QR3230S	Female M14x1.5, Ø 14.7mm Cone, L=250mm
2	Rack End	⇦⇨	02/98-09/98	QR3562S	Male M14x1.5 , M18x1.5 Swivel, L=226mm
2	Rack End	⇦⇨	10/98-07/06	QR3447S	Male M14x1.5 , M18x1.5 Swivel, L=235mm
4a	Tie Rod Assembly	⇦	02/98-09/98	QDL3227S	
4a	Tie Rod Assembly	⇦	10/98-07/06	QDL5283S	
4b	Tie Rod Assembly	⇨	02/98-09/98	QDL3228S	
4b	Tie Rod Assembly	⇨	10/98-07/06	QDL5284S	
20a	Suspension Arm - Front	↲	exc.M Susp.	QSA1707S	Aluminium, exc. Bush
20a	Suspension Arm - Front	↲	exc.M Susp.	QSA2382S	Aluminium, inc. Bush


continued...

3 Series continued... 02/98-07/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		M Susp.	**QSA2083S**	Aluminium, exc. Bush
20b	Suspension Arm - Front		exc.M Susp.	**QSA1708S**	Aluminium, exc. Bush
20b	Suspension Arm - Front		exc.M Susp.	**QSA2383S**	Aluminium, inc. Bush
20b	Suspension Arm - Front		M Susp.	**QSA2084S**	Aluminium, exc. Bush
24	Suspension Arm Bush - Front		05/98-02/01, exc.M Susp.	**EMS8080**	Rear, Bush, Ø 60mm
24a	Suspension Arm Bush - Front		exc.M Susp.	**EMS8135**	Rear, Bush, Bracket, Ø 66mm
24b	Suspension Arm Bush - Front		exc.M Susp.	**EMS8134**	Rear, Bush, Bracket, Ø 66mm
25	Stabiliser Link - Front			**QLS3224S**	L=270mm
26	Stabiliser Bar Bush - Front		318, 320 Sport	**EMB7053**	Outer, Ø 24.6mm
26	Stabiliser Bar Bush - Front		323CI Sport	**EMB7236**	Outer, Ø 23mm
29	Suspension Arm Repair Kit - Front		exc.M Susp.	**QSK240S**	Rear, Ø 66mm
62	Top Strut Mounting - Front inc.Bearing			**EMA5028**	
16	Axle Mounting - Rear			**EM4111**	Front, Centre, Ø 47x40mm
16	Axle Mounting - Rear			**-**	Centre
16a	Axle Mounting - Rear			**EM4112**	Front
16b	Axle Mounting - Rear			**EM4113**	Front, Ø 66x70mm
16c	Axle Mounting - Rear			**EM4114**	Rear, 63x72x20mm
30	Suspension Arm - Rear			**QSJ3528S**	Control Arm
34a	Suspension Arm Bush - Rear			**EMS8140**	Inner
34b	Suspension Arm Bush - Rear			**EMS8142**	Axle
34c	Suspension Arm Bush - Rear			**EMS8145**	Outer, Front, Trailing Arm
35	Stabiliser Link - Rear			**QLS3276S**	L=98mm
36	Stabiliser Bar Bush - Rear			**EMB7108**	Outer, Ø 18mm
36	Stabiliser Bar Bush - Rear			**EMB7109**	Outer, Ø 15mm

3 Series 09/00-02/05

E46 4x4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
29	Suspension Arm Repair Kit - Front		325xi	**QSK240S**	Rear, Ø 66mm
29	Suspension Arm Repair Kit - Front		330xd,330xi	**QSK242S**	Rear
25a	Stabiliser Link - Front			**QLS3414S**	L=310mm
25b	Stabiliser Link - Front			**QLS3415S**	L=310mm
30	Suspension Arm - Rear			**QSJ3528S**	Control Arm
35	Stabiliser Link - Rear			**QLS3276S**	L=98mm

3 Series

E46 M3 Coupé,Cabrio

08/00-02/07




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3716S	
1b	Tie Rod End - Outer	⇨		QR3717S	
4a	Tie Rod Assembly	⇦		QDL4210S	
4b	Tie Rod Assembly	⇨		QDL4211S	
20b	Suspension Arm - Front			QSA2450S	exc. Bush
25	Stabiliser Link - Front	⇦⇨		QLS3224S	L=270mm
30	Suspension Arm - Rear			QSJ3528S	Control Arm
35	Stabiliser Link - Rear	⇦⇨		QLS3638S	

3 Series

03/05-12/11

E90,E91,E92,E93 exc.4x4,M3



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	mfr.TRW,ZF	QR3533S	Female M14x1.5 RH, Ø 15.8mm Cone, L=135mm
1b	Tie Rod End - Outer	⇨	mfr.TRW,ZF	QR3534S	Female M14x1.5 RH, Ø 15.8mm Cone, L=135mm
2	Rack End	⇦⇨	mfr.TRW	QR3532S	Male M14x1.5 RH, M18x1.5 Swivel, L=231mm
2	Rack End	⇦⇨	mfr.ZF	QR3555S	Male M14x1.5 RH, M18x1.5 Swivel, L=280mm
4a	Tie Rod Assembly	⇦	316i,318i,320i,320iS mfr.TRW	QDL5292S	
4a	Tie Rod Assembly	⇦	318d,320d,323i,325i,330d,330i mfr.ZF	QDL5293S	
4a	Tie Rod Assembly	⇦	mfr.ZF	QDL5293S	
4b	Tie Rod Assembly	⇨	316i,318i,320i,320iS mfr.TRW	QDL5294S	


3 Series continued... 03/05-12/11

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4b	Tie Rod Assembly	⇨	318d,320d,323i,325i,330d,330i mfr.ZF	**QDL5295S**	
4b	Tie Rod Assembly	⇨	mfr.ZF	**QDL5295S**	
20a	Suspension Arm - Front			**QSJ3386S**	Front of Wheel
20b	Suspension Arm - Front			**QSJ3387S**	Front of Wheel
20a[1]	Suspension Arm - Front			**QSJ3388S**	Rear of Wheel
20b[1]	Suspension Arm - Front			**QSJ3389S**	Rear of Wheel
24a	Suspension Arm Bush - Front		Fitted to QSJ3386S & QSJ3387S	**EMS8340**	Front of Wheel, Inner
24b	Suspension Arm Bush - Front		Fitted to QSJ3388S & QSJ3389S	**EMS8345**	Rear of Wheel, Inner
25a	Stabiliser Link - Front	⇦		**QLS3507S**	L=293mm
25b	Stabiliser Link - Front	⇨		**QLS3508S**	L=293mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7159**	Outer, Ø 26.5mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.M Tech Susp.,exc.320iS	**EMA5028**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	M Tech Susp, 320iS	**EMA5029**	
16	Axle Mounting - Rear	⇦⇨		**EM4441**	Front, Differential
16	Axle Mounting - Rear	⇦	exc.Diesel	**EM4443**	Rear, Differential
16	Axle Mounting - Rear	⇦	318d,320d	**EM4444**	Rear, Differential
16	Axle Mounting - Rear	⇦	330d MAN	**EM4444**	Rear, Differential
16	Axle Mounting - Rear	⇦	330d AUTO	**EM4443**	Rear, Differential
32	Suspension Arm - Rear			**QSJ3399S**	Front, L=239mm
32[1]	Suspension Arm - Rear			**QSJ3400S**	Centre, L=273mm
32[2]	Suspension Arm - Rear			**QSJ3401S**	Rear, L=413mm
34a	Suspension Arm Bush - Rear			**EMS8341**	Front, Hub
34b	Suspension Arm Bush - Rear		Fitted to QSJ3400S	**EMS8342**	Centre, Inner
34c	Suspension Arm Bush - Rear		Fitted to QSJ3400S	**EMS8343**	Centre, Outer
35	Stabiliser Link - Rear	⇦⇨		**QLS3509S**	L=160mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7160**	Outer, Ø 11mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7163**	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7161**	Outer, Ø 13mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7162**	Outer, Ø 14mm
93	Subframe Mounting - Rear	⇦⇨		**EM4438**	Front
93	Subframe Mounting - Rear	⇦⇨	exc.Diesel	**EM4439**	Rear
93	Subframe Mounting - Rear	⇦⇨	Diesel	**EM4440**	Rear

3 Series

E90,E91,E92,E93 4x4

03/05-12/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21¹	Ball Joint - Front			QSJ3293S	Rear of Wheel
24	Suspension Arm Bush - Front			EMS8344	Inner, Rear of Wheel
26	Stabiliser Bar Bush - Front			EMB7164	Outer, Ø 26.5mm
63	Top Strut Mounting - Front inc.Bearing			EMA5031	
16	Axle Mounting - Rear			EM4441	Front, Differential
16	Axle Mounting - Rear		exc.Diesel	EM4443	Rear, Differential
16	Axle Mounting - Rear		330xd MAN	EM4444	Rear, Differential
16	Axle Mounting - Rear		330xd AUTO	EM4443	Rear, Differential
32	Suspension Arm - Rear			QSJ3399S	Front, L=239mm
32¹	Suspension Arm - Rear			QSJ3400S	Centre, L=273mm
32²	Suspension Arm - Rear			QSJ3401S	Rear, L=413mm
34a	Suspension Arm Bush - Rear			EMS8341	Front, Hub
34b	Suspension Arm Bush - Rear		Fitted to QSJ3400S	EMS8342	Centre, Inner
34c	Suspension Arm Bush - Rear		Fitted to QSJ3400S	EMS8343	Centre, Outer
35	Stabiliser Link - Rear			QLS3509S	L=160mm
36	Stabiliser Bar Bush - Rear			EMB7165	Outer, Ø 15mm
93	Subframe Mounting - Rear			EM4438	Front
93	Subframe Mounting - Rear		exc.Diesel	EM4439	Rear
93	Subframe Mounting - Rear		Diesel	EM4440	Rear

3 Series
E90,E92,E93 M3


03/05-12/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3533S	Female M14x1.5 ↻, Ø 15.8mm Cone, L=135mm
1b	Tie Rod End - Outer	⇨		QR3534S	Female M14x1.5 ↻, Ø 15.8mm Cone, L=135mm
35	Stabiliser Link - Rear	⇦⇨		QLS3509S	L=160mm

3 Series
F30, F31 exc 4x4, M3

10/11-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3918S	
1b	Tie Rod End - Outer	⇨		QR3919S	
2	Rack End	⇦⇨		QR3920S	
20a	Suspension Arm - Front	↲		QSJ3639S	Front of Wheel
20b	Suspension Arm - Front	↳		QSJ3640S	Front of Wheel
20a[1]	Suspension Arm - Front	↲		QSJ3641S	Rear of Wheel
20b[1]	Suspension Arm - Front	↳		QSJ3642S	Rear of Wheel
25a	Stabiliser Link - Front	⇦		QLS3815S	


continued...

3 Series continued... 10/11-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25b	Stabiliser Link - Front	⇨	Exc. Adaptive M Suspension	QLS3815S	
25b¹	Stabiliser Link - Front	⇨	Adaptive M Suspension	QLS3820S	
35a	Stabiliser Link - Rear	⇦		QLS3816S	
35b	Stabiliser Link - Rear	⇨		QLS3817S	

3 Series 10/11-

F30, F31 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front	⇦		QSJ3776S	Front of Wheel
20b	Suspension Arm - Front	⇨		QSJ3777S	Front of Wheel
20a¹	Suspension Arm - Front	⇦		QSJ3778S	Rear of Wheel
20b¹	Suspension Arm - Front	⇨		QSJ3779S	Rear of Wheel
24a	Suspension Arm Bush - Front	⇦⇨		EMS8591	Front of Wheel
25a	Stabiliser Link - Front	⇦		QLS3815S	
25b	Stabiliser Link - Front	⇨		QLS3820S	
35a	Stabiliser Link - Rear	⇦		QLS3816S	
35b	Stabiliser Link - Rear	⇨		QLS3817S	

3 Series 03/14-

F80 M3



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3918S	
1b	Tie Rod End - Outer	⇨		QR3919S	

3 Series GT

F34 exc 4x4

03/13-









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3918S	
1b	Tie Rod End - Outer	⇨		QR3919S	
2	Rack End	⇦⇨		QR3920S	
20a	Suspension Arm - Front	⇦		QSJ3639S	Front of Wheel
20b	Suspension Arm - Front	⇨		QSJ3640S	Front of Wheel
20a¹	Suspension Arm - Front	⇦		QSJ3641S	Rear of Wheel
20b¹	Suspension Arm - Front	⇨		QSJ3642S	Rear of Wheel
25a	Stabiliser Link - Front	⇦		QLS3815S	
25b	Stabiliser Link - Front	⇨	Exc. Adaptive M Suspension	QLS3815S	
25b¹	Stabiliser Link - Front	⇨	Adaptive M Suspension	QLS3820S	
35a	Stabiliser Link - Rear	⇦		QLS3816S	
35b	Stabiliser Link - Rear	⇨		QLS3817S	

3 Series GT — 03/13-


F34 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25a	Stabiliser Link - Front	⇦		QLS3815S	
25b	Stabiliser Link - Front	⇨	Exc. Adaptive M Suspension	QLS3815S	
25b	Stabiliser Link - Front	⇨	Adaptive M Suspension	QLS3820S	
35a	Stabiliser Link - Rear	⇦		QLS3816S	
35b	Stabiliser Link - Rear	⇨		QLS3817S	

4 Series — 07/13-

F32,F33 exc 4x4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3918S	
1b	Tie Rod End - Outer	⇨		QR3919S	
2	Rack End	⇦⇨		QR3920S	
20a	Suspension Arm - Front	↲		QSJ3639S	Front of Wheel
20b	Suspension Arm - Front	↳		QSJ3640S	Front of Wheel
20a¹	Suspension Arm - Front	↲		QSJ3641S	Rear of Wheel

4 Series continued... 07/13-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b[1]	Suspension Arm - Front			QSJ3642S	Rear of Wheel
25a	Stabiliser Link - Front			QLS3815S	
25b	Stabiliser Link - Front		Exc. Adaptive M Suspension	QLS3815S	
25b[1]	Stabiliser Link - Front		Adaptive M Suspension	QLS3820S	
35a	Stabiliser Link - Rear			QLS3816S	
35b	Stabiliser Link - Rear			QLS3817S	

4 Series 07/13-

F32,F33 4x4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSJ3776S	Front of Wheel
20b	Suspension Arm - Front			QSJ3777S	Front of Wheel
20a[1]	Suspension Arm - Front			QSJ3778S	Rear of Wheel
20b[1]	Suspension Arm - Front			QSJ3779S	Rear of Wheel
24a	Suspension Arm Bush - Front			EMS8591	Front of Wheel
25a	Stabiliser Link - Front			QLS3815S	
25b	Stabiliser Link - Front		Exc. Adaptive M Suspension	QLS3815S	
25b[1]	Stabiliser Link - Front		Adaptive M Suspension	QLS3820S	
35a	Stabiliser Link - Rear			QLS3816S	
35b	Stabiliser Link - Rear			QLS3817S	

4 Series

F36 exc 4x4

07/13-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3918S	
1b	Tie Rod End - Outer	⇨		QR3919S	
2	Rack End	⇦⇨		QR3920S	
20a	Suspension Arm - Front	⇦		QSJ3639S	Front of Wheel
20b	Suspension Arm - Front	⇨		QSJ3640S	Front of Wheel
20a¹	Suspension Arm - Front	⇦		QSJ3641S	Rear of Wheel
20b¹	Suspension Arm - Front	⇨		QSJ3642S	Rear of Wheel
25a	Stabiliser Link - Front	⇦		QLS3815S	
25b	Stabiliser Link - Front	⇨	Exc. Adaptive M Suspension	QLS3815S	
25b¹	Stabiliser Link - Front	⇨	Adaptive M Suspension	QLS3820S	
35a	Stabiliser Link - Rear	⇦		QLS3816S	
35b	Stabiliser Link - Rear	⇨		QLS3817S	

4 Series
F36 4x4

03/14-











KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25a	Stabiliser Link - Front	⇦		QLS3815S	
25b	Stabiliser Link - Front	⇨	Exc. Adaptive M Suspension	QLS3815S	
25b[1]	Stabiliser Link - Front	⇨	Adaptive M Suspension	QLS3820S	
35a	Stabiliser Link - Rear	⇦		QLS3816S	
35b	Stabiliser Link - Rear	⇨		QLS3817S	

4 Series
F82,F83 M4

03/14-






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3918S	
1b	Tie Rod End - Outer	⇨		QR3919S	

5 Series

12/87-01/97

E34 exc.525iX




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2234S	Male M14x1.5 ↻, Ø 12.6mm Cone
2	Side Rod End - Inner	⇦⇨		QR2233S	Male M14x1.5 ↺, Ø 12.6mm Cone
4	Side Rod Assembly	⇦⇨		QDL2701S	
5	Centre Rod Assembly		518i,	QDL3165S	
5	Centre Rod Assembly		exc.518i,	QDL2427S	
5	Centre Rod Assembly		exc.518i,	QDL2960S	
7a	Idler Arm Assembly Bush			EMS2670	Ø 27mm
20a	Suspension Arm - Front	↲		QSJ994S	Front of Wheel, Steel, Ø 16.5mm Cone
20a²	Suspension Arm - Front	↲		QSJ1179S	Front of Wheel, Aluminium, Ø 16.5mm Cone
20b	Suspension Arm - Front	↳		QSJ995S	Front of Wheel, Steel, Ø 16.5mm Cone
20b²	Suspension Arm - Front	↳		QSJ1180S	Front of Wheel, Aluminium, Ø 16.5mm Cone
22a¹	Suspension Arm - Front	↰		QSJ1251S	Rear of Wheel, Ø 16.5mm Cone
22b¹	Suspension Arm - Front	↱		QSJ1252S	Rear of Wheel, Ø 16.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS2671	Front of Wheel, Steel
24a¹	Suspension Arm Bush - Front	⇩⇩		EMS2675	Front of Wheel, Aluminium

5 Series continued... 12/87-01/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front		518i	**EMS2674**	
24b	Suspension Arm Bush - Front		520i,525i	**EMS2672**	
24b	Suspension Arm Bush - Front		530i,535i,540i,Diesel	**EMS2673**	
24b	Suspension Arm Bush - Front		M5	**-**	
25	Stabiliser Link - Front			**QLS2764S**	L=240mm
26	Stabiliser Bar Bush - Front			**EMB3074**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front			**EMB7054**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front		02/88-09/91	**-**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front		10/91-01/97, M Tech.Susp.	**EMB7142**	Outer, Ø 25mm
63	Top Strut Mounting - Front inc.Bearing			**EMA1581**	
34	Suspension Arm Bush - Rear			**EMS2472**	Axle
35	Stabiliser Link - Rear			**QLS3255S**	1xØ 6mm, 1xØ 8mm
35¹	Stabiliser Link - Rear		Torsion Bar	**QLS3002S**	2xØ 14mm
65	Top Strut Mounting - Rear exc.Bearing			**EMR6031**	

5 Series 12/87-01/97

E34 525iX




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**-**	
20b	Suspension Arm - Front			**-**	
21	Ball Joint - Front			**-**	Outer
21¹	Ball Joint - Front			**-**	Inner
24	Suspension Arm Bush - Front			**-**	Rear of Wheel
25	Stabiliser Link - Front			**-**	
26	Stabiliser Bar Bush - Front			**-**	Outer, Ø 26mm
34	Suspension Arm Bush - Rear			**EMS2472**	Axle
35	Stabiliser Link - Rear			**QLS3255S**	1xØ 6mm, 1xØ 8mm
35¹	Stabiliser Link - Rear		Torsion Bar	**QLS3002S**	2xØ 14mm


5 Series

11/95-05/04

E39 exc.535i,540i,M5



5 Series continued... 11/95-05/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2995S**	Female M16x1.0 LH, Ø 12.6mm Cone, L=238mm
1b	Tie Rod End - Outer	⇨		**QR2996S**	Female M16x1.0 LH, Ø 12.6mm Cone, L=238mm
2	Rack End	⇦⇨		**QR5212S**	Male M16x1.0 LH, M18x1.5 Swivel, L=200mm
4a	Tie Rod Assembly	⇦		**QDL2962S**	
4b	Tie Rod Assembly	⇨		**QDL2963S**	
7a	Idler Arm Assembly Bush			**EMS2670**	Ø 27mm
20a	Suspension Arm - Front	↲		**QSJ1682S**	Front of Wheel, Ø 14.5mm Cone, M14x1.5mm Ball Pin, L=430mm
20b	Suspension Arm - Front	↳		**QSJ1683S**	Front of Wheel, Ø 14.5mm Cone, M14x1.5mm Ball Pin, L=430mm
20a¹	Suspension Arm - Front	↲		**QSJ1481S**	Rear of Wheel, Ø 14.3mm Cone, M14 Ball Pin, L=300mm
20b¹	Suspension Arm - Front	↳		**QSJ1482S**	Rear of Wheel, Ø 14.3mm Cone, M14 Ball Pin, L=300mm
24a	Suspension Arm Bush - Front	↲↳	Fitted to QSJ1682S & QSJ1683S	**EMS8150**	Front of Wheel
24b	Suspension Arm Bush - Front	↲↳	Fitted to QSJ1481S & QSJ1482S	**EMS2675**	Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3221S**	L=240mm
25b	Stabiliser Link - Front	⇨		**QLS3222S**	L=240mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7055**	Outer, Ø 22.5mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7056**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 25mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	520,523,525TD,TDS,528 11/95-09/97	**EMR6012**	


continued...


5 Series continued... 11/95-05/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front inc.Bearing	⇦⇨	520,520D,523,525TD,TDS 09/97-05/04, 528, 530D exc.EDC 09/97-05/04	EMA5028	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	528,530D with EDC	EMR6057	
16	Axle Mounting - Rear	⇦⇨		EM4115	Centre, Ø 69mmx58mm
30	Suspension Arm - Rear	⇦	Stabiliser Link to Wheel Carrier	QSJ3451S	Front of Wheel, L=92mm
32	Suspension Arm - Rear	⇦	11/95-12/01	QLS1754S	Front, L=212mm
32	Suspension Arm - Rear	⇦	12/01-05/04	QLS3326S	Front, L=212mm
32a[1]	Suspension Arm - Rear	⇦		QSJ1479S	Rear, Ø 13mm Cone
32b[1]	Suspension Arm - Rear	⇨		QSJ1480S	Rear, Ø 13mm Cone
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8218	Outer
34b	Suspension Arm Bush - Rear	⇦		EMS8482	Rear, Control Arm
35	Stabiliser Link - Rear	⇦⇨		QLS2997S	L=66mm
36	Stabiliser Bar Bush - Rear	⇦⇨	exc. M Sport	EMB7191	Outer, Ø 13mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Saloon 520,520D,523,525TD,TDS,528,530D exc.EDC	EMR2328	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Saloon 528,530D with EDC	EMR6023	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Touring	EMR6017	
91[1]	Subframe Bush - Rear	⇦⇨	exc. Touring	EMS8370	Outer, Front, Rear
91[1]	Subframe Bush - Rear	⇦⇨	Touring	EMS8532	Outer, Front, Rear
91[2]	Subframe Repair Kit - Rear	⇦⇨	exc. Touring	QSK264S	Outer, Front, Rear


5 Series 11/95-05/04

E39 535i,540i,M5





5 Series continued... 11/95-05/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR3398S	Female M16x1.5 ↻, Ø 12.9mm Cone, L=225mm
1b	Side Rod End - Outer	⇨		QR3399S	Female M16x1.5 ↻, Ø 12.9mm Cone, L=225mm
5	Centre Rod Assembly			QDL5222S	
5	Centre Rod Assembly			QDL5223S	
7a	Idler Arm Assembly Bush			EMS2670	Ø 27mm
20a	Suspension Arm - Front	↲		QSJ1684S	Front of Wheel, Ø 14.5mm Cone, M14x1.5mm Ball Pin, L=353mm
20b	Suspension Arm - Front	↳		QSJ1685S	Front of Wheel, Ø 14.5mm Cone, M14x1.5mm Ball Pin, L=353mm
20a¹	Suspension Arm - Front	↲		QSJ3344S	Rear of Wheel
20b¹	Suspension Arm - Front	↳		QSJ3345S	Rear of Wheel
24	Suspension Arm Bush - Front	⇦⇨		EMS8136	Front of Wheel
25	Stabiliser Link - Front	⇦⇨		QLS3223S	L=285mm
26	Stabiliser Bar Bush - Front	⇦⇨	535i,540i	-	Outer, Ø 24.5mm
26	Stabiliser Bar Bush - Front	⇦⇨	535i,540i	-	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨	M5	-	Outer
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6057	
16	Axle Mounting - Rear	⇦⇨		EM4115	Centre, Ø 69mmx58mm
32	Suspension Arm - Rear	↰↱	11/95-12/01	QLS1754S	Front, L=212mm
32	Suspension Arm - Rear	↰↱	12/01-05/04	QLS3326S	Front, L=212mm
32a¹	Suspension Arm - Rear	↰		QSJ1479S	Rear, Ø 13mm Cone
32b¹	Suspension Arm - Rear	↱		QSJ1480S	Rear, Ø 13mm Cone
34	Suspension Arm Bush - Rear	↰↱		EMS8482	Rear, Control Arm
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8218	Outer
35	Stabiliser Link - Rear	⇦⇨		QLS2997S	L=66mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Saloon exc.EDC	EMR2328	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Saloon with EDC	EMR6023	


continued...

5 Series continued... 11/95-05/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
65	Top Strut Mounting - Rear exc.Bearing	⇦⊐⇨	Touring	**EMR6017**	
91[1]	Subframe Bush - Rear	⇦⊐⇨	exc. Touring	**EMS8370**	Outer, Front, Rear
91[1]	Subframe Bush - Rear	⇦⊐⇨	Touring	**EMS8532**	Outer, Front, Rear
91[2]	Subframe Repair Kit - Rear	⇦⊐⇨	exc. Touring	**QSK264S**	Outer, Front, Rear

5 Series 06/03-08/10

E60,E61



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨	exc. ix, xd	**QR3427S**	Female M16x1.5 ↻, Ø 16.3mm Cone, L=107mm
1	Tie Rod End - Outer	⇦⊐⇨	ix, xd	**QR3967S**	Female M16x1.5 ↻, Ø 15.5mm Cone, L=160mm
2	Rack End	⇦⊐⇨		**QR3531S**	Male M16x1.5 ↻, M14x1.5 Swivel, L=287mm
4	Tie Rod Assembly	⇦⊐⇨	ix, xd	**QDL3288S**	
20a	Suspension Arm - Front	↲	exc. ix, xd	**QSJ3338S**	Front of Wheel
20b	Suspension Arm - Front	↳	exc. ix, xd	**QSJ3339S**	Front of Wheel
20a[1]	Suspension Arm - Front	↲	exc. ix, xd	**QSJ3340S**	Rear of Wheel
20b[1]	Suspension Arm - Front	↳	exc. ix, xd	**QSJ3341S**	Rear of Wheel
20a[1]	Suspension Arm - Front	↲	ix, xd	**QSJ3698S**	Rear of Wheel
20b[1]	Suspension Arm - Front	↳	ix, xd	**QSJ3699S**	Rear of Wheel
24	Suspension Arm Bush - Front	↲↳	Fitted to QSJ3338S & QSJ3339S	**EMS8347**	Front of Wheel
25a	Stabiliser Link - Front	⇦	exc. ix, xd	**QLS3416S**	L=303mm
25b	Stabiliser Link - Front	⇨	exc. ix, xd	**QLS3417S**	L=300mm
25a	Stabiliser Link - Front	⇦	ix, xd	**QLS3841S**	L=421mm
25b	Stabiliser Link - Front	⇨	ix, xd	**QLS3842S**	L=421mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		**EMB7184**	Outer, Ø 24.6mm

5 Series continued... 06/03-08/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
30	Suspension Arm - Rear		Stabiliser Link to Wheel Carrier	**QSJ3451S**	Front of Wheel, L=92mm
32a	Suspension Arm - Rear		06/03-02/05	**QSJ3505S**	Rear, L=336mm, with Conical Ball Pin Seat
32a	Suspension Arm - Rear		02/05-	**QSJ3346S**	Rear, L=336mm, with Domed Ball Pin Seat
32b	Suspension Arm - Rear		06/03-02/05	**QSJ3506S**	Rear, L=336mm, with Conical Ball Pin Seat
32b	Suspension Arm - Rear		02/05-	**QSJ3347S**	Rear, L=336mm, with Domed Ball Pin Seat
35	Stabiliser Link - Rear		exc.Dynamic Drive	**QLS3418S**	L=157mm
35	Stabiliser Link - Rear		Dynamic Drive	**QLS3642S**	L=133mm
36	Stabiliser Bar Bush - Rear		Std.Susp.	**EMB7162**	Outer, Ø 14mm


5 Series

01/10-


F10,F11 exc xDrive







5 Series continued... 01/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3876S**	
1b	Tie Rod End - Outer	⇨		**QR3877S**	
2	Rack End	⇦⇨		**QR3812S**	Male M14x1.5, M18x1.5 Swivel, L=268mm
20a	Suspension Arm - Front			**QSJ3590S**	Front of Wheel
20b	Suspension Arm - Front			**QSJ3591S**	Front of Wheel
20a¹	Suspension Arm - Front			**QSJ3592S**	Rear of Wheel
20b¹	Suspension Arm - Front			**QSJ3593S**	Rear of Wheel
22	Suspension Arm - Front		exc.Camber Correction	**QSA2559S**	
22¹	Suspension Arm - Front		Camber Correction +0.5Deg	**QSA2560S**	
22¹	Suspension Arm - Front		Camber Correction -0.5Deg	**QSA2561S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3740S**	L=300mm
30	Suspension Arm - Rear		Stabiliser Link to Wheel Carrier	**QSJ3601S**	Front of Wheel
32	Suspension Arm - Rear			**QSJ3598S**	Rear
32a	Suspension Arm - Rear			**QSJ3599S**	Front
32b	Suspension Arm - Rear			**QSJ3600S**	Front
35	Stabiliser Link - Rear	⇦⇨	Saloon exc.Dynamic Drive	**QLS3790S**	
35¹	Stabiliser Link - Rear	⇦⇨	Saloon Dynamic Drive	**QLS3741S**	
35²	Stabiliser Link - Rear	⇦⇨	Touring	**QLS3789S**	

5 Series

F10,F11 xDrive

01/10-














5 Series continued... 01/10-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3876S	
1b	Tie Rod End - Outer	⇨		QR3877S	
2	Rack End	⇦⇨		QR3812S	Male M14x1.5, M18x1.5 Swivel, L=268mm
22	Suspension Arm - Front		exc.Camber Correction	QSA2559S	
22[1]	Suspension Arm - Front		Camber Correction +0.5Deg	QSA2560S	
22[1]	Suspension Arm - Front		Camber Correction -0.5Deg	QSA2561S	
25	Stabiliser Link - Front	⇦⇨		QLS3740S	
30	Suspension Arm - Rear		Stabiliser Link to Wheel Carrier	QSJ3601S	Front of Wheel
32	Suspension Arm - Rear			QSJ3598S	Rear
32a	Suspension Arm - Rear			QSJ3599S	Front
32b	Suspension Arm - Rear			QSJ3600S	Front
35	Stabiliser Link - Rear	⇦⇨	Saloon exc.Dynamic Drive	QLS3790S	
35[1]	Stabiliser Link - Rear	⇦⇨	Saloon Dynamic Drive	QLS3741S	
35[2]	Stabiliser Link - Rear	⇦⇨	Touring	QLS3789S	

5 Series GT

F07 exc xDrive

10/09-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3876S	
1b	Tie Rod End - Outer	⇨		QR3877S	
2	Rack End	⇦⇨		QR3812S	Male M14x1.5, M18x1.5 Swivel, L=268mm
20a	Suspension Arm - Front	↲		QSJ3594S	Front of Wheel
20b	Suspension Arm - Front	↳		QSJ3595S	Front of Wheel
20a¹	Suspension Arm - Front	↲		QSJ3596S	Rear of Wheel
20b¹	Suspension Arm - Front	↳		QSJ3597S	Rear of Wheel
22	Suspension Arm - Front	↰↱	exc.Camber Correction	QSA2559S	
22	Suspension Arm - Front	↰↱	Camber Correction +0.5Deg	QSA2560S	
22	Suspension Arm - Front	↰↱	Camber Correction -0.5Deg	QSA2561S	
25	Stabiliser Link - Front	⇦⇨		QLS3740S	L=300mm
30	Suspension Arm - Rear	↲↳	Stabiliser Link to Wheel Carrier	QSJ3601S	Front of Wheel
35	Stabiliser Link - Rear	⇦⇨		QLS3789S	

5 Series GT

F07 xDrive

10/09-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3876S	
1b	Tie Rod End - Outer	⇨		QR3877S	
2	Rack End	⇦⇨		QR3812S	Male M14x1.5, M18x1.5 Swivel, L=268mm
20a	Suspension Arm - Front	↲		QSJ3696S	Rear of Wheel, Without ball joint
20b	Suspension Arm - Front	↳		QSJ3697S	Rear of Wheel, Without ball joint
22	Suspension Arm - Front	⇦⇨		QSA2559S	
22[1]	Suspension Arm - Front	⇦⇨		QSA2560S	
22[1]	Suspension Arm - Front	⇦⇨		QSA2561S	
25	Stabiliser Link - Front	⇦⇨		QLS3740S	L=300mm
30	Suspension Arm - Rear	⇦⇨	Stabiliser Link to Wheel Carrier	QSJ3601S	Front of Wheel
35	Stabiliser Link - Rear	⇦⇨		QLS3789S	

6 Series

E63,E64


10/03-02/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3427S**	Female M16x1.5 RH, Ø 16.3mm Cone, L=107mm
2	Rack End	⇦⇨		**QR3531S**	Male M16x1.5 RH, M14x1.5 Swivel, L=287mm
4	Tie Rod Assembly	⇦⇨		**QDL3288S**	
20a	Suspension Arm - Front	↲		**QSJ3562S**	Front of Wheel
20b	Suspension Arm - Front	↳		**QSJ3563S**	Front of Wheel
20a¹	Suspension Arm - Front	↲		**QSJ3320S**	Rear of Wheel
20b¹	Suspension Arm - Front	↳		**QSJ3321S**	Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3602S**	L=332mm
25b	Stabiliser Link - Front	⇨		**QLS3603S**	L=332mm
30	Suspension Arm - Rear	↲↳	Stabiliser Link to Wheel Carrier	**QSJ3451S**	Front of Wheel, L=92mm
32a	Suspension Arm - Rear	↰		**QSJ3346S**	Rear, L=336mm, with Domed Ball Pin Seat
32b	Suspension Arm - Rear	↱		**QSJ3347S**	Rear, L=336mm, with Domed Ball Pin Seat
35	Stabiliser Link - Rear	⇦⇨		**QLS3418S**	L=157mm
34	Suspension Arm Bush - Rear	↰↱		**EMS8482**	Rear, Control Arm

6 Series
F12,F13


03/11-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3876S	
1b	Tie Rod End - Outer	⇨		QR3877S	
2	Rack End	⇦⇨		QR3812S	Male M14x1.5, M18x1.5 Swivel, L=268mm
25	Stabiliser Link - Front	⇦⇨		QLS3740S	L=300mm

7 Series
E32

07/86-05/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2234S	Male M14x1.5 , Ø 12.6mm Cone
2	Side Rod End - Inner	⇦⇨		QR2233S	Male M14x1.5 , Ø 12.6mm Cone
4	Side Rod Assembly	⇦⇨		QDL2701S	
5	Centre Rod Assembly			QDL2429S	


continued...

7 Series continued... 07/86-05/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
7a	Idler Arm Assembly Bush			**EMS2670**	Ø 27mm
20a	Suspension Arm - Front			**QSJ994S**	Front of Wheel, Steel, Ø 16.5mm Cone
20a²	Suspension Arm - Front			**QSJ1179S**	Front of Wheel, Aluminium, Ø 16.5mm Cone
20b	Suspension Arm - Front			**QSJ995S**	Front of Wheel, Steel, Ø 16.5mm Cone
20b²	Suspension Arm - Front			**QSJ1180S**	Front of Wheel, Aluminium, Ø 16.5mm Cone
22a	Suspension Arm - Front			**QSJ1181S**	exc.Bush, Ø 16.5mm Cone
22b	Suspension Arm - Front			**QSJ1182S**	exc.Bush, Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			**EMS2671**	Front of Wheel, Steel
24a¹	Suspension Arm Bush - Front			**EMS2675**	Front of Wheel, Aluminium
24b	Suspension Arm Bush - Front		730i,735i	**EMS2673**	
24b	Suspension Arm Bush - Front		740i,750i	**EMS8367**	
25	Stabiliser Link - Front			**QLS2764S**	L=240mm
35	Stabiliser Link - Rear			**QLS3255S**	1xØ 6mm, 1xØ 8mm
35¹	Stabiliser Link - Rear		Torsion Bar	**QLS3002S**	2xØ 14mm


7 Series 06/94-05/02

E38





7 Series continued... 06/94-05/02




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		**QR2998S**	Female M16x1.5 ↻, Ø 14.5mm Cone, L=230mm
1b	Side Rod End - Outer	⇨		**QR2999S**	Female M16x1.5 ↻, Ø 14.5mm Cone, L=230mm
5	Centre Rod Assembly			**QDL2958S**	
5	Centre Rod Assembly			**QDL2957S**	
7a	Idler Arm Assembly Bush			**EMS2670**	Ø 27mm
20a	Suspension Arm - Front	↲		**QSJ1475S**	Front of Wheel, Ø 14.2mm Cone
20b	Suspension Arm - Front	↳		**QSJ1476S**	Front of Wheel, Ø 14.2mm Cone
20a¹	Suspension Arm - Front	↲		**QSJ1477S**	Rear of Wheel, Ø 16.5mm Cone
20b¹	Suspension Arm - Front	↳		**QSJ1478S**	Rear of Wheel, Ø 16.5mm Cone
24	Suspension Arm Bush - Front	⇩⇩		**EMS8309**	Front of Wheel
25	Stabiliser Link - Front	⇦⇨		**QLS2968S**	L=310mm
32	Suspension Arm - Rear	↰↱		**QLS1754S**	Front, L=212mm
30a¹	Suspension Arm - Rear	↲		**QSJ3310S**	Rear
30b¹	Suspension Arm - Rear	↳		**QSJ3311S**	Rear
34	Suspension Arm Bush - Rear	⇦⇨	740i,750i	**EMS2472**	Axle
34¹	Suspension Arm Bush - Rear	↰↱		**EMS8485**	
35	Stabiliser Link - Rear	⇦⇨		**QLS1755S**	L=75mm
38	Subframe Repair Kit - Rear	⇦⇨		**QSK266S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6029**	
91²	Subframe Bush - Rear	⇦⇨		**EMS8369**	Front & Rear

7 Series

E65/E66

09/01-08/08




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3427S**	Female M16x1.5 RH, Ø 16.3mm Cone, L=107mm
2	Rack End	⇦⇨		**QR3438S**	Male M16x1.5 RH, M18x1.5 Swivel, L=251mm
4	Tie Rod Assembly	⇦⇨		**QDL3293S**	
20a	Suspension Arm - Front	⇦		**QSJ3428S**	Front of Wheel, L=425mm, Ø 16.2mm Cone
20b	Suspension Arm - Front	⇨		**QSJ3429S**	Front of Wheel, L=425mm, Ø 16.2mm Cone
20a¹	Suspension Arm - Front	⇦		**QSJ3320S**	Rear of Wheel
20b¹	Suspension Arm - Front	⇨		**QSJ3321S**	Rear of Wheel
24	Suspension Arm Bush - Front	⇦⇨		**EMS8486**	Front of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3374S**	L=425mm
25b	Stabiliser Link - Front	⇨		**QLS3375S**	L=425mm
30	Suspension Arm - Rear	⇦⇨	Stabiliser Link to Wheel Carrier	**QSJ3451S**	Front of Wheel, L=92mm
32a¹	Suspension Arm - Rear	⇦		**QSJ3346S**	Rear, L=336mm, with Domed Ball Pin Seat
32b¹	Suspension Arm - Rear	⇨		**QSJ3347S**	Rear, L=336mm, with Domed Ball Pin Seat
35	Stabiliser Link - Rear	⇦⇨	exc.Active Stabiliser	**QLS3441S**	L=212mm
35	Stabiliser Link - Rear	⇦⇨	Active Stabiliser	**QLS3647S**	L=243mm

7 Series

F01,F02

09/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3876S**	
1b	Tie Rod End - Outer	⇨		**QR3877S**	
2	Rack End	⇦⇨		**QR3812S**	Male M14x1.5, M18x1.5 Swivel, L=268mm
20a	Suspension Arm - Front			**QSJ3594S**	Front of Wheel
20b	Suspension Arm - Front			**QSJ3595S**	Front of Wheel
20a¹	Suspension Arm - Front			**QSJ3596S**	Rear of Wheel

continued...

7 Series continued... 09/08-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b[1]	Suspension Arm - Front			**QSJ3597S**	Rear of Wheel
22	Suspension Arm - Front		exc.Camber Correction	**QSA2559S**	
22[1]	Suspension Arm - Front		Camber Correction +0.5Deg	**QSA2560S**	
22[1]	Suspension Arm - Front		Camber Correction -0.5Deg	**QSA2561S**	
25	Stabiliser Link - Front			**QLS3740S**	L=300mm
30	Suspension Arm - Rear		Stabiliser Link to Wheel Carrier	**QSJ3601S**	Front of Wheel
32	Suspension Arm - Rear			**QSJ3598S**	Rear
35	Stabiliser Link - Rear		Dynamic Drive	**QLS3741S**	L=110mm

8 Series 07/89-12/99

E31





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer			**QR2234S**	Male M14x1.5 R, Ø 12.6mm Cone
2	Side Rod End - Inner			**QR2233S**	Male M14x1.5 L, Ø 12.6mm Cone
4	Side Rod Assembly			**QDL2701S**	
7a	Idler Arm Assembly Bush			**EMS2670**	Ø 27mm
20a	Suspension Arm - Front			**QSJ1485S**	Front of Wheel, Aluminium, Ø 16.4mm Cone, M14 Ball Pin, L=325mm
20b	Suspension Arm - Front			**QSJ1486S**	Front of Wheel, Aluminium, Ø 16.4mm Cone, M14 Ball Pin, L=325mm
22a	Suspension Arm - Front			**QSJ1181S**	exc.Bush, Ø 16.5mm Cone
22b	Suspension Arm - Front			**QSJ1182S**	exc.Bush, Ø 16.5mm Cone
24	Suspension Arm Bush - Front			**EMS8367**	
25	Stabiliser Link - Front			**QLS2764S**	L=240mm

X1
E84

10/09-








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3533S**	Female M14x1.5 RH, Ø 15.8mm Cone, L=135mm
1b	Tie Rod End - Outer	⇨		**QR3534S**	Female M14x1.5 RH, Ø 15.8mm Cone, L=135mm
2	Rack End	⇦⇨	mfr.TRW	**QR3532S**	Male M14x1.5 RH, M18x1.5 Swivel, L=231mm
2	Rack End	⇦⇨	mfr.ZF	**QR3555S**	Male M14x1.5 RH, M18x1.5 Swivel, L=280mm
20a	Suspension Arm - Front	⇙		**QSJ3386S**	Front of Wheel
20b	Suspension Arm - Front	⇘		**QSJ3387S**	Front of Wheel
20a¹	Suspension Arm - Front	⇙		**QSJ3388S**	Rear of Wheel
20b¹	Suspension Arm - Front	⇘		**QSJ3389S**	Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3507S**	L=293mm
25b	Stabiliser Link - Front	⇨		**QLS3508S**	L=293mm
35	Stabiliser Link - Rear	⇦		**QLS3816S**	
35	Stabiliser Link - Rear	⇨		**QLS3817S**	

X3

E83 4x4

10/03-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3453S	Female M14x1.5 , Ø 15mm Cone, L=177mm
2	Rack End	⇦⇨		QR3323S	
20a	Suspension Arm - Front	⇦		QSJ3349S	Front of Wheel, L=440mm
20b	Suspension Arm - Front	⇨		QSJ3350S	Front of Wheel, L=440mm
20a¹	Suspension Arm - Front	⇦		QSJ3351S	Rear of Wheel, L=275mm
20b¹	Suspension Arm - Front	⇨		QSJ3352S	Rear of Wheel, L=275mm
21	Ball Joint - Front	⇦⇨	10/03-12/06	QSJ3348S	
21	Ball Joint - Front	⇦⇨	12/06-	QSJ3589S	
24a	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ3349S & QSJ3350S	-	Front of Wheel
24b	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ3351S & QSJ3352S	EMS2671	Rear of Wheel
25a	Stabiliser Link - Front	⇦		QLS3442S	L=300mm
25b	Stabiliser Link - Front	⇨		QLS3443S	L=300mm
16	Axle Mounting - Rear	⇦⇨		EM4111	Front, Centre, Ø 47x40mm
16	Axle Mounting - Rear	⇩		-	Centre
16a	Axle Mounting - Rear	⇦		EM4112	Front
16b	Axle Mounting - Rear	⇨		EM4113	Front, Ø 66x70mm
16c	Axle Mounting - Rear	⇦⇨		-	Rear
30	Suspension Arm - Rear	⇦⇨		QSJ3528S	Control Arm
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8145	Outer, Front, Trailing Arm
34b	Suspension Arm Bush - Rear	⇦⇨		EMS8420	Hub
35	Stabiliser Link - Rear	⇦⇨		QLS3444S	L=95mm

X3

F25 4x4

09/11-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3894S**	Female 16x1.5RHT Ø 15.4mm Cone, L=175mm
2	Rack End	⇦⇨		**QR3890S**	MM16x1.5RHT L=228
20a	Suspension Arm - Front	↲		**QSJ3623S**	Front of Wheel
20b	Suspension Arm - Front	↳		**QSJ3624S**	Front of Wheel
20a	Suspension Arm - Front	↲		**QSJ3621S**	Rear of Wheel
20b	Suspension Arm - Front	↳		**QSJ3622S**	Rear of Wheel
21	Ball Joint - Front	⇦⇨	Front	**QSJ3613S**	Cone Size 19.1mm MM14X1.5RHT
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8534**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8535**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3803S**	L=340mm MM12X1.5RHT
25b	Stabiliser Link - Front	⇨		**QLS3804S**	L=340mm MM12X1.5RHT
35	Stabiliser Link - Rear	⇦⇨		**QLS3805S**	L=130mm MM10X1.5RHT

X5

E53 4x4

07/00-10/06



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	07/00-10/03	**QR3322S**	Female M14x1.5, L=195mm
1	Tie Rod End - Outer	⇦⇨	10/03-10/06	**QR3563S**	Female M14x1.5, Ø 15.4mm Cone, L=197mm
2	Rack End	⇦⇨	07/00-10/03	**QR3323S**	Male M14x1.5, M18 Swivel, L=242mm
2	Rack End	⇦⇨	10/03-10/06	**-**	
4	Tie Rod Assembly	⇦⇨	07/00-10/03	**QDL3273S**	
4	Tie Rod Assembly	⇦⇨	10/03-10/06	**QDL5302S**	
20a	Suspension Arm - Front	⇦		**QSJ3289S**	Front of Wheel, L=434mm
20b	Suspension Arm - Front	⇨		**QSJ3290S**	Front of Wheel, L=434mm
20a¹	Suspension Arm - Front	⇦		**QSJ3291S**	Rear of Wheel, M14x1.5mm Ball Pin, Ø 15.6mm Cone, L=295mm
20b¹	Suspension Arm - Front	⇨		**QSJ3292S**	Rear of Wheel, M14x1.5mm Ball Pin, Ø 15.6mm Cone, L=295mm
21	Ball Joint - Front	⇦⇨		**QSJ3293S**	Front of Wheel, M14x1.5mm Ball Pin
24a	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ3289S & QSJ3290S	**EMS8240**	Inner, Front
24b	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ3291S & QSJ3292S	**EMS2671**	Inner, Rear
25a	Stabiliser Link - Front	⇦		**QLS3351S**	L=360mm
25b	Stabiliser Link - Front	⇨		**QLS3352S**	L=360mm


X5 continued... 07/00-10/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7210	Outer, Ø 29mm
30	Suspension Arm - Rear		Stabiliser Link to Wheel Carrier	QSJ3451S	Front of Wheel, L=92mm
32	Suspension Arm - Rear			QSJ3353S	Front, Aluminium Arm, L=212mm, Ø 10.0mm Cone
32a[1]	Suspension Arm - Rear			QSJ3307S	Rear
32b[1]	Suspension Arm - Rear			QSJ3308S	Rear
33	Ball Joint - Rear			EMS8297	Front
34	Suspension Arm Bush - Rear	⇦⇨		EMS8215	Aluminium Arm
34	Suspension Arm Bush - Rear			EMS8482	Rear, Control Arm
34	Suspension Arm Bush - Rear	⇦⇨		EMS8297	Swing Arm
34	Suspension Arm Bush - Rear	⇦⇨		EMS8386	Axle
35	Stabiliser Link - Rear	⇦⇨		QLS3406S	L=65mm
36	Stabiliser Bar Bush - Rear	⇦⇨		-	Outer, Ø 22mm
36	Stabiliser Bar Bush - Rear	⇦⇨		-	Outer, Ø 23.5mm

X5

E70 4x4

11/06-07/14



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3715S**	Female M14x1.5 ↻, Ø 15.5mm Cone
2	Rack End	⇦⇨		**QR3796S**	
4	Tie Rod Assembly	⇦⇨		**QDL4209S**	
20a	Suspension Arm - Front	↲		**QSJ3547S**	Front of Wheel
20b	Suspension Arm - Front	↳		**QSJ3548S**	Front of Wheel
20a¹	Suspension Arm - Front	↲		**QSJ3545S**	Rear of Wheel
20b¹	Suspension Arm - Front	↳		**QSJ3546S**	Rear of Wheel
22a	Suspension Arm - Front	↰	exc.Camber Correction	**QSA2640S**	


X5 continued... 11/06-07/14

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
22b	Suspension Arm - Front	⇧	exc.Camber Correction	**QSA2641S**	
25a	Stabiliser Link - Front	⇦	exc.Dynamic Drive	**QLS3621S**	L=248mm
25a[1]	Stabiliser Link - Front	⇦	Dynamic Drive	**QLS3681S**	L=248mm
25b	Stabiliser Link - Front	⇨	exc.Dynamic Drive	**QLS3622S**	L=248mm
25b[1]	Stabiliser Link - Front	⇨	Dynamic Drive	**QLS3682S**	L=248mm
32a	Suspension Arm - Rear	⇧		**QSJ3678S**	Front
32b	Suspension Arm - Rear	⇧		**QSJ3679S**	Front
32c	Suspension Arm - Rear	⇧		**QSJ3680S**	Rear
32d	Suspension Arm - Rear	⇧		**QSJ3681S**	Rear
35	Stabiliser Link - Rear	⇦⇨		**QLS3623S**	L=160mm

X6

E71 4x4

03/08-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3715S	Female M14x1.5 , Ø 15.5mm Cone
2	Rack End	⇦⇨		QR3796S	
4	Tie Rod Assembly	⇦⇨		QDL4209S	
20a	Suspension Arm - Front	↲		QSJ3547S	Front of Wheel
20b	Suspension Arm - Front	↳		QSJ3548S	Front of Wheel
20a¹	Suspension Arm - Front	↲		QSJ3545S	Rear of Wheel
20b¹	Suspension Arm - Front	↳		QSJ3546S	Rear of Wheel
22a	Suspension Arm - Front	↰	exc.Camber Correction	QSA2640S	

X6 continued... 03/08-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
22b	Suspension Arm - Front		exc.Camber Correction	**QSA2641S**	
24a	Suspension Arm Bush - Front		Fitted to 31 12 6 773 949 & 31 12 6 773 950	**EMS8515**	Inner, Front of Wheel
25a	Stabiliser Link - Front		exc.Dynamic Drive	**QLS3621S**	L=248mm
25a[1]	Stabiliser Link - Front		Dynamic Drive	**QLS3681S**	L=248mm
25b	Stabiliser Link - Front		exc.Dynamic Drive	**QLS3622S**	L=248mm
25b[1]	Stabiliser Link - Front		Dynamic Drive	**QLS3682S**	L=248mm
32a	Suspension Arm - Rear			**QSJ3678S**	Front
32b	Suspension Arm - Rear			**QSJ3679S**	Front
32c	Suspension Arm - Rear			**QSJ3680S**	Rear
32d	Suspension Arm - Rear			**QSJ3681S**	Rear
35	Stabiliser Link - Rear			**QLS3623S**	L=160mm

Z1 11/88-10/91

E30 Cabrio



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR2046S**	Male M14x1.5, Ø 12.6mm Cone
20a	Suspension Arm - Front		11/88-10/89	**QSA1398S**	Steel
20a[1]	Suspension Arm - Front		10/89-10/91	**-**	Aluminium
20b	Suspension Arm - Front		11/88-10/89	**QSA1397S**	Steel


continued...

Z1 continued... 11/88-10/91

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b[1]	Suspension Arm - Front	⇩	10/89-10/91	-	Aluminium
21[1]	Ball Joint - Front	⇩⇩		QSJ997S	Inner, Ø 15mm Cone
21	Ball Joint - Front	⇩⇩		QSJ998S	Outer, Ø 14.5mm Cone
24	Suspension Arm Bush - Front	⇩⇩		EMS2656	Rear
25	Stabiliser Link - Front	⇦⇨		QLS2854S	L=65mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1581	
30	Suspension Arm - Rear	⇩⇩		QSJ3528S	Control Arm
35	Stabiliser Link - Rear	⇦⇨	11/88-09/90	-	
35	Stabiliser Link - Rear	⇦⇨	09/90-10/91	QLS3262S	L=133mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR2239	

Z3 10/95-01/03

E367 Cabrio, Coupé



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2425S	Female M14x1.5 ↻, Ø 12.6mm Cone, L=215mm
1b	Tie Rod End - Outer	⇨		QR2426S	Female M14x1.5 ↻, Ø 12.6mm Cone, L=215mm
2	Rack End	⇦⇨		QR3376S	Male M14x1.5 ↻, M18x1.5 Swivel, L=220mm
4a	Tie Rod Assembly	⇦		QDL2851S	
4b	Tie Rod Assembly	⇨		QDL2852S	
20a	Suspension Arm - Front	⇩	exc.Z3 M3.2	QSA1295S	exc.Bush


Z3 continued... 10/95-01/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		exc.Z3 M3.2	**QSA1296S**	exc.Bush
21	Ball Joint - Front		exc.Z3 M3.2	**QSJ7000S**	Outer, Ø 14.5mm Cone
21	Ball Joint - Front		exc.Z3 M3.2 Germany Only	**QSJ6000S**	Outer, Ø 14.5mm Cone, Full Metal Version
21[1]	Ball Joint - Front		exc.Z3 M3.2	**QSJ7001S**	Inner, Ø 15mm Cone
24	Suspension Arm Bush - Front		exc.Z3 M3.2	**EMS1944**	Rear, Bush
25	Stabiliser Link - Front			**QLS2854S**	L=65mm
26	Stabiliser Bar Bush - Front			**EMB7049**	Outer, Ø 23.5mm
63	Top Strut Mounting - Front inc.Bearing		exc.Z3 M3.2	**EMA2237**	
35	Stabiliser Link - Rear			**QLS3255S**	1xØ 6mm, 1xØ 8mm
37	Suspension Arm Bush Kit - Rear		Rear	**QSK265S**	Front Ø 30.0mm

Z4

E85,E86 Cabrio, Coupé

02/03-08/08




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3229S	Female M14x1.5, Ø 14.7mm Cone, L=250mm
1b	Tie Rod End - Outer	⇨		QR3230S	Female M14x1.5, Ø 14.7mm Cone, L=250mm
4a	Tie Rod Assembly	⇦		QDL5283S	
4b	Tie Rod Assembly	⇨		QDL5284S	
20a	Suspension Arm - Front	⇦		QSA1707S	Aluminium, exc. Bush
20b	Suspension Arm - Front	⇨		QSA1708S	Aluminium, exc. Bush
24a	Suspension Arm Bush - Front	⇦		EMS8135	Rear, Bush, Bracket, Ø 66mm
24b	Suspension Arm Bush - Front	⇨		EMS8134	Rear, Bush, Bracket, Ø 66mm
25	Stabiliser Link - Front	⇦⇨		QLS3224S	L=270mm
29	Suspension Arm Repair Kit - Front	⇦⇨		QSK240S	Rear, Ø 66mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.Z4 M3.2	EMA2237	
30	Suspension Arm - Rear	⇦⇨		QSJ3528S	Control Arm
35	Stabiliser Link - Rear	⇦⇨		QLS3638S	

Z4

E89 Cabrio

09/08-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3533S**	Female M14x1.5 ↻, Ø 15.8mm Cone, L=135mm
1b	Tie Rod End - Outer	⇨		**QR3534S**	Female M14x1.5 ↻, Ø 15.8mm Cone, L=135mm
4a	Tie Rod Assembly	⇦		**QDL5293S**	
4b	Tie Rod Assembly	⇨		**QDL5295S**	
20a	Suspension Arm - Front	↲		**QSJ3386S**	Front of Wheel
20b	Suspension Arm - Front	↳		**QSJ3387S**	Front of Wheel
20a[1]	Suspension Arm - Front	↲		**-**	Rear of Wheel
20b[1]	Suspension Arm - Front	↳		**-**	Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3507S**	L=293mm
25b	Stabiliser Link - Front	⇨		**QLS3508S**	L=293mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7159**	Outer, Ø 26.5mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3638S**	

Z8

E52 Cabrio

06/00-06/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSJ1682S**	Front of Wheel, Ø 14.5mm Cone, M14x1.5mm Ball Pin, L=430mm
20b	Suspension Arm - Front			**QSJ1683S**	Front of Wheel, Ø 14.5mm Cone, M14x1.5mm Ball Pin, L=430mm
20a[1]	Suspension Arm - Front			**-**	Rear of Wheel
20b[1]	Suspension Arm - Front			**-**	Rear of Wheel
24	Suspension Arm Bush - Front			**EMS8150**	Front of Wheel
25	Stabiliser Link - Front			**QLS2968S**	L=310mm
30	Suspension Arm - Rear		Stabiliser Link to Wheel Carrier	**QSJ3451S**	Front of Wheel, L=92mm
38	Subframe Repair Kit - Rear			**QSK266S**	Axle Set
91[2]	Subframe Bush - Rear			**EMS8369**	Front & Rear

Mini

R50,R52,R53 One,Cooper,Cooper S

04/01-08/07



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	04/01-05/03	**QR3293S**	Female M14x1.5 RH, Ø 13.0mm Cone, L=230mm
1a	Tie Rod End - Outer	⇦	06/03-08/07	**QR3576S**	Female M14x1.5 RH, Ø 12.8mm Cone, L=234mm
1b	Tie Rod End - Outer	⇨	04/01-05/03	**QR3294S**	Female M14x1.5 RH, Ø 13.0mm Cone, L=230mm
1b	Tie Rod End - Outer	⇨	06/03-08/07	**QR3577S**	Female M14x1.5 RH, Ø 12.8mm Cone, L=234mm
2	Rack End	⇦⇨		**QR3295S**	Male M14x1.5, M16x1.5 Swivel, L=202
4a	Tie Rod Assembly	⇦	04/01-05/03	**QDL3271S**	M14x1.5, Ø 13.0mm Cone, L=202mm
4a	Tie Rod Assembly	⇦	06/03-08/07	**QDL3279S**	
4b	Tie Rod Assembly	⇨	04/01-05/03	**QDL3272S**	M14x1.5, Ø 13.0mm Cone, L=202mm
4b	Tie Rod Assembly	⇨	06/03-08/07	**QDL3280S**	
20a	Suspension Arm - Front	↲		**QSA1986S**	
20b	Suspension Arm - Front	↳		**QSA1987S**	
21	Ball Joint - Front	⇔		**QSJ3278S**	Outer, Ø 15.0mm Cone, M12 x 1.5
21a	Ball Joint - Front	↲		**QSJ3276S**	Inner, Ø 17mm Cone, M14 x 1.5


continued...

Mini continued... 04/01-08/07

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21b	Ball Joint - Front			QSJ3277S	Inner, Ø 17mm Cone, M14 x 1.5
24a	Suspension Arm Bush - Front			EMS8187	Bush & Bracket
24b	Suspension Arm Bush - Front			EMS8186	Bush & Bracket
24c	Suspension Arm Bush - Front			EMS8188	Bush only
25	Stabiliser Link - Front		04/01-02/02	QLS3307S	L=352mm
25	Stabiliser Link - Front		03/02-08/07	QLS3309S	L=300mm
26	Stabiliser Bar Bush - Front			EMB7257	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front		exc.Sports Susp.	EMB7211	Outer, Ø 22.5mm
26	Stabiliser Bar Bush - Front		Sports Susp.	EMB7229	Outer, Ø 24.0mm
63	Top Strut Mounting - Front inc.Bearing			EMA5051	
30	Suspension Arm - Rear			QSJ3633S	
32	Suspension Arm - Rear			QSJ3633S	
35	Stabiliser Link - Rear		04/01-11/06	QLS3308S	L=236mm
36	Stabiliser Bar Bush - Rear			EMB7212	Outer

Mini 11/06-

R55,R56,R57,R58,R59 One,Cooper,Cooper S,Clubman,Convertible,Coupe, Roadster




Mini continued... 11/06-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3688S	Female M14x1.5 ↻, L=235mm
1b	Tie Rod End - Outer	⇨		QR3689S	Female M14x1.5 ↻, L=235mm
2	Rack End	⇦⇨		QR3808S	
4a	Tie Rod Assembly	⇦		QDL3289S	
4b	Tie Rod Assembly	⇨		QDL3290S	
20a	Suspension Arm - Front	↲		QSA2451S	
20b	Suspension Arm - Front	↳		QSA2452S	
21a	Ball Joint - Front	↲		QSJ3501S	Outer
21b	Ball Joint - Front	↳		QSJ3502S	Outer
21c	Ball Joint - Front	⇅		QSJ3748S	Inner
24a	Suspension Arm Bush - Front	↲		EMS8536	Bush & Bracket
24b	Suspension Arm Bush - Front	↳		EMS8537	Bush & Bracket
24c	Suspension Arm Bush - Front	⇅		EMS8533	Bush only, Ø 66mm
25	Stabiliser Link - Front	⇦⇨		QLS3309S	L=300mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.Sports Susp.	EMB7211	Outer, Ø 22.5mm
26	Stabiliser Bar Bush - Front	⇦⇨	Sports Susp.	EMB7229	Outer, Ø 24.0mm
26	Stabiliser Bar Bush - Rear	⇦⇨		EMB7237	Inner, Ø 15.0mm
26	Stabiliser Bar Bush - Rear	⇦⇨		EMB7212	Inner, Ø 17.0mm
26	Stabiliser Bar Bush - Rear	⇦⇨		EMB7238	Inner, Ø 18.0mm
30	Suspension Arm - Rear	⇅		QSJ3633S	
32	Suspension Arm - Rear	⇅		QSJ3633S	
35	Stabiliser Link - Rear	⇦⇨		QLS3552S	L=233mm

Mini

R60 Countryman

06/10-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	06/10-02/12	QR3897S	Female M14x1.5 , Ø 13.8mm Cone
1b	Tie Rod End - Outer	⇨	06/10-02/12	QR3898S	Female M14x1.5 , Ø 13.8mm Cone
1a	Tie Rod End - Outer	⇦	02/12-	QR3895S	Female M14x1.5 , Ø 12.7mm Cone
1b	Tie Rod End - Outer	⇨	02/12-	QR3896S	Female M14x1.5 , Ø 12.7mm Cone
20a	Suspension Arm - Front	⇦		QSA2583S	Without Ball Joint, Ø 18mm Cone
20b	Suspension Arm - Front	⇨		QSA2584S	Without Ball Joint, Ø 18mm Cone
21	Ball Joint - Front	⇦⇨		QSJ3614S	Ø 16.7mm Cone
24a	Suspension Arm Bush - Front	⇦		EMS8538	Bush & Bracket, Rear
24b	Suspension Arm Bush - Front	⇨		EMS8539	Bush & Bracket, Rear
24c	Suspension Arm Bush - Front	⇦⇨		EMS8540	Bush only, Ø 70.25mm, Rear
25a	Stabiliser Link - Front	⇦		QLS3806S	L=291mm
25b	Stabiliser Link - Front	⇨		QLS3807S	L=291mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7258	Ø 21.5mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7211	Ø 22.5mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7259	Ø 23.5mm
30	Suspension Arm - Rear	⇦⇨		QSJ3633S	
32	Suspension Arm - Rear	⇦⇨		QSJ3633S	
35a	Stabiliser Link - Rear	⇦		QLS3808S	L=154mm
35b	Stabiliser Link - Rear	⇨		QLS3809S	L=154mm

Mini continued... 06/10-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7237	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7212	Outer, Ø 17mm

Mini 04/12-


R61 Paceman



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3895S	
1b	Tie Rod End - Outer	⇨		QR3896S	
2	Rack End	⇦⇨		QR3808S	
25a	Stabiliser Link - Front	⇦		QLS3806S	L=291mm
25b	Stabiliser Link - Front	⇨		QLS3807S	L=291mm
35a	Stabiliser Link - Rear	⇦		QLS3808S	
35b	Stabiliser Link - Rear	⇨		QLS3809S	
30	Suspension Arm - Rear	⇦⇨		QSJ3633S	
32	Suspension Arm - Rear	⇦⇨		QSJ3633S	
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7237	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7212	Outer, Ø 17mm

Aveo 03/11-


T300



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	Electric PS	QR3971S	
1	Tie Rod End - Outer	⇦⇨	Hydraulic PS	QR4023S	
2	Rack End	⇦⇨	Electric PS	QR3972S	
21	Ball Joint - Front		exc Sport	QSJ3755S	
25	Stabiliser Link - Front	⇦⇨		QLS3821S	

Captiva 07/06-

8CL69,8CM69



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3665S	Female M14x1.5 , Ø 12.3mm Cone, L=75mm
2	Rack End	⇦⇨		QR3828S	
20a	Suspension Arm - Front			QSA2494S	
20b	Suspension Arm - Front			QSA2495S	
21	Ball Joint - Front			QSJ3463S	Ø 15.1mm Cone

Captiva continued... 07/06-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8450**	Front
24b	Suspension Arm Bush - Front	⇦		**EMS8451**	Rear
24c	Suspension Arm Bush - Front	⇨		**EMS8452**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3617S**	L=286mm
25b	Stabiliser Link - Front	⇨		**QLS3618S**	L=286mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3726S**	

Cruze 03/09-






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3681S**	
2	Rack End	⇦⇨	EPAS, Std.Susp	**QR3866S**	
2	Rack End	⇦⇨	EPAS, Sport Susp.	**QR3867S**	Male M16x1.5 ↻, M16x1.5 Swivel, L=304mm
20a	Suspension Arm - Front	⇦		**QSA2637S**	
20b	Suspension Arm - Front	⇨		**QSA2638S**	
25	Stabiliser Link - Front	⇦⇨	exc.Flexride Susp.	**QLS3634S**	
25¹	Stabiliser Link - Front	⇦⇨	Flexride Susp.	**QLS3747S**	

Epica 01/05-


KL1L



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3626S	Female M14x1.5 RH, Ø 13.2mm Cone, L=93mm
2	Rack End	⇦⇨		QR9344S	Male M14x1.5 RH
20a	Suspension Arm - Front	↲		QSA2378S	
20b	Suspension Arm - Front	↳		QSA2379S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8435	Front
24b	Suspension Arm Bush - Front	↲		EMS8436	Rear
24c	Suspension Arm Bush - Front	↳		EMS8437	Rear
21	Ball Joint - Front	⇦⇨		QSJ3515S	
25a	Stabiliser Link - Front	⇦		QLS1815S	L=80mm
25b	Stabiliser Link - Front	⇨		QLS1816S	L=80mm

Evanda 04/04-12/06

KL2L




Evanda continued... 04/04-12/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3626S	Female M14x1.5 RH, Ø 13.2mm Cone, L=93mm
2	Rack End	⇦⇨		QR9344S	Male M14x1.5 RH
20a	Suspension Arm - Front	↲		QSA2378S	
20b	Suspension Arm - Front	↳		QSA2379S	
24a	Suspension Arm Bush - Front	⇊		EMS8435	Front
24b	Suspension Arm Bush - Front	↲		EMS8436	Rear
24c	Suspension Arm Bush - Front	↳		EMS8437	Rear
21	Ball Joint - Front	⇊		QSJ3515S	
25a	Stabiliser Link - Front	⇦		QLS1815S	L=80mm
25b	Stabiliser Link - Front	⇨		QLS1816S	L=80mm

Kalos 05/03-

SA,SF






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3457S	Female M12x1.25 RH, Ø 13.2mm Cone, L=190mm
1b	Tie Rod End - Outer	⇨		QR3458S	Female M12x1.25 RH, Ø 13.2mm Cone, L=190mm
2	Rack End	⇦⇨		QR3620S	
20a	Suspension Arm - Front	↲		QSA2262S	
20b	Suspension Arm - Front	↳		QSA2263S	
21	Ball Joint - Front	⇊		QSJ3354S	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇊		EMS8417	Front
24b	Suspension Arm Bush - Front	⇊		EMS8418	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3445S	L=262mm

Lacetti 05/03-


ANA,ANF,KLA



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3594S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=141mm
1b	Tie Rod End - Outer	⇨		**QR3595S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=141mm
2	Rack End	⇦⇨		**QR3651S**	
20a	Suspension Arm - Front	⇦		**QSA2264S**	
20b	Suspension Arm - Front	⇨		**QSA2265S**	
21	Ball Joint - Front	⇦⇨		**QSJ3355S**	Ø 16mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3446S**	L=271mm
25b	Stabiliser Link - Front	⇨		**QLS3447S**	L=271mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3448S**	L=246mm

Lanos 04/01-05/05

ATA,ATF



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR1829S	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
1b	Tie Rod End - Outer	⇨		QR1828S	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
20a	Suspension Arm - Front			QSA1470S	
20b	Suspension Arm - Front			QSA1469S	
21	Ball Joint - Front			QSJ877S	Ø 13.5mm Cone
24a	Suspension Arm Bush - Front			EMS2634	Front
24b	Suspension Arm Bush - Front			EMS1987	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1699S	Ø 20mm

Matiz 05/05-


KL1M,1MD,1MJ



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5237S	Female M12x1.5mm, M12x1.25mm Ball Pin, L=71mm
2	Rack End	⇦⇨	, 155 Tyres	QR5263S	Male M14x1.5mm, M16x1.0mm Swivel, L=305mm
2	Rack End	⇦⇨	, 175 Tyres	QR5264S	Male M12x1.5mm, M16x1.5mm Swivel, L=268mm
20	Suspension Arm - Front			QSJ2100S	Ø 15mm Cone, L=287mm
24a	Suspension Arm Bush - Front			EMS8038	Inner
24b	Suspension Arm Bush - Front			EMS8286	Outer, 2 required

Nubira 01/05-


KLA



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3594S	Female M14x1.5 RH, Ø 13.2mm Cone, L=141mm
1b	Tie Rod End - Outer	⇨		QR3595S	Female M14x1.5 RH, Ø 13.2mm Cone, L=141mm
2	Rack End	⇦⇨		QR3651S	
20a	Suspension Arm - Front			QSA2264S	
20b	Suspension Arm - Front			QSA2265S	
21	Ball Joint - Front			QSJ3355S	Ø 16mm Cone
25a	Stabiliser Link - Front	⇦		QLS3446S	L=271mm
25b	Stabiliser Link - Front	⇨		QLS3447S	L=271mm
35	Stabiliser Link - Rear	⇦⇨		QLS3448S	L=246mm

Spark 02/10-

M300




Spark continued... 02/10-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3926S	
2	Rack End	⇦⇨		QR3879S	
20a	Suspension Arm - Front	↲		QSA2605S	
20b	Suspension Arm - Front	↳		QSA2606S	
21	Ball Joint - Front	⇩⇩		QSJ3643S	
35	Stabiliser Link - Front	⇦⇨		QLS3822S	

Tacuma 01/05-

KLAU





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3459S	Female M14x1.5 RH, Ø 13.2mm Cone, L=194mm
1b	Tie Rod End - Outer	⇨		QR3460S	Female M14x1.5 RH, Ø 13.2mm Cone, L=194mm
2	Rack End	⇦⇨		QR3461S	Male M14x1.5 RH, M16x1.5 Swivel, L=255mm
20a	Suspension Arm - Front	↲		QSA2266S	
20b	Suspension Arm - Front	↳		QSA2267S	
21	Ball Joint - Front	⇩⇩		QSJ3384S	Ø 16.0mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8417	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8453	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3445S	L=262mm


Volt



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⊐⇨		QR3866S	
25	Stabiliser Link - Front	⇦⊐⇨		QLS3634S	

300C
LXHA


06/03-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3666S**	Female M15x1.5 RH, Ø 15.0mm Cone, L=120mm
2	Rack End	⇦⇨		**QR3647S**	Male M15x1.5 RH, M18x1.5 Swivel, L=340mm
20a	Suspension Arm - Front	⇦		**QSJ3469S**	
20b	Suspension Arm - Front	⇨		**QSJ3470S**	
22a	Suspension Arm - Front	⇦		**QSA2642S**	
22b	Suspension Arm - Front	⇨		**QSA2643S**	
25a	Stabiliser Link - Front	⇦		**QLS3596S**	L=214mm
25b	Stabiliser Link - Front	⇨		**QLS3597S**	L=214mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3732S**	

Cherokee
SJ,XJ (Jeep)

10/86-09/96



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3455S**	Male M13x1.25 RH, Ø 14mm Cone
1b	Tie Rod End - Outer	⇨		**QR3456S**	Male M13x1.25 RH, Ø 14mm Cone


continued...

Cherokee continued... 10/86-09/96

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
6b	Drag Link End	⇦	10/86-12/90	-	
6b	Drag Link End	⇦	01/91-09/96	**QR3856S**	Male M22x1.5 ↺, Ø 14.1mm Cone, L=136mm
25	Stabiliser Link - Front	⇦⇨		**QLS3696S**	

Cherokee 10/96-09/01

XJN (Jeep)



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3455S**	Male M13x1.25 ↻, Ø 14mm Cone
1b	Tie Rod End - Outer	⇨		**QR3456S**	Male M13x1.25 ↻, Ø 14mm Cone
6b	Drag Link End	⇦		**QR3856S**	Male M22x1.5 ↺, Ø 14.1mm Cone, L=136mm
22	Suspension Arm - Front	⇦⇧		**QSJ3532S**	Ø 10.0mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS3696S**	

Cherokee 10/01-

K1L,K1M (Jeep)



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		**QLS3725S**	

Crossfire 07/03-

N56,P56



Crossfire continued... 07/03-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2874S	Female M12x1.5, Ø 16.0mm Cone, L=73mm
21	Ball Joint - Front			QSJ1352S	Ø 16mm Cone

Grand Cherokee 10/90-09/96


ZJ (Jeep)



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3455S	Male M13x1.25, Ø 14mm Cone
1b	Tie Rod End - Outer	⇨		QR3456S	Male M13x1.25, Ø 14mm Cone
6b	Drag Link End	⇦		QR3856S	Male M22x1.5, Ø 14.1mm Cone, L=136mm
25	Stabiliser Link - Front	⇦⇨		QLS3696S	

Grand Cherokee 02/98-12/01


WB (Jeep)



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3455S	Male M13x1.25, Ø 14mm Cone
1b	Tie Rod End - Outer	⇨		QR3456S	Male M13x1.25, Ø 14mm Cone
6b	Drag Link End	⇦		QR3856S	Male M22x1.5, Ø 14.1mm Cone, L=136mm
22	Suspension Arm - Front			QSJ3532S	Ø 10.0mm Cone

Grand Cherokee 10/01-09/04


WJW,WJ8 (Jeep)



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3803S	
1b	Tie Rod End - Outer	⇨		QR3804S	
21	Ball Joint - Front			QSJ3554S	
23	Ball Joint - Front			QSJ3553S	
25	Stabiliser Link - Front	⇦⇨		QLS3725S	
33	Ball Joint - Rear			QSJ3555S	

Grand Cherokee 10/04-

WKR (Jeep)




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3787S	
1b	Tie Rod End - Outer	⇨		QR3788S	
2	Rack End	⇦⇨		QR3760S	Male M14x1.5 6, M14x1.5 Swivel, L=371mm

Grand Cherokee continued... 10/04-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front			QSJ3527S	
25	Stabiliser Link - Front			QLS3735S	
35	Stabiliser Link - Rear			QLS3736S	

Grand Voyager 10/95-09/00


GSHC53,GSHY53,GSHZ53



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA2004S	
20b	Suspension Arm - Front			QSA2005S	
21	Ball Joint - Front			QSJ3510S	Ø 18.0mm Cone
24a	Suspension Arm Bush - Front			EMS8472	Front
24b	Suspension Arm Bush - Front			EMS8473	Rear
25	Stabiliser Link - Front			QLS3598S	L=310mm

Grand Voyager 10/00-05/07


RGHH,RGHY



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3454S	Female M14x1.5 , Ø 12.5mm Cone, L=121mm
2	Rack End	⇦⇨		QR3744S	
20a	Suspension Arm - Front	↲		QSA2260S	
20b	Suspension Arm - Front	↳		QSA2261S	
21	Ball Joint - Front	⇦⇨		QSJ3511S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8474	Front
24b	Suspension Arm Bush - Front	↲		EMS8475	Rear
24c	Suspension Arm Bush - Front	↳		EMS8476	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3598S	L=310mm

Neon 08/94-09/99

PLES27,PLES46,PLES47



Neon continued... 08/94-09/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3428S	Female M14x1.5 LH, Ø 12.5mm Cone, L=117mm
2	Rack End	⇦⇨		QR3728S	
20a	Suspension Arm - Front	↲		QSA2002S	
20b	Suspension Arm - Front	↳		QSA2003S	
21	Ball Joint - Front	↲↳		QSJ3510S	Ø 18.0mm Cone
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6032	
35	Stabiliser Link - Rear	⇦⇨		QLS3571S	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6030	

Neon 02/98-10/04


PLED16,PLES26,PLES46,PLEV26,PLEV46



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front	↲		QSA2258S	
20b	Suspension Arm - Front	↳		QSA2259S	

PT Cruiser 06/00-

PTFC,PTFY




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3428S	Female M14x1.5 , Ø 12.5mm Cone, L=117mm
20a	Suspension Arm - Front			QSA2085S	
20b	Suspension Arm - Front			QSA2086S	
21	Ball Joint - Front			QSJ2115S	Ø 18.0mm Cone
24a	Suspension Arm Bush - Front			EMS8241	Front
24b	Suspension Arm Bush - Front			EMS8242	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3422S	L=103mm
35	Stabiliser Link - Rear	⇦⇨		QLS3604S	

Voyager

GSHC52,GSHY52,GSHZ52

10/95-03/01




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA2004S**	
20b	Suspension Arm - Front			**QSA2005S**	
21	Ball Joint - Front			**QSJ3510S**	Ø 18.0mm Cone
24a	Suspension Arm Bush - Front			**EMS8472**	Front
24b	Suspension Arm Bush - Front			**EMS8473**	Rear
25	Stabiliser Link - Front			**QLS3598S**	L=310mm
63	Top Strut Mounting - Front inc.Bearing			**EMA5036**	

Voyager

04/01-01/08

RGHC,RGHH,RGHK,RGHY,RGNY



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3454S**	Female M14x1.5 , Ø 12.5mm Cone, L=121mm
2	Rack End	⇦⇨		**QR3744S**	
20a	Suspension Arm - Front	↲		**QSA2260S**	
20b	Suspension Arm - Front	↳		**QSA2261S**	
21	Ball Joint - Front	⇦⇨		**QSJ3511S**	
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8474**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8475**	Rear
24c	Suspension Arm Bush - Front	↳		**EMS8476**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3598S**	L=310mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5036**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3775S**	L=119mm

Voyager

RT

02/08-











KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3878S	
20a	Suspension Arm - Front			QSA2562S	
20b	Suspension Arm - Front			QSA2563S	

AX

ZA Carburettor

09/86-12/98








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5 LH, Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨	09/86-05/96, -rp.7118	**QR5088S**	Male M14x1.5 RH
2	Rack End	⇦⇨	05/96-12/98, rp.7119-	**QR9082S**	Male M14x1.5 RH, M14x1.5mm Swivel
3	Tie Rod Connector	⇦⇨		**QR3081S**	M14x1.5 LH, L=381mm
20a	Suspension Arm - Front	⇩	09/86-04/91, -rp.5277	**QSA1360S**	
20a	Suspension Arm - Front	⇩	05/91-12/98, rp.5278-	**QSA1376S**	
20b	Suspension Arm - Front	⇩	09/86-04/91, -rp.5277	**QSA1359S**	
20b	Suspension Arm - Front	⇩	05/91-12/98, rp.5278-	**QSA1375S**	
21	Ball Joint - Front	⇩⇩	09/86-04/91, -rp.5277	**QSJ1030S**	Ø 14mm Cone
21	Ball Joint - Front	⇩⇩	05/91-12/98, rp.5278-	**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		**EMS1989**	Front
24b	Suspension Arm Bush - Front	⇩⇩	09/86-01/90, -rp.4802	**EMS1990**	Rear

AX 09/86-12/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front		01/90-12/98, rp.4803-	EMS1991	Rear
26	Stabiliser Bar Bush - Front		09/86-01/90, -rp.4802	EMB3046	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front		09/86-01/90, -rp.4802	EMB3041	Outer, Ø 21mm
26¹	Stabiliser Bar Bush - Front		01/90-12/98, rp.4803-	EMB3045	Inner, Ø 19mm
26¹	Stabiliser Bar Bush - Front		01/90-12/98, rp.4803-	EMB3042	Inner, Ø 21mm
27	Stabiliser Link Kit - Front		09/86-01/90, -rp.4802	EMBK2400	4xAluminium Ø 19mm
27	Stabiliser Link Kit - Front		01/90-12/98, rp.4803-	EMBK2254	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front		01/90-12/98, rp.4803-	EMBK2255	2xAluminium, 2xSteel, Ø 21mm
29¹	Suspension Arm Pinch Bolt Kit		09/86-04/91, -rp.5277	-	Wheel Set, Pinch Bolt M8
29¹	Suspension Arm Pinch Bolt Kit		05/91-12/98, rp.5278-	QSK270S	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front			QAM111	
62	Top Strut Mounting - Front exc.Bearing			EMR2005	
37	Suspension Arm Repair Kit - Rear		01/90-12/98, rp.4803-	QWB9017	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear		01/90-12/98, rp.4803-	QWB9018	Stabiliser Bar

AX 09/86-04/93

ZA Injection, -rp.5989



AX continued... 09/86-04/93







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2220S	Male M14x1.5 R, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		QR2219S	Male M14x1.5 R, Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨	09/86-01/93, -rp.5918	QR2757S	Male M14x1.5 L, L=90mm
2	Rack End	⇦⇨	01/93-04/93, rp.5919-5989	QR9082S	Male M14x1.5 R, M14x1.5mm Swivel
3	Tie Rod Connector	⇦⇨		QR3081S	M14x1.5 L, L=381mm
20a	Suspension Arm - Front	↲	exc.GTi, 09/86-04/91, -rp.5277	QSA1360S	
20a	Suspension Arm - Front	↲	exc.GTi, 05/91-04/93, rp.5278-5989	QSA1376S	
20a[1]	Suspension Arm - Front	↲	GTi	QSA9404S	
20b	Suspension Arm - Front	↳	exc.GTi, 09/86-04/91, -rp.5277	QSA1359S	
20b	Suspension Arm - Front	↳	exc.GTi, 05/91-04/93, rp.5278-5989	QSA1375S	
20b[1]	Suspension Arm - Front	↳	GTi	QSA9403S	
21	Ball Joint - Front	↲↳		QSJ1228S	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front	↲↳	exc.GTi	EMS1989	Front
24a[1]	Suspension Arm Bush - Front	↲↳	GTi	EMS2648	Front
24b	Suspension Arm Bush - Front	↲↳	09/86-01/90, -rp.4802 exc.GTi	EMS1990	Rear
24b	Suspension Arm Bush - Front	↲↳	01/90-12/98, rp.4803- exc.GTi	EMS1991	Rear
24b[1]	Suspension Arm Bush - Front	↲↳	GTi	EMS3186	Rear
25	Stabiliser Link - Front	⇦⇨		QLS2915S	L=350mm
26	Stabiliser Bar Bush - Front	⇦⇨	09/86-01/90, -rp.4802	EMB3046	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨	09/86-01/90, -rp.4802	EMB3041	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	01/90-04/93, rp.4803-	EMB3045	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	01/90-04/93, rp.4803-	EMB3042	Inner, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨	09/86-01/90, -rp.4802	EMBK2400	4xAluminium Ø 19mm
27	Stabiliser Link Kit - Front	⇦⇨	01/90-04/93, rp.4803-	EMBK2254	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front	⇦⇨	01/90-04/93, rp.4803-	EMBK2255	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit	↲↳		QSK270S	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2005	
37	Suspension Arm Repair Kit - Rear	⇦⇨	01/90-04/93, rp.4803-5989	QWB9017	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear	⇦⇨	01/90-04/93, rp.4803-5989	QWB9018	Stabiliser Bar

AX 04/93-12/98

ZA Injection, rp.5990-



AX continued... 04/93-12/98





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5 LH, Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨		**QR9082S**	Male M14x1.5 RH, M14x1.5mm Swivel
3	Tie Rod Connector	⇦⇨		**QR3081S**	M14x1.5 LH, L=381mm
20a	Suspension Arm - Front	↲	exc.GTi	**QSA1376S**	
20a¹	Suspension Arm - Front	↲	GTi	**QSA9404S**	
20b	Suspension Arm - Front	↳	exc.GTi	**QSA1375S**	
20b¹	Suspension Arm - Front	↳	GTi	**QSA9403S**	
21	Ball Joint - Front	⇩⇩		**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇩⇩	exc.GTi	**EMS1989**	Front
24a¹	Suspension Arm Bush - Front	⇩⇩	GTi	**EMS2648**	Front
24b	Suspension Arm Bush - Front	⇩⇩	exc.GTi	**EMS1991**	Rear
24b¹	Suspension Arm Bush - Front	⇩⇩	GTi	**EMS3186**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS2915S**	L=350mm
26¹	Stabiliser Bar Bush - Front	⇳		**EMB3045**	Inner, Ø 19mm
26¹	Stabiliser Bar Bush - Front	⇳		**EMB3042**	Inner, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2254**	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2255**	2xAluminium, 2xSteel, Ø 21mm


continued...


AX continued... 04/93-12/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
29¹	Suspension Arm Pinch Bolt Kit			QSK270S	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2005	
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Stabiliser Bar	QWB9017	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear	⇦⇨	Stabiliser Bar	QWB9018	Stabiliser Bar

AX 09/86-12/98

ZA Diesel







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2220S	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		QR2219S	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨	09/86-05/96, -rp.7118	QR5088S	Male M14x1.5 RH
2	Rack End	⇦⇨	05/96-12/98, rp.7119-	QR9082S	Male M14x1.5 RH, M14x1.5mm Swivel
3	Tie Rod Connector	⇦⇨		QR3081S	M14x1.5 LH, L=381mm


AX continued... 09/86-12/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		09/86-04/91, -rp.5277	**QSA1360S**	
20a	Suspension Arm - Front		05/91-12/98, rp.5278-	**QSA1376S**	
20b	Suspension Arm - Front		09/86-04/91, -rp.5277	**QSA1359S**	
20b	Suspension Arm - Front		05/91-12/98, rp.5278-	**QSA1375S**	
21	Ball Joint - Front		09/86-04/91, -rp.5277	**QSJ1030S**	Ø 14mm Cone
21	Ball Joint - Front		05/91-12/98, rp.5278-	**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS1989**	Front
24b	Suspension Arm Bush - Front		09/86-01/90, -rp.4802	**EMS1990**	Rear
24b	Suspension Arm Bush - Front		01/90-12/98, rp.4803-	**EMS1991**	Rear
26	Stabiliser Bar Bush - Front		09/86-01/90, -rp.4802	**EMB3046**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front		09/86-01/90, -rp.4802	**EMB3041**	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front		01/90-12/98, rp.4803-	**EMB3045**	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front		01/90-12/98, rp.4803-	**EMB3042**	Inner, Ø 21mm
27	Stabiliser Link Kit - Front		09/86-01/90, -rp.4802	**EMBK2400**	4xAluminium Ø 19mm
27	Stabiliser Link Kit - Front		01/90-12/98, rp.4803-	**EMBK2254**	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front		01/90-12/98, rp.4803-	**EMBK2255**	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing			**EMR2005**	
37	Suspension Arm Repair Kit - Rear		01/90-12/98, rp.4803-	**QWB9017**	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear		01/90-12/98, rp.4803-	**QWB9018**	Stabiliser Bar
64	Bump Stop - Rear			**EM4230**	Ø 48mm

Berlingo I

07/96-11/02

GJ,MF Multispace



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨	exc.HDi	QR3076S	Female M14x1.5 ,M12x1.0 Swivel, L=355mm
2	Rack End	⇦⇨	HDi	QR5328S	Female M14x1.5mm, M14x1mm Swivel, L=338mm
4	Tie Rod Assembly	⇦⇨	exc.HDi	QDL5263S	


Berlingo I continued... 07/96-11/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA991S**	Complete
20a	Suspension Arm - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSA1905S**	Sheet Steel Type, Complete
20a	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA993S**	Complete
20a	Suspension Arm - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSA1905S**	Sheet Steel Type, Complete
20a[1]	Suspension Arm - Front		exc.HDi, exc.Electric	**QSA2368S**	Not Complete
20a[1]	Suspension Arm - Front		HDi	**QSA1976S**	Cast Type, Complete
20a[1]	Suspension Arm - Front		Electric	**-**	
20b	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA990S**	Complete
20b	Suspension Arm - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSA1906S**	Sheet Steel Type, Complete
20b	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA992S**	Complete
20b	Suspension Arm - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSA1906S**	Sheet Steel Type, Complete
20b[1]	Suspension Arm - Front		exc.HDi, exc.Electric	**QSA2369S**	Not Complete
20b[1]	Suspension Arm - Front		HDi	**QSA1977S**	Cast Type, Complete
20b[1]	Suspension Arm - Front		Electric	**-**	
21	Ball Joint - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSJ1294S**	Ø 16mm Cone
21	Ball Joint - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSJ9537S**	Ø 18mm Cone
21	Ball Joint - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSJ1600S**	Ø 16mm Cone
21	Ball Joint - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSJ9537S**	Ø 18mm Cone, H=32.5mm
24a	Suspension Arm Bush - Front			**EMS1859**	Front
24b	Suspension Arm Bush - Front		exc.1.9D mtr.DW8,DW8B,2.0HDi,H.D., Multifunction Roof,Electric	**EMS1858**	Rear
24b[1]	Suspension Arm Bush - Front		1.9D mtr.DW8,DW8B,2.0HDi,Multifunction Roof	**EMS8189**	Rear
24b	Suspension Arm Bush - Front		Electric,H.D. -rp.8364 07/96-10/99	**EMS1858**	Rear
24b[1]	Suspension Arm Bush - Front		Electric,H.D. rp.8365- 10/99-11/02	**EMS8189**	Rear
25	Stabiliser Link - Front			**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front			**QLS3240S**	L=306mm, Plastic
26	Stabiliser Bar Bush - Front		exc.2.0HDi,H.D.	**EMB7156**	Outer, Ø 22mm
26[1]	Stabiliser Bar Bush - Front		exc.2.0HDi,H.D.	**EMB7079**	Inner, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		exc.2.0HDi,H.D.	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		exc.2.0HDi,H.D.	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		exc.2.0HDi,H.D.	**EMBK2661**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front		2.0HDi	**EMBK3054**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		2.0HDi	**-**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front		H.D. -rp.8364 07/96-10/99	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		H.D. -rp.8364 07/96-10/99	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		H.D. rp.8365- 10/99-11/02	**EMBK3054**	Outer, Ø 21mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing		exc.2.0HDi	**EMR2275**	
62	Top Strut Mounting - Front exc.Bearing		exc.2.0HDi	**EMR1925**	
62	Top Strut Mounting - Front exc.Bearing		2.0HDi	**-**	
63	Top Strut Mounting - Front inc.Bearing		exc.2.0HDi	**EMA1925**	
34a	Suspension Arm Bush - Rear		exc.H.D.Susp.	**EMS8330**	Trailing Arm, Front
34a	Suspension Arm Bush - Rear		H.D.Susp.	**-**	Trailing Arm, Front
34b	Suspension Arm Bush - Rear			**EM4231**	Axle
37	Suspension Arm Repair Kit - Rear			**QWB9012**	
95	Shock Absorber Bush - Rear		Std.Susp.	**EMS8505**	Upper
95	Shock Absorber Bush - Rear		H.D Susp.-rp.9946	**EMS8505**	Upper

Berlingo II

11/02-06/08

GJ,MF Multispace




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨	exc.HDi	QR3076S	Female M14x1.5 ,M12x1.0 Swivel, L=355mm
2	Rack End	⇦⇨	HDi -rp.10016, 11/02-04/04	QR5328S	Female M14x1.5mm, M14x1mm Swivel, L=338mm
2	Rack End	⇦⇨	HDi rp.10017-, 04/04-06/08	QR3816S	Female M14x1.5 , M12x1 Swivel, L=354mm

Berlingo II continued... 11/02-06/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4	Tie Rod Assembly	⇦⇨	exc.HDi	**QDL5263S**	
20a	Suspension Arm - Front		exc.HDi, exc.H.D.	**QSA1905S**	Sheet Steel Type, Complete
20a[1]	Suspension Arm - Front		exc.HDi, exc.H.D.	**QSA2368S**	Not Complete
20a[1]	Suspension Arm - Front		HDi, H.D.	**QSA1976S**	Cast Type, Complete
20b	Suspension Arm - Front		exc.HDi, exc.H.D.	**QSA1906S**	Sheet Steel Type, Complete
20b[1]	Suspension Arm - Front		exc.HDi, exc.H.D.	**QSA2369S**	Not Complete
20b[1]	Suspension Arm - Front		HDi, H.D.	**QSA1977S**	Cast Type, Complete
21	Ball Joint - Front		exc.HDi, exc.H.D.	**QSJ9537S**	Ø 18mm Cone, H=32.5mm
24a	Suspension Arm Bush - Front			**EMS1859**	Front
24b	Suspension Arm Bush - Front		1.1i,1.4i,1.9Di mtr.DW8B exc.H.D Susp.	**EMS1858**	Rear
24c	Suspension Arm Bush - Front		1.6i 16v,1.6HDi,2.0HDi,H.D.	**EMS8189**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front	⇦⇨		**QLS3240S**	L=306mm, Plastic
26	Stabiliser Bar Bush - Front	⇦⇨	exc.2.0HDi,H.D.	**EMB7156**	Outer, Ø 22mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	exc.2.0HDi,H.D.	**EMB7079**	Inner, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10562, Electric	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10562, Electric	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10562 exc.2.0HDi,Electric	**EMBK2661**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10562 2.0HDi,Electric	**-**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.4i rp.10563-	**-**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.6HDi,1.9Di,2.0HDi,Electric rp.10563-	**-**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.4i,1.6i,1.6HDi,1.9Di,2.0HDi rp.10563-	**-**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1925**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1925**	
34a	Suspension Arm Bush - Rear	⇦⇨	Std.Susp.	**EMS8330**	Trailing Arm, Front
34a	Suspension Arm Bush - Rear	⇦⇨	H.D.Susp.	**EMS8330**	Trailing Arm, Front
34b	Suspension Arm Bush - Rear	⇦⇨		**EM4231**	Axle
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9012**	
95	Shock Absorber Bush - Rear			**EMS8505**	Upper

Berlingo III 06/08-


Multispace



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3638S	Female M14x1.5 , Ø 12mm Cone, L=165mm
1b	Tie Rod End - Outer	⇨		QR3639S	Female M14x1.5 , Ø 12mm Cone, L=165mm
2	Rack End	⇦⊐⇨		QR3807S	
20a	Suspension Arm - Front	⇦		QSA1948S	
20b	Suspension Arm - Front	⇨		QSA1949S	
21	Ball Joint - Front	⇦⇨		QSJ3256S	Ø 16mm Cone, M14x1.5
24a	Suspension Arm Bush - Front	⇦⇨		EMS8192	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8193	Rear
25	Stabiliser Link - Front	⇦⊐⇨		QLS3549S	L=335mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB7137	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB7260	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB7256	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front	⇦⊐⇨		EMBK3068	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⊐⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		EMR5042	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨		EMA5042	

BX
XB

09/81-12/94




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2059S**	Female M14x1.5 RH, Ø 13mm Cone
1b	Tie Rod End - Outer	⇨		**QR2058S**	Female M14x1.5 RH, Ø 13mm Cone
2	Rack End	⇦⇨		**QR2141S**	Male M14x1.5 RH, M12x1.0 Swivel, L=141mm
4a	Tie Rod Assembly	⇦		**QDL5235S**	
4b	Tie Rod Assembly	⇨		**QDL5241S**	
14	Steering Column Flexible Coupling			**EMD1728**	
20a	Suspension Arm - Front		rp.3219-	**QSA1366S**	
20b	Suspension Arm - Front		rp.3219-	**QSA1365S**	
21	Ball Joint - Front			**QSJ972S**	Ø 14.6mm Cone, Ø 38mm Mounting Thread
24a	Suspension Arm Bush - Front			**EMS3031**	Front
24b	Suspension Arm Bush - Front			**EMS3032**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3073S**	L=165mm, Ø 12.7mm Cone
29	Suspension Arm Repair Kit - Front	⇦⇨	exc.Sleeve & Pin	**QWB9001**	Wheel Set
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9000**	

C1 I

PM,PN


04/05-04/15



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3573S	Female M12x1.25 , 12.6mm Cone, L=163mm
1b	Tie Rod End - Outer	⇨		QR3574S	Female M12x1.25 , 12.6mm Cone, L=163mm
2	Rack End	⇦⇨		QR3575S	
20a	Suspension Arm - Front	↲		QSA2360S	
20b	Suspension Arm - Front	↳		QSA2361S	
21	Ball Joint - Front	⇩⇧		QSJ3270S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇧		EMS8371	Front
24b	Suspension Arm Bush - Front	⇩⇧		EMS8372	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3543S	L=92mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7277	Outer

C1 II


04/14-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3573S	Female M12x1.25 , 12.6mm Cone, L=163mm
1b	Tie Rod End - Outer	⇨		QR3574S	Female M12x1.25 , 12.6mm Cone, L=163mm
21	Ball Joint - Front	⇩⇧		QSJ3270S	
25	Stabiliser Link - Front	⇦⇨		QLS3543S	L=92mm

C2
JM

07/03-06/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3300S**	Female M14x1.5 RH, Ø 12mm Cone, L=172mm
1b	Tie Rod End - Outer	⇨		**QR3301S**	Female M14x1.5 RH, Ø 12mm Cone, L=172mm
2	Rack End	⇦⇨		**QR3299S**	Male M14x1.5 RH, M12x1.0 Swivel, L=252mm,
20a	Suspension Arm - Front	↲	exc.1.6i 16v,1.4HDi 16'' Wheels -rp.10800	**QSA1982S**	
20a	Suspension Arm - Front	↲	1.6i 16v,1.4HDi 16'' Wheels rp.10801-	**QSA2405S**	
20a	Suspension Arm - Front	↲	1.6HDi, exc 'H.D.Susp	**QSA2405S**	
20b	Suspension Arm - Front	↳	exc.1.6i 16v,1.4HDi 16'' Wheels -rp.10800	**QSA1983S**	
20b	Suspension Arm - Front	↳	1.6i 16v,1.4HDi 16'' Wheels rp.10801-	**QSA2406S**	
20b	Suspension Arm - Front	↳	1.6HDi, exc 'H.D.Susp	**QSA2406S**	
21	Ball Joint - Front	↲↳	exc.1.6i 16v,1.4HDi 16'' Wheels -rp.10800	**QSJ3279S**	Ø 18mm Cone
21	Ball Joint - Front	↲↳	1.6i 16v,1.4HDi 16'' Wheels rp.10801-	**QSJ3460S**	Ø 18mm Cone
21	Ball Joint - Front	↲↳	1.6HDi	**QSJ3460S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	↲↳		**EMS8190**	Front
24b	Suspension Arm Bush - Front	↲↳		**EMS8191**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS5266S**	L=338mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.6i 16v, 1.6HDi, -rp.10037	**EMB7128**	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.6i 16v, 1.6HDi, rp.10038-	**-**	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.6i 16v mtr.TU5JP4 -rp.10037	**EMB7089**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.6i 16v mtr.TU5JP4 rp.10038-, 1.6HDi	**EMB7287**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.6i 16v mtr.TU5JP4S	**-**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.1.6i 16v, 1.6HDi, -rp.10037	**EMBK3066**	Outer, Ø 18mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.6i 16v mtr.TU5JP4 -rp.10037	**EMBK3076**	Outer, Ø 20mm
29¹	Suspension Arm Pinch Bolt Kit	↲↳		**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	-rp.10156, -08.2004	**EMR5041**	


continued...

C2 continued... 07/03-06/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	-rp.10156, -08.2004	EMA5041	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	rp.10157-, 08.2004-	EMR6128	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	rp.10157-, 08.2004-	EMA6128	

C3 I 02/02-09/05

FC,FN,FR exc.Pluriel




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3300S	Female M14x1.5 ↻, Ø 12mm Cone, L=172mm
1b	Tie Rod End - Outer	⇨		QR3301S	Female M14x1.5 ↻, Ø 12mm Cone, L=172mm
2	Rack End	⇦⇨		QR3299S	Male M14x1.5 ↻, M12x1.0 Swivel, L=252mm,
20a	Suspension Arm - Front	↲		QSA1982S	
20b	Suspension Arm - Front	↳		QSA1983S	
21	Ball Joint - Front	⇩⇩		QSJ3279S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8190	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8191	Rear
25	Stabiliser Link - Front	⇦⇨		QLS5266S	L=338mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	-rp.10037,10096,10096	EMB7088	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	rp.10038,10097,10097-	EMB7089	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⊐⇨	-rp.10037,10096,10096	EMBK3067	Outer, Ø 19mm
27	Stabiliser Bar Bush Kit - Front	⇦⊐⇨	rp.10038,10097,10097-	EMBK3076	Outer, Ø 20mm
29[1]	Suspension Arm Pinch Bolt Kit	⇩⇩		QSK270S	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⊐⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	-rp.10156, -08.2004	EMR5041	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	-rp.10156, -08.2004	EMA5041	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	rp.10157-, 08.2004-	EMR6128	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	rp.10157-, 08.2004-	EMA6128	

C3 I


10/05-

FC,FN,FR exc.Pluriel




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.TU5JP4 AUTO, DV6ATED4	QR3300S	Female M14x1.5 RH, Ø 12mm Cone, L=172mm
1a	Tie Rod End - Outer	⇦	TU5JP4 AUTO, DV6ATED4	QR3964S	
1b	Tie Rod End - Outer	⇨	exc.TU5JP4 AUTO, DV6ATED4	QR3301S	Female M14x1.5 RH, Ø 12mm Cone, L=172mm
1b	Tie Rod End - Outer	⇨	TU5JP4 AUTO, DV6ATED4	QR3965S	
2	Rack End	⇦⇨	exc.TU5JP4 AUTO, DV6ATED4	QR3299S	Male M14x1.5 RH, M12x1.0 Swivel, L=252mm,
2	Rack End	⇦⇨	TU5JP4 AUTO, DV6ATED4	QR3966S	
20a	Suspension Arm - Front	⇦	exc.16" Wheels, AUTO	QSA1982S	
20a	Suspension Arm - Front	⇦	16" Wheels, AUTO	QSA2405S	
20b	Suspension Arm - Front	⇨	exc.16" Wheels, AUTO	QSA1983S	
20b	Suspension Arm - Front	⇨	16" Wheels, AUTO	QSA2406S	
21	Ball Joint - Front	⇦⇨	exc.16" Wheels, AUTO	QSJ3279S	Ø 18mm Cone
21	Ball Joint - Front	⇦⇨	16" Wheels, AUTO	QSJ3460S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8190	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8191	Rear
25	Stabiliser Link - Front	⇦⇨		QLS5266S	L=338mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc AUTO	EMB7287	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	AUTO	-	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc AUTO	-	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	AUTO	-	Outer, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit	⇦⇨		QSK270S	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	-rp.10156, -08/2004	EMR5041	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	-rp.10156, -08/2004	EMA5041	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	rp.10157-, 08/2004-	EMR6128	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	rp.10157-, 08/2004-	EMA6128	

C3 II 10/09-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3829S	Female M14x1.5 , Ø 12.2mm Cone, L=178mm
1b	Tie Rod End - Outer	⇨		QR3830S	Female M14x1.5 , Ø 12.2mm Cone, L=178mm
2	Rack End	⇦⇨		QR3815S	Male M14x1.5 , M12x1 Swivel, L=263mm
20a	Suspension Arm - Front			QSA2539S	
20b	Suspension Arm - Front			QSA2540S	
21	Ball Joint - Front			QSJ3279S	Ø 18mm Cone
24a	Suspension Arm Bush - Front		Std.Susp.	EMS8510	Front
24a	Suspension Arm Bush - Front		H.D.Susp.	EMS8525	Front
24b	Suspension Arm Bush - Front		Std.Susp.	EMS8511	Rear
24b	Suspension Arm Bush - Front		H.D.Susp.	EMS8558	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3755S	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7296	Outer
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7295	Outer
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc. 1.6 HDi,1.6 VTi	EMR6120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	1.6 HDi,1.6 VTi, Type1	EMR6120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	1.6 HDi,1.6 VTi, Type2	EMR6121	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc. 1.6 HDi,1.6 Vti	EMA6120	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.6 HDi,1.6 VTi, Type1	EMA6120	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.6 HDi,1.6 VTi, Type2	EMA6121	

C3 Picasso 02/09-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3546S**	Female M16x1.5 , Ø 12.5mm Cone, L=214mm
1b	Tie Rod End - Outer	⇨		**QR3547S**	Female M16x1.5 , Ø 12.5mm Cone, L=214mm
2	Rack End	⇦⇨		**QR3548S**	Male M16x1.5 , M12x1.0 Swivel, L=229mm
20a	Suspension Arm - Front			**QSA2330S**	
20b	Suspension Arm - Front			**QSA2331S**	
21	Ball Joint - Front			**QSJ3279S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front			**EMS8350**	Front
24b	Suspension Arm Bush - Front			**EMS8351**	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7221**	Outer, Ø 23mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6120**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6120**	

C3 Pluriel

FV,FU,HX


04/03-01/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3300S**	Female M14x1.5 , Ø 12mm Cone, L=172mm
1b	Tie Rod End - Outer	⇨		**QR3301S**	Female M14x1.5 , Ø 12mm Cone, L=172mm
2	Rack End	⇦⇨		**QR3299S**	Male M14x1.5 , M12x1.0 Swivel, L=252mm,
20a	Suspension Arm - Front		-rp.10977	**QSA1982S**	
20a	Suspension Arm - Front		rp.10978-	**-**	
20b	Suspension Arm - Front		-rp.10977	**QSA1983S**	
20b	Suspension Arm - Front		rp.10978-	**-**	
21	Ball Joint - Front			**QSJ3279S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front		-rp.10977	**EMS8190**	Front
24b	Suspension Arm Bush - Front		-rp.10977	**EMS8191**	Rear
24a	Suspension Arm Bush - Front		rp.10978-	**EMS8525**	Front
24b	Suspension Arm Bush - Front		rp.10978-	**EMS8559**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS5266S**	L=338mm
26	Stabiliser Bar Bush - Front	⇦⇨	-rp.10037	**EMB7089**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	rp.10038-	**EMB7287**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10037	**EMBK3076**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	rp.10038-	**-**	Outer, Ø 20mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	-rp.10156, -08.2004	**EMR5041**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	-rp.10156, -08.2004	**EMA5041**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	rp.10157-, 08.2004-	**EMR6128**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	rp.10157-, 08.2004-	**EMA6128**	

C4 I
LA,LC


09/04-08/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-rp.10310	**QR2219S**	Male M14x1.5, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨	-rp.10310	**QR2220S**	Male M14x1.5, Ø 12mm Cone, L=110mm
1	Tie Rod End - Outer	⇦⇨	rp.10311-	**QR1741S**	Male M14x1.5, Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨	-rp.10310	**QR3275S**	Female M14x1.5, M14X1.5 Swivel, L=340mm
2	Rack End	⇦⇨	rp.10311-	**QR3552S**	Male M14x1.5, M14x1.5 Swivel, L=360mm
20a	Suspension Arm - Front			**QSA1948S**	
20b	Suspension Arm - Front			**QSA1949S**	
21	Ball Joint - Front			**QSJ3256S**	Ø 16mm Cone, M14x1.5
24a	Suspension Arm Bush - Front			**EMS8192**	Front
24b	Suspension Arm Bush - Front			**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3294S**	L=340mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7084**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7137**	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3068**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5042**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5042**	

C4 II 09/10-

B7




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3638S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
1b	Tie Rod End - Outer	⇨		**QR3639S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
2	Rack End	⇦⇨		**QR3617S**	Male M14x1.5 RH,M14x1.5 Swivel, L=295mm
20a	Suspension Arm - Front	⇦		**QSA2396S**	
20b	Suspension Arm - Front	⇨		**QSA2397S**	
21	Ball Joint - Front	⇦⇨		**QSJ3434S**	Ø 15.6mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8192**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3558S**	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7084**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7137**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 23.5mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7260**	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3068**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**-**	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**-**	Outer, Ø 23.5mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**-**	Outer, Ø 24mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6127**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6127**	

C4 Picasso,Grand Picasso

10/06-

UA6,UD6,UD9,UD9,UAR,UDR



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3580S**	Female M16x1.5 , Ø 12.0mm Cone, L=125mm
1b	Tie Rod End - Outer	⇨		**QR3581S**	Female M16x1.5 , Ø 12.0mm Cone, L=125mm
2	Rack End	⇦⇨		**QR3582S**	Male M16x1.5 , M14x1.5 Swivel, L=330mm
20a	Suspension Arm - Front			**QSA1948S**	
20b	Suspension Arm - Front			**QSA1949S**	
21	Ball Joint - Front			**QSJ3256S**	Ø 16mm Cone, M14x1.5
24a	Suspension Arm Bush - Front			**EMS8192**	Front
24b	Suspension Arm Bush - Front			**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3558S**	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7084**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7137**	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3068**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**-**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
61	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5042**	
61	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5042**	

C4 Picasso II, Grand Picasso II 02/13-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4000S	
1b	Tie Rod End - Outer	⇨		QR4001S	
2	Rack End	⇦⇨		QR3998S	
20a	Suspension Arm - Front	↲		QSA2730S	Aluminium, Without Ball Joint
20b	Suspension Arm - Front	↳		QSA2731S	Aluminium, Without Ball Joint
21	Ball Joint - Front	⇩⇩		QSJ3693S	
25	Stabiliser Link - Front	⇦⇨		QLS3558S	

C4 Aircross 09/14-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3996S	
2	Rack End	⇦⇨		QR3997S	

C4 Aircross continued... 09/14-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		-rp,13691	**QSA2523S**	
20b	Suspension Arm - Front		-rp,13691	**QSA2524S**	
24b	Suspension Arm Bush - Front			**EMS8531**	Rear
25	Stabiliser Link - Front			**QLS3557S**	L=265mm
26	Stabiliser Bar Bush - Front			**EMB7278**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6126**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6126**	
35a	Stabiliser Link - Rear			**QLS3555S**	L=80mm
35b	Stabiliser Link - Rear			**QLS3556S**	L=80mm

C4 Cactus 09/14-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			**QR3903S**	
1b	Tie Rod End - Outer			**QR3904S**	
2	Rack End			**QR3905S**	
20a	Suspension Arm - Front		Std. Duty	**QSA2539S**	
20b	Suspension Arm - Front		Std. Duty	**QSA2540S**	
21	Ball Joint - Front			**QSJ3619S**	
24a	Suspension Arm Bush - Front		Std. Duty	**EMS8510**	Front
24b	Suspension Arm Bush - Front		Std. Duty	**EMS8511**	Rear
25	Stabiliser Link - Front			**QLS5266S**	L=338mm
26	Stabiliser Bar Bush - Front			**EMB7296**	Outer, Ø 20mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6120**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6120**	

C5 I

DC

10/00-10/04




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5329S**	Male M16x1.5, L=234mm, M10x1.25 Swivel
1b	Tie Rod End - Outer	⇨		**QR5330S**	Male M16x1.5, L=234mm, M10x1.25 Swivel
2	Rack End	⇦⇨		**QR5331S**	Female M16x1.5, M16x1.5 Swivel, L=183mm
20a	Suspension Arm - Front		-rp.9949	**QSA2020S**	
20a	Suspension Arm - Front		rp.9950-	**QSA2347S**	
20b	Suspension Arm - Front		-rp.9949	**QSA2021S**	
20b	Suspension Arm - Front		rp.9950-	**QSA2348S**	
21	Ball Joint - Front			**QSJ1184S**	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front			**EMS8243**	Front
24b	Suspension Arm Bush - Front		-rp.9949	**EMS8244**	Rear
24b	Suspension Arm Bush - Front		rp.9950-	**EMS8554**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3256S**	L=324mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.2.0 HDi 170PS mtr.DW12BTED4 Estate, 3.0i V6 mtr.ES9J4S Saloon, 3.0i V6 mtr.ES9A Estate	**EMB7078**	Outer, Ø 23.5 mm
26	Stabiliser Bar Bush - Front	⇦⇨	2.0 HDi 170PS mtr.DW12BTED4 Estate, 3.0i V6 mtr.ES9J4S Saloon,3.0i V6 mtr.ES9A Estate	**EMB7186**	Outer, Ø 24.5 mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.2.0 HDi 170PS mtr.DW12BTED4 Estate, 3.0i V6 mtr.ES9J4S Saloon, 3.0i V6 mtr.ES9A Estate	**EMBK3074**	Outer, Ø 23.5 mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EM4529**	Trailing Arm, Front
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8506**	Axle
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9020**	

C5 I

RC

11/04-01/08




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5329S**	Male M16x1.5, L=234mm, M10x1.25 Swivel
1b	Tie Rod End - Outer	⇨		**QR5330S**	Male M16x1.5, L=234mm, M10x1.25 Swivel
2	Rack End	⇦⇨		**QR5331S**	Female M16x1.5, M16x1.5 Swivel, L=183mm
20a	Suspension Arm - Front			**QSA2347S**	
20b	Suspension Arm - Front			**QSA2348S**	
21	Ball Joint - Front			**QSJ1184S**	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front			**EMS8243**	Front
24b	Suspension Arm Bush - Front			**EMS8554**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3256S**	L=324mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.2.0 HDi 170PS mtr.DW12BTED4 Estate, 3.0i V6 mtr.ES9J4S Saloon, 3.0i V6 mtr.ES9A Estate	**EMB7078**	Outer, Ø 23.5 mm
26	Stabiliser Bar Bush - Front	⇦⇨	2.0 HDi 170PS mtr.DW12BTED4 Estate, 3.0i V6 mtr.ES9J4S Saloon, 3.0i V6 mtr.ES9A Estate	**EMB7186**	Outer, Ø 24.5 mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.2.0 HDi 170PS mtr.DW12BTED4 Estate, 3.0i V6 mtr.ES9J4S Saloon, 3.0i V6 mtr.ES9A Estate	**EMBK3074**	Outer, Ø 23.5 mm
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8506**	Axle
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9020**	

C5 II

RD,TD

02/08-




C5 II continued... 02/08-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3857S	Female M16x1.5, Ø 14.8mm Cone L=209mm
1b	Tie Rod End - Outer	⇨		QR3858S	Female M16x1.5, Ø 14.8mm Cone L=209mm
2	Rack End	⇦⇨		QR3833S	Male M16x1.5, M16x1.5 Swivel, L=147mm
20a	Suspension Arm - Front		Std.Susp., exc.Steel Subframe	QSA2646S	
20a[1]	Suspension Arm - Front		Steel Subframe	QSA2644S	
20b	Suspension Arm - Front		Std.Susp., exc.Steel Subframe	QSA2647S	
20b[1]	Suspension Arm - Front		Steel Subframe	QSA2645S	
21	Ball Joint - Front			QSJ3316S	
23	Ball Joint - Front			QSJ3329S	Ø 20.6mm
24a	Suspension Arm Bush - Front			EMS8315	Front
24b	Suspension Arm Bush - Front		-rp.11983	EMS8555	Rear
24b	Suspension Arm Bush - Front		rp.11984-	EMS8556	Rear
24c	Suspension Arm Bush - Front			EMS8488	Hub, Swivel
25a	Stabiliser Link - Front	⇦		QLS3386S	L=195mm
25b	Stabiliser Link - Front	⇨		QLS3387S	L=195mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7168	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7168	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7169	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3070	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3070	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3071	Outer, Ø 25mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR5050	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5050	
30	Suspension Arm - Rear			-	Front
30[1]	Suspension Arm - Rear			QSJ3477S	Rear
30a	Suspension Arm - Rear			QSJ3475S	Centre
30b	Suspension Arm - Rear			QSJ3476S	Centre
34b	Suspension Arm Bush - Rear			EMS8568	Centre, Front
34c	Suspension Arm Bush - Rear			EMS8567	Centre, Rear
34d	Suspension Arm Bush - Rear			EMS8604	
35	Stabiliser Link - Rear	⇦⇨		QLS3419S	L=144mm

C6

TD

08/05-12/12




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3672S**	Male M14x1.5, Ø 17mm Cone, L=240mm
1b	Tie Rod End - Outer	⇨		**QR3673S**	Male M14x1.5, Ø 17mm Cone, L=240mm
2	Rack End	⇦⇨		**QR3382S**	Female M14x1.5, M16x1.5 Swivel, L=123mm
20a	Suspension Arm - Front		-rp.11039 08/05-02/07	**QSA2443S**	
20a	Suspension Arm - Front		rp.11040-11514	**-**	
20a	Suspension Arm - Front		rp.11515-, Active Susp.	**-**	
20a	Suspension Arm - Front		rp.11515-, Hydractive Susp.	**-**	
20b	Suspension Arm - Front		-rp.11039 08/05-02/07	**QSA2444S**	
20b	Suspension Arm - Front		rp.11040-11514	**-**	
20b	Suspension Arm - Front		rp.11515-, Active Susp.	**-**	
20b	Suspension Arm - Front		rp.11515-, Hydractive Susp.	**-**	
21	Ball Joint - Front			**QSJ3316S**	
23	Ball Joint - Front			**QSJ3329S**	Ø 20.6mm
24a	Suspension Arm Bush - Front			**EMS8315**	Front

C6 continued... 08/05-12/12

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			**EMS8314**	Rear
24c	Suspension Arm Bush - Front			**EMS8488**	Hub, Swivel
25a	Stabiliser Link - Front	⇦		**QLS3386S**	L=195mm
25b	Stabiliser Link - Front	⇨		**QLS3387S**	L=195mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7168**	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3070**	Outer, Ø 24mm
30	Suspension Arm - Rear			**-**	Front
30[1]	Suspension Arm - Rear			**QSJ3477S**	Rear
30a	Suspension Arm - Rear			**QSJ3475S**	Centre
30b	Suspension Arm - Rear			**QSJ3476S**	Centre
34b	Suspension Arm Bush - Rear			**EMS8568**	Centre, Front
34b	Suspension Arm Bush - Rear			**EMS8567**	Centre, Rear
34b	Suspension Arm Bush - Rear			**EMS8604**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3419S**	L=144mm

C8 04/02-03/11

EA,EB




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3350S**	Female M14x1.5mm, Ø 13.5mm Cone, L=75mm
2	Rack End	⇦⇨		**QR3351S**	Male M14x1.5 ↻, M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front		exc 2.0HDi 140,2.0HDI 165,2.2HDi 170	**QSA2535S**	
20a	Suspension Arm - Front		2.0HDi 140,2.0HDI 165,2.2HDi 170	**QSA2441S**	Ø 19mm
20b	Suspension Arm - Front		exc 2.0HDi 140,2.0HDI 165,2.2HDi 170	**QSA2536S**	
20b	Suspension Arm - Front		2.0HDi 140,2.0HDI 165,2.2HDi 170	**QSA2442S**	Ø 19mm
24a	Suspension Arm Bush - Front			**EMS8442**	Front
24b	Suspension Arm Bush - Front			**EMS8489**	Rear, Ø 47mm
24c	Suspension Arm Bush - Front			**EMS8490**	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		**QLS3334S**	Ø 22 mm, L=262mm
61	Top Strut Bearing - Front	⇦⇨		**-**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR2580**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR2579**	

C-Crosser


09/07-12/12

EP



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3735S	
2	Rack End	⇦⇨		QR3737S	
20a	Suspension Arm - Front	↲		QSA2523S	
20b	Suspension Arm - Front	↳		QSA2524S	
21	Ball Joint - Front	↲↳		QSJ3549S	
24a	Suspension Arm Bush - Front	↲↳		EMS8566	Front
24b	Suspension Arm Bush - Front	↲↳		EMS8531	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3557S	L=265mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7278	Outer
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6126	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6126	
35a	Stabiliser Link - Rear	⇦		QLS3555S	L=80mm
35b	Stabiliser Link - Rear	⇨		QLS3556S	L=80mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7275	Outer

C-Elysee 11/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3546S	
1b	Tie Rod End - Outer	⇨		QR3547S	
2	Rack End	⇦⇨		QR3976S	
20a	Suspension Arm - Front			QSA2648S	
20b	Suspension Arm - Front			QSA2649S	
25a	Stabiliser Link - Front	⇦		QLS3535S	
25b	Stabiliser Link - Front	⇨		QLS3536S	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7303	Outer
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6120	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6120	
34	Suspension Arm Bush - Rear			EMS8543	

C-Zero 08/10-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2304S	Female M12x1.25 6G, Ø 13.4mm Cone, L=78mm

DS3 09/09-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3829S**	Female M14x1.5 , Ø 12.2mm Cone, L=178mm
1b	Tie Rod End - Outer	⇨		**QR3830S**	Female M14x1.5 , Ø 12.2mm Cone, L=178mm
2	Rack End	⇦⇨		**QR3815S**	Male M14x1.5 , M12x1 Swivel, L=263mm
20a	Suspension Arm - Front		AUTO AL4	**QSA2539S**	
20b	Suspension Arm - Front		AUTO AL4	**QSA2540S**	
21	Ball Joint - Front		MAN	**QSJ3635S**	
21	Ball Joint - Front		AUTO AL4	**QSJ3619S**	
24a	Suspension Arm Bush - Front		MAN	**EMS8525**	Front
24a	Suspension Arm Bush - Front		AUTO AL4	**EMS8510**	Front
24b	Suspension Arm Bush - Front		MAN	**EMS8558**	Rear
24b	Suspension Arm Bush - Front		AUTO AL4	**EMS8511**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3755S**	
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7296**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7219**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7295**	Outer, Ø 21.5mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7294**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6121**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6121**	

DS4 04/11-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	1.6i,1.6i THP 155,1.6HDi 110, 2.0HDi 160 exc. 19'' Wheels	**QR3638S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
1a	Tie Rod End - Outer	⇦	1.6i THP 200,2.0HDi 160 19'' Wheels	**QR3712S**	
1b	Tie Rod End - Outer	⇨	1.6i,1.6i THP 155,1.6HDi 110, 2.0HDi 160 exc. 19'' Wheels	**QR3639S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
2	Rack End	⇦⇨	1.6i,1.6i THP 155,1.6HDi 110, 2.0HDi 160 exc. 19'' Wheels	**QR3617S**	Male M14x1.5 RH,M14x1.5 Swivel, L=295mm
2	Rack End	⇦⇨	1.6i THP 200,2.0HDi 160 19'' Wheels	**QR3884S**	
20a	Suspension Arm - Front	⇦		**QSA2396S**	
20b	Suspension Arm - Front	⇨		**QSA2397S**	
21	Ball Joint - Front	⇦⇨		**QSJ3434S**	Ø 15.6mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8192**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3558S**	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7084**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7137**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 23.5mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7260**	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3068**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**-**	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**-**	Outer, Ø 23.5mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**-**	Outer, Ø 24mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6127**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6127**	

DS5 10/11-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨	Hub dia. 82mm	**QR3712S**	
2	Rack End	⇦⊐⇨		**QR3885S**	
21	Ball Joint - Front	⇩⇩		**QSJ3434S**	Ø 15.6mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		**-**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⊐⇨		**QLS3558S**	L=335mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		**EMB7256**	Outer, Ø 25.0mm
61	Top Strut Bearing - Front	⇦⊐⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	rp.13104-, 09.2012-	**EMR5042**	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	rp.13104-, 09.2012-	**EMA5042**	

Evasion

AFR,U6U

06/94-10/02



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2856S	Female M14x1.5 RH, Ø 12.6mm Cone, L=75mm
2	Rack End	⇦⇨		QR2857S	Male M14x1.5 RH, L=320mm
4	Tie Rod Assembly	⇦⇨		QDL3287S	
20a	Suspension Arm - Front	↲		QSA9113S	
20b	Suspension Arm - Front	↳		QSA9114S	
24a	Suspension Arm Bush - Front	↲↳		EMS2660	Front
24b	Suspension Arm Bush - Front	↲		EMS2662	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	↳		EMS2661	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		QLS1885S	L=120mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7069	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.Stabiliser Link	EMBK2657	Outer, Ø 24mm
27¹	Stabiliser Bar Bush Kit - Front	⇦⇨	inc.Stabiliser Link	EMBK3055	Outer, Ø 24mm
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7148	
61	Top Strut Bearing - Front	⇦⇨		QAM115	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2580	


continued...


62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR2579**	
34	Suspension Arm Bush - Rear			**EMS8318**	

Saxo

02/96-09/96

S0,S1,S6 -rp.7244








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5 , Ø 12mm Cone, L=110mm


Saxo continued... 02/96-09/96

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
2a	Rack End	⇦		**QR2757S**	Male M14x1.5 , L=90mm
2b	Rack End	⇨		**QR5087S**	Female M14x1.5 , Ø 12mm Cone
3a	Tie Rod Connector	⇦		**QR3081S**	M14x1.5 , L=381mm
3b	Tie Rod Connector	⇨		**QR5086S**	Female M14x1.5 , Ø 12mm Cone, L=133mm
4a	Tie Rod Assembly	⇦		**QDL2737S**	
4b	Tie Rod Assembly	⇨		**QDL2738S**	
20a	Suspension Arm - Front			**QSA1376S**	
20b	Suspension Arm - Front			**QSA1375S**	
21	Ball Joint - Front			**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS1989**	Front
24b	Suspension Arm Bush - Front			**EMS3186**	Rear
25	Stabiliser Link - Front	⇦⇨	TU5JP	**QLS3077S**	Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7020**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7021**	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB3045**	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB3042**	Inner, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2254**	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2255**	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2278**	
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Stabiliser Bar	**QWB9017**	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear	⇦⇨	Stabiliser Bar	**QWB9018**	Stabiliser Bar
64	Bump Stop - Rear	⇦⇨	1.0,1.1 exc.Airbag	**EM4230**	Ø 48mm
64	Bump Stop - Rear	⇦⇨	1.0,1.1 with Airbag, 1.4,1.6,1.5D	**EMS8320**	

Saxo 09/96-04/04

S0,S1,S6 , rp.7245-, exc.VTR,VTS,Rallye







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨		**QR9082S**	Male M14x1.5 , M14x1.5mm Swivel
3	Tie Rod Connector	⇦⇨		**QR3081S**	M14x1.5 , L=381mm
20a	Suspension Arm - Front	⇦		**QSA1376S**	
20b	Suspension Arm - Front	⇨		**QSA1375S**	
21	Ball Joint - Front	⇦⇨		**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1989**	Front


Saxo continued... 09/96-04/04


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			EMS3186	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3077S	Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7020	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7021	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB3045	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB3042	Inner, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2254	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2255	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit			QSK270S	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2278	
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Stabiliser Bar	QWB9017	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear	⇦⇨	Stabiliser Bar	QWB9018	Stabiliser Bar
64	Bump Stop - Rear	⇦⇨	1.0,1.1 exc.Airbag	EM4230	Ø 48mm
64	Bump Stop - Rear	⇦⇨	1.0,1.1 with Airbag, 1.4,1.6,1.5D	EMS8320	


Saxo

02/96-04/04

S0,S1,S6 🛞, 🔑, exc.VTR,VTS,Rallye










Saxo continued... 02/96-04/04


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
2a	Rack End	⇦	-rp.7083, 02/96-04/96	**QR2757S**	Male M14x1.5 , L=90mm
2b	Rack End	⇨	-rp.7083, 02/96-04/96	**QR3071S**	Female M14x1.5
2	Rack End	⇦⇨	rp.7084-, 05/96-09/99	**QR9082S**	Male M14x1.5 , M14x1.5mm Swivel
3a	Tie Rod Connector	⇦	-rp.7083, 02/96-04/96	**QR3081S**	M14x1.5 , L=381mm
3b	Tie Rod Connector	⇨	-rp.7083, 02/96-04/96	**QR5086S**	Female M14x1.5 , Ø 12mm Cone, L=133mm
3	Tie Rod Connector	⇦⇨	rp.7084-, 05/96-09/99	**QR3081S**	M14x1.5 , L=381mm
4a	Tie Rod Assembly	⇦	-rp.7083, 02/96-04/96	**QDL2739S**	
4b	Tie Rod Assembly	⇨	-rp.7083, 02/96-04/96	**QDL2740S**	
20a	Suspension Arm - Front			**QSA1376S**	
20b	Suspension Arm - Front			**QSA1375S**	
21	Ball Joint - Front			**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS1989**	Front
24b	Suspension Arm Bush - Front			**EMS3186**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3077S**	Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.6i mtr.TU5JP	**EMB7020**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.6i mtr.TU5JP	**EMB7021**	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	exc.1.6i mtr.TU5JP	**EMB3045**	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	exc.1.6i mtr.TU5JP	**EMB3042**	Inner, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.1.6i mtr.TU5JP	**EMBK2254**	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.1.6i mtr.TU5JP	**EMBK2255**	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2278**	
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Stabiliser Bar	**QWB9017**	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear	⇦⇨	Stabiliser Bar	**QWB9018**	Stabiliser Bar
64	Bump Stop - Rear	⇦⇨	1.0,1.1 exc.Airbag	**EM4230**	Ø 48mm
64	Bump Stop - Rear	⇦⇨	1.0,1.1 with Airbag, 1.4,1.6,1.5D	**EMS8320**	

Saxo

02/96-09/96

S0,S1,S6 -rp.7251







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
2a	Rack End	⇦		**QR5087S**	Female M14x1.5 , Ø 12mm Cone
2b	Rack End	⇨		**QR2757S**	Male M14x1.5 , L=90mm
3a	Tie Rod Connector	⇦		**QR5086S**	Female M14x1.5 , Ø 12mm Cone, L=133mm
3b	Tie Rod Connector	⇨		**QR3081S**	M14x1.5 , L=381mm
20a	Suspension Arm - Front	↲		**QSA1376S**	


Saxo continued... 02/96-09/96


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front			**QSA1375S**	
21	Ball Joint - Front			**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS1989**	Front
24b	Suspension Arm Bush - Front			**EMS3186**	Rear
25	Stabiliser Link - Front			**QLS3077S**	Ø 12mm
26	Stabiliser Bar Bush - Front			**EMB7020**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front			**EMB7021**	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front			**EMB3045**	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front			**EMB3042**	Inner, Ø 21mm
27	Stabiliser Link Kit - Front			**EMBK2254**	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front			**EMBK2255**	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing			**EMR2278**	
37	Suspension Arm Repair Kit - Rear		exc.Stabiliser Bar	**QWB9017**	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear		Stabiliser Bar	**QWB9018**	Stabiliser Bar
64	Bump Stop - Rear		1.0,1.1 exc.Airbag	**EM4230**	Ø 48mm
64	Bump Stop - Rear		1.0,1.1 with Airbag, 1.4,1.6,1.5D	**EMS8320**	

Saxo

09/96-04/04

S0,S1,S6 , rp.7252- exc.VTR,VTS,Rallye








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨		**QR9082S**	Male M14x1.5 , M14x1.5mm Swivel
3	Tie Rod Connector	⇦⇨		**QR3081S**	M14x1.5 , L=381mm
20a	Suspension Arm - Front			**QSA1376S**	
20b	Suspension Arm - Front			**QSA1375S**	
21	Ball Joint - Front			**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS1989**	Front
24b	Suspension Arm Bush - Front			**EMS3186**	Rear


Saxo continued... 09/96-04/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		**QLS3077S**	Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.6i mtr.TU5JP	**EMB7020**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.6i mtr.TU5JP	**EMB7021**	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	exc.1.6i mtr.TU5JP	**EMB3045**	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	exc.1.6i mtr.TU5JP	**EMB3042**	Inner, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.1.6i mtr.TU5JP	**EMBK2254**	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.1.6i mtr.TU5JP	**EMBK2255**	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2278**	
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Stabiliser Bar	**QWB9017**	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear	⇦⇨	Stabiliser Bar	**QWB9018**	Stabiliser Bar
64	Bump Stop - Rear	⇦⇨	1.0,1.1 exc.Airbag	**EM4230**	Ø 48mm
64	Bump Stop - Rear	⇦⇨	1.0,1.1 with Airbag, 1.4,1.6,1.5D	**EMS8320**	

Saxo 02/96-04/04

S0,S1,S6 🚗, 🔧, exc.VTR,VTS,Rallye







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
🚗					
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨		**QR9082S**	Male M14x1.5 RH, M14x1.5mm Swivel
3	Tie Rod Connector	⇦⇨		**QR3081S**	M14x1.5 LH, L=381mm
🚙					
20a	Suspension Arm - Front	↲		**QSA1376S**	
20b	Suspension Arm - Front	↳		**QSA1375S**	
21	Ball Joint - Front	⇦⇨		**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone


Saxo continued... 02/96-04/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS1989**	Front
24b	Suspension Arm Bush - Front			**EMS3186**	Rear
25	Stabiliser Link - Front			**QLS3077S**	Ø 12mm
26	Stabiliser Bar Bush - Front		exc.1.6i mtr.TU5JP	**EMB7020**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front		exc.1.6i mtr.TU5JP	**EMB7021**	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front		exc.1.6i mtr.TU5JP	**EMB3045**	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front		exc.1.6i mtr.TU5JP	**EMB3042**	Inner, Ø 21mm
27	Stabiliser Link Kit - Front		exc.1.6i mtr.TU5JP	**EMBK2254**	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front		exc.1.6i mtr.TU5JP	**EMBK2255**	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing			**EMR2278**	
37	Suspension Arm Repair Kit - Rear		exc.Stabiliser Bar	**QWB9017**	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear		Stabiliser Bar	**QWB9018**	Stabiliser Bar
64	Bump Stop - Rear		1.0,1.1 exc.Airbag	**EM4230**	Ø 48mm
64	Bump Stop - Rear		1.0,1.1 with Airbag, 1.4,1.6,1.5D	**EMS8320**	

Saxo

S0,S1,S6 VTR,VTS,Rallye

02/96-04/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2220S	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		QR2219S	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨		QR9082S	Male M14x1.5 RH, M14x1.5mm Swivel
3	Tie Rod Connector	⇦⇨		QR3081S	M14x1.5 LH, L=381mm
20a	Suspension Arm - Front			QSA9404S	
20b	Suspension Arm - Front			QSA9403S	
21	Ball Joint - Front			QSJ1228S	Ø 36.8mm, Ø 16mm Cone


Saxo continued... 02/96-04/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS2648**	Front
24b	Suspension Arm Bush - Front			**EMS3186**	Rear
25	Stabiliser Link - Front			**QLS3077S**	Ø 12mm
26[1]	Stabiliser Bar Bush - Front		VTR 1.6i mtr.TU5JP 90PS with rear drum brakes	**EMB7178**	Inner, Ø 18mm
27	Stabiliser Link Kit - Front			**EMBK2255**	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing			**EMR2278**	
37	Suspension Arm Repair Kit - Rear		exc.Stabiliser Bar	**QWB9017**	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear		Stabiliser Bar	**QWB9018**	Stabiliser Bar
64	Bump Stop - Rear			**EMS8320**	

Synergie

AFR,U6U

10/95-10/02




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2856S	Female M14x1.5 RH, Ø 12.6mm Cone, L=75mm
2	Rack End	⇦⇨		QR2857S	Male M14x1.5 RH, L=320mm
4	Tie Rod Assembly	⇦⇨		QDL3287S	
20a	Suspension Arm - Front	⇦		QSA9113S	
20b	Suspension Arm - Front	⇨		QSA9114S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS2660	Front
24b	Suspension Arm Bush - Front	⇦		EMS2662	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	⇨		EMS2661	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		QLS1885S	L=120mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7069	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.Stabiliser Link	EMBK2657	Outer, Ø 24mm
27¹	Stabiliser Bar Bush Kit - Front	⇦⇨	inc.Stabiliser Link	EMBK3055	Outer, Ø 24mm
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7148	
61	Top Strut Bearing - Front	⇦⇨		QAM115	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2580	
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2579	

Synergie continued... 10/95-10/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34	Suspension Arm Bush - Rear			EMS8318	

Xantia 03/93-11/97

X1,X2 Series I



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.Turbo,TD	QR2220S	Male M14x1.5, Ø 12mm Cone, L=110mm
1a	Tie Rod End - Outer	⇦	Turbo,TD, 03/93-05/95, -rp.6778	QR2220S	Male M14x1.5, Ø 12mm Cone, L=110mm
1a	Tie Rod End - Outer	⇦	Turbo,TD, 06/95-11/97, rp.6779-	QR9936S	Male M16x1.5
1b	Tie Rod End - Outer	⇨	exc.Turbo,TD	QR2219S	Male M14x1.5, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨	Turbo,TD, 03/93-05/95, -rp.6778	QR2219S	Male M14x1.5, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨	Turbo,TD, 06/95-11/97, rp.6779-	QR9937S	Male M16x1.5
2	Rack End	⇦⇨	exc.Turbo,TD	QR2119S	Female M14x1.5, M12x1.0 Swivel, L=330mm
2	Rack End	⇦⇨	Turbo,TD, 03/93-05/95, -rp.6778	QR2119S	Female M14x1.5, M12x1.0 Swivel, L=330mm
2	Rack End	⇦⇨	Turbo,TD, 06/95-11/97, rp.6779-	QR9233S	Female M16x1.5, M12 Swivel, L=325mm
4a	Tie Rod Assembly	⇦	Turbo,TD, 06/95-11/97, rp.6779-	-	Female M16x1.5
4b	Tie Rod Assembly	⇨	Turbo,TD, 06/95-11/97, rp.6779-	-	Female M16x1.5
20a	Suspension Arm - Front		exc.Activa	QSA1374S	
20a	Suspension Arm - Front		Activa	QSA1772S	
20b	Suspension Arm - Front		exc.Activa	QSA1373S	
20b	Suspension Arm - Front		Activa	QSA1779S	
21	Ball Joint - Front			QSJ1184S	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front			EMS3022	Front
24b	Suspension Arm Bush - Front			EMS3024	Rear


continued...

Xantia continued... 03/93-11/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24c	Suspension Arm Bush - Front			EMS3023	Rear
25	Stabiliser Link - Front			QLS3076S	L=355mm, Ø 10mm
25	Stabiliser Link - Front			QLS3077S	Ø 12mm
26	Stabiliser Bar Bush - Front			EMB3037	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front			EMB3038	Outer, Ø 23mm
27	Stabiliser Link Kit - Front			EMBK2409	Ø 22mm Stabiliser Bar Bush + Bracket
27	Stabiliser Link Kit - Front			EMBK2411	Ø 23mm Stabiliser Bar Bush + Bracket
35	Stabiliser Link - Rear		Activa	-	
37	Suspension Arm Repair Kit - Rear		exc.Estate	QWB9000	
93[1]	Subframe Mounting - Rear			EMS8323	Rear

Xantia 12/97-04/03

X1,X2 Series II



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer		exc.Turbo	QR2220S	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
1a	Tie Rod End - Outer		Turbo	QR9936S	Male M16x1.5 RH
1b	Tie Rod End - Outer		exc.Turbo	QR2219S	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer		Turbo	QR9937S	Male M16x1.5 RH
2	Rack End		exc.Turbo	QR2119S	Female M14x1.5 RH, M12x1.0 Swivel, L=330mm
2	Rack End		Turbo	QR9233S	Female M16x1.5 RH, M12 Swivel, L=325mm
4a	Tie Rod Assembly		Turbo	-	
4b	Tie Rod Assembly		Turbo	-	
20a	Suspension Arm - Front		exc.Activa	QSA1374S	
20a	Suspension Arm - Front		Activa	QSA1772S	


Xantia continued... 12/97-04/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		exc.Activa	**QSA1373S**	
20b	Suspension Arm - Front		Activa	**QSA1779S**	
21	Ball Joint - Front			**QSJ1184S**	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front			**EMS3022**	Front
24b	Suspension Arm Bush - Front			**EMS3024**	Rear
24c	Suspension Arm Bush - Front			**EMS3023**	Rear
25	Stabiliser Link - Front		-rp.8151, 12/97-02/99	**QLS3077S**	Ø 12mm
25	Stabiliser Link - Front		rp.8152-, 03/99-04/03	**QLS3256S**	L=324mm
26	Stabiliser Bar Bush - Front		exc.Activa, Estate	**EMB3037**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front		exc.Activa, Estate	**EMB3038**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front		Activa	**EMB7070**	Outer, Ø 28mm Stabiliser Bar Bush + Bracket
27	Stabiliser Link Kit - Front		exc.Activa, Estate	**EMBK2409**	Outer, Ø 22mm Stabiliser Bar Bush + Bracket
27	Stabiliser Link Kit - Front		exc.Activa, Estate	**EMBK2411**	Outer, Ø 23mm Stabiliser Bar Bush + Bracket
35	Stabiliser Link - Rear		Activa	**-**	
37	Suspension Arm Repair Kit - Rear		exc.Estate	**QWB9000**	
93[1]	Subframe Mounting - Rear			**EMS8323**	Rear

XM I

Y3

05/89-07/94




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Rack End Thread Ø 18mm	**QR2220S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨	Rack End Thread Ø 18mm	**QR2219S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨	Rack End Thread Ø 18mm, exc.Diravi	**QR5014S**	Female M14x1.5 , L=310mm
2	Rack End	⇦⇨	Rack End Thread Ø 22mm, exc.Diravi	**QR5227S**	Female M16x1.5, M12x1.0mm Swivel, L=292mm
2	Rack End	⇦⇨	Rack End Thread Ø 18mm, Diravi	**-**	Female M14x1.5
2	Rack End	⇦⇨	Rack End Thread Ø 22mm, Diravi	**-**	Female M16x1.5
4a	Tie Rod Assembly	⇦	exc.Diravi	**QDL2449S**	Female M14x1.5
4b	Tie Rod Assembly	⇨	exc.Diravi	**QDL2450S**	Female M14x1.5
21	Ball Joint - Front			**QSJ1184S**	Ø 15.8mm Cone, Ø 40mm Mounting Thread
25	Stabiliser Link - Front	⇦⇨		**QLS3072S**	exc.Adjustable, L=399mm
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Estate	**QWB9004**	

XM II

Y4

08/94-04/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Rack End Thread Ø 18mm	**QR2401S**	Male M14x1.5 , Ø 12mm Cone
1a¹	Tie Rod End - Outer	⇦	Rack End Thread Ø 22mm	**QR9936S**	Male M16x1.5
1b	Tie Rod End - Outer	⇨	Rack End Thread Ø 18mm	**QR2402S**	Male M14x1.5 , Ø 12mm Cone
1b¹	Tie Rod End - Outer	⇨	Rack End Thread Ø 22mm	**QR9937S**	Male M16x1.5
2	Rack End	⇦⇨	Rack End Thread Ø 18mm, exc.Diravi	**QR5014S**	Female M14x1.5 , L=310mm
2¹	Rack End	⇦⇨	Rack End Thread Ø 22mm, exc.Diravi	**QR5227S**	Female M16x1.5, M12x1.0mm Swivel, L=292mm
2	Rack End	⇦⇨	Rack End Thread Ø 18mm, Diravi	**-**	Female M14x1.5
2¹	Rack End	⇦⇨	Rack End Thread Ø 22mm, Diravi	**-**	Female M16x1.5
4a	Tie Rod Assembly	⇦	Rack End Thread Ø 18mm, exc.Diravi	**-**	Ø 14mm
4a	Tie Rod Assembly	⇦	Rack End Thread Ø 22mm, exc.Diravi	**QDL5269S**	Ø 16mm
4a	Tie Rod Assembly	⇦	Rack End Thread Ø 18mm, Diravi	**QDL2762S**	Ø 14mm
4a	Tie Rod Assembly	⇦	Rack End Thread Ø 22mm, Diravi	**-**	Ø 16mm
4b	Tie Rod Assembly	⇨	Rack End Thread Ø 18mm, exc.Diravi	**-**	Ø 14mm
4b	Tie Rod Assembly	⇨	Rack End Thread Ø 22mm, exc.Diravi	**QDL5270S**	Ø 16mm
4b	Tie Rod Assembly	⇨	Rack End Thread Ø 18mm, Diravi	**QDL2732S**	Ø 14mm
4b	Tie Rod Assembly	⇨	Rack End Thread Ø 22mm, Diravi	**-**	Ø 16mm
21	Ball Joint - Front			**QSJ1184S**	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front			**EMS8273**	Front
24b	Suspension Arm Bush - Front			**EMS1993**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3072S**	exc.Adjustable, L=399mm
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Estate	**QWB9004**	
93¹	Subframe Mounting - Rear			**EMS8323**	Rear

Xsara I

07/97-08/98

N0,N1,N2 -rp.7969




Xsara I continued... 07/97-08/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		QR3076S	Female M14x1.5 ,M12x1.0 Swivel, L=355mm
4	Tie Rod Assembly	⇦⇨		QDL5263S	
20a	Suspension Arm - Front			QSA991S	Complete
20a	Suspension Arm - Front			QSA993S	Complete
20a[1]	Suspension Arm - Front			QSA2368S	Not Complete
20b	Suspension Arm - Front			QSA990S	Complete
20b	Suspension Arm - Front			QSA992S	Complete
20b[1]	Suspension Arm - Front			QSA2369S	Not Complete
21	Ball Joint - Front			QSJ1294S	Ø 16mm Cone
21	Ball Joint - Front			QSJ1600S	Ø 16mm Cone
24a	Suspension Arm Bush - Front			EMS1859	Front
24b	Suspension Arm Bush - Front			EMS1858	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3063S	L=306mm, Metal
25[1]	Stabiliser Link - Front	⇦⇨		QLS3240S	L=306mm, Plastic
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7179	Outer, Ø 20mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	2.0 16v	EMB7079	Inner, Ø 21mm
27[1]	Stabiliser Bar Bush Kit - Front	⇨⇦	2.0 16v	EMBK3054	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.2.0i 16v mtr.XU10J4R	EMR2275	
16	Axle Mounting - Rear	⇧	exc.2.0i 16v mtr.XU10J4R	EM1896	Inner
16	Axle Mounting - Rear	⇧	2.0i 16v mtr.XU10J4R	-	Inner
16a	Axle Mounting - Rear	⇦		EM2517	Outer
16b	Axle Mounting - Rear	⇨		EM1914	Outer
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.2.0 16v	QWB9011	
37	Suspension Arm Repair Kit - Rear	⇦⇨	2.0 16v	QWB9019	

Xsara I

09/98-08/00

N0,N1,N2 rp.7970-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 ↻, Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		QR3076S	Female M14x1.5 ↻,M12x1.0 Swivel, L=355mm
4	Tie Rod Assembly	⇦⇨		QDL5263S	
20a	Suspension Arm - Front	↲	exc.Estate	QSA1905S	Sheet Steel Type, Complete


Xsara I continued... 09/98-08/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		Estate	**QSA1905S**	Sheet Steel Type, Complete
20a[1]	Suspension Arm - Front			**QSA2368S**	Not Complete
20b	Suspension Arm - Front		exc.Estate	**QSA1906S**	Sheet Steel Type, Complete
20b	Suspension Arm - Front		Estate	**QSA1906S**	Sheet Steel Type, Complete
20b[1]	Suspension Arm - Front			**QSA2369S**	Not Complete
21	Ball Joint - Front			**QSJ9537S**	Ø 18mm Cone, H=32.5mm
24a	Suspension Arm Bush - Front			**EMS1859**	Front
24b	Suspension Arm Bush - Front			**EMS1858**	Rear
25	Stabiliser Link - Front			**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front			**QLS3240S**	L=306mm, Plastic
26[1]	Stabiliser Bar Bush - Front		2.0 16v	**EMB7079**	Inner, Ø 21mm
27[1]	Stabiliser Bar Bush Kit - Front		2.0 16v	**EMBK3054**	Inner, Ø 21mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing		-rp.8106 18/01/1999 ,exc.2.0i 16v mtr.XU10J4R	**EMR2275**	
62	Top Strut Mounting - Front exc.Bearing		rp.8106- 19/01/1999>	**EMR1925**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1925**	
16	Axle Mounting - Rear		exc.2.0i 16v mtr.XU10J4R	**EM1896**	Inner
16	Axle Mounting - Rear		2.0i 16v mtr.XU10J4R	**-**	Inner
16a	Axle Mounting - Rear			**EM2517**	Outer
16b	Axle Mounting - Rear			**EM1914**	Outer
37	Suspension Arm Repair Kit - Rear			**QWB9011**	

Xsara II

N0,N1,N2

09/00-08/05




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		QR3076S	Female M14x1.5 ,M12x1.0 Swivel, L=355mm
4	Tie Rod Assembly	⇦⇨		QDL5263S	
20a	Suspension Arm - Front		Std.Susp. exc.DW10ATED AUTO	QSA1905S	Sheet Steel Type, Complete
20a¹	Suspension Arm - Front		Std.Susp. exc.DW10ATED AUTO	QSA2368S	Not Complete
20a	Suspension Arm - Front		H.D.Susp., DW10ATED AUTO	-	

Xsara II continued... 09/00-08/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		Std.Susp. Exc.DW10ATED AUTO	**QSA1906S**	Sheet Steel Type, Complete
20b[1]	Suspension Arm - Front		Std.Susp. exc.DW10ATED AUTO	**QSA2369S**	Not Complete
20b	Suspension Arm - Front		H.D.Susp., DW10ATED AUTO	**-**	
21	Ball Joint - Front			**QSJ9537S**	Ø 18mm Cone, H=32.5mm
21	Ball Joint - Front			**-**	Ø 18mm Cone, H=36mm
24a	Suspension Arm Bush - Front			**EMS1859**	Front
24b	Suspension Arm Bush - Front		exc.H.D.Susp.,2.0HDi mtr.DW10ATED AUTO	**EMS1858**	Rear
24b	Suspension Arm Bush - Front		H.D.Susp.,2.0HDi mtr.DW10ATED AUTO	**-**	Rear
25	Stabiliser Link - Front			**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front			**QLS3240S**	L=306mm, Plastic
26	Stabiliser Bar Bush - Front		exc.1.4HDi,2.0i 16v,Estate	**EMB7074**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front		1.4HDi	**EMB7179**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front		2.0i 16v	**EMB7079**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		exc.1.4HDi,2.0i 16v,Estate	**EMBK2073**	Outer, Ø 19mm
27	Stabiliser Bar Bush Kit - Front		1.4HDi	**-**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front		2.0i 16v	**EMBK3054**	Outer, Ø 21mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing		exc.2.0i 16v mtr.XU10J4R 09/00-10/00	**EMR2275**	
62	Top Strut Mounting - Front exc.Bearing		2.0i 16v mtr.XU10J4R 09/00-10/00	**EMR2277**	
62	Top Strut Mounting - Front exc.Bearing		10/00-	**EMR6020**	
63	Top Strut Mounting - Front inc.Bearing		10/00-	**EMA6020**	
16	Axle Mounting - Rear		exc.2.0i 16v mtr.XU10J4R	**EM1896**	Inner
16	Axle Mounting - Rear		2.0i 16v mtr.XU10J4R	**-**	Inner
16a	Axle Mounting - Rear			**EM2517**	Outer
16b	Axle Mounting - Rear			**EM1914**	Outer
37	Suspension Arm Repair Kit - Rear		2.0i 16v	**QWB9019**	

Xsara Picasso 09/99-12/10

CH Picasso



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨	-rp.10016	QR5328S	Female M14x1.5mm, M14x1mm Swivel, L=338mm
2	Rack End	⇦⇨	rp.10017-	QR3816S	Female M14x1.5 , M12x1 Swivel, L=354mm
20a	Suspension Arm - Front		Std.Susp., 1.6i 8v,1.8i 8v, 1.8i 16v -DAM.09063	QSA1976S	Cast Type, Complete
20a	Suspension Arm - Front		Std.Susp., 1.6 HDi,2.0i 16v,2.0 HDi	QSA1976S	Cast Type, Complete


Xsara Picasso continued... 09/99-12/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a[1]	Suspension Arm - Front		Std.Susp., 1.6i 8v,1.6i 16v,1.8i 8v,1.8i 16v DAM.09064/DAM.11249-	**QSA1905S**	Sheet Steel Type, Complete
20a[1]	Suspension Arm - Front		Std.Susp., 1.6i 8v,1.6i 16v,1.8i 8v,1.8i 16v DAM.09064/DAM.11249-	**QSA2368S**	Not Complete
20a	Suspension Arm - Front		H.D.Susp.	**-**	
20b	Suspension Arm - Front		Std.Susp., 1.6i 8v,1.8i 8v, 1.8i 16v -DAM.09063	**QSA1977S**	Cast Type, Complete
20b	Suspension Arm - Front		Std.Susp., 1.6 HDi,2.0i 16v,2.0 HDi	**QSA1977S**	Cast Type, Complete
20b[1]	Suspension Arm - Front		Std.Susp., 1.6i 8v,1.6i 16v,1.8i 8v,1.8i 16v DAM.09064/DAM.11249-	**QSA1906S**	Sheet Steel Type, Complete
20b[1]	Suspension Arm - Front		Std.Susp., 1.6i 8v,1.6i 16v,1.8i 8v,1.8i 16v DAM.09064/DAM.11249-	**QSA2369S**	Not Complete
20b	Suspension Arm - Front		H.D.Susp.	**-**	
21	Ball Joint - Front		Std.Susp.	**QSJ9537S**	Sheet Steel Type, Ø 18mm Cone
24a	Suspension Arm Bush - Front			**EMS1859**	Front
24b	Suspension Arm Bush - Front		Std.Susp.,mtr.TU,EW7J4 -rp.9063	**EMS8189**	Rear, Cast Type
24b	Suspension Arm Bush - Front		Std.Susp.,mtr.TU,EW7J4 rp.9064-	**EMS1858**	Rear, Sheet Steel Type
24b	Suspension Arm Bush - Front		Std.Susp.,exc.mtr.TU,EW7J4	**EMS8189**	Rear, Cast Type
25	Stabiliser Link - Front			**QLS3063S**	L=306mm, Metal
26[1]	Stabiliser Bar Bush - Front			**EMB7079**	Inner, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		1.6i 8v,1.8i rp.9064-10562	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		1.6i 8v,1.8i rp.9064-10562	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		1.6i 16v -rp.10562	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		1.6i 16v -rp.10562	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		1.6i 8v,1.6i 16v rp.10563-	**-**	Outer, Ø 21mm
27[1]	Stabiliser Bar Bush Kit - Front		1.6i 8v,1.8i -rp.9063	**EMBK3054**	Inner, Ø 21mm
27[1]	Stabiliser Bar Bush Kit - Front		1.6HDi,2.0HDi -rp.10562	**EMBK3054**	Inner, Ø 21mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing			**EMR1925**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1925**	
16	Axle Mounting - Rear			**EM1896**	Inner
16a	Axle Mounting - Rear			**EM2517**	Outer, Paulstra, exc. Paint Mark
16b	Axle Mounting - Rear			**EM1914**	Outer, Paulstra, exc. Paint Mark
34a	Suspension Arm Bush - Rear		Std.Susp.	**-**	Front
34a	Suspension Arm Bush - Rear		H.D.Susp.	**-**	Front
34b	Suspension Arm Bush - Rear		Std.Susp.	**-**	Rear
34b	Suspension Arm Bush - Rear		H.D.Susp.	**EM4231**	Rear
37	Suspension Arm Repair Kit - Rear			**QWB9012**	
95[1]	Shock Absorber Bush - Rear			**EMS8504**	Lower
95[2]	Shock Absorber Bush - Rear			**EMS8505**	Upper

ZX

N2

03/91-02/00




ZX continued... 03/91-02/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		QR3076S	Female M14x1.5 ,M12x1.0 Swivel, L=355mm
4	Tie Rod Assembly	⇦⇨		QDL2743S	
20a	Suspension Arm - Front			QSA991S	Complete
20a	Suspension Arm - Front			QSA993S	Complete
20a[1]	Suspension Arm - Front			QSA2368S	Not Complete
20b	Suspension Arm - Front			QSA990S	Complete
20b	Suspension Arm - Front			QSA992S	Complete
20b[1]	Suspension Arm - Front			QSA2369S	Not Complete
21	Ball Joint - Front			QSJ1294S	Ø 16mm Cone
21	Ball Joint - Front			QSJ1600S	Ø 16mm Cone
24a	Suspension Arm Bush - Front			EMS1859	Front
24b	Suspension Arm Bush - Front			EMS1858	Rear
25	Stabiliser Link - Front	⇦⇨	exc.2.0i 16v, -rp.5683	-	
25	Stabiliser Link - Front	⇦⇨	2.0i 16v, -rp.5683	QLS3069S	L=375mm
25	Stabiliser Link - Front	⇦⇨		QLS3063S	L=306mm, Metal, rp.5684-
25[1]	Stabiliser Link - Front	⇦⇨		QLS3240S	L=306mm, Plastic, rp.5684-
27	Stabiliser Bar Bush - Front	⇦⇨	exc.2.0i 16v	EMB7071	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨	2.0i 16v rp.5684- 05/92-02/00	EMB7080	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 18mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB7079	Inner, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.2.0i 16v	EMBK2653	Outer, Ø 17mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.2.0i 16v	EMBK2074	Outer, Ø 18mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.2.0i 16v	EMBK2073	Outer, Ø 19mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.2.0i 16v	EMBK2410	Outer, Ø 21mm
27[1]	Stabiliser Bar Bush Kit - Front	⇨⇦	2.0i 16v rp.5684- 05/92-02/00	EMBK3054	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.2.0i,2.0i 16v	EMR2275	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.2.0i,2.0i 16v	EMR1925	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	2.0i,2.0i 16v	EMR2277	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.2.0i,2.0i 16v	EMA1925	
16	Axle Mounting - Rear	⇧	exc.2.0i 16v	EM1896	Inner
16	Axle Mounting - Rear	⇧	2.0i 16v	-	Inner
16a	Axle Mounting - Rear	⇦		EM2517	Outer
16b	Axle Mounting - Rear	⇨		EM1914	Outer
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9011	
64	Bump Stop - Rear	⇦⇨	exc.Estate with rear drum brakes	-	49.5x63

Berlingo I

07/96-11/02

GB,GC,GE,MA,MB,MC,ME Van




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 ↻, Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨	exc.HDi	QR3076S	Female M14x1.5 ↻,M12x1.0 Swivel, L=355mm
2	Rack End	⇦⇨	HDi	QR5328S	Female M14x1.5mm, M14x1mm Swivel, L=338mm
4	Tie Rod Assembly	⇦⇨	exc.HDi	QDL5263S	

Berlingo I continued... 07/96-11/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA991S**	Complete
20a	Suspension Arm - Front		, rp.7973-, 10/98-, exc.Electric Motor, exc.HDi	**QSA1905S**	Sheet Steel Type, Complete
20a	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA993S**	Complete
20a	Suspension Arm - Front		, rp.7973-, 10/98-, exc.Electric Motor, exc.HDi	**QSA1905S**	Sheet Steel Type, Complete
20a[1]	Suspension Arm - Front		exc.HDi, exc.Electric	**QSA2368S**	Not Complete
20a[1]	Suspension Arm - Front		HDi	**QSA1976S**	Cast Type, Complete
20a[1]	Suspension Arm - Front		Electric	**-**	
20b	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA990S**	Complete
20b	Suspension Arm - Front		, rp.7973-, 10/98-, exc.Electric Motor, exc.HDi	**QSA1906S**	Sheet Steel Type, Complete
20b	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA992S**	Complete
20b	Suspension Arm - Front		, rp.7973-, 10/98-, exc.Electric Motor, exc.HDi	**QSA1906S**	Sheet Steel Type, Complete
20b[1]	Suspension Arm - Front		exc.HDi, exc.Electric	**QSA2369S**	Not Complete
20b[1]	Suspension Arm - Front		HDi	**QSA1977S**	Cast Type, Complete
20b[1]	Suspension Arm - Front		Electric	**-**	
21	Ball Joint - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSJ1294S**	Ø 16mm Cone
21	Ball Joint - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSJ9537S**	Ø 18mm Cone
21	Ball Joint - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSJ1600S**	Ø 16mm Cone
21	Ball Joint - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSJ9537S**	Ø 18mm Cone, H=32.5mm
24a	Suspension Arm Bush - Front			**EMS1859**	Front
24b	Suspension Arm Bush - Front		exc.1.9D mtr.DW8,DW8B,2.0HDi,H.D., Multifunction Roof,Electric	**EMS1858**	Rear
24c	Suspension Arm Bush - Front		1.9D mtr.DW8,DW8B,2.0HDi,Multifunction Roof	**EMS8189**	Rear
24b	Suspension Arm Bush - Front		Electric,H.D. -rp.8364 07/96-10/99	**EMS1858**	Rear
24c	Suspension Arm Bush - Front		Electric,H.D. rp.8365- 10/99-11/02	**EMS8189**	Rear
25	Stabiliser Link - Front			**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front			**QLS3240S**	L=306mm, Plastic
26[1]	Stabiliser Bar Bush - Front			**EMB7079**	Inner, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		exc.2.0HDi,H.D.	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		exc.2.0HDi,H.D.	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		exc.2.0HDi,H.D.	**EMBK2661**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front		2.0HDi	**EMBK3054**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		2.0HDi	**-**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front		H.D. -rp.8364 07/96-10/99	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		H.D. -rp.8364 07/96-10/99	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		H.D. rp.8365- 10/99-11/02	**EMBK3054**	Outer, Ø 21mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing		exc.2.0HDi	**EMR2275**	
62	Top Strut Mounting - Front exc.Bearing		exc.2.0HDi	**EMR1925**	
62	Top Strut Mounting - Front exc.Bearing		2.0HDi	**-**	
63	Top Strut Mounting - Front inc.Bearing		exc.2.0HDi	**EMA1925**	
34a	Suspension Arm Bush - Rear		exc.800Kg,H.D.Susp.	**EMS8330**	Trailing Arm, Front
34a[1]	Suspension Arm Bush - Rear		800Kg,H.D.Susp.	**-**	Trailing Arm, Front
34b	Suspension Arm Bush - Rear			**EM4231**	Axle
37	Suspension Arm Repair Kit - Rear			**QWB9012**	
95	Shock Absorber Bush - Rear		Std.Susp.	**EMS8505**	Upper
95	Shock Absorber Bush - Rear		H.D Susp.-rp.9855	**EMS8505**	Upper

Berlingo II 11/02-06/08

GB,GC,GE,MA,MB,MC,ME Van




Berlingo II continued... 11/02-06/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1741S**	Male M14x1.5 RH, Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨	exc.HDi	**QR3076S**	Female M14x1.5 RH,M12x1.0 Swivel, L=355mm
2	Rack End	⇦⇨	HDi -rp.10016, 11/02-04/04	**QR5328S**	Female M14x1.5mm, M14x1mm Swivel, L=338mm
2	Rack End	⇦⇨	HDi rp.10017-, 04/04-06/08	**QR3816S**	Female M14x1.5 RH, M12x1 Swivel, L=354mm
4	Tie Rod Assembly	⇦⇨	exc.HDi	**QDL5263S**	
20a	Suspension Arm - Front	↲	exc.HDi, exc.H.D.	**QSA1905S**	Sheet Steel Type, Complete
20a[1]	Suspension Arm - Front	↲	exc.HDi, exc.H.D.	**QSA2368S**	Not Complete
20a[1]	Suspension Arm - Front	↲	HDi, H.D.	**QSA1976S**	Cast Type, Complete
20b	Suspension Arm - Front	↳	exc.HDi, exc.H.D.	**QSA1906S**	Sheet Steel Type, Complete
20b[1]	Suspension Arm - Front	↳	exc.HDi, exc.H.D.	**QSA2369S**	Not Complete
20b[1]	Suspension Arm - Front	↳	HDi, H.D.	**QSA1977S**	Cast Type, Complete
21	Ball Joint - Front	↲↳	exc.HDi, exc.H.D.	**QSJ9537S**	Ø 18mm Cone, H=32.5mm
24a	Suspension Arm Bush - Front	↲↳		**EMS1859**	Front
24b	Suspension Arm Bush - Front	↲↳	1.1i,1.4i,1.9Di mtr.DW8B exc.H.D Susp.	**EMS1858**	Rear
24c	Suspension Arm Bush - Front	↲↳	1.6i 16v,1.6HDi,2.0HDi,H.D.	**EMS8189**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front	⇦⇨		**QLS3240S**	L=306mm, Plastic
26	Stabiliser Bar Bush - Front	⇦⇨	exc.2.0HDi,H.D.	**EMB7156**	Outer, Ø 22mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	exc.2.0HDi,H.D.	**EMB7079**	Inner, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10562, Electric	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10562, Electric	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10562 exc.2.0HDi,Electric	**EMBK2661**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10562 2.0HDi,Electric	**-**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.4i rp.10563-	**-**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.6HDi,1.9Di,2.0HDi,Electric rp.10563-	**-**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.4i,1.6i,1.6HDi,1.9Di,2.0HDi rp.10563-	**-**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1925**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1925**	
34a	Suspension Arm Bush - Rear	⇦⇨	Std.Susp.	**EMS8330**	Trailing Arm, Front
34a	Suspension Arm Bush - Rear	⇦⇨	H.D.Susp.,exc.Type 8 platform cab,short van 800kg	**EMS8330**	Trailing Arm, Front
34a	Suspension Arm Bush - Rear	⇦⇨	H.D.Susp.,Type 8 platform cab,short van 800kg	**-**	Trailing Arm, Front
34b	Suspension Arm Bush - Rear	⇦⇨		**EM4231**	Axle
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9012**	
95	Shock Absorber Bush - Rear	↰↱		**EMS8505**	Upper

Berlingo III 06/08-

Van




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3638S	Female M14x1.5 , Ø 12mm Cone, L=165mm
1b	Tie Rod End - Outer	⇨		QR3639S	Female M14x1.5 , Ø 12mm Cone, L=165mm
2	Rack End	⇦⊐⇨		QR3807S	
20a	Suspension Arm - Front	↲		QSA1948S	
20b	Suspension Arm - Front	↳		QSA1949S	
21	Ball Joint - Front	⇩⇩		QSJ3256S	Ø 16mm Cone, M14x1.5
24a	Suspension Arm Bush - Front	⇩⇩		EMS8192	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8193	Rear
25	Stabiliser Link - Front	⇦⊐⇨		QLS3549S	L=335mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB7260	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB7256	Outer, Ø 25mm
61	Top Strut Bearing - Front	⇦⊐⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		EMR5042	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨		EMA5042	

C15

06/88-09/89


VD 954cc,1124cc,1360cc rp.04222-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1741S**	Male M14x1.5 , Ø 12mm Cone, L=95mm
4	Tie Rod Assembly	⇦⇨		**QDL2147S**	
20a	Suspension Arm - Front			**QSJ974S**	Ø 16mm Cone
20b	Suspension Arm - Front			**QSJ973S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS2136**	Outer, x2
24b	Suspension Arm Bush - Front			**EMS2207**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨	600kg	**EMB2138**	Outer, Ø 23mm,Blue
26	Stabiliser Bar Bush - Front	⇦⇨	760kg	**EMB2116**	Outer, Ø 24mm
27	Stabiliser Link Kit - Front	⇦⇨	600kg	**EMBK2067**	Ø 23mm,Blue
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2173**	
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9000**	

C15 09/89-07/96

VD 954cc,1124cc,1360cc rp.4680-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
4	Tie Rod Assembly	⇦⇨		QDL2147S	
20a	Suspension Arm - Front			QSJ974S	Ø 16mm Cone
20b	Suspension Arm - Front			QSJ973S	Ø 16mm Cone
24a	Suspension Arm Bush - Front			EMS2136	Outer, x2
24b	Suspension Arm Bush - Front			EMS2207	Inner
26	Stabiliser Bar Bush - Front	⇦⇨	600kg	EMB2138	Outer, Ø 23mm,Blue
26	Stabiliser Bar Bush - Front	⇦⇨	760kg	EMB2116	Outer, Ø 24mm
27	Stabiliser Link Kit - Front	⇦⇨	600kg	EMBK2066	exc.Aluminium Clamp, Ø 22mm, Green
27	Stabiliser Link Kit - Front	⇦⇨	600kg	EMBK2067	Ø 23mm,Blue
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2173	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2173	
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9000	

C15 11/84-07/05

VD 1.8D,1.9Di



C15 continued... 11/84-07/05





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5, Ø 12mm Cone, L=95mm
4	Tie Rod Assembly	⇦⇨		QDL2147S	
20a	Suspension Arm - Front			QSJ974S	Ø 16mm Cone
20b	Suspension Arm - Front			QSJ973S	Ø 16mm Cone
24a	Suspension Arm Bush - Front			EMS2136	Outer, x2
24b	Suspension Arm Bush - Front			EMS2207	Inner
26	Stabiliser Bar Bush - Front	⇦⇨	600kg	EMB2138	Outer, Ø 23mm,Blue
26	Stabiliser Bar Bush - Front	⇦⇨	760kg	EMB2116	Outer, Ø 24mm
27	Stabiliser Link Kit - Front	⇦⇨	600kg	EMBK2066	exc.Aluminium Clamp, Ø 22mm, Green
27	Stabiliser Link Kit - Front	⇦⇨	600kg	EMBK2067	Ø 23mm,Blue
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2173	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2173	
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9000	

C25 11/81-01/94

280,290 1000-1800kg





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2064S	Female M16x1.5, Ø 14.5mm Cone, L=79.5mm
2	Rack End	⇦⇨		QR2118S	Male M16x1.5 ,M16x1.5 Swivel, L=295mm
2	Rack End	⇦⇨		-	

continued...


C25 continued... 11/81-01/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4	Tie Rod Assembly	⇦⇨		QDL2152S	
20a	Suspension Arm - Front	↲	-ch.289710, exc.1800kg	QSJ1280S	
20a	Suspension Arm - Front	↲	ch.289711-, exc.1800kg	QSJ1282S	
20a	Suspension Arm - Front	↲	1800kg	QSJ1284S	
20b	Suspension Arm - Front	↳	-ch.289710, exc.1800kg	QSJ1279S	
20b	Suspension Arm - Front	↳	ch.289711-, exc.1800kg	QSJ1281S	
20b	Suspension Arm - Front	↳	1800kg	QSJ1283S	
21	Ball Joint - Front	⇦⇨	-ch.289710	QSJ985S	Ø 16mm Cone, Ø M14x1.5
21	Ball Joint - Front	⇦⇨	ch.289711-	QSJ1033S	Ø M16x1.5, Ø 17.1mm Cone
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7140	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2240	

Dispatch I,II 10/95-10/06

BA,BE,BT,BU,BW,BY,BZ,U6






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	-rp.9792, 10/95-08/03	QR2856S	Female M14x1.5 RH, Ø 12.6mm Cone, L=75mm
1	Tie Rod End - Outer	⇦⇨	rp.9793-, 09/03-	QR3350S	Female M14x1.5mm, Ø 13.5mm Cone, L=75mm
2	Rack End	⇦⇨		QR2857S	Male M14x1.5 RH, L=320mm
4	Tie Rod Assembly	⇦⇨	-rp.9792, 10/95-08/03	QDL3287S	
20a	Suspension Arm - Front	↲	-rp.10829	QSA9113S	
20a	Suspension Arm - Front	↲	rp.10830-	QSA2537S	
20b	Suspension Arm - Front	↳	-rp.10829	QSA9114S	
20b	Suspension Arm - Front	↳	rp.10830-	QSA2538S	
24a	Suspension Arm Bush - Front	⇦⇨	-rp.10829	EMS2660	Front
24a	Suspension Arm Bush - Front	⇦⇨	rp.10830-	EMS8442	Front
24b	Suspension Arm Bush - Front	↲		EMS2662	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	↳		EMS2661	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		QLS1885S	L=120mm

Dispatch I,II continued... 10/95-10/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
61	Top Strut Bearing - Front	⇦⇨	-rp.8704	**QAM115**	
61	Top Strut Bearing - Front	⇦⇨	rp.8705-	**-**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR2580**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR2579**	

Dispatch III 11/06-

VF7




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3712S**	Female M14x1.5 RH, Ø 14.5mm Cone, L=80mm
2	Rack End	⇦⇨		**QR3713S**	
20a	Suspension Arm - Front	↲		**QSA2441S**	Ø 19mm
20b	Suspension Arm - Front	↳		**QSA2442S**	Ø 19mm
24a	Suspension Arm Bush - Front	↲↳		**EMS8442**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8489**	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	↳		**EMS8490**	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		**QLS3651S**	L=263mm

Jumper I

02/94-02/02

231,232,233 1000-1800kg




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2858S	Female M16x1.5 RH, Ø 14.3mm Cone
2	Rack End	⇦⇨		QR2859S	Male M16x1.5 RH, L=335mm
20a	Suspension Arm - Front	↲	exc.1800kg, -rp.8850	QSA9246S	
20a	Suspension Arm - Front	↲	exc.1800kg, rp.8851-	QSA2107S	
20a	Suspension Arm - Front	↲	1800kg, -rp.8850	QSA9248S	
20a	Suspension Arm - Front	↲	1800kg, rp.8851-	QSA2115S	
20b	Suspension Arm - Front	↳	exc.1800kg, -rp.8850	QSA9247S	
20b	Suspension Arm - Front	↳	exc.1800kg, rp.8851-	QSA2108S	
20b	Suspension Arm - Front	↳	1800kg, -rp.8850	QSA9249S	
20b	Suspension Arm - Front	↳	1800kg, rp.8851-	QSA2116S	
21	Ball Joint - Front	↲↳	exc.1800kg, -rp.8850	QSJ1495S	Ø 17mm Cone
21	Ball Joint - Front	↲↳	exc.1800kg, rp.8851-	QSJ3324S	Ø 17mm Cone
21	Ball Joint - Front	↲↳	1800kg, -rp.8850	QSJ1496S	Ø 20mm Cone
21	Ball Joint - Front	↲↳	1800kg, rp.8851-	QSJ3325S	Ø 24mm Cone
24a	Suspension Arm Bush - Front	↲↳		EMS2696	Front
24b	Suspension Arm Bush - Front	↲↳		EMS2697	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1886S	L=134mm, M12x1.25
26	Stabiliser Bar Bush - Front	⇦⇨	exc.4x4	-	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2654	Outer, Ø 24mm
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7148	
61	Top Strut Bearing - Front	⇦⇨		QAM138	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2321	

Jumper I continued... 02/94-02/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR2320**	
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA2321**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA2320**	
18a	Leaf Spring Bush - Rear	⇦⇨	exc.4x4	**-**	Front
18b	Leaf Spring Bush - Rear	⇦⇨	exc.4x4	**EMS8491**	Rear

Jumper II 02/02-06/06

ZAT,ZBT,ZCT 1000-1800kg



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	02/02-12/02, -rp.9534	**QR2858S**	Female M16x1.5 ↻, Ø 14.3mm Cone
1	Tie Rod End - Outer	⇦⇨	12/02-06/06, rp.9535-	**QR3409S**	Female M16x1.5 ↻, Ø 12.6mm Cone, L=108mm
2	Rack End	⇦⇨		**QR2859S**	Male M16x1.5 ↻, L=335mm
20a	Suspension Arm - Front	↲	1000kg,1400kg	**QSA2107S**	
20a	Suspension Arm - Front	↲	1800kg	**QSA2115S**	
20b	Suspension Arm - Front	↳	1000kg,1400kg	**QSA2108S**	
20b	Suspension Arm - Front	↳	1800kg	**QSA2116S**	
21	Ball Joint - Front	⇃⇂	1000kg,1400kg	**QSJ3324S**	Ø 17mm Cone
21	Ball Joint - Front	⇃⇂	1800kg	**QSJ3325S**	Ø 24mm Cone
24a	Suspension Arm Bush - Front	⇃⇂		**EMS2696**	Front
24b	Suspension Arm Bush - Front	⇃⇂		**EMS8245**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1886S**	L=134mm, M12x1.25
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2654**	Outer, Ø 24mm
27²	Stabiliser Link Bush - Front	⇦⇨		**EMB7148**	
61	Top Strut Bearing - Front	⇦⇨		**QAM138**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR2321**	


continued...

Jumper II continued... 02/02-06/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2320	
63a	Top Strut Mounting - Front inc.Bearing	⇦		EMA2321	
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA2320	

Jumper III 07/06-

YAL,YBL,YCL,YXL 30,33,35,40




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3627S	Female M16x1.5 RH, Ø 16.0mm Cone, L=211mm
1b	Tie Rod End - Outer	⇨		QR3628S	Female M16x1.5 RH, Ø 16.0mm Cone, L=211mm
2	Rack End	⇦⇨		QR3629S	
20a	Suspension Arm - Front	↲	12Q,14Q,16Q Std.Payload	QSA2467S	
20a	Suspension Arm - Front	↲	16Q,20Q H.D.Payload	QSA2468S	
20b	Suspension Arm - Front	↳	12Q,14Q,16Q Std.Payload	QSA2469S	
20b	Suspension Arm - Front	↳	16Q,20Q H.D.Payload	QSA2470S	
21	Ball Joint - Front	↲↳		QSJ3416S	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front	↲↳		EMS8443	Front
24b	Suspension Arm Bush - Front	↲↳		EMS8444	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3586S	L=112mm
26	Stabiliser Bar Bush- Front	⇦⇨		EMB7292	
61	Top Strut Bearing - Front	⇦⇨		QAM138	
62a	Top Strut Mounting - Front exc.Bearing	⇦		-	
62b	Top Strut Mounting - Front exc.Bearing	⇨		-	
35	Stabiliser Link - Rear	⇦⇨		QLS3739S	L=100mm
36	Stabiliser Bar Bush- Rear	⇦⇨		EMB7293	

Jumpy I,II

10/95-10/06

BA,BB,BD,BE,BT,BW,BY,BZ,U6



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	-rp.9792, 10/95-08/03	**QR2856S**	Female M14x1.5 ↻, Ø 12.6mm Cone, L=75mm
1	Tie Rod End - Outer	⇦⇨	rp.9793-, 09/03-	**QR3350S**	Female M14x1.5mm, Ø 13.5mm Cone, L=75mm
2	Rack End	⇦⇨		**QR2857S**	Male M14x1.5 ↻, L=320mm
4	Tie Rod Assembly	⇦⇨	-rp.9792, 10/95-08/03	**QDL3287S**	
20a	Suspension Arm - Front	↲	-rp.10829	**QSA9113S**	
20a	Suspension Arm - Front	↲	rp.10830-	**QSA2537S**	
20b	Suspension Arm - Front	↳	-rp.10829	**QSA9114S**	
20b	Suspension Arm - Front	↳	rp.10830-	**QSA2538S**	
24a	Suspension Arm Bush - Front	↲↳	-rp.10829	**EMS2660**	Front
24a	Suspension Arm Bush - Front	↲↳	rp.10830-	**EMS8442**	Front
24b	Suspension Arm Bush - Front	↲		**EMS2662**	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	↳		**EMS2661**	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		**QLS1885S**	L=120mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7069**	Outer, Ø 24mm


continued...

Jumpy I,II continued... 10/95-10/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.Stabiliser Link	**EMBK2657**	Outer, Ø 24mm
27[1]	Stabiliser Bar Bush Kit - Front	⇦⇨	inc.Stabiliser Link	**EMBK3055**	Outer, Ø 24mm
27[2]	Stabiliser Link Bush - Front	⇦⇨		**EMB7148**	
61	Top Strut Bearing - Front	⇦⇨	-rp.8704	**QAM115**	
61	Top Strut Bearing - Front	⇦⇨	rp.8705-	**-**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR2580**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR2579**	
34	Suspension Arm Bush - Rear			**EMS8318**	

Jumpy III 11/06-

VF7




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3712S**	Female M14x1.5 , Ø 14.5mm Cone, L=80mm
2	Rack End	⇦⇨		**QR3713S**	
20a	Suspension Arm - Front			**QSA2441S**	
20b	Suspension Arm - Front			**QSA2442S**	
24a	Suspension Arm Bush - Front			**EMS8442**	Front
24b	Suspension Arm Bush - Front			**EMS8489**	Rear, Ø 47mm
24c	Suspension Arm Bush - Front			**EMS8490**	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		**QLS3651S**	L=263mm
61	Top Strut Bearing - Front	⇦⇨		**QAM115**	
62	Top Strut Mounting - Front exc.Bearing	⇦	Std. Susp.	**EMR2580**	
62	Top Strut Mounting - Front exc.Bearing	⇨	Std. Susp.	**EMR2579**	
62	Top Strut Mounting - Front exc.Bearing	⇦	H.D Susp.	**EMR6157**	
62	Top Strut Mounting - Front exc.Bearing	⇨	H.D Susp.	**EMR6158**	
63	Top Strut Mounting - Front inc.Bearing	⇦	Std. Susp.	**EMA2580**	
63	Top Strut Mounting - Front inc.Bearing	⇨	Std. Susp.	**EMA2579**	
63	Top Strut Mounting - Front inc.Bearing	⇦	H.D Susp.	**EMA6157**	
63	Top Strut Mounting - Front inc.Bearing	⇨	H.D Susp.	**EMA6158**	

Nemo

AA8,AAK

11/07-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3660S**	Female M14x1.5 RH, Ø 11.6mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		**QR3661S**	Female M14x1.5 RH, Ø 11.6mm Cone, L=113mm
2	Rack End	⇦⇨		**QR3844S**	Male M14x1.5 RH,M14x1.5 Swivel, L=287mm
20a	Suspension Arm - Front	⇦		**QSA2326S**	
20b	Suspension Arm - Front	⇨		**QSA2327S**	
21	Ball Joint - Front	⇦⇨		**QSJ3393S**	Ø 16mm Cone, 65mm Pcd,Ø 13mm Groove
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8348**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8349**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3615S**	L=290mm
26	Stabiliser Bar Bush - Front	⇦⇨	11/07-01/08	**EMB7233**	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	02/08-	**EMB7234**	Outer
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA6142**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA6143**	

Relay I

02/94-02/02

231,232,233 1000-1800kg




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2858S	Female M16x1.5 , Ø 14.3mm Cone
2	Rack End	⇦⇨		QR2859S	Male M16x1.5 , L=335mm
20a	Suspension Arm - Front		exc.1800kg, -rp.8850	QSA9246S	
20a	Suspension Arm - Front		exc.1800kg, rp.8851-	QSA2107S	
20a	Suspension Arm - Front		1800kg, -rp.8850	QSA9248S	
20a	Suspension Arm - Front		1800kg, rp.8851-	QSA2115S	
20b	Suspension Arm - Front		exc.1800kg, -rp.8850	QSA9247S	
20b	Suspension Arm - Front		exc.1800kg, rp.8851-	QSA2108S	
20b	Suspension Arm - Front		1800kg, -rp.8850	QSA9249S	
20b	Suspension Arm - Front		1800kg, rp.8851-	QSA2116S	
21	Ball Joint - Front		exc.1800kg, -rp.8850	QSJ1495S	Ø 17mm Cone
21	Ball Joint - Front		exc.1800kg, rp.8851-	QSJ3324S	Ø 17mm Cone
21	Ball Joint - Front		1800kg, -rp.8850	QSJ1496S	Ø 20mm Cone
21	Ball Joint - Front		1800kg, rp.8851-	QSJ3325S	Ø 24mm Cone
24a	Suspension Arm Bush - Front			EMS2696	Front
24b	Suspension Arm Bush - Front			EMS2697	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1886S	L=134mm, M12x1.25
26	Stabiliser Bar Bush - Front	⇦⇨	exc.4x4	-	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2654	Outer, Ø 24mm
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7148	
61	Top Strut Bearing - Front	⇦⇨		QAM138	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2321	

Relay I continued... 02/94-02/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR2320**	
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA2321**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA2320**	
18a	Leaf Spring Bush - Rear	⇦⇨	exc.4x4	**-**	Front
18b	Leaf Spring Bush - Rear	⇦⇨	exc.4x4	**EMS8491**	Rear

Relay II 02/02-06/06

ZAT,ZBT,ZCT 1000-1800kg



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	02/02-12/02, -rp.9534	**QR2858S**	Female M16x1.5, Ø 14.3mm Cone
1	Tie Rod End - Outer	⇦⇨	12/02-06/06, rp.9535-	**QR3409S**	Female M16x1.5, Ø 12.6mm Cone, L=108mm
2	Rack End	⇦⇨		**QR2859S**	Male M16x1.5, L=335mm
20a	Suspension Arm - Front	↲	1000kg,1400kg	**QSA2107S**	
20a	Suspension Arm - Front	↲	1800kg	**QSA2115S**	
20b	Suspension Arm - Front	↳	1000kg,1400kg	**QSA2108S**	
20b	Suspension Arm - Front	↳	1800kg	**QSA2116S**	
21	Ball Joint - Front	⇦↳	1000kg,1400kg	**QSJ3324S**	Ø 17mm Cone
21	Ball Joint - Front	⇦↳	1800kg	**QSJ3325S**	Ø 24mm Cone
24a	Suspension Arm Bush - Front	⇦↳		**EMS2696**	Front
24b	Suspension Arm Bush - Front	⇦↳		**EMS8245**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1886S**	L=134mm, M12x1.25
27²	Stabiliser Link Bush - Front	⇦⇨		**EMB7148**	
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2654**	Outer, Ø 24mm
61	Top Strut Bearing - Front	⇦⇨		**QAM138**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR2321**	


continued...

Relay II continued... 02/02-06/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2320	
63a	Top Strut Mounting - Front inc.Bearing	⇦		EMA2321	
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA2320	


Relay III 07/06-

YAL,YBL,YCL,YXL 30,33,35,40



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-02/13	QR3627S	Female M16x1.5 , Ø 16.0mm Cone, L=211mm
1b	Tie Rod End - Outer	⇨	-02/13	QR3628S	Female M16x1.5 , Ø 16.0mm Cone, L=211mm
2	Rack End	⇦⇨	-02/13	QR3629S	
20a	Suspension Arm - Front	↲	12Q,14Q,16Q Std.Payload	QSA2467S	
20a	Suspension Arm - Front	↲	16Q,20Q H.D.Payload	QSA2468S	
20b	Suspension Arm - Front	↳	12Q,14Q,16Q Std.Payload	QSA2469S	
20b	Suspension Arm - Front	↳	16Q,20Q H.D.Payload	QSA2470S	
24a	Suspension Arm Bush - Front	↲↳		EMS8443	Front
24b	Suspension Arm Bush - Front	↲↳		EMS8444	Rear
21	Ball Joint - Front	↲↳		QSJ3416S	Ø 20.5mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3586S	L=112mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7292	
61	Top Strut Bearing - Front	⇦⇨		QAM138	
35	Stabiliser Link - Rear	⇦⇨		QLS3739S	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7293	

Dokker 11/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3423S	
1b	Tie Rod End - Outer	⇨		QR3424S	
20a	Suspension Arm - Front	↲		QSA2654S	
20b	Suspension Arm - Front	↳		QSA2655S	
21	Ball Joint - Front	⇦⇨		QSJ3775S	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7222	Outer

Duster


HSA,HSM

04/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3868S**	Female M14x1.5 , Ø 11.8mm Cone, L=219.5mm
1b	Tie Rod End - Outer	⇨		**QR3869S**	Female M14x1.5 , Ø 11.8mm Cone, L=219.5mm
2	Rack End	⇦⇨		**QR3870S**	Male M14x1.5, M16 x 1.5 Swivel, L=221mm
20a	Suspension Arm - Front			**QSA2553S**	
20b	Suspension Arm - Front			**QSA2554S**	
21	Ball Joint - Front			**QSJ3587S**	Ø 17mm Cone
24a	Suspension Arm Bush - Front			**EMS8514**	Front
24b	Suspension Arm Bush - Front			**EMS8514**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3614S**	L=294mm
34	Suspension Arm Bush - Rear	⇦⇨	2x4	**EMS8522**	Front of Arm,L=90mm,ID12.2mm,OD=66.5mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3614S**	L=294mm


Lodgy 03/12-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3423S	
1b	Tie Rod End - Outer	⇨		QR3424S	
20a	Suspension Arm - Front	↲		QSA2654S	
20b	Suspension Arm - Front	↳		QSA2655S	
21	Ball Joint - Front	⇦⇨		QSJ3775S	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7222	Outer


Logan 08/04-

BS0.., FS0.., KS0.., LS0.., US0




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3423S	Female M14x1.5 RH, Ø 12.0mm Cone, L=213mm
1b	Tie Rod End - Outer	⇨		QR3424S	Female M14x1.5 RH, Ø 12.0mm Cone, L=213mm
2	Rack End	⇦⇨		QR3425S	Male M14x1.5, M12 x 1.0 Swivel, L=210mm,
					continued...
20a	Suspension Arm - Front	⇦		QSA2332S	
20b	Suspension Arm - Front	⇨		QSA2333S	
21	Ball Joint - Front	⇦⇨		QSJ3330S	Ø 18mm Cone
24	Suspension Arm Bush - Front	⇦⇨		EMS8502	
26	Stabiliser Bar Bush - Front	⇦⇨	KS0.. exc.Special Conversion, LS0..	EMB7245	Outer
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7222	Outer, with mounting bolt
61	Top Strut Bearing - Front	⇦⇨	1.4i,1.6i	QAM112	
34	Suspension Arm Bush - Rear	⇦⇨	2x4	EMS8522	Front of Arm,L=90mm,ID12.2mm,OD=66.5mm

Logan 10/12-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3423S	
1b	Tie Rod End - Outer	⇨		QR3424S	
20a	Suspension Arm - Front			QSA2654S	
20b	Suspension Arm - Front			QSA2655S	
21	Ball Joint - Front			QSJ3775S	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7222	Outer

Sandero 12/07-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3423S	Female M14x1.5 6, Ø 12.0mm Cone, L=213mm

continued...

Sandero continued... 12/07-

1b	Tie Rod End - Outer	⇨		**QR3424S**	Female M14x1.5 , Ø 12.0mm Cone, L=213mm
2	Rack End	⇦⇨		**QR3425S**	Male M14x1.5, M12 x 1.0 Swivel, L=210mm,
20a	Suspension Arm - Front	↲		**QSA2332S**	
20b	Suspension Arm - Front	↳		**QSA2333S**	
21	Ball Joint - Front	⇦⇨		**QSJ3330S**	Ø 18mm Cone
24	Suspension Arm Bush - Front	⇦⇨		**EMS8502**	
26	Stabiliser Bar Bush - Front	⇦⇨	KS0.. exc.Special Conversion, LS0..	**EMB7245**	Outer
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7222**	Outer, with mounting bolt
61	Top Strut Bearing - Front	⇦⇨	1.4i,1.6i	**QAM112**	
34	Suspension Arm Bush - Rear	⇦⇨	2x4	**EMS8522**	Front of Arm,L=90mm,ID12.2mm,OD=66.5mm

Sandero 10/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3423S**	
1b	Tie Rod End - Outer	⇨		**QR3424S**	
20a	Suspension Arm - Front	↲		**QSA2654S**	
20b	Suspension Arm - Front	↳		**QSA2655S**	
21	Ball Joint - Front	⇦⇨		**QSJ3775S**	
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7222**	Outer

Espero

AJ


01/95-11/97



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR1829S**	Female M16x1.5 RH, Ø 12.9mm Cone, L=65.8mm
1b	Tie Rod End - Outer	⇨		**QR1828S**	Female M16x1.5 LH, Ø 12.9mm Cone, L=65.8mm
2a	Rack End	⇦		**QR2770S**	Female M16x1.5 RH, L=430mm
2b	Rack End	⇨		**QR2769S**	Female M16x1.5 LH, L=430mm
3	Tie Rod Connector	⇦⇨		**QR2773S**	Male M16x1.5, L=98mm
20a	Suspension Arm - Front	⇦		**QSA1470S**	
20b	Suspension Arm - Front	⇨		**QSA1469S**	
21	Ball Joint - Front	⇦⇨		**QSJ877S**	Ø 13.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2634**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS1987**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1699S**	Ø 20mm
34	Suspension Arm Bush - Rear	⇨⇦		**EMS1869**	Inner, Trailing Arm

Evanda
LA69,LF69


07/02-12/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3626S	Female M14x1.5 ↻, Ø 13.2mm Cone, L=93mm
2	Rack End	⇦⇨		QR9344S	Male M14x1.5 ↻
20a	Suspension Arm - Front	↲		QSA2378S	
20b	Suspension Arm - Front	↳		QSA2379S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8435	Front
24b	Suspension Arm Bush - Front	↲		EMS8436	Rear
24c	Suspension Arm Bush - Front	↳		EMS8437	Rear
21	Ball Joint - Front	⇦⇨		QSJ3515S	

Kalos
SA,SF

08/02-12/04




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3457S	Female M12x1.25 ↻, Ø 13.2mm Cone, L=190mm
1b	Tie Rod End - Outer	⇨		QR3458S	Female M12x1.25 ↻, Ø 13.2mm Cone, L=190mm
2	Rack End	⇦⇨		QR3620S	
20a	Suspension Arm - Front	↲		QSA2262S	
20b	Suspension Arm - Front	↳		QSA2263S	
21	Ball Joint - Front	⇦⇨		QSJ3354S	Ø 15mm Cone

Kalos continued... 08/02-12/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			EMS8417	Front
24b	Suspension Arm Bush - Front			EMS8418	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3445S	L=262mm

Korando 12/98-05/05

K



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5243S	Female M14x1.5mm, M14x1.5mm Ball Pin, L=83mm
2	Rack End	⇦⇨		QR3732S	
21	Ball Joint - Front			QSJ1800S	M16x1.5mm Ball Pin
23	Ball Joint - Front			QSJ1799S	M16x1.5mm Ball Pin
25	Stabiliser Link - Front	⇦⇨		QLS1830S	L=172mm
35	Stabiliser Link - Rear	⇦⇨		QLS1830S	L=172mm

Lacetti

KLA

05/03-12/04




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3594S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=141mm
1b	Tie Rod End - Outer	⇨		**QR3595S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=141mm
20a	Suspension Arm - Front			**QSA2264S**	
20b	Suspension Arm - Front			**QSA2265S**	
21	Ball Joint - Front			**QSJ3355S**	Ø 16mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3446S**	L=271mm
25b	Stabiliser Link - Front	⇨		**QLS3447S**	L=271mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3448S**	L=246mm

Lanos

ATA,ATF


06/97-05/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR1829S**	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
1b	Tie Rod End - Outer	⇨		**QR1828S**	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
20a	Suspension Arm - Front			**QSA1470S**	
20b	Suspension Arm - Front			**QSA1469S**	
21	Ball Joint - Front			**QSJ877S**	Ø 13.5mm Cone
24a	Suspension Arm Bush - Front			**EMS2634**	Front
24b	Suspension Arm Bush - Front			**EMS1987**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1699S**	Ø 20mm

Leganza 06/97-04/04


AVA,AVF



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9345S	Female M14x1.5, Ø 13.3mm Cone
2	Rack End	⇦⇨		QR9344S	Male M14x1.5
20a	Suspension Arm - Front	↲		QSA1859S	
20b	Suspension Arm - Front	↳		QSA1860S	
21	Ball Joint - Front	⇩		QSJ9348S	Ø 17.9mm Cone
25a	Stabiliser Link - Front	⇦		QLS1815S	L=80mm
25b	Stabiliser Link - Front	⇨		QLS1816S	L=80mm
35	Stabiliser Link - Rear	⇦⇨		QLS1617S	L=266mm

Matiz 04/98-12/04

KLY4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5237S	Female M12x1.5mm, M12x1.25mm Ball Pin, L=71mm
2	Rack End	⇦⇨	, 155 Tyres	QR5263S	Male M14x1.5mm, M16x1.0mm Swivel, L=305mm
2	Rack End	⇦⇨	, 175 Tyres	QR5264S	Male M12x1.5mm, M16x1.5mm Swivel, L=268mm
20	Suspension Arm - Front	⇩		QSJ2100S	Ø 15mm Cone, L=287mm
24a	Suspension Arm Bush - Front	⇩		EMS8038	Inner
24b	Suspension Arm Bush - Front	⇩		EMS8286	Outer, 2 required

Musso

661LA,662LA,E23,E32

12/98-05/05




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR5243S**	Female M14x1.5mm, M14x1.5mm Ball Pin, L=83mm
2	Rack End	⇦⇨		**QR3732S**	
21	Ball Joint - Front	⇩		**QSJ1800S**	M16x1.5mm Ball Pin
23	Ball Joint - Front	⇧		**QSJ1799S**	M16x1.5mm Ball Pin
25	Stabiliser Link - Front	⇦⇨		**QLS1830S**	L=172mm
35	Stabiliser Link - Rear	⇦⇨		**QLS1830S**	L=172mm

Nexia

ATA,ATF

01/95-08/97




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR1829S**	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
1b	Tie Rod End - Outer	⇨		**QR1828S**	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
2a	Rack End	⇦		**QR2770S**	Female M16x1.5 , L=430mm
2b	Rack End	⇨		**QR2769S**	Female M16x1.5 , L=430mm
3	Tie Rod Connector	⇦⇨		**QR2773S**	Male M16x1.5, L=98mm
20a	Suspension Arm - Front	⇦		**QSA1470S**	
20b	Suspension Arm - Front	⇨		**QSA1469S**	
21	Ball Joint - Front	⇦⇨		**QSJ877S**	Ø 13.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2634**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS1987**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1699S**	Ø 20mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1565**	
34	Suspension Arm Bush - Rear	⇨⇦		**EMS1869**	Inner, Trailing Arm

Nubira I

AJA,AJF

06/97-05/99




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9345S**	Female M14x1.5, Ø 13.3mm Cone
2	Rack End	⇦⇨		**QR9343S**	Male M14x1.5mm, M16x1.5mm Swivel, L=344mm
20a	Suspension Arm - Front	↲		**QSA1857S**	
20b	Suspension Arm - Front	↳		**QSA1858S**	
21	Ball Joint - Front	⇩⇩		**QSJ9347S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8049**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS8050**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1814S**	L=266mm
35	Stabiliser Link - Rear	⇦⇨		**QLS1813S**	L=247mm

Nubira II

06/99-03/04

AJA,AJF



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9345S	Female M14x1.5, Ø 13.3mm Cone
2	Rack End	⇦⇨		QR9343S	Male M14x1.5mm, M16x1.5mm Swivel, L=344mm
20a	Suspension Arm - Front	↲		QSA1857S	
20b	Suspension Arm - Front	↳		QSA1858S	
21	Ball Joint - Front	⇦⇨		QSJ9347S	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8049	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8050	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1814S	L=266mm
35	Stabiliser Link - Rear	⇦⇨		QLS1813S	L=247mm

Nubira III

KLA


08/03-12/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3594S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=141mm
1b	Tie Rod End - Outer	⇨		**QR3595S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=141mm
20a	Suspension Arm - Front	⇦		**QSA2264S**	
20b	Suspension Arm - Front	⇨		**QSA2265S**	
21	Ball Joint - Front	⇦⇨		**QSJ3355S**	Ø 16mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3446S**	L=271mm
25b	Stabiliser Link - Front	⇨		**QLS3447S**	L=271mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3448S**	L=246mm

Tacuma 09/00-12/04

UF75, UA75



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3459S	Female M14x1.5 RH, Ø 13.2mm Cone, L=194mm
1b	Tie Rod End - Outer	⇨		QR3460S	Female M14x1.5 RH, Ø 13.2mm Cone, L=194mm
2	Rack End	⇦⇨		QR3461S	Male M14x1.5 RH, M16x1.5 Swivel, L=255mm
20a	Suspension Arm - Front			QSA2266S	
20b	Suspension Arm - Front			QSA2267S	
21	Ball Joint - Front			QSJ3384S	Ø 16.0mm Cone
24a	Suspension Arm Bush - Front			EMS8417	Front
24b	Suspension Arm Bush - Front			EMS8453	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3445S	L=262mm

Tico 08/91-08/00

SB



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20	Suspension Arm - Front			QSJ2100S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS8038	Inner
24b	Suspension Arm Bush - Front			EMS8286	Outer, 2 required

Applause
A101

05/89-12/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2800S	Female M12x1.25, Ø 12.1mm Cone
1b	Tie Rod End - Outer	⇨		QR2801S	Female M12x1.25, Ø 12.1mm Cone
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6076	

Applause
A111 4x4

05/89-12/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2800S	Female M12x1.25, Ø 12.1mm Cone
1b	Tie Rod End - Outer	⇨		QR2801S	Female M12x1.25, Ø 12.1mm Cone

Charade
G100,G101

02/87-02/93



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2800S	Female M12x1.25, Ø 12.1mm Cone
1b	Tie Rod End - Outer	⇨		QR2801S	Female M12x1.25, Ø 12.1mm Cone
2	Rack End	⇦⇨	02/89-02/93	QR2454S	Male M12x1.25, L=265mm
20a	Suspension Arm - Front	↲	exc.GTti	QSJ1314S	Ø 15mm Cone
20b	Suspension Arm - Front	↳	exc.GTti	QSJ1315S	Ø 15mm Cone

Charade 09/88-02/93
G102



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2800S	Female M12x1.25 , Ø 12.1mm Cone
1b	Tie Rod End - Outer	⇨		QR2801S	Female M12x1.25 , Ø 12.1mm Cone
20a	Suspension Arm - Front	⇦		QSJ1314S	Ø 15mm Cone
20b	Suspension Arm - Front	⇨		QSJ1315S	Ø 15mm Cone

Charade 11/90-02/93
G112 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2800S	Female M12x1.25 , Ø 12.1mm Cone
1b	Tie Rod End - Outer	⇨		QR2801S	Female M12x1.25 , Ø 12.1mm Cone
20a	Suspension Arm - Front	⇦		QSJ1314S	Ø 15mm Cone
20b	Suspension Arm - Front	⇨		QSJ1315S	Ø 15mm Cone

Charade 03/93-04/01
G200



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2800S	Female M12x1.25 , Ø 12.1mm Cone
1b	Tie Rod End - Outer	⇨		QR2801S	Female M12x1.25 , Ø 12.1mm Cone
2	Rack End	⇦⇨		QR2454S	Male M12x1.25 , L=265mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6076	

Charade 03/93-03/96

G201,G202



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2800S	Female M12x1.25 , Ø 12.1mm Cone
1b	Tie Rod End - Outer	⇨		QR2801S	Female M12x1.25 , Ø 12.1mm Cone
2	Rack End	⇦⇨		QR2454S	Male M12x1.25 , L=265mm

Charade 06/94-11/99

G203



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2800S	Female M12x1.25 , Ø 12.1mm Cone
1b	Tie Rod End - Outer	⇨		QR2801S	Female M12x1.25 , Ø 12.1mm Cone
2	Rack End	⇦⇨		QR2454S	Male M12x1.25 , L=265mm

Charade 09/97-11/99

G204



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2800S	Female M12x1.25 , Ø 12.1mm Cone
1b	Tie Rod End - Outer	⇨		QR2801S	Female M12x1.25 , Ø 12.1mm Cone
2	Rack End	⇦⇨		QR2454S	Male M12x1.25 , L=265mm

Sirion, Sirion+ 06/98-03/05

M100S 1.0i,1.3i



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3749S	Male M12x1.25 ,M14x1.5 Swivel, L=248mm

Sirion 04/05-12/10


M300,M301,M303,M310,M311



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3774S	Male M12x1.25, L=257mm, M14x1.5 Swivel
25a	Stabiliser Link - Front	⇦		QLS3709S	L=49mm
25b	Stabiliser Link - Front	⇨		QLS3710S	L=49mm

Terios, Terios+ 07/97-10/05


J100 1.3i



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3748S	Male M14x1.5 ,M14x1.5 Swivel, L=311mm
20a	Suspension Arm - Front			QSA2064S	
20b	Suspension Arm - Front			QSA2065S	

Terios, Terios+ 11/05-12/10

J200,J202,J210,J212



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3748S	Male M14x1.5 ,M14x1.5 Swivel, L=311mm
21	Ball Joint - Front			QSJ3452S	Ø 18.2mm Cone


YRV

M200,201,202,211

08/00-08/06








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3749S	Male M12x1.25 ,M14x1.5 Swivel, L=248mm

Hijet 07/86-04/95


S84,S85,S86 Japan



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR2459S	Female M14x1.5 , Ø 12mm Cone, L=70mm
1b	Side Rod End - Outer	⇨		QR2460S	Female M14x1.5 , Ø 12mm Cone, L=70mm
2a	Side Rod End - Inner	⇦		QR2460S	Female M14x1.5 , Ø 12mm Cone, L=70mm
2b	Side Rod End - Inner	⇨		QR2459S	Female M14x1.5 , Ø 12mm Cone, L=70mm

Hijet 05/95-10/05

S85 Italy



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR5307S	Male M14x1.5
1b	Side Rod End - Outer	⇨		QR5308S	Male M14x1.5
2a	Side Rod End - Inner	⇦		QR5308S	Male M14x1.5
2b	Side Rod End - Inner	⇨		QR5307S	Male M14x1.5
4	Side Rod Assembly	⇦⇨		QDL3265S	


Nitro
GT2,GU2

10/06-10/10









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		**QR3821S**	
1b	Side Rod End - Outer	⇨		**QR3822S**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3778S**	L=270mm

500/ 500C — 10/07-

312



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3402S	Female M12x1.5 Ø 12.0mm Cone, L=145mm
1b	Tie Rod End - Outer	⇨		QR3403S	Female M12x1.5 Ø 12.0mm Cone, L=145mm
20a	Suspension Arm - Front		(-) Xenon HeadLamp, exc Abarth	QSA2400S	
20b	Suspension Arm - Front		exc Abarth	QSA2401S	
24a	Suspension Arm Bush - Front			EMS8065	Front
25	Stabiliser Link - Front	⇦⇨	-12/2014	QLS3277S	L=294mm

500L — 09/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4036S	
1b	Tie Rod End - Outer	⇨		QR4037S	
21	Ball Joint - Front			QSJ3575S	
25	Stabiliser Link - Front	⇦⇨		QLS3786S	

Tipo

160A,160E,160F,160G

03/88-09/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2380S**	Female M12x1.5 , Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨		**QR2379S**	Female M12x1.5 , Ø 12mm Cone, L=128mm
2	Rack End	⇦⇨		**QR2465S**	Male M12x1.5 , Female M14x1.5 Swivel, L=280mm
2¹	Rack End	⇦⇨		**QR2464S**	Male M12x1.5 , M14x1.5 Swivel, L=290mm,
20a	Suspension Arm - Front		03/88-05/90	**QSA1084S**	
20a	Suspension Arm - Front		06/90-09/95	**QSA915S**	
20b	Suspension Arm - Front		03/88-05/90	**QSA1083S**	
20b	Suspension Arm - Front		06/90-09/95	**QSA914S**	
24a	Suspension Arm Bush - Front			**EMS3020**	Front
24b	Suspension Arm Bush - Front			**EMS3021**	Rear
24c	Suspension Arm Bush - Front			**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.1 -ch.2502051,4271077	-	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.1 ch.2502051,4271077-	-	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	1.4,1.6,1.7TD,1.9D 03/88-01/93, -ch.2026852,2074434,4012987	**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.4,1.6,1.7TD,1.9D 03/88-01/93, ch.2026852, 2074434,4012987-	-	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	1.9TD 03/88-01/93, -ch.2175628,4090875, 4560085	-	Outer


Tipo continued... 03/88-09/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨	1.9TD 03/88-01/93, ch.2175628,4090875, 4560085-	**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.4,1.6,1.7TD,1.9D,1.9TD 01/93-09/95, 1.8, 2.0, Sport 16v ie,	**EMB1969**	Outer, Ø 23mm
27²	Stabiliser Link Bush - Front	⇦⇨		**EMB2684**	
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR1782**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR1781**	
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA1782**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA1781**	
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9009**	

Ulysse I

220A,220B,220C,220X

04/94-05/02




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2856S	Female M14x1.5 RH, Ø 12.6mm Cone, L=75mm
2	Rack End	⇦⇨		QR2857S	Male M14x1.5 RH, L=320mm
4	Tie Rod Assembly	⇦⇨		QDL3287S	
20a	Suspension Arm - Front	↲		QSA9113S	
20b	Suspension Arm - Front	↳		QSA9114S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS2660	Front
24b	Suspension Arm Bush - Front	↲		EMS2662	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	↳		EMS2661	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		QLS1885S	L=120mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7069	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.Stabiliser Link	EMBK2657	Outer, Ø 24mm
27¹	Stabiliser Bar Bush Kit - Front	⇦⇨	inc.Stabiliser Link	EMBK3055	Outer, Ø 24mm
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7148	
61	Top Strut Bearing - Front	⇦⇨		QAM115	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2580	

Ulysse I continued... 04/94-05/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2579	
34	Suspension Arm Bush - Rear			EMS8318	

Ulysse II 01/02-06/11

179A,179B




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3350S	Female M14x1.5mm, Ø 13.5mm Cone, L=75mm
2	Rack End	⇦⇨		QR3351S	Male M14x1.5 , M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front		01/02-06/06	QSA2535S	
20a	Suspension Arm - Front		06/06-07/10 exc.2.2JTD 170 mtr.4HT,4H01	QSA2535S	Ø 17mm
20a	Suspension Arm - Front		06/06-07/10 2.2JTD170 mtr.4HT,4H01	QSA2441S	Ø 19mm
20b	Suspension Arm - Front		01/02-06/06	QSA2536S	
20b	Suspension Arm - Front		06/06-07/10 exc.2.2JTD 170 mtr.4HT,4H01	QSA2536S	Ø 17mm
20b	Suspension Arm - Front		06/06-07/10 2.2 JTD170 mtr.4HT,4H01	QSA2442S	Ø 19mm
24a	Suspension Arm Bush - Front		01/02-06/06	EMS2660	Front
24a	Suspension Arm Bush - Front		06/06-07/10	EMS8442	Front
24b	Suspension Arm Bush - Front			EMS8489	Rear, Ø 47mm
24c	Suspension Arm Bush - Front			EMS8490	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		QLS3334S	Ø 22 mm, L=262mm
61	Top Strut Bearing - Front	⇦⇨		-	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2580	
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2579	

Uno

12/83-12/94

146A,146E (exc.Brazil)



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2026S**	Female M12x1.5 RH, Ø 12mm Cone
2	Rack End	⇦⇨		**QR2465S**	Male M12x1.5 RH, Female M14x1.5 Swivel, L=280mm
20a	Suspension Arm - Front	↲	exc.1.4 Turbo ie	**QSA1062S**	
20a	Suspension Arm - Front	↲	1.4 Turbo ie, exc.ABS	**QSA1062S**	
20a	Suspension Arm - Front	↲	1.4 Turbo ie, ABS	**-**	
20b	Suspension Arm - Front	↳	exc.1.4 Turbo ie	**QSA1063S**	
20b	Suspension Arm - Front	↳	1.4 Turbo ie, exc.ABS	**QSA1063S**	
20b	Suspension Arm - Front	↳	1.4 Turbo ie, ABS	**-**	
21	Ball Joint - Front	⇩⇩	exc.1.4 Turbo ie, ABS	**QSJ839S**	Ø 12.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		**EMS1999**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS2094**	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2681**	Outer
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2687**	Inner
61	Top Strut Bearing - Front	⇦⇨	exc.CS	**QAM103**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.CS	**EMR2241**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.CS	**EMR2221**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	CS	**-**	

Uno

12/83-12/94


146A,146E (Brazil)



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2475S	Female M12x1.5, Ø 12mm Cone, L=162mm
2	Rack End	⇦⇨		QR2025S	Male M12x1.5 ,Female M14x1.5 Swivel, L=195mm
20	Suspension Arm - Front			QSJ1202S	M8, Ø 13.2mm Cone
20	Suspension Arm - Front			QSJ1201S	M10, Ø 13.2mm Cone

Daily 30,35,40 — 10/78-09/94

280F,281F




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2034S	Female M16x1.5, Ø 16mm Cone
21	Ball Joint - Front			QSJ965S	Ø 21.5mm Cone
23	Ball Joint - Front			QSJ965S	Ø 21.5mm Cone
25	Stabiliser Link End - Front	⇦⇨		QD3156S	

Doblò Cargo — 11/00-12/03

223AX,WX,ZX exc.2004 Model Year -



Doblò Cargo continued... 11/00-12/03



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5322S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=108mm
1	Tie Rod End - Outer	⇦⇨	, 11/00-11/01, -ch.5120133	QR5322S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=108mm
1a	Tie Rod End - Outer	⇦	, 11/01-, ch.5120134-	QR3352S	Female M14x1.5 ,Ø 12.0mm Cone, L=145mm
1b	Tie Rod End - Outer	⇨	, 11/01-, ch.5120134-	QR3353S	Female M14x1.5 ,Ø 12.0mm Cone, L=145mm
2	Rack End	⇦⇨		QR3304S	Male M14x1.5, M16x1.5 Swivel, L=345mm,
2	Rack End	⇦⇨	, 11/00-11/01, -ch.5120133	QR3304S	Male M14x1.5, M16x1.5 Swivel, L=345mm,
2	Rack End	⇦⇨	, 11/01-, ch.5120134-	QR3354S	Male M14x1.5 , M16x1.5 Swivel, L=300mm
20a	Suspension Arm - Front		Std.Susp., Late angled mounting plate type	QSA1994S	
20a¹	Suspension Arm - Front		H.D.Susp., Late angled mounting plate type	QSA2224S	
20b	Suspension Arm - Front		Std.Susp., Late angled mounting plate type	QSA1995S	
20b¹	Suspension Arm - Front		H.D.Susp., Late angled mounting plate type	QSA2225S	
21	Ball Joint - Front		-ch.5023342, Early flat mounting plate type	QSJ3333S	Ø 13.8mm Cone, M12x1.25, Ø 8.5mm Mounting Holes
21¹	Ball Joint - Front		ch.5023343-, Late angled mounting plate type	QSJ3281S	Ø 13.8mm Cone, M12x1.25, Ø 8.5mm Mounting Holes
24a	Suspension Arm Bush - Front			EMS8052	Front
24b	Suspension Arm Bush - Front		Std.Susp.	EMS8034	Rear
24b¹	Suspension Arm Bush - Front		H.D.Susp.	EMS8438	Rear
24c	Suspension Arm Bush - Front		Std.Susp.	EMS8035	Rear
24c¹	Suspension Arm Bush - Front		H.D.Susp.	EMS8439	Rear
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.5023342	EMB1967	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	ch.5023343-	-	Outer
26¹	Stabiliser Bar Bush - Front	⇨⇦		-	Inner
63a	Top Strut Mounting - Front inc.Bearing	⇦		EMA5039	


continued...

Doblò Cargo continued... 11/00-12/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA5040	
35	Stabiliser Link - Rear	⇦⇨		QLS3325S	L=120mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7297	Outer

Doblò Cargo 01/04-01/10

223AX,WX,ZX 2004 Model Year -




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5322S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=108mm
1a	Tie Rod End - Outer	⇦		QR3352S	Female M14x1.5 ,Ø 12.0mm Cone, L=145mm
1b	Tie Rod End - Outer	⇨		QR3353S	Female M14x1.5 ,Ø 12.0mm Cone, L=145mm
2	Rack End	⇦⇨		QR3304S	Male M14x1.5, M16x1.5 Swivel, L=345mm,
2	Rack End	⇦⇨		QR3354S	Male M14x1.5 , M16x1.5 Swivel, L=300mm
20a	Suspension Arm - Front		Std.Susp., 01/04-11/05	QSA1994S	
20a	Suspension Arm - Front		Std.Susp., 11/05-	QSA2519S	
20a¹	Suspension Arm - Front		H.D.Susp., 01/04-11/05	QSA2224S	
20a¹	Suspension Arm - Front		H.D.Susp., 11/05-	-	

Doblò Cargo continued... 01/04-01/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front	↳	Std.Susp., 01/04-11/05	**QSA1995S**	
20b	Suspension Arm - Front	↳	Std.Susp., 11/05-	**QSA2520S**	
20b¹	Suspension Arm - Front	↳	H.D.Susp., 01/04-11/05	**QSA2225S**	
20b¹	Suspension Arm - Front	↳	H.D.Susp., 11/05-	**-**	
21	Ball Joint - Front	↕		**QSJ3281S**	Ø 13.8mm Cone, M12x1.25, Ø 8.5mm Mounting Holes
24a	Suspension Arm Bush - Front	↕		**EMS8052**	Front
24b	Suspension Arm Bush - Front	↲	Std.Susp.	**EMS8034**	Rear
24b¹	Suspension Arm Bush - Front	↲	H.D.Susp.	**EMS8438**	Rear
24c	Suspension Arm Bush - Front	↳	Std.Susp.	**EMS8035**	Rear
24c¹	Suspension Arm Bush - Front	↳	H.D.Susp.	**EMS8439**	Rear
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA5039**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA5040**	
35	Stabiliser Link - Rear	⇦⇨	01/04-11/05	**QLS3325S**	L=120mm
35	Stabiliser Link - Rear	⇦⇨	11/05-	**QLS3731S**	L=132mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7297**	Outer

Doblò 02/10-09/15


263AX,WX,YX,ZX



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3859S**	Female M14x1.5 ↻, Ø 11.7mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		**QR3860S**	Female M14x1.5 ↻, Ø 11.7mm Cone, L=113mm
2	Rack End	⇦⇨		**QR3880S**	
20a	Suspension Arm - Front	↲		**QSA2541S**	
20b	Suspension Arm - Front	↳		**QSA2542S**	
21	Ball Joint - Front	↕		**QSJ3575S**	Ø 18.0mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS3742S**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3768S**	

Ducato 10,14,15,18 — 08/81-02/94

280,280A,208E,284,284A,290




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2064S	Female M16x1.5 , Ø 14.5mm Cone, L=79.5mm
2	Rack End	⇦⇨		QR2118S	Male M16x1.5 ,M16x1.5 Swivel, L=295mm
2	Rack End	⇦⇨		-	
4	Tie Rod Assembly	⇦⇨		QDL2152S	
20a	Suspension Arm - Front		-ch.289710, 08/81-09/85	QSJ1280S	
20a	Suspension Arm - Front		ch.289711-, 09/85-02/94, exc.1800kg	QSJ1282S	
20a	Suspension Arm - Front		ch.289711-, 09/85-02/94, 1800kg	QSJ1284S	
20b	Suspension Arm - Front		-ch.289710, 08/81-09/85	QSJ1279S	
20b	Suspension Arm - Front		ch.289711-, 09/85-02/94, exc.1800kg	QSJ1281S	
20b	Suspension Arm - Front		ch.289711-, 09/85-02/94, 1800kg	QSJ1283S	
21	Ball Joint - Front		-ch.289710, 08/81-09/85	QSJ985S	Ø 16mm Cone, Ø M14x1.5
21	Ball Joint - Front		ch.289711-, 09/85-02/94	QSJ1033S	Ø M16x1.5, Ø 17.1mm Cone
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7140	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2240	

Ducato 10,14,18 — 04/94-11/01

230




Ducato 10,14,18 continued... 04/94-11/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2858S	Female M16x1.5 , Ø 14.3mm Cone
2	Rack End	⇦⇨		QR2859S	Male M16x1.5 , L=335mm
20a	Suspension Arm - Front		exc.1800kg, -ch.6086766	QSA9246S	
20a	Suspension Arm - Front		exc.1800kg, ch.6086767-	QSA2107S	
20a	Suspension Arm - Front		1800kg, -ch.6086766	QSA9248S	
20a	Suspension Arm - Front		1800kg, ch.6086767-	QSA2115S	
20b	Suspension Arm - Front		exc.1800kg, -ch.6086766	QSA9247S	
20b	Suspension Arm - Front		exc.1800kg, ch.6086767-	QSA2108S	
20b	Suspension Arm - Front		1800kg, -ch.6086766	QSA9249S	
20b	Suspension Arm - Front		1800kg, ch.6086767-	QSA2116S	
21	Ball Joint - Front		exc.1800kg, -ch.6086766	QSJ1495S	Ø 17mm Cone
21	Ball Joint - Front		exc.1800kg, ch.6086767-	QSJ3324S	Ø 17mm Cone
21	Ball Joint - Front		1800kg, -ch.6086766	QSJ1496S	Ø 20mm Cone
21	Ball Joint - Front		1800kg, ch.6086767-	QSJ3325S	Ø 24mm Cone
24a	Suspension Arm Bush - Front			EMS2696	Front
24b	Suspension Arm Bush - Front			EMS2697	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1886S	L=134mm, M12x1.25
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7148	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7060	Outer, Ø 24mm
61	Top Strut Bearing - Front	⇦⇨		QAM138	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2321	
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2320	
63a	Top Strut Mounting - Front inc.Bearing	⇦		EMA2321	
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA2320	
18a	Leaf Spring Bush - Rear	⇦⇨	exc.4x4	-	Front
18b	Leaf Spring Bush - Rear	⇦⇨	exc.4x4	EMS8491	Rear


Ducato 10,14,18 12/01-07/06

244A,244B,244C



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	12/01-12/02, -ch.7175290	**QR2858S**	Female M16x1.5 , Ø 14.3mm Cone
1	Tie Rod End - Outer	⇦⇨	12/02-07/06, ch.7175291-	**QR3409S**	Female M16x1.5 , Ø 12.6mm Cone, L=108mm
2	Rack End	⇦⇨		**QR2859S**	Male M16x1.5 , L=335mm
20a	Suspension Arm - Front		1000kg,1400kg	**QSA2107S**	
20a	Suspension Arm - Front		1800kg	**QSA2115S**	
20b	Suspension Arm - Front		1000kg,1400kg	**QSA2108S**	
20b	Suspension Arm - Front		1800kg	**QSA2116S**	
21	Ball Joint - Front		1000kg,1400kg	**QSJ3324S**	Ø 17mm Cone
21	Ball Joint - Front		1800kg	**QSJ3325S**	Ø 24mm Cone
24a	Suspension Arm Bush - Front			**EMS2696**	Front
24b	Suspension Arm Bush - Front			**EMS2697**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1886S**	L=134mm, M12x1.25
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7060**	Outer, Ø 24mm
27²	Stabiliser Link Bush - Front	⇦⇨		**EMB7148**	
61	Top Strut Bearing - Front	⇦⇨		**QAM138**	


Ducato 08/06-03/15



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3627S**	Female M16x1.5 LH, Ø 16.0mm Cone, L=211mm
1b	Tie Rod End - Outer	⇨		**QR3628S**	Female M16x1.5 LH, Ø 16.0mm Cone, L=211mm
2	Rack End	⇦⇨		**QR3629S**	
20a	Suspension Arm - Front		Std.Payload	**QSA2467S**	
20a	Suspension Arm - Front		H.D.Payload	**QSA2468S**	
20b	Suspension Arm - Front		Std.Payload	**QSA2469S**	
20b	Suspension Arm - Front		H.D.Payload	**QSA2470S**	
21	Ball Joint - Front			**QSJ3416S**	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8443**	Front
24b	Suspension Arm Bush - Front			**EMS8444**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3586S**	L=112mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7292**	
61	Top Strut Bearing - Front	⇦⇨		**QAM138**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**-**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**-**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3739S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7293**	

Fiorino 01/88-02/03

146A,146C



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	01/88-12/92	QR2475S	Female M12x1.5 , Ø 12mm Cone, L=162mm
1	Tie Rod End - Outer	⇦⇨	12/92-02/93	QR5320S	Female M14x1.5
2	Rack End	⇦⇨	01/88-12/92	QR2025S	Male M12x1.5 ,Female M14x1.5 Swivel, L=195mm
20	Suspension Arm - Front		01/88-ch.8157330	QSJ1201S	M10, Ø 13.2mm Cone
20	Suspension Arm - Front		ch.8157331-	QSJ1317S	Ø 13mm Cone, M12 Ball Pin, L=295mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6004	

Fiorino 11/92-05/01

146R




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5320S	Female M14x1.5
2	Rack End	⇦⇨		-	
2	Rack End	⇦⇨		-	
20	Suspension Arm - Front			QSJ1317S	Ø 13mm Cone, M12 Ball Pin, L=295mm

Fiorino

225BX

11/07-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3660S**	Female M14x1.5 RH, Ø 11.6mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		**QR3661S**	Female M14x1.5 RH, Ø 11.6mm Cone, L=113mm
2	Rack End	⇦⇨		**QR3844S**	Male M14x1.5 RH,M14x1.5 Swivel, L=287mm
20a	Suspension Arm - Front			**QSA2326S**	
20b	Suspension Arm - Front			**QSA2327S**	
21	Ball Joint - Front			**QSJ3393S**	Ø 16mm Cone, 65mm Pcd,Ø 13mm Groove
24a	Suspension Arm Bush - Front			**EMS8348**	Front
24b	Suspension Arm Bush - Front			**EMS8349**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3615S**	L=290mm
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA6142**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA6143**	

Scudo I,II

220X,220Y,220Z

01/96-10/06



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	01/96-06/03, -VET.9714	**QR2856S**	Female M14x1.5 RH, Ø 12.6mm Cone, L=75mm
1	Tie Rod End - Outer	⇦⇨	06/03-, VET.9715-	**QR3350S**	Female M14x1.5mm, Ø 13.5mm Cone, L=75mm
2	Rack End	⇦⇨		**QR2857S**	Male M14x1.5 RH, L=320mm
4	Tie Rod Assembly	⇦⇨	01/96-06/03, -VET.9714	**QDL3287S**	
20a	Suspension Arm - Front	↲	01/96-07/06	**QSA9113S**	
20a	Suspension Arm - Front	↲	07/06-10/06	**QSA2537S**	
20b	Suspension Arm - Front	↳	01/96-07/06	**QSA9114S**	
20b	Suspension Arm - Front	↳	07/06-10/06	**QSA2538S**	
24a	Suspension Arm Bush - Front	↲↳	01/96-07/06	**EMS2660**	Front
24a	Suspension Arm Bush - Front	↲↳	07/06-10/06	**EMS8442**	Front
24b	Suspension Arm Bush - Front	↲		**EMS2662**	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	↳		**EMS2661**	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		**QLS1885S**	L=120mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7069**	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	inc.Stabiliser Link	**EMBK3055**	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.Stabiliser Link	**EMBK2657**	Outer, Ø 24mm
27²	Stabiliser Link Bush - Front	⇦⇨		**EMB7148**	
61	Top Strut Bearing - Front	⇦⇨		**QAM115**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR2580**	


Scudo I,II continued... 01/96-10/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2579	
34	Suspension Arm Bush - Rear			EMS8318	

Scudo III 11/06-

270X,270Z






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3712S	Female M14x1.5 , Ø 14.5mm Cone, L=80mm
2	Rack End	⇦⇨		QR3713S	
20a	Suspension Arm - Front			QSA2441S	
20b	Suspension Arm - Front			QSA2442S	
24a	Suspension Arm Bush - Front			EMS8442	Front
24b	Suspension Arm Bush - Front			EMS8489	Rear, Ø 47mm
24c	Suspension Arm Bush - Front			EMS8490	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		QLS3651S	L=263mm

Strada 06/99-


178E



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9926S	Female M12x1.5
1b	Tie Rod End - Outer	⇨		QR9927S	Female M12x1.5
20a	Suspension Arm - Front			QSA1994S	
20b	Suspension Arm - Front			QSA1995S	
21	Ball Joint - Front			QSJ3281S	Ø 13.8mm Cone, M12x1.25, Ø 8.5mm Mounting Holes
26	Stabiliser Bar Bush - Front	⇦⇨	06/99-07/01	EMB1967	Outer, to Arm
26	Stabiliser Bar Bush - Front	⇦⇨	07/01-	-	Outer, to Arm

Talento 10/85-12/93

290U




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2064S	Female M16x1.5 , Ø 14.5mm Cone, L=79.5mm
2	Rack End	⇦⇨		QR2118S	Male M16x1.5 ,M16x1.5 Swivel, L=295mm
4	Tie Rod Assembly	⇦⇨		QDL2152S	
20a	Suspension Arm - Front			QSJ1282S	
20b	Suspension Arm - Front			QSJ1281S	
21	Ball Joint - Front			QSJ1033S	Ø M16x1.5, Ø 17.1mm Cone
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2240	

B-Max

CB2

10/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3685S**	
1b	Tie Rod End - Outer	⇨		**QR3686S**	
2	Rack End	⇦⇨		**QR3687S**	
20a	Suspension Arm - Front	↲		**QSA2717S**	
20b	Suspension Arm - Front	↳		**QSA2718S**	
21	Ball Joint - Front	⇦⇨		**QSJ3556S**	Ø 17.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8454**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8455**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3636S**	

C-Max I

CB3

03/07-07/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3420S**	Female M14x1.5 RH, Ø 12.5mm Cone, L=100mm
1b	Tie Rod End - Outer	⇨		**QR3421S**	Female M14x1.5 RH, Ø 12.5mm Cone, L=100mm
2	Rack End	⇦⇨		**QR3422S**	Male M16x1.5 RH, M14x1.5 Swivel, L=304mm
20a	Suspension Arm - Front	⇦		**QSA2234S**	
20b	Suspension Arm - Front	⇨		**QSA2235S**	
21	Ball Joint - Front	⇦⇨		**QSJ3332S**	Ø 21mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8250**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8479**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3389S**	L=298mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7116**	Outer
32	Suspension Arm - Rear	⇦⇨		**QSJ2099S**	L=290mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3390S**	L=95mm
35¹	Stabiliser Link - Rear	⇦⇨		**QLS3835S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7298**	Outer, Ø 15mm

C-Max II

CB7


08/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3908S**	
1b	Tie Rod End - Outer	⇨		**QR3909S**	
2	Rack End	⇦⇨		**QR3910S**	
20a	Suspension Arm - Front	↲		**QSA2607S**	
20b	Suspension Arm - Front	↳		**QSA2608S**	
21a	Ball Joint - Front	↲		**QSJ3644S**	
21b	Ball Joint - Front	↳		**QSJ3645S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3773S**	L=298mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3823S**	L=76mm
35¹	Stabiliser Link - Rear	⇦⇨		**QLS3835S**	L=100mm
30	Suspension Arm - Rear	⇦⇨		**QSJ3656S**	
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7298**	Outer, Ø 15mm

C-Max III 04/15-


CEU



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3908S	
1b	Tie Rod End - Outer	⇨		QR3909S	
2	Rack End	⇦⇨		QR3910S	
25	Stabiliser Link - Front	⇦⇨		QLS3773S	L=298mm

Cougar 08/98-08/01


HT60T,HT61L,HT61T



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3056S	Female M14x1.5 , Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		QR3055S	Female M14x1.5 , Ø 13.2mm Cone, L=95mm
2	Rack End	⇦⇨	exc.ST200	-	
20a	Suspension Arm - Front			-	
20b	Suspension Arm - Front			-	
25	Stabiliser Link - Front	⇦⇨		QLS2910S	L=240mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1857	Outer, Ø 20mm
30	Suspension Arm - Rear			QLS3082S	L=603mm
35	Stabiliser Link - Rear	⇦⇨		QLS3081S	L=117mm
36	Stabiliser Bar Bush - Rear	⇦⇨	2.5 V6	EMB7090	Outer, Ø 18mm

EcoSport 10/13-


CBW, CR1



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3685S	
1b	Tie Rod End - Outer	⇨		QR3686S	
25	Stabiliser Link - Front	⇦⇨		QLS3636S	

Escort IV 03/86-08/90

AAF,ABF,ADF,ALF,ANF,AVF




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2377S	Female 1/2x20 UNF, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨		QR2134S	Male 1/2x20 UNF, L=305mm
20a	Suspension Arm - Front	↲		QSJ1012S	Ø 17mm Cone
20b	Suspension Arm - Front	↳		QSJ1013S	Ø 17mm Cone
24	Suspension Arm Bush - Front	⇦⇨		QSK214S	Outer
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2610	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2611	Outer, Ø 24mm
29	Suspension Arm Pinch Bolt Kit	⇦⇨		QSK226S	Wheel Set, Pinch Bolt
61	Top Strut Bearing - Front	⇦⇨		QAM132	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1840	

Escort V

09/90-12/94

AAF,AAL,ABF,ABL,AFL,ALL,ANL




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2688S**	Female M14x2.0 , Ø 13.2mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2687S**	Female M14x2.0 , Ø 13.2mm Cone, L=74mm
2	Rack End	⇦⇨		**QR2467S**	Male M14x2.0 ,M14x1.5 Swivel, L=335mm
2	Rack End	⇦⇨	, Mfr.TRW	**QR3162S**	Male M14x2.0 ,M14x1.5 Swivel, L=320mm
2	Rack End	⇦⇨	, Mfr.Wülfrath	**QR2467S**	Male M14x2.0 ,M14x1.5 Swivel, L=335mm
20a	Suspension Arm - Front	↲		**QSA1355S**	Ø 17mm
20b	Suspension Arm - Front	↳		**QSA1356S**	Ø 17mm
21	Ball Joint - Front	⇩		**QSJ1157S**	Ø 17mm Cone, 2x Bolt
24a	Suspension Arm Bush - Front	⇩		**EMS2720**	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front	⇩		**EMS2721**	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨		**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1862**	Outer, Ø 16mm
29	Suspension Arm Repair Kit - Front	⇩		**QSK262S**	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit	⇩		**QSK226S**	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit (Assortment)	⇩		**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨		**QAM130**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2284**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2284**	

Escort VI

01/95-04/00

AAA,AAL,AAL4,ABL,AFL,AGL,ALL,ANL



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2688S	Female M14x2.0, Ø 13.2mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2687S	Female M14x2.0, Ø 13.2mm Cone, L=74mm
2	Rack End	⇦⇨		QR2467S	Male M14x2.0 ,M14x1.5 Swivel, L=335mm
2	Rack End	⇦⇨	, Mfr.TRW	QR3162S	Male M14x2.0 ,M14x1.5 Swivel, L=320mm
2	Rack End	⇦⇨	, Mfr.Wülfrath	QR2467S	Male M14x2.0 ,M14x1.5 Swivel, L=335mm
20a	Suspension Arm - Front	⇦		QSA1355S	Ø 17mm
20b	Suspension Arm - Front	⇨		QSA1356S	Ø 17mm
21	Ball Joint - Front	⇦⇨		QSJ1157S	Ø 17mm Cone, 2x Bolt
24a	Suspension Arm Bush - Front	⇦⇨		EMS2720	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front	⇦⇨		EMS2721	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨		QLS3075S	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer, Ø 16mm
29	Suspension Arm Repair Kit - Front	⇦⇨		QSK262S	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit	⇦⇨		QSK226S	Wheel Set, Pinch Bolt


continued...

Escort VI continued... 01/95-04/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
29²	Suspension Arm Mounting Bolt Kit (Assortment)			QSK261S	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front			QAM133	
62	Top Strut Mounting - Front exc.Bearing			EMR6000	
63	Top Strut Mounting - Front inc.Bearing			EMA6000	
34	Suspension Arm Bush - Rear			EMS4104	Axle
36	Stabiliser Bar Bush - Rear			EMB1862	Outer, Ø 16mm
65	Top Strut Mounting - Rear exc.Bearing			EMR6016	10mm

Escort V 10/91-10/96

ALB4 RS Cosworth




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR1834S	Female M14x2.0 , Ø 12.5mm Cone
1b	Tie Rod End - Outer			QR1833S	Female M14x2.0 , Ø 12.5mm Cone
2	Rack End		Mfr.TRW	QR3161S	Male M14x2.0 ,M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front			QSJ1197S	Ø 17mm Cone
20b	Suspension Arm - Front			QSJ1198S	Ø 17mm Cone
24a	Suspension Arm Bush - Front			EMS2523	Inner
24b	Suspension Arm Bush - Front		Std.	QSK220S	Outer
24c	Suspension Arm Bush - Front		H.D.	QSK1000S	Outer
61	Top Strut Bearing - Front			QAM132	

Fiesta II

09/83-09/89

FBD,FDB,FVDV,WFVT inc.XR2




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2377S**	Female 1/2x20 UNF, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨		**QR2133S**	Male 1/2x20 UNF, L=280mm
21	Ball Joint - Front			**QSJ897S**	Ø 15mm Cone
24	Suspension Arm Bush - Front			**EMS1866**	Tie Bar End Bushes
61	Top Strut Bearing - Front	⇦⇨		**QAM130**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.XR2	**EMR1840**	
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB2628**	Outer, Ø 14mm

Fiesta III

10/89-01/94

FAJ,FBJ,FVJ exc.XR2i,Turbo



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2377S	Female 1/2x20 UNF, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨	exc.Diesel,	QR2471S	Male 1/2x20 UNF, M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	Diesel,	QR3264S	Male 1/2x20, M14x1.5mm Swivel, L=315mm
2	Rack End	⇦⇨		QR3264S	Male 1/2x20, M14x1.5mm Swivel, L=315mm
14	Steering Column Coupling			EMD9001	
20a	Suspension Arm - Front			QSA1474S	Ø 17mm, 3x Bolt
20b	Suspension Arm - Front			QSA1473S	Ø 17mm, 3x Bolt
21	Ball Joint - Front			QSJ1157S	Ø 17mm Cone, 2x Bolt
21¹	Ball Joint - Front			QSJ1330S	Ø 17mm Cone, 3x Bolt
24a	Suspension Arm Bush - Front			EMS2720	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			EMS2721	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨	exc.Diesel	QLS3075S	L=238mm
25	Stabiliser Link - Front	⇦⇨	Diesel	-	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3034	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer, Ø 16mm


Fiesta III continued... 10/89-01/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2401**	Ø 12mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2402**	Ø 16mm
29	Suspension Arm Repair Kit - Front			**QSK262S**	Wheel Set, EMS2720 & EMS2721
29[1]	Suspension Arm Pinch Bolt Kit			**QSK226S**	Wheel Set, Pinch Bolt
29[2]	Suspension Arm Mounting Bolt Kit (Assortment)			**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨		**QAM132**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1840**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8281**	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB2626**	Outer, Ø 20mm

Fiesta III

10/89-03/92

FAJ,FBJ,FVJ XR2i 1.6i



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2377S**	Female 1/2x20 UNF, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨		**QR2471S**	Male 1/2x20 UNF, M14x1.5 Swivel, L=310mm
14	Steering Column Coupling			**EMD9001**	
20a	Suspension Arm - Front		10/89-10/90	**QSA1474S**	Ø 17mm, 3x Bolt
20a¹	Suspension Arm - Front		10/90-03/92	**QSA1651S**	Ø 17mm, 3x Bolt


Fiesta III continued... 10/89-03/92

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		10/89-10/90	**QSA1473S**	Ø 17mm, 3x Bolt
20b[1]	Suspension Arm - Front		10/90-03/92	**QSA1650S**	Ø 17mm, 3x Bolt
21	Ball Joint - Front		10/89-10/90	**QSJ1157S**	Ø 17mm Cone, 2x Bolt
21[1]	Ball Joint - Front		10/89-10/90	**QSJ1330S**	Ø 17mm Cone, 3x Bolt
21[1]	Ball Joint - Front		10/90-03/92	**QSJ9965S**	Ø 17mm Cone, 3x Bolt
24a	Suspension Arm Bush - Front			**EMS2720**	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			**EMS2721**	Rear, Ø 55mm
25	Stabiliser Link - Front			**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front			**EMB3034**	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front			**EMB1862**	Outer, Ø 16mm
27	Stabiliser Link Kit - Front			**EMBK2401**	Ø 12mm
27	Stabiliser Link Kit - Front			**EMBK2402**	Ø 16mm
29	Suspension Arm Repair Kit - Front			**QSK262S**	Wheel Set, EMS2720 & EMS2721
29[1]	Suspension Arm Pinch Bolt Kit			**QSK226S**	Wheel Set, Pinch Bolt
29[2]	Suspension Arm Mounting Bolt Kit (Assortment)			**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front			**QAM132**	
62	Top Strut Mounting - Front exc.Bearing			**EMR1840**	
34	Suspension Arm Bush - Rear			**EMS8281**	Axle
36	Stabiliser Bar Bush - Rear			**EMB2626**	Outer, Ø 20mm

Fiesta III

05/89-03/92

FAJ,FBJ RS Turbo




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2377S	Female 1/2x20 UNF, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨		QR2471S	Male 1/2x20 UNF, M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨		QR3264S	Male 1/2x20, M14x1.5mm Swivel, L=315mm
14	Steering Column Coupling			EMD9001	
20a	Suspension Arm - Front			QSA1651S	Ø 17mm, 3x Bolt
20b	Suspension Arm - Front			QSA1650S	Ø 17mm, 3x Bolt
21	Ball Joint - Front			QSJ9965S	Ø 17mm Cone, 3x Bolt
24a	Suspension Arm Bush - Front			EMS2720	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			EMS2721	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨		QLS3075S	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3034	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer, Ø 16mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2401	Ø 12mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2402	Ø 16mm
29	Suspension Arm Repair Kit - Front			QSK262S	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit			QSK226S	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit (Assortment)			QSK261S	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S

Fiesta III continued... 05/89-03/92

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34	Suspension Arm Bush - Rear	⇦⇨		EMS8281	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB2626	Outer, Ø 20mm

Fiesta III 04/92-01/94

FAJ,FBJ XR2i,1.8i 16v,RS1800



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2377S	Female 1/2x20 UNF, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨		QR3264S	Male 1/2x20, M14x1.5mm Swivel, L=315mm
14	Steering Column Coupling			EMD9001	
20a	Suspension Arm - Front			QSA1432S	Ø 17mm, 3x Bolt
20b	Suspension Arm - Front			QSA1431S	Ø 17mm, 3x Bolt
21	Ball Joint - Front			QSJ1330S	Ø 17mm Cone, 3x Bolt
24a	Suspension Arm Bush - Front			EMS2720	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			EMS2721	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨		QLS3075S	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3034	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer, Ø 16mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2401	Ø 12mm


continued...

Fiesta III continued... 04/92-01/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2402	Ø 16mm
29	Suspension Arm Repair Kit - Front			QSK262S	Wheel Set, EMS2720 & EMS2721
29[1]	Suspension Arm Pinch Bolt Kit			QSK226S	Wheel Set, Pinch Bolt
29[2]	Suspension Arm Mounting Bolt Kit (Assortment)			QSK261S	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
34	Suspension Arm Bush - Rear	⇦⇨		EMS8281	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB2626	Outer, Ø 20mm

Fiesta IV 01/94-12/96

FAJ,FBJ exc.XR2i,1.8i 16v



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2926S	Female 1/2x20 UNF, Ø 11.7mm Cone, L=66mm
2	Rack End	⇦⇨	exc.Diesel,	QR2471S	Male 1/2x20 UNF, M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	Diesel,	QR3264S	Male 1/2x20, M14x1.5mm Swivel, L=315mm
2	Rack End	⇦⇨		QR3264S	Male 1/2x20, M14x1.5mm Swivel, L=315mm
14	Steering Column Coupling			EMD9001	


Fiesta IV continued... 01/94-12/96

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA1429S**	Ø 17.4/16.4mm
20a	Suspension Arm - Front			**QSA1472S**	Ø 17.4/16.4mm
20b	Suspension Arm - Front			**QSA1428S**	Ø 17.4/16.4mm
20b	Suspension Arm - Front			**QSA1471S**	Ø 17.4/16.4mm
21	Ball Joint - Front			**QSJ1490S**	Ø 17.4mm Cone (Inner), Ø 16.4mm Cone (Outer)
24a	Suspension Arm Bush - Front			**EMS2720**	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			**EMS2721**	Rear, Ø 55mm
25	Stabiliser Link - Front		exc.Diesel	**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front			**EMB3034**	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front			**EMB1862**	Outer, Ø 16mm
27	Stabiliser Link Kit - Front			**EMBK2401**	Ø 12mm
27	Stabiliser Link Kit - Front			**EMBK2402**	Ø 16mm
29	Suspension Arm Repair Kit - Front			**QSK262S**	Wheel Set, EMS2720 & EMS2721
29[1]	Suspension Arm Pinch Bolt Kit			**QSK226S**	Wheel Set, Pinch Bolt
29[2]	Suspension Arm Mounting Bolt Kit (Assortment)			**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front			**QAM132**	
62	Top Strut Mounting - Front exc.Bearing			**EMR1840**	
34	Suspension Arm Bush - Rear			**EMS8281**	Axle
36	Stabiliser Bar Bush - Rear			**EMB2626**	Outer, Ø 20mm

Fiesta IV

01/94-12/96

FAJ,FBJ XR2i,1.8i 16v




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2926S	Female 1/2x20 UNF, Ø 11.7mm Cone, L=66mm
2	Rack End	⇦⇨		QR3264S	Male 1/2x20 , M14x1.5mm Swivel, L=315mm
14	Steering Column Coupling			EMD9001	
20a	Suspension Arm - Front			QSA1472S	Ø 17.4/16.4mm
20b	Suspension Arm - Front			QSA1471S	Ø 17.4/16.4mm
21	Ball Joint - Front			QSJ1490S	Ø 17.4mm Cone (Inner), Ø 16.4mm Cone (Outer)
24a	Suspension Arm Bush - Front			EMS2720	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			EMS2721	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨		QLS3075S	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3034	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer, Ø 16mm
29	Suspension Arm Repair Kit - Front			QSK262S	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit			QSK226S	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit (Assortment)			QSK261S	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
34	Suspension Arm Bush - Rear	⇦⇨		EMS8281	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB2626	Outer, Ø 20mm

Fiesta V

FAJ,FBJ,JAS,JBS

09/95-08/02



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9964S	Female M14x2.0
1b	Tie Rod End - Outer	⇨		QR9961S	Female M14x2.0
2	Rack End	⇦⇨		QR3265S	Male M14x2.0, M14x1.5mm Swivel, L=325mm
4a	Tie Rod Assembly	⇦		QDL5255S	
4b	Tie Rod Assembly	⇨		QDL5256S	
20a	Suspension Arm - Front			QSA1895S	Ø 17.4/16.4mm
20a	Suspension Arm - Front			QSA1897S	Ø 17.4/16.4mm
20b	Suspension Arm - Front			QSA1896S	Ø 17.4/16.4mm


continued...

Fiesta V continued... 09/95-08/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front			**QSA1898S**	Ø 17.4/16.4mm
21	Ball Joint - Front			**QSJ1490S**	Ø 17.4/16.4mm
24a	Suspension Arm Bush - Front			**EMS2657**	Front
24b	Suspension Arm Bush - Front			**EMS2658**	Rear
25	Stabiliser Link - Front			**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front		exc.Diesel	**EMB2606**	Outer, Ø 15mm
26	Stabiliser Bar Bush - Front		Diesel	**EMB1862**	Outer, Ø 16mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK226S**	Wheel Set, Pinch Bolt
29[2]	Suspension Arm Mounting Bolt Kit			**QSK260S**	Front
29[3]	Suspension Arm Mounting Bolt Kit			**QSK259S**	Rear
29[4]	Suspension Arm Mounting Bolt Kit (Assortment)			**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front			**QAM131**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6006**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6006**	
34	Suspension Arm Bush - Rear			**EMS4103**	Axle
34	Suspension Arm Bush - Rear			**EMS8423**	Hub
36	Stabiliser Bar Bush - Rear			**EMB1862**	Outer, Ø 16mm
65	Top Strut Mounting - Rear exc.Bearing			**EMR6009**	

Fiesta VI 05/02-07/08

DJ1,HJ1




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			**QR3289S**	Female M14x1.5, Ø 11.8mm Cone, L=95mm
1b	Tie Rod End - Outer			**QR3290S**	Female M14x1.5, Ø 11.8mm Cone, L=95mm
2	Rack End			**QR3292S**	Male M14x1.5,, M14x1.5 Swivel, L=292mm
20a	Suspension Arm - Front			**QSA1984S**	
20b	Suspension Arm - Front			**QSA1985S**	
21	Ball Joint - Front			**QSJ3275S**	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8202**	Front
24b	Suspension Arm Bush - Front			**EMS8203**	Rear
24c	Suspension Arm Bush - Front			**EMS8204**	Rear

Fiesta VI continued... 05/02-07/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3306S	L=290mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7115	Outer
34	Suspension Arm Bush - Rear	⇦⇨		EMS4103	Axle

Fiesta VII 08/08-

AJG,AJJ




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc ST	QR3685S	
1b	Tie Rod End - Outer	⇨	exc ST	QR3686S	
2	Rack End	⇦⇨	exc ST	QR3687S	
20a	Suspension Arm - Front	↲	exc ST	QSA2427S	
20b	Suspension Arm - Front	↳	exc ST	QSA2428S	
21	Ball Joint - Front	⇩⇩		QSJ3556S	Ø 17.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8454	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8455	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3636S	

Focus I

08/98-07/04

DAW,DBW,DFW exc.RS



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3232S**	Female M14x2.0 , Ø 13mm Cone, L=75mm
1b	Tie Rod End - Outer	⇨		**QR3231S**	Female M14x2.0 , Ø 13mm Cone, L=75mm
2	Rack End	⇦⇨	, exc.ST170	**QR3288S**	Male M14x2.0, M14x2.0 Swivel, L=345mm
2	Rack End	⇦⇨	, exc.ST170	**QR3233S**	Male M14x2.0 , M14x1.5mm Swivel, L=358mm
2	Rack End	⇦⇨	ST170	-	


Focus I continued... 08/98-07/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA1710S**	
20b	Suspension Arm - Front			**QSA1709S**	
21	Ball Joint - Front			**QSJ1879S**	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8040**	Front
24b	Suspension Arm Bush - Front			**EMS8041**	Rear
25	Stabiliser Link - Front		08/98-04/00	**QLS3281S**	L=236mm, Aluminium
25	Stabiliser Link - Front		04/00-07/04, Manufactured in Valencia	**QLS3281S**	L=236mm, Aluminium
25[1]	Stabiliser Link - Front		04/00-07/04, Manufactured in Saarlouis	**QLS3075S**	L=238mm, Steel
26	Stabiliser Bar Bush - Front			**EMB7025**	Outer
29[1]	Suspension Arm Pinch Bolt Kit			**QSK269S**	Wheel Set, Pinch Bolt M10x56mm
61	Top Strut Bearing - Front			**QAM141**	
62	Top Strut Mounting - Front exc.Bearing		MAN	**EMR6079**	
62	Top Strut Mounting - Front exc.Bearing		AUTO	**EMR6093**	
63	Top Strut Mounting - Front inc.Bearing		MAN	**EMA6079**	
30	Suspension Arm - Rear		Saloon	**QSJ3242S**	Front, L=232mm
30	Suspension Arm - Rear		Estate, MAN 08/98-5/00, AUTO 08/98-11/99	**QSJ3242S**	Front, L=232mm
30	Suspension Arm - Rear		Estate, AUTO 11/99-5/00	**-**	Front
30	Suspension Arm - Rear		Estate, 5/00-07/04	**-**	Front
30[2]	Suspension Arm - Rear		Saloon	**QSJ3420S**	Rear
30[3]	Suspension Arm - Rear		Estate	**-**	Rear
32	Suspension Arm - Rear		Saloon 08/98-08/02	**QSJ2099S**	L=290mm
32	Suspension Arm - Rear		Saloon 09/02-07/04	**-**	
32	Suspension Arm - Rear		Estate	**-**	
34a	Suspension Arm Bush - Rear			**EMS8031**	Trailing Arm
34b	Suspension Arm Bush - Rear			**EMS8376**	Front
34e	Suspension Arm Bush - Rear			**EMS8377**	
35	Stabiliser Link - Rear			**QLS3282S**	L=111mm
36	Stabiliser Bar Bush - Rear			**EMB7063**	Outer

Focus I

DAW,DBW RS

08/02-07/04




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3232S	Female M14x2.0 , Ø 13mm Cone, L=75mm
1b	Tie Rod End - Outer	⇨		QR3231S	Female M14x2.0 , Ø 13mm Cone, L=75mm
61	Top Strut Bearing - Front	⇦⇨		QAM141	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6079	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6079	
30	Suspension Arm - Rear	⇦⇨		QSJ3242S	Front, L=232mm
32	Suspension Arm - Rear	⇦⇨		QSJ2099S	L=290mm
34	Suspension Arm Bush - Rear	⇦⇨		EMS8031	Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		QLS3282S	L=111mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7063	Outer

Focus II


DA3,DA5

07/04-03/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3420S**	Female M14x1.5 RH, Ø 12.5mm Cone, L=100mm
1b	Tie Rod End - Outer	⇨		**QR3421S**	Female M14x1.5 RH, Ø 12.5mm Cone, L=100mm
2	Rack End	⇦⇨		**QR3422S**	Male M16x1.5 RH, M14x1.5 Swivel, L=304mm
20a	Suspension Arm - Front		07/04-02/06	**QSA2087S**	
20a	Suspension Arm - Front		02/06-, exc.ST 2.5	**QSA2234S**	
20a	Suspension Arm - Front		ST 2.5	**-**	
20b	Suspension Arm - Front		07/04-02/06	**QSA2088S**	
20b	Suspension Arm - Front		02/06-, exc.ST 2.5	**QSA2235S**	
20b	Suspension Arm - Front		ST 2.5	**-**	
21	Ball Joint - Front		07/04-02/06	**QSJ3326S**	Ø 18mm Cone
21	Ball Joint - Front		02/06-	**QSJ3332S**	Ø 21mm Cone
24a	Suspension Arm Bush - Front			**EMS8250**	Front
24b	Suspension Arm Bush - Front			**EMS8479**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3389S**	L=298mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.Estate	**EMB7276**	Outer
32	Suspension Arm - Rear			**QSJ2099S**	L=290mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3390S**	L=95mm
35¹	Stabiliser Link - Rear	⇦⇨		**QLS3835S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7298**	Outer, Ø 15mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7274**	Outer, Ø 16mm

Focus III 04/11-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Electronic Power Steering	QR3908S	
1a	Tie Rod End - Outer	⇦	Hydraulic Power Steering	QR3420S	
1b	Tie Rod End - Outer	⇨	Electronic Power Steering	QR3909S	
1a	Tie Rod End - Outer	⇦	Hydraulic Power Steering	QR3421S	
2	Rack End	⇦⇨		QR3910S	L=293mm
20a	Suspension Arm - Front	↲		QSA2607S	
20b	Suspension Arm - Front	↳		QSA2608S	
21a	Ball Joint - Front	↲		QSJ3644S	
21b	Ball Joint - Front	↳		QSJ3645S	
25	Stabiliser Link - Front	⇦⇨		QLS3773S	L=298mm
32	Suspension Arm - Rear	↰↱		QSJ3656S	Curved Arm, Steel
35	Stabiliser Link - Rear	⇦⇨	exc. 2.0 EcoBoost 250ps	QLS3823S	L=76mm
35[1]	Stabiliser Link - Rear	⇦⇨	exc. 2.0 EcoBoost 250ps	QLS3835S	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7274	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7298	Outer, Ø 15mm

Focus C-Max

DMW


10/03-03/07



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3420S**	Female M14x1.5 RH, Ø 12.5mm Cone, L=100mm
1b	Tie Rod End - Outer	⇨		**QR3421S**	Female M14x1.5 RH, Ø 12.5mm Cone, L=100mm
2	Rack End	⇦⇨		**QR3422S**	Male M16x1.5 RH, M14x1.5 Swivel, L=304mm
20a	Suspension Arm - Front		10/03-02/06	**QSA2087S**	
20a	Suspension Arm - Front		02/06-03/07	**QSA2234S**	
20b	Suspension Arm - Front		10/03-02/06	**QSA2088S**	
20b	Suspension Arm - Front		02/06-03/07	**QSA2235S**	
21	Ball Joint - Front		10/03-02/06	**QSJ3326S**	Ø 18mm Cone
21	Ball Joint - Front		02/06-03/07	**QSJ3332S**	Ø 21mm Cone
24a	Suspension Arm Bush - Front			**EMS8250**	Front
24b	Suspension Arm Bush - Front			**EMS8479**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3389S**	L=298mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7116**	Outer
32	Suspension Arm - Rear			**QSJ2099S**	L=290mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3390S**	L=95mm
35¹	Stabiliser Link - Rear	⇦⇨		**QLS3835S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7298**	Outer, Ø 15mm

Fusion 06/02-12/12

UJ1




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3289S	Female M14x1.5, Ø 11.8mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		QR3290S	Female M14x1.5, Ø 11.8mm Cone, L=95mm
2	Rack End	⇦⇨		QR3292S	Male M14x1.5,, M14x1.5 Swivel, L=292mm
20a	Suspension Arm - Front	⇦		QSA1984S	
20b	Suspension Arm - Front	⇨		QSA1985S	
21	Ball Joint - Front	⇦⇨		QSJ3275S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8202	Front
24b	Suspension Arm Bush - Front	⇦		EMS8203	Rear
24c	Suspension Arm Bush - Front	⇨		EMS8204	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3306S	L=290mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7115	Outer

Galaxy I 10/95-04/00

WG,WG4,WG7



Galaxy I continued... 10/95-04/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2989S**	Female M14x1.5 RH, Ø 14.5mm Cone, L=220mm
1b	Tie Rod End - Outer	⇨		**QR2988S**	Female M14x1.5 RH, Ø 14.5mm Cone, L=220mm
2	Rack End	⇦⇨		**QR3266S**	Male M14x1.5 RH,M14x1.5mm Swivel, L=205mm
4a	Tie Rod Assembly	⇦		**QDL3039S**	
4b	Tie Rod Assembly	⇨		**QDL3038S**	
20a	Suspension Arm - Front	⇦		**QSA1516S**	
20b	Suspension Arm - Front	⇨		**QSA1515S**	
21	Ball Joint - Front	⇦⇨		**QSJ1517S**	Ø 18.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8045**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8046**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1613S**	L=205mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7064**	Outer
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1891**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8045**	Trailing Arm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7119**	Outer, Ø 26.6mm
36¹	Stabiliser Bar Bush - Rear	⇨⇦		**EMB7118**	Inner
93	Subframe Mounting - Rear	⇦⇨	exc.4x4	**EM4096**	
93¹	Subframe Mounting - Rear	⇦⇨	exc.4x4	**EM4448**	Centre

Galaxy II

WG

05/00-03/06




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2989S**	Female M14x1.5 RH, Ø 14.5mm Cone, L=220mm
1b	Tie Rod End - Outer	⇨		**QR2988S**	Female M14x1.5 RH, Ø 14.5mm Cone, L=220mm
2	Rack End	⇦⇨		**QR3266S**	Male M14x1.5 RH,M14x1.5mm Swivel, L=205mm
4a	Tie Rod Assembly	⇦		**QDL3039S**	
4b	Tie Rod Assembly	⇨		**QDL3038S**	
20a	Suspension Arm - Front	⇦		**QSA1516S**	
20b	Suspension Arm - Front	⇨		**QSA1515S**	
21	Ball Joint - Front	⇦⇨		**QSJ1517S**	Ø 18.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8045**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8046**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1613S**	L=205mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7064**	Outer
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8045**	Trailing Arm
93	Subframe Mounting - Rear	⇦⇨		**EM4096**	
93¹	Subframe Mounting - Rear	⇦⇨		**EM4448**	Centre

Galaxy III


SWG

04/06-03/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3558S**	Female M18x1.5 RH, Ø 16.8mm Cone, L=112mm
1b	Tie Rod End - Outer	⇨		**QR3559S**	Female M18x1.5 RH, Ø 16.8mm Cone, L=112mm
2	Rack End	⇦⇨		**QR3592S**	Male M18x1.5 RH, M16x1.5 Swivel, L=335mm
20a	Suspension Arm - Front	↲		**QSA2339S**	
20b	Suspension Arm - Front	↳		**QSA2340S**	
21	Ball Joint - Front	⇩⇩		**QSJ3418S**	Ø 18.0mm Cone, PCD=56mm
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8456**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8445**	Rear
24c	Suspension Arm Bush - Front	↳		**EMS8446**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3538S**	L=300mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer
30	Suspension Arm - Rear	⇩⇩		**-**	Spring Seat Carrier
30¹	Suspension Arm - Rear	⇩⇩		**QSJ3535S**	Track Control Arm, Straight
34a	Suspension Arm Bush - Rear	↲	T-Bar Bush	**EMS8550**	Trailing Arm
34b	Suspension Arm Bush - Rear	↳	T-Bar Bush	**EMS8551**	Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3539S**	L=180mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**-**	Outer

Galaxy 03/15-






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⊏⇨		**QLS3840S**	

Granada III 05/85-09/94

GA,GF,GN Scorpio




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊏⇨		**QR2212S**	Female M14x2.0 RH, Ø 12.5mm Cone, M10x1 Ball Pin, L=73mm
2	Rack End	⇦⊏⇨	Mfr.TRW	**QR3161S**	Male M14x2.0 RH,M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲	Std.	**QSJ1156S**	Ø 14.5mm Cone
20b	Suspension Arm - Front	↳	Std.	**QSJ1155S**	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇦⊏⇨		**EMS2523**	Inner
24b	Suspension Arm Bush - Front	⇦⊏⇨	Std.	**QSK220S**	Outer
24c	Suspension Arm Bush - Front	⇦⊏⇨	H.D.	**QSK1000S**	Outer

Granada III

05/85-09/94

GA,GF,GN Scorpio 4x4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2688S**	Female M14x2.0 RH, Ø 13.2mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2687S**	Female M14x2.0 RH, Ø 13.2mm Cone, L=74mm
2	Rack End	⇦⇨		**QR3161S**	Male M14x2.0 RH,M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲		**QSJ1197S**	Ø 17mm Cone
20b	Suspension Arm - Front	↳		**QSJ1198S**	Ø 17mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2523**	Inner
24b	Suspension Arm Bush - Front	⇦⇨	Std.	**QSK220S**	Outer
24c	Suspension Arm Bush - Front	⇦⇨	H.D.	**QSK1000S**	Outer
61	Top Strut Bearing - Front	⇦⇨		**QAM130**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6019**	

Ka I,StreetKa,SportKa

09/96-05/09

RB, RL2




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2926S	Female 1/2x20 UNF, Ø 11.7mm Cone, L=66mm
2	Rack End	⇦⇨	exc.1.6i	QR3264S	Male 1/2x20 , M14x1.5mm Swivel, L=315mm
2	Rack End	⇦⇨	1.6i	-	
14	Steering Column Coupling			EMD9001	
20a	Suspension Arm - Front	↲		QSA1899S	Ø 17.4/16.4mm
20a	Suspension Arm - Front	↲	, exc.SportKa,StreetKa	QSA1901S	Ø 17.4/16.4mm
20a	Suspension Arm - Front	↲	SportKa,StreetKa	QSA2366S	Ø 17.4/16.4mm
20b	Suspension Arm - Front	↳		QSA1900S	Ø 17.4/16.4mm
20b	Suspension Arm - Front	↳	, exc.SportKa,StreetKa	QSA1902S	Ø 17.4/16.4mm
20b	Suspension Arm - Front	↳	SportKa,StreetKa	QSA2367S	Ø 17.4/16.4mm
21	Ball Joint - Front	⇩⇩		QSJ1490S	Ø 17.4mm Cone (Inner), Ø 16.4mm Cone (Outer)
24a	Suspension Arm Bush - Front	⇩⇩	exc.1.6i	EMS2720	Front, Ø 46.5mm

Ka I,StreetKa,SportKa continued... 09/96-05/09

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			**EMS2721**	Rear, Ø 55mm
25	Stabiliser Link - Front			**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front		09/96-08/00	**EMB2606**	Outer, Ø 15mm
26	Stabiliser Bar Bush - Front		08/00- 1.3i Std.Susp., exc.1.6i	**-**	Outer, Ø 13mm
26	Stabiliser Bar Bush - Front		08/00- 1.3i H.D.Susp., exc.1.6i	**EMB2607**	Outer, Ø 13mm
26	Stabiliser Bar Bush - Front		08/00- 1.6i	**-**	Outer, Ø 13mm
29	Suspension Arm Repair Kit - Front			**QSK262S**	Wheel Set, EMS2720 & EMS2721
29[1]	Suspension Arm Pinch Bolt Kit			**QSK226S**	Wheel Set, Pinch Bolt
29[2]	Suspension Arm Mounting Bolt Kit			**QSK259S**	Front & Rear
29[3]	Suspension Arm Mounting Bolt Kit (Assortment)			**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front			**QAM131**	
62	Top Strut Mounting - Front exc.Bearing		exc.1.6i SportKa,StreetKa	**EMR6006**	
62[1]	Top Strut Mounting - Front exc.Bearing		1.6i SportKa,StreetKa	**EMR6015**	
63	Top Strut Mounting - Front inc.Bearing		exc.1.6i SportKa,StreetKa	**EMA6006**	
34	Suspension Arm Bush - Rear			**EMS4103**	Axle
34	Suspension Arm Bush - Rear			**EMS8423**	Hub
65	Top Strut Mounting - Rear exc.Bearing			**EMR6009**	

Ka II 02/09-

JDU




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			**QR3402S**	Female M12x1.5 Ø 12.0mm Cone, L=145mm
1b	Tie Rod End - Outer			**QR3403S**	Female M12x1.5 Ø 12.0mm Cone, L=145mm
2	Rack End			**QR3813S**	Male M12x1.5, M14x1.5 Swivel, L=270mm
20a	Suspension Arm - Front			**QSA2400S**	
20b	Suspension Arm - Front			**QSA2401S**	
24a	Suspension Arm Bush - Front			**EMS8303**	Front
25	Stabiliser Link - Front			**QLS3277S**	L=294mm

Kuga

RDR

04/08-12/13



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3683S**	
1b	Tie Rod End - Outer	⇨		**QR3684S**	
2	Rack End	⇦⇨		**QR3422S**	Male M16x1.5 , M14x1.5 Swivel, L=304mm
20a	Suspension Arm - Front			**QSA2429S**	
20b	Suspension Arm - Front			**QSA2430S**	
21a	Ball Joint - Front			**QSJ3646S**	
21b	Ball Joint - Front			**QSJ3647S**	
24a	Suspension Arm Bush - Front			**EMS8250**	Front
24b	Suspension Arm Bush - Front			**EMS8251**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3389S**	L=298mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7116**	Outer
29	Suspension Arm Pinch Bolt Kit			**QSK225S**	Wheel Set, Pinch Bolt
35	Stabiliser Link - Rear	⇦⇨		**QLS3802S**	

Kuga 11/12-








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3908S	
1b	Tie Rod End - Outer	⇨		QR3909S	
2	Rack End	⇦⇨		QR3910S	
21a	Ball Joint - Front	↲	-12/15	QSJ3646S	
21b	Ball Joint - Front	↳	-12/15	QSJ3647S	
25	Stabiliser Link - Front	⇦⇨		QLS3773S	L=298mm
35	Stabiliser Link - Rear	⇦⇨		QLS3802S	

Maverick I 02/93-06/96

FR20




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front	⇩⇩		QSJ1878S	Ø 19.6mm Cone, M18 Ball Pin
23	Ball Joint - Front	⇧⇧		QSJ911S	Ø 15.9mm Cone
24	Suspension Arm Bush - Front	⇧⇧		EMS8002	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3283S	L=88mm

Maverick II

DU,NU

07/96-04/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR5224S	Male M16x1.5 , M12x1.25mm Swivel, L=130mm
2	Side Rod End - Inner	⇦⇨		QR5250S	Male M16x1.5 , M12x1.25mm Ball Pin, L=130mm
4	Side Rod Assembly	⇦⇨		QDL5274S	
21	Ball Joint - Front			QSJ3433S	Ø 19.6mm Cone
23	Ball Joint - Front			QSJ911S	Ø 15.9mm Cone
24	Suspension Arm Bush - Front			EMS8002	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3283S	L=88mm
35	Stabiliser Link - Rear	⇦⇨		QLS3528S	L=208mm

Maverick III

CU

05/00-07/07




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3725S	
2	Rack End	⇦⇨		QR3593S	
20a	Suspension Arm - Front	↲		QSA2244S	
20b	Suspension Arm - Front	↳		QSA2245S	
25	Stabiliser Link - Front	⇦⇨		QLS3670S	

Mondeo I

02/93-08/96

A6B,ABP,F6B,F6GFBP




Mondeo I continued... 02/93-08/96

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2865S**	Female M16x1.5 , Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR2866S**	Female M16x1.5 , Ø 12.5mm Cone
2	Rack End	⇦⇨	14'' Wheels	**QR2863S**	Male M16x1.5 , L=350mm
2	Rack End	⇦⇨	15'' Wheels	**QR3088S**	Male M16x1.5 , L=350mm
20a	Suspension Arm - Front			**QSA1425S**	Ø 19mm
20b	Suspension Arm - Front			**QSA1424S**	Ø 19mm
21	Ball Joint - Front			**QSJ1350S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			**EMS1851**	Front, Ø 48mm
24b	Suspension Arm Bush - Front			**EMS1852**	Rear, Ø 46.5mm
25	Stabiliser Link - Front	⇦⇨		**QLS2910S**	L=240mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1857**	Outer, Ø 20mm
29	Suspension Arm Repair Kit - Front			**QSK263S**	Wheel Set, OE only
29[1]	Suspension Arm Pinch Bolt Kit			**QSK225S**	Wheel Set, Pinch Bolt
29[2]	Suspension Arm Mounting Bolt Kit			**QSK259S**	Front & Rear
29[3]	Suspension Arm Mounting Bolt Kit (Assortment)			**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨		**QAM142**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6024**	
30	Suspension Arm - Rear		exc.4x4, Estate	**QLS3082S**	L=603mm
35	Stabiliser Link - Rear	⇦⇨	02/93-10/94, Push Fitment Type	**QLS3080S**	L=117mm
35[1]	Stabiliser Link - Rear	⇦⇨	10/94-08/96, Bolt Fitment Type	**QLS3081S**	L=117mm
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.2.5 V6	**EMB7065**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨	2.5 V6	**EMB7090**	Outer, Ø 18mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6025**	

Mondeo II

09/96-09/00

BAP,BFP,BNP



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3056S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3055S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=95mm
2	Rack End	⇦⇨	14'' Wheels	**QR3088S**	Male M16x1.5 RH, L=350mm
2	Rack End	⇦⇨	15,16'' Wheels	**QR3089S**	Male M16x1.5 RH, M14x1.5mm Swivel, L=355mm
20a	Suspension Arm - Front	↵	exc.2.5i V6 200PS	**QSA1425S**	Ø 19mm


Mondeo II continued... 09/96-09/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		exc.2.5i V6 200PS	**QSA1424S**	Ø 19mm
21	Ball Joint - Front		exc.2.5i V6 200PS	**QSJ1350S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front		exc.2.5i V6 200PS, 09/96-07/99	**EMS1851**	Front, Ø 48mm
24a	Suspension Arm Bush - Front		exc.2.5i V6 200PS, 08/99-09/00	**EMS8282**	Front, Ø 54mm
24b	Suspension Arm Bush - Front		exc.2.5i V6 200PS	**EMS2646**	Rear, Ø 60mm
25	Stabiliser Link - Front			**QLS2910S**	L=240mm
26	Stabiliser Bar Bush - Front			**EMB1857**	Outer, Ø 20mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK225S**	Wheel Set, Pinch Bolt
29[2]	Suspension Arm Mounting Bolt Kit			**QSK259S**	Front & Rear
29[3]	Suspension Arm Mounting Bolt Kit (Assortment)			**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front		09/96-12/98	**QAM142**	
61	Top Strut Bearing - Front		12/98-09/00	**-**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6024**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6024**	
30	Suspension Arm - Rear		exc.Estate	**QLS3082S**	L=603mm
35	Stabiliser Link - Rear		09/96-07/98	**QLS3081S**	L=117mm
35[1]	Stabiliser Link - Rear		08/98-08/00	**QLS3411S**	L=98mm
36	Stabiliser Bar Bush - Rear		exc.2.5 V6	**EMB7065**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear		2.5 V6	**EMB7090**	Outer, Ø 18mm
65	Top Strut Mounting - Rear exc.Bearing			**EMR6025**	


Mondeo III

B5Y, BWY, B4Y

10/00-02/07



Mondeo III continued... 10/00-02/07



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3267S	Female M16x1.5, Cone Ø 13mm, L=92mm
1	Tie Rod End - Outer	⇦⇨		QR3268S	Female M16x1.5, Cone Ø 13mm, L=92mm
2	Rack End	⇦⇨		QR3269S	Male M16x1.5 , M14x1.5mm Swivel, L=360mm
20a	Suspension Arm - Front		exc.ST220,ST TDCi	QSA1936S	
20a	Suspension Arm - Front		ST220,ST TDCi Std.Duty	QSA2349S	
20a	Suspension Arm - Front		ST220,ST TDCi H.D.	-	
20b	Suspension Arm - Front		exc.ST220,ST TDCi	QSA1937S	
20b	Suspension Arm - Front		ST220,ST TDCi Std.Duty	QSA2350S	
20b	Suspension Arm - Front		ST220,ST TDCi H.D.	-	
21	Ball Joint - Front		exc.ST220,ST TDCi	QSJ3243S	Ø 21mm Cone
21	Ball Joint - Front		ST220,ST TDCi	QSJ3499S	
24a	Suspension Arm Bush - Front			EMS8153	Front
24b	Suspension Arm Bush - Front			EMS8154	Rear
25	Stabiliser Link - Front	⇦⇨	10/00-09/02	QLS3314S	L=251mm, Metal
25¹	Stabiliser Link - Front	⇦⇨	09/02-	QLS3315S	L=252mm, Plastic
26	Stabiliser Bar Bush - Front	⇦⇨	exc.ST220,ST TDCi	EMB7206	Outer
29¹	Suspension Arm Pinch Bolt Kit			QSK225S	Wheel Set, Pinch Bolt
61	Top Strut Bearing - Front	⇦⇨		QAM143	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6104	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6104	
30	Suspension Arm - Rear		exc.Estate	QSJ3497S	Front of Wheel, Transverse Link, L=548mm
30¹	Suspension Arm - Rear		exc.Estate	QSJ3498S	Rear of Wheel, Transverse Link, L=600mm
30²	Suspension Arm - Rear		exc.Estate	QSJ3496S	Longitudinal Link, L=573mm
30	Suspension Arm - Rear		Estate	QSJ3702S	Straight Arm, Front of Wheel
30	Suspension Arm - Rear		Estate	-	Spring Seat Carrier, Rear of Wheel
32	Suspension Arm - Rear		Estate	-	Curved Arm
35	Stabiliser Link - Rear	⇦⇨	exc.Estate, exc.ST220, ST TDCi	QLS3313S	L=256mm
35	Stabiliser Link - Rear	⇦⇨	exc.Estate, ST220, ST TDCi	QLS3312S	L=223mm
35	Stabiliser Link - Rear	⇦⇨	Estate	QLS3371S	L=109mm


continued...

Mondeo III continued... 10/00-02/07

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.Estate	EMB7167	Outer
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6105	
93	Subframe Mounting - Rear	⇦⇨	exc.Estate	EM4154	Front
93[1]	Subframe Mounting - Rear	⇦⇨	exc.Estate	EM4155	Rear

Mondeo IV 03/07-12/15

BBA,BBD




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3558S	Female M18x1.5 , Ø 16.8mm Cone, L=112mm
1b	Tie Rod End - Outer	⇨		QR3559S	Female M18x1.5 , Ø 16.8mm Cone, L=112mm
2	Rack End	⇦⇨		QR3592S	Male M18x1.5 , M16x1.5 Swivel, L=335mm
20a	Suspension Arm - Front			QSA2339S	
20b	Suspension Arm - Front			QSA2340S	
21	Ball Joint - Front			QSJ3418S	Ø 18.0mm Cone, PCD=56mm
24a	Suspension Arm Bush - Front			EMS8456	Front
24b	Suspension Arm Bush - Front			EMS8445	Rear
24c	Suspension Arm Bush - Front			EMS8446	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3538S	L=300mm

Mondeo IV continued... 03/07-12/15

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer
30	Suspension Arm - Rear	⇩		QSJ3657S	Spring Seat Carrier
30[1]	Suspension Arm - Rear	⇩		QSJ3535S	Track Control Arm, Straight
32	Suspension Arm - Rear	⇧	Std.Susp.	QSJ3632S	Track Control Arm, Curved
34a	Suspension Arm Bush - Rear	⇦	T-Bar Bush	EMS8550	Trailing Arm
34b	Suspension Arm Bush - Rear	⇨	T-Bar Bush	EMS8551	Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		QLS3539S	L=180mm
36	Stabiliser Bar Bush - Rear	⇦⇨		-	Outer

Mondeo V 09/14-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3977S	
1b	Tie Rod End - Outer	⇨		QR3978S	
2	Rack End	⇦⇨		QR4022S	
20a	Suspension Arm - Front	⇦		QSA2679S	
20b	Suspension Arm - Front	⇨		QSA2680S	
25	Stabiliser Link - Front	⇦⇨		QLS3840S	

Orion III

09/90-08/93

AFF




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2688S	Female M14x2.0, Ø 13.2mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2687S	Female M14x2.0, Ø 13.2mm Cone, L=74mm
2	Rack End	⇦⇨		QR2467S	Male M14x2.0 ,M14x1.5 Swivel, L=335mm
2	Rack End	⇦⇨	, Mfr.TRW	QR3162S	Male M14x2.0 ,M14x1.5 Swivel, L=320mm
2	Rack End	⇦⇨	, Mfr.Wülfrath	QR2467S	Male M14x2.0 ,M14x1.5 Swivel, L=335mm
20a	Suspension Arm - Front			QSA1355S	Ø 17mm
20b	Suspension Arm - Front			QSA1356S	Ø 17mm
21	Ball Joint - Front			QSJ1157S	Ø 17mm Cone, 2x Bolt
24a	Suspension Arm Bush - Front			EMS2720	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			EMS2721	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨		QLS3075S	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer, Ø 16mm
29	Suspension Arm Repair Kit - Front			QSK262S	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit			QSK226S	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit (Assortment)			QSK261S	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨		QAM130	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2284	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2284	

Probe

T20,T22 ECP

06/92-12/97




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9933S**	Female M14x1.5
20a	Suspension Arm - Front	↲	2.5 V6	**QSA1773S**	
20b	Suspension Arm - Front	↳	2.5 V6	**QSA1790S**	
21	Ball Joint - Front	↲↳	2.5 V6	**QSJ1805S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front	↲↳	exc.2.5 V6	**EMS8060**	Front
24a	Suspension Arm Bush - Front	↲↳	2.5 V6	**-**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8058**	Rear
24c	Suspension Arm Bush - Front	↳		**EMS8059**	Rear
25a	Stabiliser Link - Front	⇦		**QLS1625S**	L=102mm
25b	Stabiliser Link - Front	⇨		**QLS1626S**	L=102mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6072**	
35	Stabiliser Link - Rear	⇦⇨		**QLS1834S**	L=88mm
65a	Top Strut Mounting - Rear exc.Bearing	⇦		**EMR6059**	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		**EMR6056**	

Puma

EC

05/97-05/02




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9964S**	Female M14x2.0
1b	Tie Rod End - Outer	⇨		**QR9961S**	Female M14x2.0
2	Rack End	⇦⇨		**QR3265S**	Male M14x2.0 , M14x1.5mm Swivel, L=325mm
4a	Tie Rod Assembly	⇦		**QDL5255S**	
4b	Tie Rod Assembly	⇨		**QDL5256S**	
20a	Suspension Arm - Front	⇦		**QSA1897S**	Ø 17.4/16.4mm
20b	Suspension Arm - Front	⇨		**QSA1898S**	Ø 17.4/16.4mm
21	Ball Joint - Front	⇦⇨		**QSJ1490S**	Ø 17.4mm Cone (Inner), Ø 16.4mm Cone (Outer)
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2657**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2658**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1862**	Outer, Ø 16mm
29¹	Suspension Arm Pinch Bolt Kit	⇦⇨		**QSK226S**	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit	⇦⇨		**QSK259S**	Rear

Puma continued... 05/97-05/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
29³	Suspension Arm Mounting Bolt Kit (Assortment)			QSK261S	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front			QAM131	
62	Top Strut Mounting - Front exc.Bearing			EMR6015	
34	Suspension Arm Bush - Rear			EMS4103	Axle
34	Suspension Arm Bush - Rear			EMS8423	Hub
65	Top Strut Mounting - Rear exc.Bearing			EMR6009	

Scorpio 05/85-09/94


GA,GF,GN 2x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR2212S	Female M14x2.0 , Ø 12.5mm Cone, M10x1 Ball Pin, L=73mm
2	Rack End		Mfr.TRW	QR3161S	Male M14x2.0 ,M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front			QSJ1156S	Ø 14.5mm Cone
20b	Suspension Arm - Front			QSJ1155S	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front			EMS2523	Inner
24b	Suspension Arm Bush - Front		Std.	QSK220S	Outer
24c	Suspension Arm Bush - Front		H.D.	QSK1000S	Outer
29	Suspension Arm Pinch Bolt Kit			QSK226S	Wheel Set, Pinch Bolt
61	Top Strut Bearing - Front			QAM130	
62	Top Strut Mounting - Front exc.Bearing			EMR6019	

Scorpio 05/85-09/94


GA,GF,GN 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR1834S	Female M14x2.0 , Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR1833S	Female M14x2.0 , Ø 12.5mm Cone
2	Rack End	⇦⇨		QR3161S	Male M14x2.0 ,M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front			QSJ1197S	Ø 17mm Cone
20b	Suspension Arm - Front			QSJ1198S	Ø 17mm Cone
24a	Suspension Arm Bush - Front			EMS2523	Inner
24b	Suspension Arm Bush - Front		Std.	QSK220S	Outer
24c	Suspension Arm Bush - Front		H.D.	QSK1000S	Outer
29	Suspension Arm Pinch Bolt Kit			QSK226S	Wheel Set, Pinch Bolt

Scorpio 10/94-08/99

GFR,GNR




Scorpio continued... 10/94-08/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2948S	Female M16x1.5 RH, Ø 13.2mm Cone, L=93mm
1b	Tie Rod End - Outer	⇨		QR2949S	Female M16x1.5 RH, Ø 13.2mm Cone, L=93mm
2	Rack End	⇦⇨		QR3306S	Male M16x1.5, M14x1.5 Swivel, L=323mm
20a	Suspension Arm - Front	↲		QSJ2101S	
20b	Suspension Arm - Front	↳		QSJ2102S	
25	Stabiliser Link - Front	⇦⇨		QLS3284S	L=275mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.2.3 DOHC,2.9i 24v Cosworth	EMB1857	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	2.3 DOHC,2.9i 24v Cosworth	-	Outer
29	Suspension Arm Pinch Bolt Kit	⇦⇨		QSK225S	Wheel Set, Pinch Bolt
61	Top Strut Bearing - Front	⇦⇨		QAM142	
35	Stabiliser Link - Rear	⇦⇨		QLS3285S	L=130mm

Sierra II 03/87-03/93


BAC,BAG,BBG,BFG,BNG exc.4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR1834S	Female M14x2.0 RH, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR1833S	Female M14x2.0 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR2135S	Male M14x2.0 RH, M14x1.5 Swivel, L=295mm
20a	Suspension Arm - Front	↲	Std.	QSJ1266S	Ø 14mm Cone
20b	Suspension Arm - Front	↳	Std.	QSJ1267S	Ø 14mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	Std.	QSK220S	Outer
24b	Suspension Arm Bush - Front	⇦⇨	H.D.	QSK1000S	Outer
29	Suspension Arm Pinch Bolt Kit	⇦⇨		QSK226S	Wheel Set, Pinch Bolt
61	Top Strut Bearing - Front	⇦⇨	03/87-08/90	QAM130	
61	Top Strut Bearing - Front	⇦⇨	08/90-03/93	QAM132	

Sierra II 03/87-03/93


BAG4,BFG4,BNG4 4x4 exc.Cosworth



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR1834S	Female M14x2.0 RH, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR1833S	Female M14x2.0 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR3161S	Male M14x2.0 RH,M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲	Std.	QSJ1197S	Ø 17mm Cone
20b	Suspension Arm - Front	↳	Std.	QSJ1198S	Ø 17mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS2523	Inner
24b	Suspension Arm Bush - Front	⇦⇨	Std.	QSK220S	Outer
24c	Suspension Arm Bush - Front	⇦⇨	H.D.	QSK1000S	Outer
29	Suspension Arm Pinch Bolt Kit	⇦⇨		QSK226S	Wheel Set, Pinch Bolt

Sierra II 03/87-03/93

BAG,BFG Cosworth 2x4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR1834S	Female M14x2.0 RH, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR1833S	Female M14x2.0 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR2135S	Male M14x2.0 RH, M14x1.5 Swivel, L=295mm
20a	Suspension Arm - Front	↲	Std.	QSJ1197S	Ø 17mm Cone
20b	Suspension Arm - Front	↳	Std.	QSJ1198S	Ø 17mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS2523	Inner
24b	Suspension Arm Bush - Front	⇦⇨	Std.	QSK220S	Outer
24c	Suspension Arm Bush - Front	⇦⇨	H.D.	QSK1000S	Outer
29	Suspension Arm Pinch Bolt Kit	⇦⇨		QSK226S	Wheel Set, Pinch Bolt

Sierra II

08/89-03/93


BAG4,BBGC,BFG4,BFGC Cosworth 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR1834S**	Female M14x2.0 , Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR1833S**	Female M14x2.0 , Ø 12.5mm Cone
2	Rack End	⇦⇨		**QR3161S**	Male M14x2.0 ,M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front		Std.	**QSJ1197S**	Ø 17mm Cone
20b	Suspension Arm - Front		Std.	**QSJ1198S**	Ø 17mm Cone
24a	Suspension Arm Bush - Front			**EMS2523**	Inner
24b	Suspension Arm Bush - Front		Std.	**QSK220S**	Outer
24c	Suspension Arm Bush - Front		H.D.	**QSK1000S**	Outer
29	Suspension Arm Pinch Bolt Kit			**QSK226S**	Wheel Set, Pinch Bolt

S-Max 03/06-

BWS,SWS



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3558S**	Female M18x1.5 , Ø 16.8mm Cone, L=112mm
1b	Tie Rod End - Outer	⇨		**QR3559S**	Female M18x1.5 , Ø 16.8mm Cone, L=112mm
2	Rack End	⇦⇨		**QR3592S**	Male M18x1.5 , M16x1.5 Swivel, L=335mm
20a	Suspension Arm - Front			**QSA2339S**	
20b	Suspension Arm - Front			**QSA2340S**	
21	Ball Joint - Front			**QSJ3418S**	Ø 18.0mm Cone, PCD=56mm
24a	Suspension Arm Bush - Front			**EMS8456**	Front
24b	Suspension Arm Bush - Front			**EMS8445**	Rear
24c	Suspension Arm Bush - Front			**EMS8446**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3538S**	L=300mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer
30	Suspension Arm - Rear			**-**	Spring Seat Carrier
30¹	Suspension Arm - Rear			**QSJ3535S**	Track Control Arm, Straight
34a	Suspension Arm Bush - Rear		T-Bar Bush	**EMS8550**	Trailing Arm
34b	Suspension Arm Bush - Rear		T-Bar Bush	**EMS8551**	Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3539S**	L=180mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**-**	Outer

S-Max 03/15-






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3840S	

Courier

FVJ Hi Cube

10/91-01/94




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2377S**	Female 1/2x20 UNF, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨	, exc.Diesel	**QR2471S**	Male 1/2x20 UNF, M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	, Diesel	**QR3264S**	Male 1/2x20, M14x1.5mm Swivel, L=315mm
2	Rack End	⇦⇨		**QR3264S**	Male 1/2x20, M14x1.5mm Swivel, L=315mm
20a	Suspension Arm - Front			**QSA1474S**	Ø 17mm, 3x Bolt
20b	Suspension Arm - Front			**QSA1473S**	Ø 17mm, 3x Bolt
21	Ball Joint - Front			**QSJ1157S**	Ø 17mm Cone, 2x Bolt
21¹	Ball Joint - Front			**QSJ1330S**	Ø 17mm Cone, 3x Bolt
24a	Suspension Arm Bush - Front			**EMS2720**	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			**EMS2721**	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨	exc.Diesel	**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB3034**	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1862**	Outer, Ø 16mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2401**	Ø 12mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2402**	Ø 16mm
29	Suspension Arm Repair Kit - Front			**QSK262S**	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit			**QSK226S**	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit (Assortment)			**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨		**QAM132**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1840**	

Courier

FVJ Hi Cube

02/94-07/96




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2926S	Female 1/2x20 UNF, Ø 11.7mm Cone, L=66mm
2	Rack End	⇦⇨	, exc.Diesel	QR2471S	Male 1/2x20 UNF , M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	, Diesel	QR3264S	Male 1/2x20 , M14x1.5mm Swivel, L=315mm
2	Rack End	⇦⇨		QR3264S	Male 1/2x20 , M14x1.5mm Swivel, L=315mm
20a	Suspension Arm - Front			QSA1472S	Ø 17.4/16.4mm
20b	Suspension Arm - Front			QSA1471S	Ø 17.4/16.4mm
21	Ball Joint - Front			QSJ1490S	Ø 17.4mm Cone (Inner), Ø 16.4mm Cone (Outer)
24a	Suspension Arm Bush - Front			EMS2720	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			EMS2721	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨	exc.Diesel	QLS3075S	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3034	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer, Ø 16mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2401	Ø 12mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2402	Ø 16mm
29	Suspension Arm Repair Kit - Front			QSK262S	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit			QSK226S	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit (Assortment)			QSK261S	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨		QAM132	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1840	

Courier

FV3,FV5,JV3,JV5 Hi Cube

08/96-08/03



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9964S**	Female M14x2.0
1b	Tie Rod End - Outer	⇨		**QR9961S**	Female M14x2.0
2	Rack End	⇦⇨		**QR3265S**	Male M14x2.0 , M14x1.5mm Swivel, L=325mm
4a	Tie Rod Assembly	⇦		**QDL5255S**	
4b	Tie Rod Assembly	⇨		**QDL5256S**	
20a	Suspension Arm - Front	⇦		**QSA1656S**	Ø 17.4/16.4mm
20b	Suspension Arm - Front	⇨		**QSA1655S**	Ø 17.4/16.4mm
21	Ball Joint - Front	⇦⇨		**QSJ1490S**	Ø 17.4mm Cone (Inner), Ø 16.4mm Cone (Outer)
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2657**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2658**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.3,1.4	**EMB2606**	Outer, Ø 15mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.8D	**EMB1862**	Outer, Ø 16mm
29¹	Suspension Arm Pinch Bolt Kit	⇦⇨		**QSK226S**	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit	⇦⇨		**QSK259S**	Rear
29³	Suspension Arm Mounting Bolt Kit (Assortment)	⇦⇨		**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨		**QAM131**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6006**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6006**	

Econovan 01/84-07/99


P327



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9216S	Female M14x1.5 ↻, Ø 13.9mm Cone
21	Ball Joint - Front	⇩		QSJ9218S	Ø 19.6mm Cone
23	Ball Joint - Front	⇧		QSJ9217S	Ø 17.8mm Cone

Escort IV Van 03/86-08/90


35,55,Combi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2377S	Female 1/2x20 UNF ↻, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨		QR2134S	Male 1/2x20 UNF ↻, L=305mm
20a	Suspension Arm - Front	↲		QSJ1012S	Ø 17mm Cone
20b	Suspension Arm - Front	↳		QSJ1013S	Ø 17mm Cone
24	Suspension Arm Bush - Front	⇩		QSK214S	Outer
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2610	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2611	Outer, Ø 24mm
61	Top Strut Bearing - Front	⇦⇨		QAM132	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1840	

Escort V,VI Van 09/90-08/00

40,55,60,75,Combi




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2688S**	Female M14x2.0 LH, Ø 13.2mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2687S**	Female M14x2.0 LH, Ø 13.2mm Cone, L=74mm
2	Rack End	⇦⇨		**QR2467S**	Male M14x2.0 LH,M14x1.5 Swivel, L=335mm
2	Rack End	⇦⇨	, Mfr.TRW	**QR3162S**	Male M14x2.0 LH,M14x1.5 Swivel, L=320mm
2	Rack End	⇦⇨	, Mfr.Wülfrath	**QR2467S**	Male M14x2.0 LH,M14x1.5 Swivel, L=335mm
20a	Suspension Arm - Front	⇦		**QSA1355S**	Ø 17mm
20b	Suspension Arm - Front	⇨		**QSA1356S**	Ø 17mm
21	Ball Joint - Front	⇦⇨		**QSJ1157S**	Ø 17mm Cone, 2x Bolt
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2720**	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2721**	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨		**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1862**	Outer, Ø 16mm
29	Suspension Arm Repair Kit - Front	⇦⇨		**QSK262S**	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit	⇦⇨		**QSK226S**	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit (Assortment)	⇦⇨		**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨	09/90-08/95	**QAM130**	
61	Top Strut Bearing - Front	⇦⇨	08/95-08/00	**QAM133**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	09/90-08/95	**EMR2284**	

Escort V,VI Van continued... 09/90-08/00


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	08/95-08/00	EMR6000	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	09/90-08/95	EMA2284	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	08/95-08/00	EMA6000	
34	Suspension Arm Bush - Rear	⇦⇨	08/95-08/00	EMS4104	Axle
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	08/95-08/00	EMR6016	10mm

Fiesta II Van 09/83-09/89




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2377S	Female 1/2x20 UNF, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨		QR2133S	Male 1/2x20 UNF, L=280mm
21	Ball Joint - Front			QSJ897S	Ø 15mm Cone
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2628	Outer, Ø 14mm
61	Top Strut Bearing - Front	⇦⇨		QAM130	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1840	

Fiesta III Van 10/89-01/94




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2377S**	Female 1/2x20 UNF, Ø 11.4mm Cone, L=67mm
2	Rack End	⇦⇨	, exc.Diesel	**QR2471S**	Male 1/2x20 UNF, M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	, Diesel	**QR3264S**	Male 1/2x20, M14x1.5mm Swivel, L=315mm
2	Rack End	⇦⇨		**QR3264S**	Male 1/2x20, M14x1.5mm Swivel, L=315mm
20a	Suspension Arm - Front			**QSA1474S**	Ø 17mm, 3x Bolt
20b	Suspension Arm - Front			**QSA1473S**	Ø 17mm, 3x Bolt
21	Ball Joint - Front			**QSJ1157S**	Ø 17mm Cone, 2x Bolt
21¹	Ball Joint - Front			**QSJ1330S**	Ø 17mm Cone, 3x Bolt
24a	Suspension Arm Bush - Front			**EMS2720**	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			**EMS2721**	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨	exc.Diesel	**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB3034**	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1862**	Outer, Ø 16mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2401**	Ø 12mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2402**	Ø 16mm
29	Suspension Arm Repair Kit - Front			**QSK262S**	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit			**QSK226S**	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit (Assortment)			**QSK261S**	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨		**QAM132**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1840**	

Fiesta IV Van 01/94-12/96



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2926S	Female 1/2x20 UNF, Ø 11.7mm Cone, L=66mm
2	Rack End	⇦⇨	, exc.Diesel	QR2471S	Male 1/2x20 UNF , M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	, Diesel	QR3264S	Male 1/2x20 , M14x1.5mm Swivel, L=315mm
2	Rack End	⇦⇨		QR3264S	Male 1/2x20 , M14x1.5mm Swivel, L=315mm
20a	Suspension Arm - Front			QSA1429S	Ø 17.4/16.4mm
20a	Suspension Arm - Front			QSA1899S	Ø 17.4/16.4mm
20b	Suspension Arm - Front			QSA1428S	Ø 17.4/16.4mm
20b	Suspension Arm - Front			QSA1900S	Ø 17.4/16.4mm
21	Ball Joint - Front			QSJ1490S	Ø 17.4mm Cone (Inner), Ø 16.4mm Cone (Outer)
24a	Suspension Arm Bush - Front			EMS2720	Front, Ø 46.5mm
24b	Suspension Arm Bush - Front			EMS2721	Rear, Ø 55mm
25	Stabiliser Link - Front	⇦⇨	exc.Diesel	QLS3075S	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3034	Outer, Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer, Ø 16mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2401	Ø 12mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2402	Ø 16mm
29	Suspension Arm Repair Kit - Front			QSK262S	Wheel Set, EMS2720 & EMS2721
29¹	Suspension Arm Pinch Bolt Kit			QSK226S	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit (Assortment)			QSK261S	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front	⇦⇨		QAM132	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1840	

Fiesta V Van 08/95-08/02




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9964S**	Female M14x2.0
1b	Tie Rod End - Outer	⇨		**QR9961S**	Female M14x2.0
2	Rack End	⇦⇨		**QR3265S**	Male M14x2.0, M14x1.5mm Swivel, L=325mm
4a	Tie Rod Assembly	⇦		**QDL5255S**	
4b	Tie Rod Assembly	⇨		**QDL5256S**	
20a	Suspension Arm - Front	↲		**QSA1895S**	Ø 17.4/16.4mm
20a	Suspension Arm - Front	↲		**QSA1897S**	Ø 17.4/16.4mm
20b	Suspension Arm - Front	↳		**QSA1896S**	Ø 17.4/16.4mm
20b	Suspension Arm - Front	↳		**QSA1898S**	Ø 17.4/16.4mm
21	Ball Joint - Front	⇩		**QSJ1490S**	Ø 17.4mm Cone (Inner), Ø 16.4mm Cone (Outer)
24a	Suspension Arm Bush - Front	⇩		**EMS2657**	Front
24b	Suspension Arm Bush - Front	⇩		**EMS2658**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3075S**	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.Diesel	**EMB2606**	Outer, Ø 15mm
26	Stabiliser Bar Bush - Front	⇦⇨	Diesel	**EMB1862**	Outer, Ø 16mm
29¹	Suspension Arm Pinch Bolt Kit	⇩		**QSK226S**	Wheel Set, Pinch Bolt
29²	Suspension Arm Mounting Bolt Kit	⇩		**QSK260S**	Front

Fiesta V Van continued... 08/95-08/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
29[3]	Suspension Arm Mounting Bolt Kit			QSK259S	Rear
29[4]	Suspension Arm Mounting Bolt Kit (Assortment)			QSK261S	Contains; 6 x QSK225S, 8 x QSK226S, 4 x QSK259S
61	Top Strut Bearing - Front			QAM131	
62	Top Strut Mounting - Front exc.Bearing			EMR6006	
63	Top Strut Mounting - Front inc.Bearing			EMA6006	
65	Top Strut Mounting - Rear exc.Bearing			EMR6009	

Fiesta VI Van 05/02-07/08

DJ1,HJ1




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR3289S	Female M14x1.5, Ø 11.8mm Cone, L=95mm
1b	Tie Rod End - Outer			QR3290S	Female M14x1.5, Ø 11.8mm Cone, L=95mm
2	Rack End			QR3292S	Male M14x1.5,, M14x1.5 Swivel, L=292mm
20a	Suspension Arm - Front			QSA1984S	
20b	Suspension Arm - Front			QSA1985S	
21	Ball Joint - Front			QSJ3275S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			EMS8202	Front
24b	Suspension Arm Bush - Front			EMS8203	Rear
24c	Suspension Arm Bush - Front			EMS8204	Rear
26	Stabiliser Bar Bush - Front			EMB7115	Outer

Fiesta VII Van

08/08-12/13

AJG,AJJ




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3685S	
1b	Tie Rod End - Outer	⇨		QR3686S	
2	Rack End	⇦⇨		QR3687S	
20a	Suspension Arm - Front	↲		QSA2427S	
20b	Suspension Arm - Front	↳		QSA2428S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8454	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8455	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3636S	

P100 II Pick-Up

03/87-12/94

PE45



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2212S	Female M14x2.0 ↻, Ø 12.5mm Cone, M10x1 Ball Pin, L=73mm
2	Rack End	⇦⇨		QR2135S	Male M14x2.0 ↻, M14x1.5 Swivel, L=295mm
20a	Suspension Arm - Front	↲	Std.	QSJ1266S	Ø 14mm Cone
20b	Suspension Arm - Front	↳	Std.	QSJ1267S	Ø 14mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	Std.	QSK220S	Outer
24b	Suspension Arm Bush - Front	⇦⇨	H.D.	QSK1000S	Outer

Ranger 04/11-





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Without Adj. Ride Height	QR4040S	
1a	Tie Rod End - Outer	⇦	With Adj. Ride Height	QR4042S	
1b	Tie Rod End - Outer	⇨	Without Adj. Ride Height	QR4041S	
1b	Tie Rod End - Outer	⇨	With Adj. Ride Height	QR4043S	
2	Rack End	⇦⇨		QR3979S	
25a	Stabiliser Link - Front	⇦	With Adj. Ride Height	QLS3854S	
25b	Stabiliser Link - Front	⇨	With Adj. Ride Height	QLS3855S	

Transit 09/85-03/91

80,120









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QD2765S	Female M16x1.5 ↻, Ø 16.2mm Cone
2	Rack End	⇦⇨		QR2473S	Male M16x1.5 ↻, M16x1.5 Swivel, L=415mm
21	Ball Joint - Front	⇩		QSJ1058S	Ø 20mm Cone
25a	Stabiliser Link - Front	⇦		QLS1712S	L=150mm
25b	Stabiliser Link - Front	⇨		QLS1711S	L=150mm
18	Leaf Spring Bush - Rear	⇩		EM4109	

Transit 09/85-03/91

100L,130,160,190









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	09/85-08/87	**QR2392S**	Male M20x1.5 , Ø 16.2mm Cone
1a	Tie Rod End - Outer	⇦	08/87-03/91	**QR2398S**	Male M20x1.5 , Ø 18mm Cone
1b	Tie Rod End - Outer	⇨	09/85-08/87	**QR2226S**	Male M20x1.5 , Ø 16.2mm Cone, L=92mm
1b	Tie Rod End - Outer	⇨	08/87-03/91	**QR2397S**	Male M20x1.5 , Ø 18mm Cone
5	Centre Rod Assembly		08/87-03/91	**QDL3262S**	
6	Drag Link Assembly		, 08/87-03/91	**QDL3263S**	
6	Drag Link Assembly		, 08/87-03/91	**QDL3261S**	
6a	Drag Link End	⇦	09/85-08/87	**QD2765S**	Female M16x1.5 , Ø 16.2mm Cone
6a	Drag Link End	⇦	08/87-03/91	**QD2400S**	Female M16x1.5 , Ø 18mm Cone
6b	Drag Link End	⇨		**QD2227S**	Female M16x1.5 , Ø 16.2mm Cone
6b	Drag Link End	⇨		**QD2399S**	Female M16x1.5 , Ø 18mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS1652S**	L=180mm
28¹	King Pin Set	⇦⇨		**QP759TC**	Axle Set
18c	Leaf Spring Bush - Rear	⇦⇨		**EM4109**	Rear, Shackle Bush

Transit 04/91-06/00

80,100,120,150,190



Transit continued... 04/91-06/00






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2705S	Female M16x1.5 RH, Ø 18mm Cone, L=100mm
2	Rack End	⇦⇨		QR3037S	Male M16x1.5 RH, M16x1.5mm Swivel L=416mm
20a	Suspension Arm - Front	↲		QSA2079S	
20b	Suspension Arm - Front	↳		QSA2080S	
21	Ball Joint - Front	⇩		QSJ1300S	Ø 22mm Cone
25a	Stabiliser Link - Front	⇦		QLS1712S	L=150mm
25b	Stabiliser Link - Front	⇨		QLS1711S	L=150mm
26	Stabiliser Bar Bush - Front	⇦⇨	SWB 2835mm	EMB2608	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨	LWB 3570mm	EMB2609	Outer, Ø 20mm
29	Suspension Arm Repair Kit - Front	⇩		QSK267S	Front & Rear
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6010	
18a	Leaf Spring Bush - Rear	⇦⇨		EM1954	Front
18b	Leaf Spring Bush - Rear	⇦⇨		EM1952	Rear
18c	Leaf Spring Bush - Rear	⇦⇨		EM4109	Rear, Shackle Bush
95²	Shock Absorber Bush - Rear	⇧		EMS8481	Upper
95¹	Shock Absorber Bush - Rear	⇩		EMS8481	Lower

Transit 01/00-03/06

Transverse Engine, FWD 260,280,300,330,350




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3284S**	Female M16x1.5, Ø 16.8mm Cone, L=90mm
2a	Rack End	⇦		**QR3286S**	Male M16x1.5, M20x1.5 Swivel L=402mm
2a	Rack End	⇦		**QR3285S**	Male M16x1.5,M16x1.5 Swivel, L=402mm
2b	Rack End	⇨		**QR3285S**	Male M16x1.5,M16x1.5 Swivel, L=402mm
2b	Rack End	⇨		**QR3286S**	Male M16x1.5, M20x1.5 Swivel L=402mm
20a	Suspension Arm - Front			**QSA1978S**	
20b	Suspension Arm - Front			**QSA1979S**	
21	Ball Joint - Front			**QSJ3273S**	Ø 18mm Cone, M16x1.5
24a	Suspension Arm Bush - Front			**EMS8205**	Front
24b	Suspension Arm Bush - Front			**EMS8206**	Rear
25	Stabiliser Link - Front	⇦⇨	260,280,300 Models	**QLS3303S**	L=128mm
25	Stabiliser Link - Front	⇦⇨	330,350 Models, 01/00-07/03	**QLS3303S**	L=128mm
25	Stabiliser Link - Front	⇦⇨	330,350 Models, 07/03-03/06	**QLS3643S**	L=290mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7205**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7204**	Outer, Ø 29mm
61	Top Strut Bearing - Front	⇦⇨		**QAM142**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6083**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6083**	
35	Stabiliser Link - Rear	⇦⇨	03/00-05/01	**QLS3434S**	L=312mm
35	Stabiliser Link - Rear	⇦⇨	05/01-	**QLS3435S**	L=347mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7204**	Outer, Ø 29mm

Transit

01/00-03/06


Longitudinal Engine, RWD, 4x4 260,280,300,330,350,410,425,430



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3284S**	Female M16x1.5, Ø 16.8mm Cone, L=90mm
2a	Rack End	⇦		**QR3286S**	Male M16x1.5, M20x1.5 Swivel L=402mm
2a	Rack End	⇦		**QR3285S**	Male M16x1.5, M16x1.5 Swivel, L=402mm
2b	Rack End	⇨		**QR3285S**	Male M16x1.5, M16x1.5 Swivel, L=402mm
2b	Rack End	⇨		**QR3286S**	Male M16x1.5, M20x1.5 Swivel L=402mm
20a	Suspension Arm - Front	⇦		**QSA1978S**	
20b	Suspension Arm - Front	⇨		**QSA1979S**	
21	Ball Joint - Front	⇦⇨		**QSJ3273S**	Ø 18mm Cone, M16x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8205**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8206**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3303S**	L=128mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7205**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7204**	Outer, Ø 29mm
61	Top Strut Bearing - Front	⇦⇨		**QAM142**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6083**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6083**	
35	Stabiliser Link - Rear	⇦⇨	03/00-05/01	**QLS3434S**	L=312mm
35	Stabiliser Link - Rear	⇦⇨	05/01-	**QLS3435S**	L=347mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7204**	Outer, Ø 29mm

Transit 04/06-


Transverse Engine, FWD 260,280,300,330,350,430



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3284S**	Female M16x1.5, Ø 16.8mm Cone, L=90mm
2a	Rack End	⇦		**QR3286S**	Male M16x1.5, M20x1.5 Swivel L=402mm
2a	Rack End	⇦		**QR3285S**	Male M16x1.5, M16x1.5 Swivel, L=402mm
2b	Rack End	⇨		**QR3285S**	Male M16x1.5, M16x1.5 Swivel, L=402mm
2b	Rack End	⇨		**QR3286S**	Male M16x1.5, M20x1.5 Swivel L=402mm
20a	Suspension Arm - Front		Std.Susp.	**QSA1978S**	
20a	Suspension Arm - Front		H.D.Susp	**QSA2747S**	
20b	Suspension Arm - Front		Std.Susp.	**QSA1979S**	
20b	Suspension Arm - Front		H.D.Susp	**QSA2748S**	
21	Ball Joint - Front		Std.Susp.	**QSJ3491S**	Ø 18.2mm Cone
21¹	Ball Joint - Front		H.D.Susp.	**QSJ3569S**	Ø 21.7mm Cone
24a	Suspension Arm Bush - Front			**EMS8205**	Front
24b	Suspension Arm Bush - Front			**EMS8206**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3643S**	L=290mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3644S**	L=348mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7204**	Outer, Ø 29mm

Transit 04/06-

Longitudinal Engine, RWD, 4x4 300,330,350,430



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3284S**	Female M16x1.5, Ø 16.8mm Cone, L=90mm
2a	Rack End	⇦		**QR3286S**	Male M16x1.5, M20x1.5 Swivel L=402mm
2a	Rack End	⇦		**QR3285S**	Male M16x1.5, M16x1.5 Swivel, L=402mm
2b	Rack End	⇨		**QR3285S**	Male M16x1.5, M16x1.5 Swivel, L=402mm
2b	Rack End	⇨		**QR3286S**	Male M16x1.5, M20x1.5 Swivel L=402mm
20a	Suspension Arm - Front		Std.Susp.	**QSA1978S**	
20a	Suspension Arm - Front		H.D.Susp.	**-**	
20b	Suspension Arm - Front		Std.Susp.	**QSA1979S**	
20b	Suspension Arm - Front		H.D.Susp.	**-**	
21	Ball Joint - Front		Std.Susp.	**QSJ3491S**	Ø 18.2mm Cone
21¹	Ball Joint - Front		H.D.Susp.	**QSJ3569S**	Ø 21.7mm Cone
24a	Suspension Arm Bush - Front			**EMS8205**	Front
24b	Suspension Arm Bush - Front			**EMS8206**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3643S**	L=290mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3644S**	L=348mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7204**	Outer, Ø 29mm

Transit 01/14-








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR3981S	
2	Rack End	⇦⊐⇨		QR3980S	
20a	Suspension Arm - Front	↲	Std.Susp.	QSA2681S	
20a	Suspension Arm - Front	↲	H.D.Susp.	-	
20b	Suspension Arm - Front	↳	Std.Susp.	QSA2682S	
20b	Suspension Arm - Front	↳	H.D.Susp.	-	
21	Ball Joint - Front	⇦⇨		QSJ3692S	
25	Stabiliser Link - Front	⇦⊐⇨		QLS3856S	
35	Stabiliser Link - Rear	⇦⊐⇨		QLS3861S	

Transit Connect

09/02-12/13

TC7



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3287S**	Female M14x2.0, Ø 12.9mm Cone, L=74mm
2	Rack End	⇦⇨		**QR3288S**	Male M14x2.0, M14x2.0 Swivel, L=345mm
20a	Suspension Arm - Front	↲		**QSA1980S**	
20b	Suspension Arm - Front	↳		**QSA1981S**	
21	Ball Joint - Front	↲↳		**QSJ3273S**	Ø 18mm Cone, M16x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8252**	Front
24b	Suspension Arm Bush - Front	↲↳		**EMS8253**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3304S**	L=240mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7091**	Outer
35	Stabiliser Link - Rear	⇦⇨		**QLS3305S**	L=137mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7117**	Outer, Ø 22mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7195**	Outer, Ø 24mm

Transit Connect 09/13-







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3908S	
1b	Tie Rod End - Outer	⇨		QR3909S	
2	Rack End	⇦⇨		QR3910S	
20a	Suspension Arm - Front			QSA2726S	
20b	Suspension Arm - Front			QSA2727S	
25	Stabiliser Link - Front	⇦⇨		QLS3773S	L=298mm

Transit Courier 04/14-

C4A





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3685S	
1b	Tie Rod End - Outer	⇨		QR3686S	
2	Rack End	⇦⇨		QR3687S	
25	Stabiliser Link - Front	⇦⇨		QLS3636S	

Transit Custom

TTF

09/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3981S	
2	Rack End	⇦⇨		QR3980S	
21	Ball Joint - Front			QSJ3692S	

Accord

CB1,CB3,CB5,CB7

01/90-12/92




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	2WS	**QR2867S**	Female M14x1.5 LH, Ø 13mm Cone, L=218mm
1b	Tie Rod End - Outer	⇨	2WS	**QR2869S**	Female M14x1.5 LH, Ø 13mm Cone
2	Rack End	⇦⇨	2WS	**QR2868S**	Male M14x1.5 LH, M12 x1.25 Swivel, L=160mm
20a	Suspension Arm - Front			**QSA1726S**	
20b	Suspension Arm - Front			**QSA1727S**	
21	Ball Joint - Front			**QSJ1351S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front			**QSA1539S**	
22b	Suspension Arm - Front			**QSA1538S**	
24a	Suspension Arm Bush - Front			**EMS8095**	Inner
24b	Suspension Arm Bush - Front			**EMS8027**	Outer
24c	Suspension Arm Bush - Front			-	Tie Bar End Bush
24d	Suspension Arm Bush - Front			**EMS8317**	Front, Rear Bush, Link
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7010**	Outer, Ø 25mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6049**	
32a	Suspension Arm - Rear		2WS	**QSJ1850S**	M10x1.25mm Ball Pin, L=300mm
32b	Suspension Arm - Rear		2WS	**QSJ1851S**	M10x1.25mm Ball Pin, L=300mm
34e	Suspension Arm Bush - Rear			**EMS8316**	Inner
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6050**	

Accord

CC7,CE7,CE8,CE9,CF1

01/93-09/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2867S**	Female M14x1.5 RH, Ø 13mm Cone, L=218mm
1b	Tie Rod End - Outer	⇨		**QR2869S**	Female M14x1.5 RH, Ø 13mm Cone
2	Rack End	⇦⇨		**QR2868S**	Male M14x1.5 RH, M12 x1.25 Swivel, L=160mm
20a	Suspension Arm - Front			**QSA1726S**	
20b	Suspension Arm - Front			**QSA1727S**	
21	Ball Joint - Front			**QSJ1351S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front			**QSA1539S**	
22b	Suspension Arm - Front			**QSA1538S**	
23	Ball Joint - Front			**QSJ3282S**	Ø 14mm Cone, M10x1.25
24a	Suspension Arm Bush - Front			**EMS8095**	Inner
24b	Suspension Arm Bush - Front			**EMS8027**	Outer
24c	Suspension Arm Bush - Front			**-**	Tie Bar End Bush
24d	Suspension Arm Bush - Front			**EMS8317**	Front, Rear Bush, Link
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7010**	Outer, Ø 25mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6049**	
32a	Suspension Arm - Rear			**QSJ1850S**	M10x1.25mm Ball Pin, L=300mm
32b	Suspension Arm - Rear			**QSJ1851S**	M10x1.25mm Ball Pin, L=300mm
34e	Suspension Arm Bush - Rear			**EMS8316**	Inner
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6050**	

Accord

CG,CH,CL

10/98-02/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9193S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9194S**	Female M14x1.5
2	Rack End	⇦⇨		**QR3621S**	Male M14x1.5, M14x1.5 Swivel, L=150mm
20a	Suspension Arm - Front			**QSA1730S**	
20b	Suspension Arm - Front			**QSA1731S**	
22a	Suspension Arm - Front			**QSA1722S**	
22b	Suspension Arm - Front			**QSA1723S**	
23	Ball Joint - Front			**QSJ3283S**	M10x1.25mm Ball Pin
25a	Stabiliser Link - Front	⇦		**QLS3257S**	L=70mm
25b	Stabiliser Link - Front	⇨		**QLS3258S**	L=70mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6049**	
35a	Stabiliser Link - Rear	⇦		**QLS3451S**	L=115mm
35b	Stabiliser Link - Rear	⇨		**QLS3452S**	L=115mm

Accord

CL,CN,CM


03/03-05/08



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3445S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR3446S**	Female M14x1.5
2	Rack End	⇦⇨		**QR3535S**	Male M14x1.5, M18x1.5 Swivel, L=145mm
20a	Suspension Arm - Front			**QSA2238S**	
20b	Suspension Arm - Front			**QSA2239S**	
21	Ball Joint - Front			**QSJ3551S**	
22a	Suspension Arm - Front			**QSA2240S**	
22b	Suspension Arm - Front			**QSA2241S**	
23	Ball Joint - Front			**QSJ3550S**	
24a	Suspension Arm Bush - Front			**EMS8457**	Front
24b	Suspension Arm Bush - Front			**EMS8458**	Rear
24c	Suspension Arm Bush - Front			**EMS8458**	Front, Rear
25a	Stabiliser Link - Front	⇦		**QLS3449S**	L=80mm
25b	Stabiliser Link - Front	⇨		**QLS3450S**	L=80mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7157**	Outer
35a	Stabiliser Link - Rear	⇦	exc.Tourer	**QLS3451S**	L=115mm
35b	Stabiliser Link - Rear	⇨	exc.Tourer	**QLS3452S**	L=115mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7158**	Outer

Accord 06/08-

CU




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3954S	
1b	Tie Rod End - Outer	⇨		QR3955S	
2	Rack End	⇦⇨		QR3956S	
20a	Suspension Arm - Front	↲		QSA2627S	
20b	Suspension Arm - Front	↳		QSA2628S	
21	Ball Joint - Front	⇩⇩		QSJ3655S	
22a	Suspension Arm - Front	↰		QSA2629S	
22b	Suspension Arm - Front	↱		QSA2630S	
23	Ball Joint - Front	⇧⇧		QSJ3550S	
24a	Suspension Arm Bush - Front	⇩⇩		EMS8457	Front
24c	Suspension Arm Bush - Front	⇧⇧		EMS8458	Front, Rear
25a	Stabiliser Link - Front	⇦		QLS3449S	L=80mm
25b	Stabiliser Link - Front	⇨		QLS3450S	L=80mm
35a	Stabiliser Link - Rear	⇦		QLS3776S	L=145mm
35b	Stabiliser Link - Rear	⇨		QLS3777S	L=145mm

Accord Aerodeck

CB8,CB9,CC9


01/90-12/93



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2867S**	Female M14x1.5 RH, Ø 13mm Cone, L=218mm
1b	Tie Rod End - Outer	⇨		**QR2869S**	Female M14x1.5 RH, Ø 13mm Cone
2	Rack End	⇦⇨		**QR2868S**	Male M14x1.5 RH, M12 x1.25 Swivel, L=160mm
20a	Suspension Arm - Front	↲		**QSA1726S**	
20b	Suspension Arm - Front	↳		**QSA1727S**	
21	Ball Joint - Front	⇦⇨		**QSJ1351S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front	↰		**QSA1539S**	
22b	Suspension Arm - Front	↱		**QSA1538S**	
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8095**	Inner
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8027**	Outer
24c	Suspension Arm Bush - Front	⇦⇨		**-**	Tie Bar End Bush
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7010**	Outer, Ø 25mm
32a	Suspension Arm - Rear	↰		**QSJ1850S**	M10x1.25mm Ball Pin, L=300mm
32b	Suspension Arm - Rear	↱		**QSJ1851S**	M10x1.25mm Ball Pin, L=300mm
34e	Suspension Arm Bush - Rear	↰↱		**EMS8316**	Inner

Accord Aerodeck 01/94-10/97

CE1,CE2




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9193S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9194S**	Female M14x1.5
2	Rack End	⇦⇨		**QR9192S**	Male M14x1.5
20a	Suspension Arm - Front	↲		**QSA1728S**	
20b	Suspension Arm - Front	↳		**QSA1729S**	
21	Ball Joint - Front	⇩⇩		**QSJ1351S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front	↰		**QSA1724S**	
22b	Suspension Arm - Front	↱		**QSA1725S**	
32a	Suspension Arm - Rear	↰		**QSJ1850S**	M10x1.25mm Ball Pin, L=300mm
32b	Suspension Arm - Rear	↱		**QSJ1851S**	M10x1.25mm Ball Pin, L=300mm
34	Suspension Arm Bush - Rear	⇩⇩		**EMS8316**	Inner

Accord Coupé

CC11

01/90-12/93




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2867S**	Female M14x1.5 RH, Ø 13mm Cone, L=218mm
1b	Tie Rod End - Outer	⇨		**QR2869S**	Female M14x1.5 RH, Ø 13mm Cone
2	Rack End	⇦⇨		**QR2868S**	Male M14x1.5 RH, M12 x1.25 Swivel, L=160mm
20a	Suspension Arm - Front			**QSA1726S**	
20b	Suspension Arm - Front			**QSA1727S**	
21	Ball Joint - Front			**QSJ1351S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front			**QSA1539S**	
22b	Suspension Arm - Front			**QSA1538S**	
24a	Suspension Arm Bush - Front			**EMS8095**	Inner
24b	Suspension Arm Bush - Front			**EMS8027**	Outer
26	Stabiliser Bar Bush - Front			**EMB7010**	Outer, Ø 25mm
32a	Suspension Arm - Rear			**QSJ1850S**	M10x1.25mm Ball Pin, L=300mm
32b	Suspension Arm - Rear			**QSJ1851S**	M10x1.25mm Ball Pin, L=300mm
34	Suspension Arm Bush - Rear			**EMS8316**	Inner

Accord Coupé

CD7,CD9

08/93-12/97




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9193S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9194S**	Female M14x1.5
2	Rack End	⇦⇨		**QR9192S**	Male M14x1.5
20a	Suspension Arm - Front	⇙		**QSA1728S**	
21	Ball Joint - Front	⇙⇘		**QSJ1351S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front	⇖		**QSA1724S**	
22b	Suspension Arm - Front	⇗		**QSA1725S**	
32a	Suspension Arm - Rear	⇖		**QSJ1850S**	M10x1.25mm Ball Pin, L=300mm
32b	Suspension Arm - Rear	⇗		**QSJ1851S**	M10x1.25mm Ball Pin, L=300mm
34	Suspension Arm Bush - Rear	⇖⇗		**EMS8316**	Inner

Civic

01/88-02/91


EC7,EC8,EC9,ED1,ED2,ED3,ED6



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2263S**	Female M14x1.5 RH, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR2264S**	Female M14x1.5 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		**QR2265S**	Male M14x1.5 RH, M12x1.25 Swivel, L=180mm,
21	Ball Joint - Front			**QSJ1099S**	Ø 14.5mm Cone
22a	Suspension Arm - Front			**QSA9375S**	
22b	Suspension Arm - Front			**QSA9380S**	
24a	Suspension Arm Bush - Front			**-**	Inner
24b	Suspension Arm Bush - Front		exc.EC, mtr.1.4 D14A1	**EMS8004**	Outer, 50x40x12mm
24c	Suspension Arm Bush - Front		EC, mtr.1.4 D14A1	**-**	Outer, 49x37x12mm
24d	Suspension Arm Bush - Front			**-**	Tie Bar End Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3685S**	L=100mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6049**	
34c	Suspension Arm Bush - Rear			**-**	Front, Inner, Outer
34d	Suspension Arm Bush - Rear			**EMS8006**	Rear, Inner
34e	Suspension Arm Bush - Rear			**EMS8174**	Rear, Outer
34f	Suspension Arm Bush - Rear	⇦⇨		**EMS1855**	Trailing Arm

Civic 01/89-11/91

ED4,ED7,EE5,EE9




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		-	
1b	Tie Rod End - Outer	⇨		-	
2	Rack End	⇦⇨		QR2265S	Male M14x1.5 RH, M12x1.25 Swivel, L=180mm,
21	Ball Joint - Front	⇩⇩		QSJ1099S	Ø 14.5mm Cone
22a	Suspension Arm - Front	⇦		-	
22b	Suspension Arm - Front	⇨		-	
24a	Suspension Arm Bush - Front	⇩⇩		-	Inner
24b	Suspension Arm Bush - Front	⇩⇩		EMS8004	Outer, 50x40x12mm
24c	Suspension Arm Bush - Front	⇩⇩		-	Tie Bar End Bush
25	Stabiliser Link - Front	⇦⇨		QLS3685S	L=100mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6049	
34e	Suspension Arm Bush - Rear	⇧⇧		-	Front, Inner, Outer
34c	Suspension Arm Bush - Rear	⇧⇧		EMS8006	Rear, Inner
34d	Suspension Arm Bush - Rear	⇧⇧		-	Rear, Outer
34f	Suspension Arm Bush - Rear	⇦⇨		EMS1855	Trailing Arm

Civic 01/92-10/95

EG3,EG4,EG6,EG8,EG9,EH9



Civic continued... 01/92-10/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9199S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9370S**	Female M14x1.5
2	Rack End	⇦⇨		**QR9195S**	Male M14x1.5, L=190mm
20a	Suspension Arm - Front	↲		**QSA1736S**	
20b	Suspension Arm - Front	↳		**QSA1737S**	
21	Ball Joint - Front	⇩		**QSJ9198S**	Ø 14.3mm Cone

continued...


Civic continued... 01/92-10/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
22a	Suspension Arm - Front			QSA1541S	
22b	Suspension Arm - Front			QSA1540S	
24a	Suspension Arm Bush - Front			EMS8005	Inner
24b	Suspension Arm Bush - Front			EMS8004	Outer, 50x40x12mm
24c	Suspension Arm Bush - Front			EMS8275	Rear
24d	Suspension Arm Bush - Front			EMS8276	Rear
24e	Suspension Arm Bush - Front			EMS8030	Front, Rear, Bush only
24f	Suspension Arm Bush - Front			EMS8177	Front, Rear, Link & Bush
25	Stabiliser Link - Front			QLS3685S	L=100mm
26	Stabiliser Bar Bush - Front		1.6 exc.VTi	-	Outer, Ø 21.0mm
26	Stabiliser Bar Bush - Front		1.6 VTi	EMB7000	Outer, Ø 22.0mm
34c	Suspension Arm Bush - Rear			EMS8006	Rear, Inner
34d	Suspension Arm Bush - Rear			EMS8174	Outer
34e	Suspension Arm Bush - Rear			EMS8007	Inner, Outer Compensator Arm
34f	Suspension Arm Bush - Rear			EMS1855	Trailing Arm
35	Stabiliser Link - Rear			QLS3686S	L=75mm
36	Stabiliser Bar Bush - Rear		1.6, exc.VTi	EMB7001	Outer
36	Stabiliser Bar Bush - Rear		1.6 VTi	EMB7002	Outer


Civic 11/95-03/01

EJ9,EK1,EK3,EK4 3, 4





Civic continued... 11/95-03/01




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9199S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9370S**	Female M14x1.5
2	Rack End	⇦⇨		**QR3370S**	Male M14x1.5 , M10x1.25 Swivel, L=181mm
20a	Suspension Arm - Front			**QSA1734S**	
20b	Suspension Arm - Front			**QSA1735S**	
21	Ball Joint - Front			**QSJ9198S**	Ø 14.3mm Cone
22a	Suspension Arm - Front			**QSA1738S**	
22b	Suspension Arm - Front			**QSA1739S**	
24a	Suspension Arm Bush - Front			**EMS8179**	Front, Inner
24b	Suspension Arm Bush - Front			**EMS8176**	Front, Outer
24c	Suspension Arm Bush - Front			**EMS8379**	Rear
24d	Suspension Arm Bush - Front			**EMS8178**	
25	Stabiliser Link - Front	⇦⇨		**QLS1811S**	L=56mm
26	Stabiliser Bar Bush - Front	⇦⇨	VTi	**EMB7004**	Outer
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6049**	
34a	Suspension Arm Bush - Rear			**-**	Inner, Outer
34b	Suspension Arm Bush - Rear			**-**	Front, Inner, Outer
34c	Suspension Arm Bush - Rear			**EMS8006**	Rear, Inner
34d	Suspension Arm Bush - Rear			**-**	Rear, Outer
34e	Suspension Arm Bush - Rear	⇦⇨		**EMS1855**	Trailing Arm
35a	Stabiliser Link - Rear	⇦		**QLS3355S**	L=90mm
35b	Stabiliser Link - Rear	⇨		**QLS3356S**	L=90mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7005**	Outer

Civic

11/95-10/00

MA8,MA9,MB1,MB2,MB3,MB4,MB6,MB7,MB9




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3270S**	Female M14x1.5, L=181mm, Ø 13mm Cone
1b	Tie Rod End - Outer	⇨		**QR3271S**	Female M14x1.5, L=181mm, Ø 13mm Cone
2	Rack End	⇦⇨		**QR3614S**	Male M14x1.5, M14x1.5 Swivel, L=176mm
20a	Suspension Arm - Front		exc.2.0D	**QSA1736S**	
20b	Suspension Arm - Front		exc.2.0D	**QSA1737S**	
21	Ball Joint - Front		exc.2.0D	**QSJ9198S**	Ø 14.3mm Cone
21	Ball Joint - Front		2.0D	**QSJ3257S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front		1.4i	**QSA1541S**	
22a	Suspension Arm - Front		exc.1.4i	**QSA1740S**	
22b	Suspension Arm - Front		1.4i	**QSA1540S**	
22b	Suspension Arm - Front		exc.1.4i	**QSA1741S**	
24a	Suspension Arm Bush - Front			-	Inner

Civic continued... 11/95-10/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front		exc.MA8 1.4 mtr.D14A2	-	Outer
24c	Suspension Arm Bush - Front		MA8 1.4 mtr.D14A2	EMS8004	Outer, 50x40x12mm
24d	Suspension Arm Bush - Front			-	Rear
24e	Suspension Arm Bush - Front			-	Rear
24f	Suspension Arm Bush - Front			EMS8177	Front, Rear, Link & Bush
24g	Suspension Arm Bush - Front			EMS8030	Front, Rear, Bush only
25	Stabiliser Link - Front	⇦⇨	1.8 VTi	QLS1810S	L=75mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6049	
34a	Suspension Arm Bush - Rear			-	Inner, Outer
34b	Suspension Arm Bush - Rear			-	Outer
34c	Suspension Arm Bush - Rear			-	Front, Inner, Outer
34d	Suspension Arm Bush - Rear			EMS8006	Rear, Inner
34e	Suspension Arm Bush - Rear			-	Rear, Outer
34f	Suspension Arm Bush - Rear	⇦⇨		EMS1855	Trailing Arm

Civic 04/98-12/00

MB8,MB9,MC1,MC2,MC3 Aerodeck



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3270S	Female M14x1.5 RH, L=181mm, Ø 13mm Cone
1b	Tie Rod End - Outer	⇨		QR3271S	Female M14x1.5 RH, L=181mm, Ø 13mm Cone
2	Rack End	⇦⇨		QR3614S	Male M14x1.5 RH, M14x1.5 Swivel, L=176mm


continued...

Civic continued... 04/98-12/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA1736S	
20b	Suspension Arm - Front			QSA1737S	
21	Ball Joint - Front			QSJ9198S	Ø 14.3mm Cone
22a	Suspension Arm - Front			QSA1740S	
22b	Suspension Arm - Front			QSA1741S	
25	Stabiliser Link - Front		1.8i VTi	QLS1810S	L=75mm
34	Suspension Arm Bush - Rear			EMS1855	Trailing Arm

Civic 01/01-09/05

EP,ES, EU




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR3410S	Female M14x1.5 , Ø 10.0mm Cone, L=60mm
2	Rack End			QR3411S	Female M14x1.5 , M14x1.25 Swivel, L=515mm
4	Tie Rod Assembly			QDL5285S	
20a	Suspension Arm - Front		1.4i 16v,1.6i 16v	QSA2066S	
20a	Suspension Arm - Front		1.7D,2.0i 16v Type S 160PS	QSA2527S	
20a	Suspension Arm - Front		Type R 200PS	QSA2529S	
20b	Suspension Arm - Front		1.4i 16v,1.6i 16v	QSA2067S	
20b	Suspension Arm - Front		1.7D,2.0i 16v Type S 160PS	QSA2528S	
20b	Suspension Arm - Front		Type R 200PS	QSA2530S	
21	Ball Joint - Front			QSJ3313S	Ø 16.2mm Cone, M12x1.25
24a	Suspension Arm Bush - Front		exc.Type R 200PS	EMS8412	Front
24a	Suspension Arm Bush - Front		Type R 200PS	EMS8477	Front
24b	Suspension Arm Bush - Front			EMS8413	Rear
25a	Stabiliser Link - Front			QLS3353S	L=55mm
25b	Stabiliser Link - Front			QLS3354S	L=55mm

Civic continued... 01/01-09/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7201	Outer, Ø 25.4mm
35a	Stabiliser Link - Rear	⇦		QLS3453S	L=72mm
35b	Stabiliser Link - Rear	⇨		QLS3454S	L=72mm

Civic 09/05-12/12

FD1,FD3,FD4,FK1,FK2,FK3,FN33



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	mtr.1.4,1.8 16v	QR3691S	Female M14x1.5 LH, Ø 13.6mm Cone, L=197mm
1a	Tie Rod End - Outer	⇦	mtr.2.0 Type R,2.2CDTi	QR3797S	Ø 13.7mm Cone
1b	Tie Rod End - Outer	⇨	mtr.1.4,1.8 16v	QR3692S	Female M14x1.5 LH, Ø 13.6mm Cone, L=197mm
1b	Tie Rod End - Outer	⇨	mtr.2.0 Type R,2.2CDTi	QR3798S	Ø 13.7mm Cone
2a	Rack End	⇦		QR3693S	
2b	Rack End	⇨		QR3694S	
20a	Suspension Arm - Front	⇦	exc.Type R, Hybrid	QSA2433S	
20a¹	Suspension Arm - Front	⇦	Hybrid	QSA2757S	
20a	Suspension Arm - Front	⇦	Type R	-	
20b	Suspension Arm - Front	⇨	exc.Type R, Hybrid	QSA2434S	
20b¹	Suspension Arm - Front	⇨	Hybrid	QSA2758S	
20b	Suspension Arm - Front	⇨	Type R	-	


continued...

Civic continued... 09/05-12/12

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21a[1]	Ball Joint - Front	⇦		QSJ3576S	Ø 17.5mm Cone
21b[1]	Ball Joint - Front	⇨		QSJ3577S	Ø 17.5mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3637S	L=226mm
35a	Stabiliser Link - Rear	⇦		QLS3720S	L=74mm
35b	Stabiliser Link - Rear	⇨		QLS3721S	L=74mm

Civic 02/12-

FK




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc. Type-R	QR3968S	
1b	Tie Rod End - Outer	⇨	exc. Type-R	QR3969S	
2	Rack End	⇦⇨	exc. Type-R	QR3970S	
20a	Suspension Arm - Front	⇦	exc. Type-R	QSA2673S	With Ball Joint
20b	Suspension Arm - Front	⇨	exc. Type-R	QSA2674S	With Ball Joint
21	Ball Joint - Front	⇦⇨	exc. Type-R	QSJ3720S	
25a	Stabiliser Link - Front	⇦	exc. Type-R	QLS3844S	
25b	Stabiliser Link - Front	⇨	exc. Type-R	QLS3845S	

Civic Coupé

EJ1,EJ2

08/93-12/95




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9199S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9370S**	Female M14x1.5
2	Rack End	⇦⇨		**QR9195S**	Male M14x1.5 , L=190mm
20a	Suspension Arm - Front	↲		**QSA1736S**	
20b	Suspension Arm - Front	↳		**QSA1737S**	
21	Ball Joint - Front	⇩⇩		**QSJ9198S**	Ø 14.3mm Cone
22a	Suspension Arm - Front	↰		**QSA1541S**	
22b	Suspension Arm - Front	↱		**QSA1540S**	
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8005**	Inner
24b	Suspension Arm Bush - Front	⇩⇩		**EMS8004**	Outer, 50x40x12mm
24c	Suspension Arm Bush - Front	↲		**EMS8275**	Rear
24d	Suspension Arm Bush - Front	↳		**EMS8276**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3685S**	L=100mm
34	Suspension Arm Bush - Rear	⇦⇨		**EMS1855**	Trailing Arm

Civic Coupé

EJ6,EM1

01/96-12/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9199S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9370S**	Female M14x1.5
2	Rack End	⇦⇨		**QR3370S**	Male M14x1.5, M10x1.25 Swivel, L=181mm
20a	Suspension Arm - Front			**QSA1734S**	
20b	Suspension Arm - Front			**QSA1735S**	
21	Ball Joint - Front			**QSJ9198S**	Ø 14.3mm Cone
22a	Suspension Arm - Front			**QSA1738S**	
22b	Suspension Arm - Front			**QSA1739S**	
25	Stabiliser Link - Front	⇦⇨		**QLS1811S**	L=56mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6049**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS1855**	Trailing Arm

Civic Coupé

EM2


01/01-10/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3410S**	Female M14x1.5 RH, Ø 10.0mm Cone, L=60mm
2	Rack End	⇦⇨		**QR3411S**	Female M14x1.5 RH, M14x1.25 Swivel, L=515mm
4	Tie Rod Assembly	⇦⇨		**QDL5285S**	
20a	Suspension Arm - Front	↲		**QSA2066S**	
20b	Suspension Arm - Front	↳		**QSA2067S**	
25a	Stabiliser Link - Front	⇦		**QLS3353S**	L=55mm
25b	Stabiliser Link - Front	⇨		**QLS3354S**	L=55mm

Concerto 10/89-10/96

HW,HWH,HWM,HWY




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2574S	Female M14x1.5 RH, Ø 12.9mm Cone, L=92mm
2	Rack End	⇦⇨		QR5259S	Male M14x1.5 RH
20a	Suspension Arm - Front	↲		QSJ1230S	Ø 19.5mm Cone
20b	Suspension Arm - Front	↳		QSJ1231S	Ø 19.5mm Cone
24a	Suspension Arm Bush - Front	↲↳		EMS8003	Inner
25	Stabiliser Link - Front	⇦⇨		QLS1817S	L=67mm
34c	Suspension Arm Bush - Rear	↰↱		-	Front, Inner, Outer
34d	Suspension Arm Bush - Rear	↰↱		EMS8006	Rear, Inner
34e	Suspension Arm Bush - Rear	↰↱		-	Rear, Outer
34f	Suspension Arm Bush - Rear	⇦⇨		EMS1855	Trailing Arm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6049	

CR-V 02/97-03/02

RD1




CR-V continued... 02/97-03/02



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9199S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR9370S	Female M14x1.5
2	Rack End	⇦⇨		QR3375S	Male M14x1.5 , M12x1.25 Swivel, L=221mm
20a	Suspension Arm - Front			QSA2006S	
20b	Suspension Arm - Front			QSA2007S	
21	Ball Joint - Front			QSJ9198S	Ø 14.3mm Cone
22a	Suspension Arm - Front			QSA2008S	
22b	Suspension Arm - Front			QSA2009S	
24	Suspension Arm Bush - Front			EMS8379	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1811S	L=56mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7004	Outer
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6049	
35a	Stabiliser Link - Rear	⇦		QLS3357S	L=127mm
35b	Stabiliser Link - Rear	⇨		QLS3358S	L=127mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6049	

CR-V 03/02-09/06


RD5,RD6,RD7,RD8



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3410S	Female M14x1.5 RH, Ø 10.0mm Cone, L=60mm
2	Rack End	⇦⇨		QR3652S	Male M14x1.5 RH, M14x1.25 Swivel, L=560mm
20a	Suspension Arm - Front	↲		QSA2250S	
20b	Suspension Arm - Front	↳		QSA2251S	
21	Ball Joint - Front	⇩⇩		QSJ3524S	Ø 15.8mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8412	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8413	Rear
35a	Stabiliser Link - Rear	⇦		QLS3455S	L=89mm
35b	Stabiliser Link - Rear	⇨		QLS3456S	L=89mm

CR-V 10/06-12/13

RE3,RE4,RE5,RE6




CR-V continued... 10/06-12/13



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3899S	L=103mm, Female M14x1.5RHT
2	Rack End	⇦⇨	2.0i 4WD, 2.4i V-TEC	QR3814S	Male M14x1.5 RH, M16x1 Swivel, L=334mm
2	Rack End	⇦⇨	2.2 i-CTDi	QR3893S	Male M14x1.5RHT, M20x1 RHTSwivel, L=319mm
20a	Suspension Arm - Front	↲		QSA2695S	
20b	Suspension Arm - Front	↳		QSA2696S	
21	Ball Joint - Front	⇩⇩		QSJ3618S	Ø 17.5mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3701S	L=318mm
35a	Stabiliser Link - Rear	⇦		QLS3699S	L=85mm
35b	Stabiliser Link - Rear	⇨		QLS3700S	L=85mm

CRX 10/87-05/92

ED,EE




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.1.6 16v VTec	QR2263S	Female M14x1.5 RH, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨	exc.1.6 16v VTec	QR2264S	Female M14x1.5 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR2265S	Male M14x1.5 RH, M12x1.25 Swivel, L=180mm,
21	Ball Joint - Front	⇩⇩		QSJ1099S	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		-	Inner
24b	Suspension Arm Bush - Front	⇩⇩		EMS8004	Outer, 50x40x12mm
25	Stabiliser Link - Front	⇦⇨		QLS3685S	L=100mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6049	

CRX

EG21,EH6

06/92-04/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9199S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9370S**	Female M14x1.5
2	Rack End	⇦⇨		**QR9195S**	Male M14x1.5, L=190mm
20a	Suspension Arm - Front			**QSA1736S**	
20b	Suspension Arm - Front			**QSA1737S**	
21	Ball Joint - Front			**QSJ9198S**	Ø 14.3mm Cone
22a	Suspension Arm - Front			**QSA1541S**	
22b	Suspension Arm - Front			**QSA1540S**	
24a	Suspension Arm Bush - Front			**EMS8005**	Front
24b	Suspension Arm Bush - Front			**EMS8004**	Outer, 50x40x12mm
24c	Suspension Arm Bush - Front			**EMS8275**	Rear
24d	Suspension Arm Bush - Front			**EMS8276**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3685S**	L=100mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 21.0mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7000**	Outer, Ø 22.0mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3686S**	L=75mm

CRX continued... 06/92-04/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.ABS	EMB7001	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨	ABS	EMB7002	Outer

FR-V 08/04-12/09


BE1,BE3,BE5



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3984S	
2	Rack End	⇦⇨		QR3761S	
20a	Suspension Arm - Front	↲		QSA2697S	
20b	Suspension Arm - Front	↳		QSA2698S	
25a	Stabiliser Link - Front	⇦		QLS3353S	L=55mm
25b	Stabiliser Link - Front	⇨		QLS3354S	L=55mm
35a	Stabiliser Link - Rear	⇦		QLS3697S	
35b	Stabiliser Link - Rear	⇨		QLS3698S	

HR-V
GH1,GH2,GH3,GH4

02/99-09/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3462S**	Female M12x1.25 RH, Ø 13.5mm Cone, L=71mm
2	Rack End	⇦⇨		**QR3795S**	
21	Ball Joint - Front	⇦⇨		**QSJ3327S**	Ø 16mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3457S**	L=150mm
25b	Stabiliser Link - Front	⇨		**QLS3458S**	L=150mm
35a	Stabiliser Link - Rear	⇦		**QLS3562S**	L=150mm
35b	Stabiliser Link - Rear	⇨		**QLS3563S**	L=150mm

Integra
DC2 Type R

10/97-08/01




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9199S**	Female M14x1.5 RH
1b	Tie Rod End - Outer	⇨		**QR9370S**	Female M14x1.5 RH
21	Ball Joint - Front	⇦⇨		**QSJ9198S**	Ø 14.3mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS1810S**	L=75mm

Jazz

GD1,GD5


10/01-07/08



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3432S**	Female M12x1.5 Ø 12.0mm Cone, L=178mm
1b	Tie Rod End - Outer	⇨		**QR3433S**	Female M12x1.5 Ø 12.0mm Cone, L=178mm
2a	Rack End	⇦		**QR3434S**	Male M12x1.25, M18 x 1.5 Swivel, L=230mm,
2b	Rack End	⇨		**QR3435S**	Male M12x1.25, M18 x 1.5 Swivel, L=230mm
20a	Suspension Arm - Front		ch. 2S239350-	**QSA2226S**	
20b	Suspension Arm - Front		ch. 2S239350-	**QSA2227S**	
21	Ball Joint - Front			**QSJ3327S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS8525**	Rear
25a	Stabiliser Link - Front	⇦	10/01-01/04	**QLS3424S**	L=305mm
25a¹	Stabiliser Link - Front	⇦	01/04-09/07	**QLS3619S**	L=320mm
25b	Stabiliser Link - Front	⇨	10/01-01/04	**QLS3425S**	L=305mm
25b¹	Stabiliser Link - Front	⇨	01/04-09/07	**QLS3620S**	L=320mm

Jazz
GE


08/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3927S	
1b	Tie Rod End - Outer	⇨		QR3928S	
2	Rack End	⇦⇨		QR3929S	
20a	Suspension Arm - Front	↲		QSA2609S	
20b	Suspension Arm - Front	↳		QSA2610S	
21	Ball Joint - Front	⇩⇩		QSJ3648S	
25	Stabiliser Link - Front	⇦⇨		QLS3793S	L=325mm

Legend
KA7,KA8

01/91-12/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1b	Tie Rod End - Outer	⇨		QR5232S	Female M14x1.5
21	Ball Joint - Front	⇩⇩		QSJ1057S	Ø 18mm Cone

Legend
KA9

01/96-09/04





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front	⇩⇩		**QSJ1793S**	Ø 20mm Cone

Logo
GA3

02/99-11/01





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25a	Stabiliser Link - Front	⇦		**QLS3660S**	
25b	Stabiliser Link - Front	⇨		**QLS3661S**	

Prelude
BB1,BB2,BB3

10/91-09/96













KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**-**	
1b	Tie Rod End - Outer	⇨		**-**	
2	Rack End	⇦⇨		**QR5260S**	Male M14x1.5, M14x1.25mm Swivel, L=143mm
21	Ball Joint - Front	⇩⇩		**QSJ1793S**	Ø 20mm Cone
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6049**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6050**	

Prelude
BB6,BB8,BB9

10/96-10/00









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		-	
1b	Tie Rod End - Outer	⇨		-	
2	Rack End	⇦⇨		**QR5260S**	Male M14x1.5, M14x1.25mm Swivel, L=143mm
22a	Suspension Arm - Front	↰		**QSA2480S**	
22b	Suspension Arm - Front	↱		**QSA2481S**	
21	Ball Joint - Front	⇦⇨		**QSJ1793S**	Ø 20mm Cone
32a	Suspension Arm - Rear	↰		**QSA2482S**	
32b	Suspension Arm - Rear	↱		**QSA2483S**	

S2000
AP11

10/99- 12/09





S2000 continued... 10/99- 12/09





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3724S	
2	Rack End	⇦⇨		QR3762S	
21	Ball Joint - Front	⇩		QSJ3552S	
25a	Stabiliser Link - Front	⇦		QLS3662S	
25b	Stabiliser Link - Front	⇨		QLS3663S	
35	Stabiliser Link - Rear	⇦⇨		QLS3664S	

Shuttle 03/88-06/91

EE1,EE4











KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2263S	Female M14x1.5 ↻, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR2264S	Female M14x1.5 ↻, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR2265S	Male M14x1.5 ↻, M12x1.25 Swivel, L=180mm,
21	Ball Joint - Front	⇩		QSJ1099S	Ø 14.5mm Cone
22a	Suspension Arm - Front	↰		QSA9375S	
22b	Suspension Arm - Front	↱		QSA9380S	
24a	Suspension Arm Bush - Front	⇩		-	Inner
24b	Suspension Arm Bush - Front	⇩		EMS8004	Outer, 50x40x12mm

Shuttle
RA1,RA3

03/95-10/00



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9193S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR9194S	Female M14x1.5
21	Ball Joint - Front			QSJ1351S	Ø 16mm Cone, M12x1.25
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6049	

Stream

06/01-09/05




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35a	Stabiliser Link - Rear	⇦		QLS3677S	
35b	Stabiliser Link - Rear	⇨		QLS3678S	

Accent

VA,VD,VF

07/94-08/99




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2871S**	Female M14x1.5 RH, Ø 13.5mm Cone, L=77mm
2	Rack End	⇦⇨		**QR9334S**	Male M14x1.5 RH
2	Rack End	⇦⇨		**QR9332S**	Male M14x1.5 RH, L=325mm
20a	Suspension Arm - Front			**QSA1938S**	
20b	Suspension Arm - Front			**QSA1939S**	
21	Ball Joint - Front			**QSJ9931S**	Ø 17mm Cone
24a	Suspension Arm Bush - Front		07/94-06/96	**-**	Front
24b	Suspension Arm Bush - Front		06/96-08/99	**EMS8010**	Front
24c	Suspension Arm Bush - Front			**EMS8009**	Rear
24d	Suspension Arm Bush - Front			**EMS8008**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3718S**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5017**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6076**	

Accent

CF3,5,CG3,4,5


09/99-08/06



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3272S**	Female M14x1.5, Ø 13.5mm Cone, L=80mm
2	Rack End	⇦⇨		**QR3274S**	Male M14x1.5 , M16x1.5 Swivel, L=324mm
2	Rack End	⇦⇨		**QR3273S**	Male M14x1.5, M16x1.5 Swivel, L=322
20a	Suspension Arm - Front			**QSA2091S**	
20b	Suspension Arm - Front			**QSA2092S**	
21	Ball Joint - Front			**QSJ9931S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front			**EMS8395**	Front
24b	Suspension Arm Bush - Front			**EMS8396**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3286S**	L=65mm
25b	Stabiliser Link - Front	⇨		**QLS3287S**	L=65mm
62	Top Strut Mounting - Front inc.Bearing	⇦⇨	09/99-04/00	**EMA5044**	
62	Top Strut Mounting - Front inc.Bearing	⇦⇨	04/00-08/09	**-**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3288S**	L=140mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6076**	

Accent
KMHMC31,41


10/05-03/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3848S	Female M14x1.5 RH, Ø 13.3mm Cone, L=189mm
1b	Tie Rod End - Outer	⇨		QR3849S	Female M14x1.5 RH, Ø 13.3mm Cone, L=189mm
2	Rack End	⇦⇨		QR3622S	Male M14x1.5 RH, M16x1.5 Swivel, L=220mm
21	Ball Joint - Front	⇩		QSJ3437S	Ø 15.6mm Cone, 76mm Pcd
25a	Stabiliser Link - Front	⇦		QLS3578S	L=285mm
25b	Stabiliser Link - Front	⇨		QLS3579S	L=285mm

Amica
KMHAG5,KMHAH5


09/99-07/03



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5239S	Female M12x1.25mm
2	Rack End	⇦⇨		QR5267S	Male M14x1.5 RH, M12x1.25mm Swivel, L=282mm
20a	Suspension Arm - Front	⇩		QSA1865S	
20b	Suspension Arm - Front	⇩		QSA1866S	
21	Ball Joint - Front	⇩		QSJ1903S	Ø 13.6mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8010	Front
24b	Suspension Arm Bush - Front	⇩		-	Rear
24c	Suspension Arm Bush - Front	⇩		-	Rear

Atoz,Atoz+ 11/97-02/08


AB41,AC41



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5239S	Female M12x1.25mm
2	Rack End	⇦⇨		QR5267S	Male M14x1.5 R, M12x1.25mm Swivel, L=282mm
20a	Suspension Arm - Front	↲		QSA1865S	
20b	Suspension Arm - Front	↳		QSA1866S	
21	Ball Joint - Front	⇩⇩		QSJ1903S	Ø 13.6mm Cone
24	Suspension Arm Bush - Front	⇩⇩		EMS8010	Front
24a	Suspension Arm Bush - Front	↲		-	Rear
24b	Suspension Arm Bush - Front	↳		-	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3510S	L=70mm

Atos Spirit 09/99-12/05

KMHAG5,KMHAH5




Atos Spirit continued... 09/99-12/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR5239S**	Female M12x1.25mm
2	Rack End	⇦⇨		**QR5267S**	Male M14x1.5, M12x1.25mm Swivel, L=282mm
20a	Suspension Arm - Front	↲		**QSA1865S**	
20b	Suspension Arm - Front	↳		**QSA1866S**	
21	Ball Joint - Front	⇦⇨		**QSJ1903S**	Ø 13.6mm Cone
24	Suspension Arm Bush - Front	⇦⇨		**EMS8010**	Front
24a	Suspension Arm Bush - Front	↲		**-**	Rear
24b	Suspension Arm Bush - Front	↳		**-**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3510S**	L=70mm

Coupé 04/96-05/99

G1,G2,G3



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2871S**	Female M14x1.5, Ø 13.5mm Cone, L=77mm
2	Rack End	⇦⇨		**QR5265S**	Male M14x1.5, M16x1.5mm Swivel, L=327mm
20a	Suspension Arm - Front	↲		**QSA1867S**	
20b	Suspension Arm - Front	↳		**QSA1868S**	
21	Ball Joint - Front	⇦⇨		**QSJ9931S**	Ø 17mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS1823S**	L=71mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5026**	
35	Stabiliser Link - Rear	⇦⇨		**QLS1822S**	L=130mm

continued...

Coupé continued... 04/96-05/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
65a	Top Strut Mounting - Rear exc.Bearing	⇦		EMR6066	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		EMR6067	

Coupé 02/02-

HL






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3463S	Female M14x1.5, Ø 13.7mm Cone, L=75mm
2	Rack End	⇦⇨		QR3597S	Male M14x1.5, M16x1.5 Swivel, L=343mm
20a	Suspension Arm - Front	↲		QSA2459S	
20b	Suspension Arm - Front	↳		QSA2460S	
25a	Stabiliser Link - Front	⇦		QLS3645S	L=285mm
25b	Stabiliser Link - Front	⇨		QLS3646S	L=285mm

Get,Getz 08/02-07/05

BU,BT



Get,Getz continued... 08/02-07/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		**QR3464S**	Male M14x1.5, M16x1.5 Swivel, L=335mm
20a	Suspension Arm - Front	↲		**QSA2113S**	
20b	Suspension Arm - Front	↳		**QSA2114S**	
21	Ball Joint - Front	⇩⇧		**QSJ9931S**	Ø 17mm Cone
24a	Suspension Arm Bush - Front	⇩⇧		**EMS8393**	Front
24b	Suspension Arm Bush - Front	⇩⇧		**EMS8394**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3463S**	L=200mm
25b	Stabiliser Link - Front	⇨		**QLS3464S**	L=200mm

i10 12/07-

AD41






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3800S**	Female M12x1.25, Ø 13.5mm Cone, L=72mm
2	Rack End	⇦⇨		**QR3790S**	Male M12x1.25 ,M16x1.5 Swivel L=318mm
20a	Suspension Arm - Front	↲		**QSA2660S**	
20b	Suspension Arm - Front	↳		**QSA2661S**	
21	Ball Joint - Front	⇩⇧		**QSJ3362S**	Ø 16mm Cone, Ø 13mm Groove
25a	Stabiliser Link - Front	⇦		**QLS3728S**	
25b	Stabiliser Link - Front	⇨		**QLS3729S**	


i10 12/13-

IA



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3994S	
1b	Tie Rod End - Outer	⇨		QR3995S	
25a	Stabiliser Link - Front	⇦		QLS3728S	
25b	Stabiliser Link - Front	⇨		QLS3729S	


i20 09/08-12/12



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3835S	Female M16x1.5, Ø 13.4mm Cone, L=188mm
1b	Tie Rod End - Outer	⇨		QR3836S	Female M16x1.5, Ø 13.4mm Cone, L=188mm
2	Rack End	⇦⇨		QR3817S	
20a	Suspension Arm - Front	⇦		QSA2564S	
20b	Suspension Arm - Front	⇨		QSA2565S	
25a	Stabiliser Link - Front	⇦		QLS3737S	L=216mm
25b	Stabiliser Link - Front	⇨		QLS3738S	L=216mm


i30
CD,DC

06/07-11/11




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3630S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=230mm
1b	Tie Rod End - Outer	⇨		**QR3631S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=230mm
2	Rack End	⇦⇨		**QR3632S**	Male M14x1.5 RH, M16x1.5 Swivel, L=186mm
20a	Suspension Arm - Front	↲		**QSA2390S**	
20b	Suspension Arm - Front	↳		**QSA2391S**	
21	Ball Joint - Front	⇦⇨	-02/09	**QSJ3454S**	Ø 15.0mm Cone, 80mm Pcd
21¹	Ball Joint - Front	⇦⇨	03/09-	**QSJ3769S**	
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8461**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8462**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3587S**	L=243mm
30	Suspension Arm - Rear	⇦⇨		**QSJ3536S**	Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3724S**	L=170mm

i30 GD — 12/11-10/15



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3931S	
1b	Tie Rod End - Outer	⇨		QR3932S	
2	Rack End	⇦⇨		QR3933S	L=218mm
20a	Suspension Arm - Front		European Models	QSA2611S	
20b	Suspension Arm - Front		European Models	QSA2612S	
21	Ball Joint - Front		European Models	QSJ3649S	
25	Stabiliser Link - Front	⇦⇨		QLS3824S	
35	Stabiliser Link - Rear	⇦⇨		QLS3826S	L=88mm


i40 VF — 05/11-



i40 continued... 05/11-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3901S	Female M16x1.5, Ø 13.4mm Cone, L=233mm
1b	Tie Rod End - Outer	⇨		QR3902S	Female M16x1.5, Ø 13.4mm Cone, L=233mm
2	Rack End	⇦⇨		QR3985S	
25	Stabiliser Link - Front	⇦⇨		QLS3862S	
35	Stabiliser Link - Rear	⇦⇨		QLS3863S	

i800 05/08-05/14




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3861S	Male M14x1.5, Ø 14.0mm Cone L=220mm
1b	Tie Rod End - Outer	⇨		QR3862S	Male M14x1.5, Ø 14.0mm Cone L=220mm
2	Rack End	⇦⇨		QR3834S	Male M14x1.5, M18x1.5mm Swivel, L=255mm
20a	Suspension Arm - Front	↲		QSA2701S	
20b	Suspension Arm - Front	↳		QSA2702S	
21	Ball Joint - Front	⇦⇨		QSJ3602S	
25a	Stabiliser Link - Front	⇦		QLS3780S	L=275mm
25b	Stabiliser Link - Front	⇨		QLS3781S	L=275mm
35a	Stabiliser Link - Rear	⇦		QLS3782S	L=85mm
35b	Stabiliser Link - Rear	⇨		QLS3783S	L=85mm

iLoad 02/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA2701S	
20b	Suspension Arm - Front			QSA2702S	
25a	Stabiliser Link - Front	⇦		QLS3780S	L=275mm
25b	Stabiliser Link - Front	⇨		QLS3781S	L=275mm
35a	Stabiliser Link - Rear	⇦		QLS3782S	L=85mm
35b	Stabiliser Link - Rear	⇨		QLS3783S	L=85mm


ix20 11/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3835S	
1b	Tie Rod End - Outer	⇨		QR3836S	
2	Rack End	⇦⇨		QR3930S	
21	Ball Joint - Front			QSJ9931S	
25a	Stabiliser Link - Front	⇦		QLS3737S	
25b	Stabiliser Link - Front	⇨		QLS3738S	

ix35 04/10-

LM



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3900S	Female M16x1.5 RH, Ø 13.4mm Cone, L=233mm
1b	Tie Rod End - Outer	⇨		QR3901S	Female M16x1.5 RH, Ø 13.4mm Cone, L=233mm
2	Rack End	⇦⇨		QR3831S	Male M16x1.5 RH, M16x1.5 Swivel, L=202mm
20a	Suspension Arm - Front	↲		QSA2589S	Ø 18mm Cone
20b	Suspension Arm - Front	↳		QSA2590S	Ø 18mm Cone
21	Ball Joint - Front	⇦⇨		QSJ3620S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8541	
24b	Suspension Arm Bush - Front	⇦⇨		EMS8542	
25	Stabiliser Link - Front	⇦⇨		QLS3763S	L=267mm
35	Stabiliser Link - Rear	⇦⇨		QLS3764S	L=140mm

ix55 09/08-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3832S	Male M16x1.5 RH, M16x1.5 Swivel, L=236mm

Lantra,Elantra

12/90-05/95

KF,JF2,JF3




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	12/90-04/92	**QR2304S**	Female M12x1.25, Ø 13.4mm Cone, L=78mm
1	Tie Rod End - Outer	⇦⇨	, 05/92-05/95	**QR2871S**	Female M14x1.5, Ø 13.5mm Cone, L=77mm
2	Rack End	⇦⇨	, 05/92-05/93	**QR9332S**	Male M14x1.5, L=325mm
2	Rack End	⇦⇨	, 06/93-05/95	**QR5270S**	Male M14x1.5, M16x1.5mm Ball Pin, L=321mm
21	Ball Joint - Front			**QSJ1313S**	Ø 15mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS1618S**	L=61mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5015**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6042**	

Lantra,Elantra

KF, KW,JF2,JF3


05/95-05/00



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2871S	Female M14x1.5 RH, Ø 13.5mm Cone, L=77mm
2	Rack End	⇦⇨		QR5265S	Male M14x1.5 RH, M16x1.5mm Swivel, L=327mm
20a	Suspension Arm - Front	↲		QSA1867S	
20b	Suspension Arm - Front	↳		QSA1868S	
21	Ball Joint - Front	⇩⇩		QSJ9931S	Ø 17mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS1823S	L=71mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5026	
35	Stabiliser Link - Rear	⇦⇨		QLS1822S	L=130mm
65a	Top Strut Mounting - Rear exc.Bearing	⇦		EMR6066	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		EMR6067	

Lantra,Elantra — 06/00-05/06

DM4,5,DN4,5



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3463S	Female M14x1.5, Ø 13.7mm Cone, L=75mm
2	Rack End	⇦⇨		QR3597S	Male M14x1.5, M16x1.5 Swivel, L=343mm
20a	Suspension Arm - Front	↲		QSA2270S	
20b	Suspension Arm - Front	↳		QSA2271S	

Lantra,Elantra — 06/06-


DM41C,DM51C



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
30	Suspension Arm - Rear	⇦⇩⇨		QSJ3536S	Trailing Arm

Matrix — 06/01-08/10

FC




Matrix continued... 06/01-08/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3272S**	
2	Rack End	⇦⇨		**QR3598S**	
20a	Suspension Arm - Front	↲		**QSA2662S**	
20b	Suspension Arm - Front	↳		**QSA2663S**	
25a	Stabiliser Link - Front	⇦		**QLS3286S**	L=65mm
25b	Stabiliser Link - Front	⇨		**QLS3287S**	L=65mm
30a	Suspension Arm - Rear	⇦⇨		**QSJ3706S**	Front of Wheel
30b	Suspension Arm - Rear	⇦⇨		**QSJ3707S**	Rear of Wheel
35	Stabiliser Link - Rear	⇦⇨		**QLS3714S**	

Pony X2 09/89-08/94


VA,VD,VF,D1,F2



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1988S**	Female M14x1.5 , Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR9334S**	Male M14x1.5
2	Rack End	⇦⇨	, , Mfr.exc.TRW	**QR9332S**	Male M14x1.5 , L=325mm
2	Rack End	⇦⇨	,	**QR9332S**	Male M14x1.5 , L=325mm
21	Ball Joint - Front	⇦⇨		**QSJ1316S**	Ø 15mm Cone

Pony 07/94-08/99


VA,VD,VF



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2871S	Female M14x1.5 RH, Ø 13.5mm Cone, L=77mm
2	Rack End	⇦⇨		QR9334S	Male M14x1.5 RH
2	Rack End	⇦⇨		QR9332S	Male M14x1.5 RH, L=325mm
20a	Suspension Arm - Front	↲		QSA1938S	
20b	Suspension Arm - Front	↳		QSA1939S	
21	Ball Joint - Front	⇩		QSJ9931S	Ø 17mm Cone
24a	Suspension Arm Bush - Front	⇩		EMS8010	Front
24b	Suspension Arm Bush - Front	↲		EMS8009	Rear
24c	Suspension Arm Bush - Front	↳		EMS8008	Rear

S Coupé 03/90-04/96

E2,E3,UE




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2818S	Female M14x1.5 RH, Ø 13.3mm Cone, L=77mm
2	Rack End	⇦⇨		QR9334S	Male M14x1.5 RH
2	Rack End	⇦⇨	, , Mfr.exc.TRW	QR9332S	Male M14x1.5 RH, L=325mm
2	Rack End	⇦⇨	,	QR9332S	Male M14x1.5 RH, L=325mm
21	Ball Joint - Front	⇩		QSJ1316S	Ø 15mm Cone
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5018	

Santa Fe

01/01-02/06

SB81, SC81 2.4i, 2.7D




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		**QR3598S**	Male M14x1.5 , M16x1.5 Swivel, L=343mm
20a	Suspension Arm - Front	↲		**QSA2272S**	
20b	Suspension Arm - Front	↳		**QSA2273S**	
21	Ball Joint - Front	⇦⇨		**QSJ3403S**	Ø 20mm Cone, Ø 16mm Groove
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8353**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8354**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3459S**	L=265mm
25b	Stabiliser Link - Front	⇨		**QLS3460S**	L=265mm
30a	Suspension Arm - Rear	↲		**QSJ3530S**	Track Control Arm, Curved
30b	Suspension Arm - Rear	↳		**QSJ3531S**	Track Control Arm, Curved
35a	Stabiliser Link - Rear	⇦		**QLS3461S**	L=119mm
35b	Stabiliser Link - Rear	⇨		**QLS3462S**	L=119mm

Santa Fe

SH81 2.2D, 2.7i

03/06-12/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3801S**	
1b	Tie Rod End - Outer	⇨		**QR3802S**	
2	Rack End	⇦⇨		**QR3784S**	L=194mm
20a	Suspension Arm - Front	↲		**QSA2699S**	
20b	Suspension Arm - Front	↳		**QSA2700S**	
21	Ball Joint - Front	⇦⇨		**QSJ3403S**	Ø 20mm Cone, Ø 16mm Groove
25a	Stabiliser Link - Front	⇦		**QLS3733S**	L=341mm
25b	Stabiliser Link - Front	⇨		**QLS3734S**	L=341mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3702S**	L=98mm


Santa Fe 09/12-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4046S	
1b	Tie Rod End - Outer	⇨		QR4047S	
2	Rack End	⇦⇨		QR4044S	
21	Ball Joint - Front			QSJ3649S	
35a	Stabiliser Link - Rear	⇦	4WD	QLS3865S	
35b	Stabiliser Link - Rear	⇨	4WD	QLS3866S	

Sonata 10/89-06/93

AF,2D,3D




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2450S	Female M14x1.5 RH, Ø 13.3mm Cone, L=69mm
2	Rack End	⇦⇨		QR5270S	Male M14x1.5 RH, M16x1.5mm Ball Pin, L=321mm
21	Ball Joint - Front			QSJ9931S	Ø 17mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS1619S	L=94mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5016	

Sonata

DF,F2,F3

07/93-05/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊏⇨		QR2871S	Female M14x1.5 RH, Ø 13.5mm Cone, L=77mm
2	Rack End	⇦⊏⇨		QR9336S	Male M14x1.5mm, M16x1.5mm Swivel, L=340mm
21	Ball Joint - Front	⇦⊏⇨		QSJ9342S	Ø 15mm Cone
25	Stabiliser Link - Front	⇦⊏⇨		QLS1820S	L=53mm
63	Top Strut Mounting - Front inc.Bearing	⇦⊏⇨		EMA5023	
31	Ball Joint - Rear	⇦⊏⇨		QSJ3404S	Ø 16mm Cone
35	Stabiliser Link - Rear	⇦⊏⇨		QLS1821S	L=60mm

Sonata

A5F,EN4


06/98-04/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5311S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR5312S	Female M14x1.5
2	Rack End	⇦⇨		QR3465S	Male M14x1.5 , M16x1.5 Swivel, L=189mm
20a	Suspension Arm - Front		06/98-12/01	QSA2274S	
20a	Suspension Arm - Front		12/01-11/04	QSA2276S	
20b	Suspension Arm - Front		06/98-12/01	QSA2275S	
20b	Suspension Arm - Front		12/01-11/04	QSA2277S	
21	Ball Joint - Front			QSJ1904S	Ø 18mm Cone, M14 Ball Pin
22a	Suspension Arm - Front			QSA2475S	
22b	Suspension Arm - Front			QSA2476S	
23	Ball Joint - Front			QSJ1905S	M10x1.25mm Ball Pin
25	Stabiliser Link - Front	⇦⇨		QLS3465S	L=103mm
35	Stabiliser Link - Rear	⇦⇨		QLS3466S	L=194mm

Sonata 05/05-03/11


NF



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3775S	Female M16x1.5 RH, Ø 13.4mm Cone, L=222mm
1b	Tie Rod End - Outer	⇨		QR3776S	Female M16x1.5 RH, Ø 13.4mm Cone, L=222mm
2	Rack End	⇦⇨		QR3763S	
21	Ball Joint - Front			QSJ3526S	Ø 15.0mm Cone
22a	Suspension Arm - Front			QSA2703S	
22b	Suspension Arm - Front			QSA2704S	
25	Stabiliser Link - Front	⇦⇨		QLS3716S	
35	Stabiliser Link - Rear	⇦⇨		QLS3717S	

Stellar 09/83-10/91

F11,F21,F31,SF



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	09/83-12/86	QR1988S	Female M14x1.5 RH, Ø 13.5mm Cone
1	Tie Rod End - Outer	⇦⇨	01/87-10/91	QR2818S	Female M14x1.5 RH, Ø 13.3mm Cone, L=77mm
21[1]	Ball Joint - Front		01/87-10/91	QSJ9931S	Ø 17mm Cone

Terracan

NM


06/01-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4	Tie Rod Assembly	⇦⇨		QDL3294S	
21	Ball Joint - Front			QSJ3512S	
23	Ball Joint - Front			QSJ3513S	
25a	Stabiliser Link - Front	⇦		QLS3668S	
25b	Stabiliser Link - Front	⇨		QLS3669S	
35	Stabiliser Link - Rear	⇦⇨		QLS3715S	L=165mm

Trajet 09/99-07/08


MF.., MG.., MH..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3463S	Female M14x1.5 , Ø 13.7mm Cone, L=75mm
2	Rack End	⇦⇨		QR3598S	Male M14x1.5 , M16x1.5 Swivel, L=343mm
20a	Suspension Arm - Front	↲	09/04-07/08	QSA2465S	
20b	Suspension Arm - Front	↳	09/04-07/08	QSA2466S	
21	Ball Joint - Front	⇦⇨	09/99-07/04	QSJ3403S	Ø 20mm Cone, Ø 16mm Groove
21	Ball Joint - Front	⇦⇨	09/04-07/08	QSJ3746S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8353	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8354	Rear
25a	Stabiliser Link - Front	⇦		QLS3652S	L=332mm
25b	Stabiliser Link - Front	⇨		QLS3653S	L=332mm

Tucson 06/04-12/10

JN81



Tucson continued... 06/04-12/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3439S	Female M16x1.5, Ø 13.3mm Cone, L=170mm
1b	Tie Rod End - Outer	⇨		QR3440S	Female M16x1.5, Ø 13.3mm Cone, L=170mm
2	Rack End	⇦⇨		QR3441S	Male M16x1.5, M16x1.5 Swivel, L=260mm
21	Ball Joint - Front			QSJ3424S	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front			EMS8429	Front
24b	Suspension Arm Bush - Front			EMS8430	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3428S	L=237mm
35	Stabiliser Link - Rear	⇦⇨		QLS3429S	L=220mm

XG 12/98-09/05

XG25,XG27,XG30,XG350 FU41,C,D






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5311S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR5312S	Female M14x1.5
2	Rack End	⇦⇨		QR3465S	Male M14x1.5, M16x1.5 Swivel, L=189mm
21	Ball Joint - Front			QSJ1904S	Ø 18mm Cone, M14 Ball Pin
22a	Suspension Arm - Front			QSA2475S	
22b	Suspension Arm - Front			QSA2476S	
23	Ball Joint - Front			QSJ1905S	M10x1.25mm Ball Pin

H100 Van

FD,GD,HD

06/98-10/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR5240S**	Female M14x1.5mm, M12x1.25mm Ball Pin, L=74mm
2	Rack End	⇦⇨		**QR5266S**	Male M14x1.5, M16x1.5mm Swivel, L=301mm
20a	Suspension Arm - Front			**QSA1861S**	
20b	Suspension Arm - Front			**QSA1862S**	
21	Ball Joint - Front			**QSJ1794S**	Ø 19.4mm Cone, M16 Ball Pin
22a	Suspension Arm - Front			**QSA1863S**	
22b	Suspension Arm - Front			**QSA1864S**	
23	Ball Joint - Front			**QSJ1332S**	Ø 17.5mm Cone

D-Max
8DH C24

05/02-






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3845S	

Trooper
UBS17,UBS55

12/87-01/92






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2781S	Female M14x1.5 , Ø 16mm Cone
2	Side Rod End - Inner	⇦⇨		QR2780S	Female M14x1.5 , Ø 16mm Cone
7	Idler Arm Assembly			QDL5281S	
21	Ball Joint - Front			QSJ1306S	Ø 21mm Cone
23	Ball Joint - Front			QSJ1206S	Ø 17.8mm Cone
24c	Suspension Arm Bush - Front			EMS8011	Inner

Trooper

UBS25,UBS69

02/92-04/98








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		**QR2781S**	Female M14x1.5 RH, Ø 16mm Cone
2	Side Rod End - Inner	⇦⇨		**QR2780S**	Female M14x1.5 LH, Ø 16mm Cone
7	Idler Arm Assembly			**QDL5281S**	
21	Ball Joint - Front			**QSJ1306S**	Ø 21mm Cone
23	Ball Joint - Front			**QSJ9381S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			-	Front
24c	Suspension Arm Bush - Front			**EMS8011**	Inner
25a	Stabiliser Link - Front	⇦		**QLS3359S**	L=152mm
25b	Stabiliser Link - Front	⇨		**QLS3360S**	L=152mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3361S**	L=205mm

Trooper

UBS26,UBS73


04/98-08/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		**QR2781S**	Female M14x1.5 RH, Ø 16mm Cone
2	Side Rod End - Inner	⇦⇨		**QR2780S**	Female M14x1.5 LH, Ø 16mm Cone
21	Ball Joint - Front	⇦⇨		**QSJ1306S**	Ø 21mm Cone
23	Ball Joint - Front	⇦⇨		**QSJ9381S**	Ø 19mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3359S**	L=152mm
25b	Stabiliser Link - Front	⇨		**QLS3360S**	L=152mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3361S**	L=205mm

Daily 30,35,40,45,49,59 — 10/78-05/96


280F,290F



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	Steering Rack	QR2034S	Female M16x1.5, Ø 16mm Cone
21	Ball Joint - Front			QSJ965S	Ø 21.5mm Cone
23	Ball Joint - Front			QSJ965S	Ø 21.5mm Cone
25	Stabiliser Link End - Front	⇦⇨		QD3156S	

Daily 29,35,40,50,65 — 06/99-12/06

29L,35C,35S,40C,50C,65C



Daily 29,35,40,50,65 continued... 06/99-12/06


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3599S	Female M16x1.5 , Ø 18.2mm Cone, L=80mm
2	Rack End	⇦⇨		QR3704S	Male M16x1.5 ,M18x1.5 Swivel, L=361mm
20a	Suspension Arm - Front	↲		QSA2386S	
20b	Suspension Arm - Front	↳		QSA2387S	
21	Ball Joint - Front	⇊		QSJ3523S	
22a	Suspension Arm - Front	↰		QSA2388S	
22b	Suspension Arm - Front	↱		QSA2389S	
23	Ball Joint - Front	⇈		QSJ3453S	Ø 18.0mm Cone
25a	Stabiliser Link - Front	⇦		QLS3753S	
25b	Stabiliser Link - Front	⇨		QLS3754S	

S-Type
X200

10/98-05/08












S-Type continued... 10/98-05/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-ch.M45254	**QR3722S**	
1a	Tie Rod End - Outer	⇦	ch.M45255-	**QR3466S**	Female M14x1.5, Ø 11.7mm Cone, L=197mm
1b	Tie Rod End - Outer	⇨	-ch.M45254	**QR3723S**	
1b	Tie Rod End - Outer	⇨	ch.M45255-	**QR3467S**	Female M14x1.5, Ø 11.7mm Cone, L=197mm
2	Rack End	⇦⇨		**QR3743S**	Male M14x1.5, M16x1.5 Swivel, L=244mm
2	Rack End	⇦⇨		**QR4045S**	Male M14x1.5, M16x1.5 Swivel, L=226mm
20a	Suspension Arm - Front		-ch.M45254	**QSA2488S**	
20a	Suspension Arm - Front		ch.M45255-	**QSA2754S**	
20b	Suspension Arm - Front		-ch.M45254	**QSA2489S**	
20b	Suspension Arm - Front		ch.M45255-	**QSA2754S**	
22a	Suspension Arm - Front		-ch.M45254	**QSA2486S**	
22a	Suspension Arm - Front		ch.M45255-	**QSA2752S**	
22b	Suspension Arm - Front		-ch.M45254	**QSA2487S**	
22b	Suspension Arm - Front		ch.M45255-	**QSA2753S**	
21	Ball Joint - Front		-ch.M45254	**QSJ3503S**	Ø 12.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8520**	Rose Joint
25	Stabiliser Link - Front	⇦⇨	-ch.M45254	**QLS3470S**	L=137mm
25	Stabiliser Link - Front	⇦⇨	ch.M45255-	**QLS3469S**	
30a	Suspension Arm - Rear		-ch.M45254	**QSA2492S**	
30a	Suspension Arm - Rear		ch.M45255-	**-**	
30b	Suspension Arm - Rear		-ch.M45254	**QSA2493S**	
30b	Suspension Arm - Rear		ch.M45255-	**-**	
32a	Suspension Arm - Rear		-ch.M45254	**QSA2490S**	
32a	Suspension Arm - Rear		ch.M45255-	**-**	
32b	Suspension Arm - Rear		-ch.M45254	**QSA2491S**	
32b	Suspension Arm - Rear		ch.M45255-	**-**	
35a	Stabiliser Link - Rear	⇦		**QLS3467S**	L=232mm
35b	Stabiliser Link - Rear	⇨		**QLS3468S**	L=232mm


XF 10/07-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4048S	
1b	Tie Rod End - Outer	⇨		QR4049S	
20	Suspension Arm - Front			QSA2754S	
22a	Suspension Arm - Front			QSA2752S	
22b	Suspension Arm - Front			QSA2753S	
24a	Suspension Arm Bush - Front			EMS8520	Rose Joint
35a	Stabiliser Link - Rear	⇦		QLS3467S	
35b	Stabiliser Link - Rear	⇨		QLS3468S	

XJ6 10/85-05/93

FA,FAL,HCL,KRL Series III ch.345391-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1840S	Female M14x1.5 , Ø 14.6mm Cone
21	Ball Joint - Front			QSJ1308S	Ø 16.5mm Cone
23	Ball Joint - Front			QSJ527S	Ø 17.5mm Cone
24c	Suspension Arm Bush - Front			EMS1958	x2

XJ6 — 06/93-09/97


X300F



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1840S	Female M14x1.5 ↻, Ø 14.6mm Cone
21	Ball Joint - Front	⇩		QSJ1308S	Ø 16.5mm Cone
23	Ball Joint - Front	⇧		QSJ527S	Ø 17.5mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3659S	

XJ8 — 10/97-03/03


JFAL



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1840S	Female M14x1.5 ↻, Ø 14.6mm Cone
2	Rack End	⇦⇨		QR3653S	Male M14x1.5 ↻, M16x1.5 Swivel, L=305mm
21	Ball Joint - Front	⇩		QSJ3455S	Ø 16.6mm Cone
23	Ball Joint - Front	⇧		QSJ3456S	Ø 14.5mm Cone

XJ12 — 10/85-05/93

BA,BAL Series III ch.345391-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1840S	Female M14x1.5 , Ø 14.6mm Cone
21	Ball Joint - Front			QSJ1308S	Ø 16.5mm Cone
23	Ball Joint - Front			QSJ527S	Ø 17.5mm Cone
24	Suspension Arm Bush - Front			EMS1958	x2

XJ12 — 06/93-08/94


X300H



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1840S	Female M14x1.5 , Ø 14.6mm Cone
21	Ball Joint - Front			QSJ1308S	Ø 16.5mm Cone
23	Ball Joint - Front			QSJ527S	Ø 17.5mm Cone

XJ12 — 09/94-09/97

X300H




XJ12 continued... 09/94-09/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1840S	Female M14x1.5 ↻, Ø 14.6mm Cone
21	Ball Joint - Front			QSJ1308S	Ø 16.5mm Cone
23	Ball Joint - Front			QSJ527S	Ø 17.5mm Cone

XJS 09/87-10/96


N,NAC,NAE



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1840S	Female M14x1.5 ↻, Ø 14.6mm Cone
21	Ball Joint - Front			QSJ1308S	Ø 16.5mm Cone
23	Ball Joint - Front			QSJ527S	Ø 17.5mm Cone
24b	Suspension Arm Bush - Front			EMS1958	x2

XK-8 05/96-01/06


X100,X200



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1840S	Female M14x1.5 ↻, Ø 14.6mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3659S	

XK-R 03/98-01/06

X100,X200



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1840S	Female M14x1.5, Ø 14.6mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3659S	


XK Series 03/06-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			EMS8520	Rose Joint

X-Type 03/01-08/10

CF1



X-Type continued... 03/01-08/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3267S	Female M16x1.5, Cone Ø 13mm, L=92mm
1	Tie Rod End - Outer	⇦⇨		QR3268S	Female M16x1.5, Cone Ø 13mm, L=92mm
2	Rack End	⇦⇨		QR3811S	Male M16x1.5, M16x1.5 Swivel, L=360mm
20a	Suspension Arm - Front			QSA2349S	
20b	Suspension Arm - Front			QSA2350S	
21	Ball Joint - Front			QSJ3499S	
24a	Suspension Arm Bush - Front			EMS8153	Front
24b	Suspension Arm Bush - Front			EMS8154	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.D14965	QLS3314S	L=251mm, Metal
25[1]	Stabiliser Link - Front	⇦⇨	-ch.D14965-E34588	QLS3315S	L=252mm, Plastic
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7206	Outer
30	Suspension Arm - Rear			QSJ3571S	Control Arm
35	Stabiliser Link - Rear	⇦⇨		QLS3616S	L=110mm
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.Estate	EMB7167	Outer

Cherokee 10/86-09/96


SJ,XJ (Chrysler)



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3455S	Male M13x1.25 LH, Ø 14mm Cone
1b	Tie Rod End - Outer	⇨		QR3456S	Male M13x1.25 RH, Ø 14mm Cone
6b	Drag Link End	⇦	10/86-12/90	-	
6b	Drag Link End	⇦	01/91-09/96	QR3856S	Male M22x1.5 LH, Ø 14.1mm Cone, L=136mm

Cherokee 10/96-09/01

XJN (Chrysler)



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3455S	Male M13x1.25 LH, Ø 14mm Cone
1b	Tie Rod End - Outer	⇨		QR3456S	Male M13x1.25 RH, Ø 14mm Cone
6b	Drag Link End	⇦		QR3856S	Male M22x1.5 LH, Ø 14.1mm Cone, L=136mm
22	Suspension Arm - Front	⇦⇧		QSJ3532S	Ø 10.0mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3696S	

Grand Cherokee 10/90-09/96

ZJ (Chrysler)



Grand Cherokee continued... 10/90-09/96





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3455S	Male M13x1.25 LH, Ø 14mm Cone
1b	Tie Rod End - Outer	⇨		QR3456S	Male M13x1.25 RH, Ø 14mm Cone
6b	Drag Link End	⇦		QR3856S	Male M22x1.5 LH, Ø 14.1mm Cone, L=136mm
25	Stabiliser Link - Front	⇦⇨		QLS3696S	

Grand Cherokee 02/98-10/04

WB WJ/WG (Chrysler)









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3455S	Male M13x1.25 LH, Ø 14mm Cone
1b	Tie Rod End - Outer	⇨		QR3456S	Male M13x1.25 RH, Ø 14mm Cone
20	Suspension Arm - Front			QSJ3607S	
21	Ball Joint - Front			QSJ3612S	
22	Suspension Arm - Front			QSJ3532S	Ø 10.0mm Cone
23	Ball Joint - Front			QSJ3611S	

Grand Cherokee 10/04-04/11

WKR (Chrysler)









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3760S	Male M14x1.5 RH, M14x1.5 Swivel, L=371mm
21	Ball Joint - Front			QSJ3527S	

Wrangler

SJ,YJ (Chrysler)

10/86-09/96






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3455S	Male M13x1.25, Ø 14mm Cone
1b	Tie Rod End - Outer	⇨		QR3456S	Male M13x1.25, Ø 14mm Cone

Carnival 06/99-10/06


FLB,FLD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3469S	Female M14x1.5, Ø 14mm Cone, L=130mm
1b	Tie Rod End - Outer	⇨		QR3468S	Female M14x1.5, Ø 14mm Cone, L=130mm
2	Rack End	⇦⇨		QR3414S	Male M14x1.5, M18x1.5 Swivel, L=262mm
20a	Suspension Arm - Front			QSJ3363S	Ø 22mm Cone, Ø 18mm Groove
20b	Suspension Arm - Front			QSJ3364S	Ø 22mm Cone, Ø 18mm Groove
25	Stabiliser Link - Front	⇦⇨		QLS3369S	L=63mm

Carnival 09/06-

UVP55



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35	Stabiliser Link - Rear	⇦⇨		QLS3744S	L=72mm

Carens 07/99-06/02

OK2CA





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5242S	Female M14x1.5mm, M12x1.25mm Ball Pin, L=110mm
2	Rack End	⇦⇨		QR3308S	Male M14x1.5, M16x1.5 Swivel, L=310mm,
20a	Suspension Arm - Front	⇦		QSA2461S	
20b	Suspension Arm - Front	⇨		QSA2462S	
21	Ball Joint - Front	⇦⇨		QSJ1796S	Ø 18mm Cone, Ø 14mm Groove
25a	Stabiliser Link - Front	⇦		QLS3471S	L=274mm
25b	Stabiliser Link - Front	⇨		QLS3472S	L=274mm

Carens 05/02-04/06

FJU,FJW,FJZ





Carens continued... 05/02-04/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front	↲		QSA2503S	
20b	Suspension Arm - Front	↳		QSA2504S	
21	Ball Joint - Front	⇊		QSJ1796S	Ø 18mm Cone, Ø 14mm Groove
25a	Stabiliser Link - Front	⇦		QLS3712S	L=280mm
25b	Stabiliser Link - Front	⇨		QLS3713S	L=280mm
35	Stabiliser Link - Rear	⇦⇨		QLS3711S	L=89mm

Carens 05/06-

FJUST85,FJWST85








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3764S	Ø 13.4mm Cone
1b	Tie Rod End - Outer	⇨		QR3765S	Ø 13.4mm Cone
2a	Rack End	⇦		QR3768S	
2b	Rack End	⇨		QR3769S	
20a	Suspension Arm - Front	↲		QSA2497S	
20b	Suspension Arm - Front	↳		QSA2498S	
25	Stabiliser Link - Front	⇦⇨		QLS3703S	L=241mm
35	Stabiliser Link - Rear	⇦⇨		QLS3704S	L=170mm

Cee'd, Pro Cee'd 11/06-08/12

ED




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3630S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=230mm
1b	Tie Rod End - Outer	⇨		**QR3631S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=230mm
2	Rack End	⇦⇨		**QR3632S**	Male M14x1.5 RH, M16x1.5 Swivel, L=186mm
20a	Suspension Arm - Front	⇦		**QSA2390S**	
20b	Suspension Arm - Front	⇨		**QSA2391S**	
21	Ball Joint - Front	⇦⇨	-07/09	**QSJ3454S**	Ø 15.0mm Cone, 80mm Pcd
21	Ball Joint - Front	⇦⇨	08/09-	**QSJ3769S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3587S**	L=243mm
30	Suspension Arm - Rear	⇦⇨		**QSJ3536S**	Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3724S**	L=170mm

Cee'd, Pro Cee'd

06/12-


JD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3931S	
1b	Tie Rod End - Outer	⇨		QR3932S	
2	Rack End	⇦⇨		QR3933S	
20a	Suspension Arm - Front	↲	-05/14	QSA2611S	
20b	Suspension Arm - Front	↳	-05/14	QSA2612S	
21	Ball Joint - Front	↲↳	-05/14	QSJ3649S	
25	Stabiliser Link - Front	⇦⇨		QLS3824S	
35	Stabiliser Link - Rear	⇦⇨		QLS3826S	

Cerato 03/04-


FE22,FE24



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		**QR3597S**	Male M14x1.5 , M16x1.5 Swivel, L=343mm
20a	Suspension Arm - Front			**QSA2505S**	
20b	Suspension Arm - Front			**QSA2506S**	
25a	Stabiliser Link - Front	⇦		**QLS3511S**	L=250mm
25b	Stabiliser Link - Front	⇨		**QLS3512S**	L=250mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3714S**	L=128mm

Clarus 02/96-08/01

K9B,K9D




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR5242S**	Female M14x1.5mm, M12x1.25mm Ball Pin, L=110mm
21	Ball Joint - Front			**QSJ1227S**	Ø 17.5mm Cone

Clarus continued... 02/96-08/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25a	Stabiliser Link - Front	⇦		QLS1625S	L=102mm
25b	Stabiliser Link - Front	⇨		QLS1626S	L=102mm

Magentis 03/01-09/05


FSFD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3465S	Male M14x1.5, M16x1.5 Swivel, L=189mm
22a	Suspension Arm - Front	↰		QSA2475S	
22b	Suspension Arm - Front	↱		QSA2476S	
20a	Suspension Arm - Front	↲		QSA2276S	
20b	Suspension Arm - Front	↳		QSA2277S	
23	Ball Joint - Front	⇦⇧		QSJ1905S	M10x1.25mm Ball Pin
25	Stabiliser Link - Front	⇦⇨		QLS3465S	L=103mm

Mentor I
FA22,FA24


06/94-04/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2287S	Female M12x1.25 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR9317S	Male M12x1.25mm RH, M18x1mm Ball Joint, L=282mm
20a	Suspension Arm - Front	⇩		QSA1869S	
20b	Suspension Arm - Front	⇩		QSA1870S	
21	Ball Joint - Front	⇩⇩		QSJ9321S	Ø 17mm Cone

Mentor I
B6K

05/99-03/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5242S	Female M14x1.5mm, M12x1.25mm Ball Pin, L=110mm
20a	Suspension Arm - Front	⇩		QSA1871S	
20b	Suspension Arm - Front	⇩		QSA1872S	
21	Ball Joint - Front	⇩⇩		QSJ1796S	Ø 18mm Cone, Ø 14mm Groove
25a	Stabiliser Link - Front	⇦		-	
25b	Stabiliser Link - Front	⇨		-	

Mentor I continued... 05/99-03/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35	Stabiliser Link - Rear	⇦⇨		QLS1827S	L=90mm

Mentor II 04/01-06/05

FB



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25a	Stabiliser Link - Front	⇦		QLS3471S	L=274mm
25b	Stabiliser Link - Front	⇨		QLS3472S	L=274mm
35	Stabiliser Link - Rear	⇦⇨		QLS3711S	L=89mm

Opirus 05/03-09/06


LD22



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
22a	Suspension Arm - Front	↰		QSA2475S	
22b	Suspension Arm - Front	↱		QSA2476S	
23	Ball Joint - Front	↰↱		QSJ1905S	M10x1.25mm Ball Pin

Picanto 03/04-12/11


BA



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3415S	Male M12x1.25 , Ø 13.2mm Cone, L=74mm
2a	Rack End	⇦		QR3536S	Male M12x1.25 , M16x1.5 Swivel, L=310mm
2b	Rack End	⇨		QR3537S	Male M12x1.25 , M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front			QSA2278S	
20b	Suspension Arm - Front			QSA2279S	
21	Ball Joint - Front			QSJ3362S	Ø 16mm Cone, Ø 13mm Groove
24a	Suspension Arm Bush - Front			EMS8374	Front
24b	Suspension Arm Bush - Front			EMS8375	Rear
25a	Stabiliser Link - Front	⇦		QLS3473S	L=229mm
25b	Stabiliser Link - Front	⇨		QLS3474S	L=229mm

Picanto 05/11-

TA




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4052S	
1b	Tie Rod End - Outer	⇨		QR4053S	
21	Ball Joint - Front			QSJ3672S	
25a	Stabiliser Link - Front	⇦		QLS3737S	
25b	Stabiliser Link - Front	⇨		QLS3738S	

Pride

DA23,DA24, K11

05/91-05/01




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2287S	Female M12x1.25 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR9317S	Male M12x1.25mm RH, M18x1mm Ball Joint, L=282mm
20	Suspension Arm - Front	⇩		QSJ1766S	M16 Ball Pin, L=292mm

Rio

DC22,24


07/00-02/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3415S	Male M12x1.25 RH, Ø 13.2mm Cone, L=74mm
2	Rack End	⇦⇨		QR3538S	Male M12x1.25 RH, M16x1.5 Swivel, L=296mm
20a	Suspension Arm - Front	⇩	07/00-01/03	QSJ3322S	Ø 16mm Cone
20a	Suspension Arm - Front	⇩	01/03-02/05	QSJ3405S	Ø 16mm Cone, Ø 13.7mm Groove, L=308mm
20b	Suspension Arm - Front	⇩	07/00-01/03	QSJ3323S	Ø 16mm Cone
20b	Suspension Arm - Front	⇩	01/03-02/05	QSJ3406S	Ø 16mm Cone, Ø 13.7mm Groove, L=308mm
24	Suspension Arm Bush - Front	⇩	07/00-01/03	EMS8419	Inner
25a	Stabiliser Link - Front	⇦	08/2002-	QLS3580S	L=219mm
25b	Stabiliser Link - Front	⇨	08/2002-	QLS3581S	L=219mm
35a	Stabiliser Link - Front	⇦	09/2000-07/2002	QLS3403S	L=241mm
35b	Stabiliser Link - Front	⇨	09/2000-07/2002	QLS3404S	L=241mm

Rio 03/05-12/11


DN22,24



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3848S	Female M14x1.5 , Ø 13.4mm Cone
1b	Tie Rod End - Outer	⇨		QR3849S	Female M14x1.5 , Ø 13.4mm Cone
2a	Rack End	⇦		QR3772S	
2b	Rack End	⇨		QR3773S	
20a	Suspension Arm - Front			QSA2217S	
20a	Suspension Arm - Front			QSA2222S	
20b	Suspension Arm - Front			QSA2218S	
20b	Suspension Arm - Front			QSA2223S	
21	Ball Joint - Front			QSJ3437S	Ø 15.6mm Cone, 76mm Pcd
25a	Stabiliser Link - Front	⇦		QLS3578S	L=285mm
25b	Stabiliser Link - Front	⇨		QLS3579S	L=285mm

Rio 09/11-


UB



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front			QSJ3672S	
25	Stabiliser Link - Front	⇦⇨		QLS3824S	

Sedona 06/99-10/06


FLB,FLD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3469S	Female M14x1.5, Ø 14mm Cone, L=130mm
1b	Tie Rod End - Outer	⇨		QR3468S	Female M14x1.5, Ø 14mm Cone, L=130mm
2	Rack End	⇦⇨		QR3414S	Male M14x1.5, M18x1.5 Swivel, L=262mm
20a	Suspension Arm - Front	↲		QSJ3363S	Ø 22mm Cone, Ø 18mm Groove
20b	Suspension Arm - Front	↳		QSJ3364S	Ø 22mm Cone, Ø 18mm Groove
25	Stabiliser Link - Front	⇦⇨		QLS3369S	L=63mm

Sedona 11/06-

UVP55



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4050S	
1b	Tie Rod End - Outer	⇨		QR4051S	
2	Rack End	⇦⇨		QR3989S	
25a	Stabiliser Link - Front	⇦		QLS3798S	L=322mm
25b	Stabiliser Link - Front	⇨		QLS3799S	L=322mm
35	Stabiliser Link - Rear	⇦⇨		QLS3744S	L=72mm

Sephia 05/93-03/01


B6K,K2A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	01/96-03/01	EMR6072	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		EMR6071	

Shuma 02/98-03/01

B6K




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5242S	Female M14x1.5mm, M12x1.25mm Ball Pin, L=110mm
20a	Suspension Arm - Front	↲		QSA1871S	
20b	Suspension Arm - Front	↳		QSA1872S	
21	Ball Joint - Front	↲↳		QSJ1796S	Ø 18mm Cone, Ø 14mm Groove
25	Stabiliser Link - Front	⇦⇨	02/98-12/98	QLS1828S	L=82mm
25a	Stabiliser Link - Front	⇦	01/99-03/01	QLS3471S	L=274mm
25b	Stabiliser Link - Front	⇨	01/99-03/01	QLS3472S	L=274mm

Shuma continued... 02/98-03/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35	Stabiliser Link - Rear	⇦⇨		QLS1827S	L=90mm

Shuma 04/01-06/05

FB




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front	↲		QSA2461S	
20b	Suspension Arm - Front	↳		QSA2462S	
25a	Stabiliser Link - Front	⇦		QLS3471S	L=274mm
25b	Stabiliser Link - Front	⇨		QLS3472S	L=274mm
35	Stabiliser Link - Rear	⇦⇨		QLS3711S	L=89mm

Sorento I

JC81

07/02-10/09



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3418S**	Female M14x1.5, Ø 14.0mm Cone, L=160mm
1b	Tie Rod End - Outer	⇨		**QR3419S**	Female M14x1.5, Ø 14.0mm Cone, L=160mm
2a	Rack End	⇦		**QR3416S**	Male M14x1.5, M18x1.5 Swivel, L=193mm
2b	Rack End	⇨		**QR3417S**	Male M14x1.5, M18x1.5 Swivel, L=193mm
20a	Suspension Arm - Front	⇦		**QSA2374S**	
20b	Suspension Arm - Front	⇨		**QSA2375S**	
21	Ball Joint - Front	⇦⇨		**QSJ3422S**	Ø 21.6mm Cone
22a	Suspension Arm - Front	⇦		**QSA2501S**	
22b	Suspension Arm - Front	⇨		**QSA2502S**	
24	Suspension Arm Bush - Front	⇦⇨		**EMS8411**	Front & Rear
25	Stabiliser Link - Front	⇦⇨	07/02-02/04	**QLS3405S**	L=150mm
25a	Stabiliser Link - Front	⇦	03/04-	**QLS3513S**	L=86mm
25b	Stabiliser Link - Front	⇨	03/04-	**QLS3514S**	L=86mm
35b	Stabiliser Link - Rear	⇨		**QLS3641S**	L=120mm

Sorento I continued... 07/02-10/09

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35a	Stabiliser Link - Rear	⇦		QLS3640S	L=120mm

Sorento II 11/09-


XM



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3801S	
1b	Tie Rod End - Outer	⇨		QR3802S	
2a	Rack End	⇦		QR4054S	
2b	Rack End	⇨		QR4055S	
21	Ball Joint - Front	⇦⇨		QSJ3403S	Ø 20mm Cone, Ø 16mm Groove
25a	Stabiliser Link - Front	⇦		QLS3733S	L=341mm
25b	Stabiliser Link - Front	⇨		QLS3734S	L=341mm
35	Stabiliser Link - Rear	⇦⇨		QLS3702S	L=98mm

Soul 02/09-


AM



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3835S	Female M16x1.5 , Ø 13.4mm Cone, L=188mm
1b	Tie Rod End - Outer	⇨		QR3836S	Female M16x1.5 , Ø 13.4mm Cone, L=188mm
2	Rack End	⇦⇨		QR3930S	Female M16x1.5 , Ø 13.4mm Cone, L=188mm
21	Ball Joint - Front			QSJ3672S	
25a	Stabiliser Link - Front	⇦		QLS3760S	
25b	Stabiliser Link - Front	⇨		QLS3761S	


Sportage 08/94-08/03

K00,K01,K03,K04,K09




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4a	Side Rod Assembly	⇦		QDL5260S	
4b	Side Rod Assembly	⇨		QDL5261S	
5	Centre Rod Assembly			QDL5246S	
7	Idler Arm Assembly		, 08/94-09/97	-	
7	Idler Arm Assembly		, 09/97-08/03	-	
21	Ball Joint - Front			QSJ1798S	Ø 17.9mm Cone, M16 Ball Pin
24a	Suspension Arm Bush - Front			EMS8429	Front
24b	Suspension Arm Bush - Front			EMS8430	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1829S	L=148mm

Sportage 07/04-12/10
JE5



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA2372S	
20b	Suspension Arm - Front			QSA2373S	
21	Ball Joint - Front			QSJ3424S	Ø 14.5mm Cone

Sportage 07/10-
SL



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR3900S	Female M16x1.5, Ø 13.4mm Cone, L=233mm
1b	Tie Rod End - Outer			QR3901S	Female M16x1.5, Ø 13.4mm Cone, L=233mm
2	Rack End			QR3831S	Male M16x1.5, M16x1.5 Swivel, L=202mm
20a	Suspension Arm - Front			QSA2589S	Ø 18mm Cone


continued...

Sportage continued... 07/10-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front			**QSA2590S**	Ø 18mm Cone
21	Ball Joint - Front			**QSJ3620S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front			**EMS8541**	Front
24b	Suspension Arm Bush - Front			**EMS8542**	Rear
25	Stabiliser Link - Front			**QLS3763S**	L=267mm
35	Stabiliser Link - Rear			**QLS3764S**	L=140mm

Venga 02/10-

YN



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3835S**	Female M16x1.5 , Ø 13.4mm Cone, L=188mm
1b	Tie Rod End - Outer	⇨		**QR3836S**	Female M16x1.5 , Ø 13.4mm Cone, L=188mm
2	Rack End			**QR3930S**	
21	Ball Joint - Front			**QSJ9931S**	Ø 17mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3737S**	L=216mm
25b	Stabiliser Link - Front	⇨		**QLS3738S**	L=216mm

110,111,112 — 06/96-


110,111,112 211020,211120,211030,211130,211230



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front			QSJ1111S	Ø 13mm Cone

Niva — 07/77-09/00


2121



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR1118S	Male M16x1.0 , Ø 14.8mm Cone, L=92mm
2	Side Rod End - Inner	⇦⇨		QR2276S	Male M16x1.0 , Ø 15mm Cone
5	Centre Rod Assembly			QD2484S	
21	Ball Joint - Front			QSJ768S	Ø 15mm Cone
23	Ball Joint - Front			QSJ767S	Ø 15mm Cone

Samara — 01/86-07/97

2108,2109




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2275S	Male M18x1.5 , Ø 12.8mm Cone
1b	Tie Rod End - Outer	⇨		QR2274S	Male M18x1.5 , Ø 12.9mm Cone
3	Tie Rod Connector	⇦⇨		-	
21	Ball Joint - Front			QSJ1111S	Ø 13mm Cone

Dedra

835

09/89-09/99




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	09/89-12/97	**QR2380S**	Female M12x1.5 , Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨	09/89-12/97	**QR2379S**	Female M12x1.5 , Ø 12mm Cone, L=128mm
1	Tie Rod End - Outer	⇦⇨	01/98-09/99	**QR9925S**	Female M14x1.5
2	Rack End	⇦⇨	, 04/89-12/97	**QR2465S**	Male M12x1.5 , Female M14x1.5 Swivel, L=280mm
2	Rack End	⇦⇨	, 04/89-12/97	**QR2464S**	Male M12x1.5 , M14x1.5 Swivel, L=290mm,
2¹	Rack End	⇦⇨	01/98-09/99	**QR2857S**	Male M14x1.5 , L=320mm
20a	Suspension Arm - Front		-ch7068091, 09/89-06/90	**QSA1084S**	
20a	Suspension Arm - Front		ch.7068092-, 06/90-12/97	**QSA915S**	
20a	Suspension Arm - Front		01/98-09/99	**QSA999S**	
20b	Suspension Arm - Front		-ch7068091, 09/89-06/90	**QSA1083S**	
20b	Suspension Arm - Front		ch.7068092-, 06/90-12/97	**QSA914S**	
20b	Suspension Arm - Front		01/98-09/99	**QSA998S**	
24a	Suspension Arm Bush - Front			**EMS3020**	Front
24b	Suspension Arm Bush - Front			**EMS3021**	Rear
24c	Suspension Arm Bush - Front			**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨	09/89-12/97	**QLS1970S**	L=113mm
25	Stabiliser Link - Front	⇦⇨	01/98-09/99	**QLS1550S**	L=275mm
26	Stabiliser Bar Bush - Front	⇦⇨	09/89-09/90, exc.4x4	**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨	10/90-12/97, exc.4x4	**EMB1969**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨	4x4	**EMB7060**	Outer, Ø 24mm
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR1782**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR1781**	

Dedra continued... 09/89-09/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.3,1.6,1.9D	**EMA2305**	
37	Suspension Arm Repair Kit - Rear	⇦⇨	4x4	**QWB9009**	

Delta 08/85-10/93

831AB




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.2.0 16v 4x4	**QR2278S**	Female M12x1.5 RH, Ø 12mm Cone
1	Tie Rod End - Outer	⇦⇨	Integrale Evoluzione	**QR2256S**	Female M14x1.5 RH, Ø 12.6mm Cone
2	Rack End	⇦⇨		**QR2465S**	Male M12x1.5 RH, Female M14x1.5 Swivel, L=280mm
2	Rack End	⇦⇨		**-**	Male M12x1.5 RH, L=280mm
2	Rack End	⇦⇨	Integrale Evoluzione, 2.0 1.6v 4x4	**-**	
20a	Suspension Arm - Front		1.3-1.5,	**QSA902S**	
20a	Suspension Arm - Front		exc.Integrale Evoluzione	**-**	
20b	Suspension Arm - Front		1.3-1.5,	**QSA903S**	
20b	Suspension Arm - Front		exc.Integrale Evoluzione	**-**	
21	Ball Joint - Front		exc.4x4	**QSJ857S**	Ø 15mm Cone
21	Ball Joint - Front		4x4 -ch.412352, exc.Integrale Evoluzione	**QSJ857S**	Ø 15mm Cone
21	Ball Joint - Front		4x4 ch.412353-, exc.Integrale Evoluzione	**-**	
21	Ball Joint - Front		Integrale Evoluzione	**-**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.TD	**EMA2305**	
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Integrale Evoluzione	**QWB9009**	

Delta

11/93-05/00

836A 1.4,1.6,1.8 8v,1.8 16v 113PS




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2380S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨		**QR2379S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
2	Rack End	⇦⇨	exc.HPE	**QR2464S**	Male M12x1.5 RH, M14x1.5 Swivel, L=290mm,
2	Rack End	⇦⇨	HPE -1996 Model Year	**QR2464S**	Male M12x1.5 RH, M14x1.5 Swivel, L=290mm,
2	Rack End	⇦⇨	HPE 1997- Model Year	**QR2844S**	Male M12x1.5 RH, L=305mm
20a	Suspension Arm - Front	↲	exc.HPE	**QSA915S**	
20a	Suspension Arm - Front	↲	HPE	**QSA999S**	
20b	Suspension Arm - Front	↳	exc.HPE	**QSA914S**	
20b	Suspension Arm - Front	↳	HPE	**QSA998S**	
24a	Suspension Arm Bush - Front	↲↳		**EMS3020**	Front
24b	Suspension Arm Bush - Front	↲		**EMS3021**	Rear
24c	Suspension Arm Bush - Front	↳		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨	Ø 22mm	**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨	Ø 23mm	**EMB1969**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**-**	
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1789**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR1782**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR1781**	
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA1782**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA1781**	
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9009**	

Delta

11/93-05/00


836A 1.8 16v 131PS,2.0 16v,2.0 16v Turbo



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.2.0 16v Turbo	**QR2380S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
1a	Tie Rod End - Outer	⇦	2.0 16v Turbo	**QR9922S**	Female M12x1.5 RH
1b	Tie Rod End - Outer	⇨	exc.2.0 16v Turbo	**QR2379S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨	2.0 16v Turbo	**QR9921S**	Female M12x1.5 RH
2	Rack End	⇦⇨	2.0 16v exc.GT,HPE,Turbo	**QR2464S**	Male M12x1.5 RH, M14x1.5 Swivel, L=290mm,
2	Rack End	⇦⇨	2.0 16v Turbo	**-**	
2	Rack End	⇦⇨	1.8 16v,2.0 16v GT,HPE	**QR2844S**	Male M12x1.5 RH, L=305mm
20a	Suspension Arm - Front	⇦	-1996 Model Year	**QSA915S**	
20a	Suspension Arm - Front	⇦	1997- Model Year	**QSA999S**	
20b	Suspension Arm - Front	⇨	-1996 Model Year	**QSA914S**	
20b	Suspension Arm - Front	⇨	1997- Model Year	**QSA998S**	
24a	Suspension Arm Bush - Front	⇦⇨		**EMS3020**	Front
24b	Suspension Arm Bush - Front	⇦		**EMS3021**	Rear
24c	Suspension Arm Bush - Front	⇨		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⇨	Ø 22mm	**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨	Ø 23mm	**EMB1969**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**-**	
61	Top Strut Bearing - Front	⇦⇨		**QAM101**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1789**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR1782**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR1781**	
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9009**	


Delta 11/93-05/00

836A 1.9TD,1.9TDS




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2380S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
1b	Tie Rod End - Outer	⇨		**QR2379S**	Female M12x1.5 RH, Ø 12mm Cone, L=128mm
2	Rack End	⇦⊐⇨		**QR2844S**	Male M12x1.5 RH, L=305mm
20a	Suspension Arm - Front	⇙	exc.HPE	**QSA999S**	
20b	Suspension Arm - Front	⇘	exc.HPE	**QSA998S**	
24a	Suspension Arm Bush - Front	⇦⇨		**EMS3020**	Front
24b	Suspension Arm Bush - Front	⇙		**EMS3021**	Rear
24c	Suspension Arm Bush - Front	⇘		**EMS2524**	Rear
25	Stabiliser Link - Front	⇦⊐⇨		**QLS1970S**	L=113mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		**EMB1968**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		**EMB1969**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⊐⇨		**QAM101**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR1782**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR1781**	
37	Suspension Arm Repair Kit - Rear	⇦⊐⇨		**QWB9009**	

Delta 09/08-




Delta continued... 09/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9978S	Female M14x1.5, Ø 11.6mm Cone, M10 Swivel
20a	Suspension Arm - Front			QSA2415S	Pressed Type
20b	Suspension Arm - Front		exc.Xenon Headlights	QSA2416S	Pressed Type
20b[1]	Suspension Arm - Front		Xenon Headlights	-	
21	Ball Joint - Front			QSJ3474S	
25	Stabiliser Link - Front	⇦⇨		QLS3277S	L=294mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7189	Outer
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6097	

Kappa 10/94-12/01


838A,838X,838Z



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.Servotronic Strg.	-	Female M14x1.5
20a	Suspension Arm - Front			QSA9305S	
20b	Suspension Arm - Front			QSA9306S	
21	Ball Joint - Front			QSJ9309S	M12x1.25mm Ball Pin, Ø 15mm Cone

Lybra 07/99-10/05


839A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3355S	Female M14x1.5 RH, Ø 12.5mm Cone, L=113mm
2	Rack End	⇦⇨		QR3356S	Male M14x1.5 RH, M14x1.5 Swivel, L=297mm
20a	Suspension Arm - Front	↲		QSA1924S	
20b	Suspension Arm - Front	↳		QSA1925S	
24a	Suspension Arm Bush - Front	↲		EMS8199	Front
24b	Suspension Arm Bush - Front	↳		EMS8198	Front
24c	Suspension Arm Bush - Front	↲		EMS8200	Rear
24d	Suspension Arm Bush - Front	↳		EMS8201	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3278S	L=296mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3012	Outer
35	Stabiliser Link - Rear	⇦⇨		QLS3279S	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB3011	Outer

Musa 04/04-

350AX,350BX




Musa continued... 04/04-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3400S	Female M14x1.5 M14x1.5 Swivel, L=155mm
2	Rack End	⇦⇨		QR3401S	Male M14x1.5 ,Female M14x1.5 Swivel, L=260mm
20a	Suspension Arm - Front	↲		QSA2109S	
20b	Suspension Arm - Front	↳		QSA2110S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8301	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8302	Rear
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.4i 8v,1.4i 16v 12/05-	EMA5038	

Phedra 03/02-07/10

179A,179B



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3350S	Female M14x1.5mm, Ø 13.5mm Cone, L=75mm
2	Rack End	⇦⇨		QR3351S	Male M14x1.5 , M14x1.5 Swivel, L=310mm
4	Tie Rod Assembly	⇦⇨		-	
20a	Suspension Arm - Front	↲	03/02-06/06	QSA2535S	
20a	Suspension Arm - Front	↲	06/06-07/10 exc.2.2JTD170 mtr.4HT,4H01	QSA2535S	Ø 17mm


continued...

Phedra continued... 03/02-07/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		06/06-07/10 2.2JTD170 mtr.4HT,4H01	QSA2441S	Ø 19mm
20b	Suspension Arm - Front		03/02-06/06	QSA2536S	
20b	Suspension Arm - Front		06/06-07/10 exc.2.2JTD170 mtr.4HT,4H01	QSA2536S	Ø 17mm
20b	Suspension Arm - Front		06/06-07/10 2.2JTD170 mtr.4HT,4H01	QSA2442S	Ø 19mm
24a	Suspension Arm Bush - Front		03/02-06/06	EMS2660	Front
24a	Suspension Arm Bush - Front		06/06-07/10	EMS8442	Front
24b	Suspension Arm Bush - Front			EMS8489	Rear, Ø 47mm
24c	Suspension Arm Bush - Front			EMS8490	Rear, Ø 47mm
25	Stabiliser Link - Front			QLS3334S	Ø 22 mm, L=262mm
61	Top Strut Bearing - Front			-	
62a	Top Strut Mounting - Front exc.Bearing			EMR2580	
62b	Top Strut Mounting - Front exc.Bearing			EMR2579	

Thema 09/84-09/94

834



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR2371S	Female M12x1.5, Ø 12.5mm Cone
1	Tie Rod End - Outer		exc.Servotronic Strg, -ch.0054179, 09/84-03/86	QR2371S	Female M12x1.5, Ø 12.5mm Cone
1	Tie Rod End - Outer		exc.Servotronic Strg., ch.0054180-, 04/86-09/94	QR2256S	Female M14x1.5, Ø 12.6mm Cone
2	Rack End			QR2463S	Male M12x1.5,M14x1.5 Swivel, L=290mm
2	Rack End		exc.Servotronic Strg, -ch.0054179, 09/84-03/86	QR2463S	Male M12x1.5,M14x1.5 Swivel, L=290mm
2	Rack End		exc.Servotronic Strg., ch.0054180-, 04/86-09/94	QR2462S	Male M14x1.5, M11x1.5 Swivel, L=290mm

Thema continued... 09/84-09/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨	Servotronic Strg.	-	
20a	Suspension Arm - Front	↲	-ch.0294135, 09/85-01/92, exc.3.0V6, exc.Armoured Body	**QSA900S**	Ø 13mm Cone, Ø 14mm Stabiliser Bar Hole
20a[1]	Suspension Arm - Front	↲	ch.0294136-, 01/92-12/94, exc.3.0V6, exc.Armoured Body	**QSA961S**	Ø 13mm Cone, Ø 20mm Stabiliser Bar Hole
20b	Suspension Arm - Front	↳	-ch.0294135, 09/85-01/92, exc.3.0V6, exc.Armoured Body	**QSA901S**	Ø 13mm Cone, Ø 14mm Stabiliser Bar Hole
20b[1]	Suspension Arm - Front	↳	ch.0294136-, 01/92-12/94, exc.3.0V6, exc.Armoured Body	**QSA960S**	Ø 13mm Cone, Ø 20mm Stabiliser Bar Hole
21	Ball Joint - Front	↲↳	2.0,2.5 TD,2.8 exc.Armoured body	**QSJ1085S**	Ø 13mm Cone
21	Ball Joint - Front	↲↳	2.0,2.8 Armoured body,3.0i V6	**QSJ1285S**	Ø 20mm Cone
24a	Suspension Arm Bush - Front	↲↳		**EMS2665**	Front
24b	Suspension Arm Bush - Front	↲↳		**EMS2666**	Rear
25	Stabiliser Link - Front	⇦⇨	09/84-01/92, -ch.0294135	-	
25	Stabiliser Link - Front	⇦⇨	01/92-09/94, ch.0294136-	-	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	2.0 09/84-09/88	**EMA1784**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	2.0 09/88-09/94,2.4TD,2.8,3.0	**EMA1786**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Std.Duty exc.Turbo,V6	**EMR1785**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	09/84-01/92 HD,Turbo,V6	**EMR2520**	

Thesis 02/02-

841






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9901S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9902S**	Female M14x1.5

Y10 05/85-08/95


156A




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2026S	Female M12x1.5 ↻, Ø 12mm Cone
2	Rack End	⇦⇨		QR2025S	Male M12x1.5 ↻,Female M14x1.5 Swivel, L=195mm
20	Suspension Arm - Front	⇦⇨		QSJ1018S	Ø 12mm Cone
21	Ball Joint - Front	⇦⇨		QSJ839S	Ø 12.5mm Cone
21¹	Ball Joint & Housing - Front	⇦⇨		QSJ839AS	Ø 12.5mm Cone
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2689	Outer, Ø 15mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2688	Outer, Ø 17mm
61	Top Strut Bearing - Front	⇦⇨		QAM103	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2313	

Y 09/95-10/03

840A



Y continued... 09/95-10/03



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2860S	Female M12x1.5 L, Ø 12mm Cone, L=140mm
2	Rack End	⇦⇨		QR2861S	Male M12x1.5 L, L=280mm
2¹	Rack End	⇦⇨		QR2862S	Male M12x1.5 L, L=285mm
20a	Suspension Arm - Front			QSA1348S	
20b	Suspension Arm - Front			QSA1349S	
24a	Suspension Arm Bush - Front			EMS1999	Front
24b	Suspension Arm Bush - Front			EMS3075	Rear
24c	Suspension Arm Bush - Front			EMS2664	Rear
30a	Suspension Arm - Rear		exc.ABS	QSJ1913S	Radius Arm, Ø 30mm Cone
30b	Suspension Arm - Rear		exc.ABS	QSJ1914S	Radius Arm, Ø 30mm Cone
37	Radius Arm Repair Kit	⇦⇨		QWB9008	
37¹	Radius Arm Bolt Kit			QSK229S	

Ypsilon 10/03-

843AX




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA2109S	
20b	Suspension Arm - Front			QSA2110S	

Zeta

220A,220C

08/94-09/02




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2856S	Female M14x1.5 RH, Ø 12.6mm Cone, L=75mm
2	Rack End	⇦⇨		QR2857S	Male M14x1.5 RH, L=320mm
4	Tie Rod Assembly	⇦⇨		QDL3287S	
20a	Suspension Arm - Front	↲		QSA9113S	
20b	Suspension Arm - Front	↳		QSA9114S	
24a	Suspension Arm Bush - Front	↲↳		EMS2660	Front
24b	Suspension Arm Bush - Front	↲		EMS2662	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	↳		EMS2661	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		QLS1885S	L=120mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7069	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.Stabiliser Link	EMBK2657	Outer, Ø 24mm
27¹	Stabiliser Bar Bush Kit - Front	⇦⇨	inc.Stabiliser Link	EMBK3055	Outer, Ø 24mm
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7148	
61	Top Strut Bearing - Front	⇦⇨		QAM115	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2580	

Zeta continued... 08/94-09/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2579	
34	Suspension Arm Bush - Rear			EMS8318	

90,110,130
DH,DV

06/84-08/90




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2230S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
1b	Tie Rod End - Outer	⇨		**QR2229S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
6a	Drag Link End	⇦		**QR2229S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1524**	Panhard Rod
24b	Suspension Arm Bush - Front	⇦⇨		**EMS1523**	Radius Arm
25	Stabiliser Link - Front	⇦⇨		**QLS3241S**	L=63mm
33¹	Ball Joint - Rear	⇦⇨		**QSJ881S**	Ø 23.5mm Cone
34	Suspension Arm Bush - Rear	⇦⇨		**EMS1559**	Inner
35	Stabiliser Link - Rear	⇦⇨		**QLS3241S**	L=63mm

Defender

09/90-04/07


90,110,130 DH,DK,DV,LD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2230S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
1b	Tie Rod End - Outer	⇨		**QR2229S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
6a	Drag Link End	⇦		**QR2229S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
23	Swivel Pin - Front		01/95-12/00	**-**	
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1524**	Panhard Rod
24b	Suspension Arm Bush - Front	⇦⇨	-ch.LA930434	**EMS1523**	Radius Arm
24b	Suspension Arm Bush - Front	⇦⇨	ch.LA930434-	**EMS3018**	Radius Arm
25	Stabiliser Link - Front	⇦⇨		**QLS3241S**	L=63mm
33¹	Ball Joint - Rear			**QSJ881S**	Ø 23.5mm Cone
34a	Suspension Arm Bush - Rear	⇧		**EMS3015**	
34b	Suspension Arm Bush - Rear	⇩		**EMS3013**	
34c	Suspension Arm Bush - Rear			**EMS1559**	Inner
35	Stabiliser Link - Rear	⇦⇨		**QLS3241S**	L=63mm

Defender 05/07-

90,110,130 LD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2230S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
1b	Tie Rod End - Outer	⇨		**QR2229S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
6a	Drag Link End	⇦		**QR2229S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1524**	Panhard Rod
24b	Suspension Arm Bush - Front	⇦⇨		**EMS3018**	Radius Arm
25	Stabiliser Link - Front	⇦⇨		**QLS3241S**	L=63mm
33¹	Ball Joint - Rear	⇦⇨		**QSJ881S**	Ø 23.5mm Cone
34a	Suspension Arm Bush - Rear	⇧		**EMS3015**	
34b	Suspension Arm Bush - Rear	⇩		**EMS3013**	
34c	Suspension Arm Bush - Rear	⇩		**EMS1559**	Inner
35	Stabiliser Link - Rear	⇦⇨		**QLS3241S**	L=63mm

Discovery

Series I LG,LJ,RG,RJ

10/89-12/98








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2230S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
1b	Tie Rod End - Outer	⇨		**QR2229S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
6a	Drag Link End	⇦		**QR2229S**	Male 11/16x16 UNF, Ø 15mm Cone, L=93mm
23	Swivel Pin - Front		ch.JA032851-, 1993-12/98	**-**	
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1524**	Panhard Rod
24b	Suspension Arm Bush - Front			**EMS3017**	Rear
24c	Suspension Arm Bush - Front		ch.LA930434-	**EMS3018**	Radius Arm
25	Stabiliser Link - Front	⇦⇨		**QLS3241S**	L=63mm
31	Ball Joint - Rear			**QSJ881S**	Ø 23.5mm Cone
35	Stabiliser Link - Rear	⇦⇨		**QLS3241S**	L=63mm

Discovery
Series II LTG

01/99-06/04




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5303S	Male M18x1.5
1b	Tie Rod End - Outer	⇨		QR5304S	Female M22, M12 Ball Pin, L=1175mm
4	Tie Rod Assembly			QDL5280S	
6	Drag Link Assembly		, -ch.1A719661	QDL5278S	
6	Drag Link Assembly		, -ch.1A719661	QDL5279S	
6a	Drag Link End	⇦		QR5303S	Male M18x1.5
21	Ball Joint - Front	⇩⇩		QSJ1890S	Ø 19mm Cone
23	Ball Joint - Front	⇧⇧		QSJ1891S	Ø 16mm Cone
24	Suspension Arm Bush - Front	⇦⇨		EMS8001	
25	Stabiliser Link - Front	⇦⇨		QLS3243S	L=244mm
35	Stabiliser Link - Rear	⇦⇨		QLS3242S	L=200mm

Discovery

Series III TAA

07/04-09/09



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	-ch. 9A496359	**QR3539S**	Female M16x1.5 ↻, Ø 16.6mm Cone, L=90mm, M12
1	Tie Rod End - Outer	⇦⇨	ch- 9A496360-	**QR3902S**	Female M16x1.5 ↻, Ø 16.1mm Cone, L=90mm, M14
2a	Rack End	⇦		**QR3706S**	
2b	Rack End	⇨		**QR3707S**	


continued...

Discovery continued... 07/04-09/09


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		Air Suspension	**QSA2337S**	
20b	Suspension Arm - Front		Air Suspension	**QSA2338S**	
21	Ball Joint - Front		-ch. 9A502439	**QSJ3390S**	Ø 20.5mm Cone, Ballpin Ø 32mm
21	Ball Joint - Front		ch. 9A502440-	**-**	Ø 20.5mm Cone, Ballpin Ø 35mm
22a	Suspension Arm - Front		exc Armoured Version	**QSA2591S**	
22b	Suspension Arm - Front		exc Armoured Version	**QSA2592S**	
23	Ball Joint - Front		exc Armoured Version	**QSJ3391S**	Ø 14mm Cone
24	Suspension Arm Bush - Front		Exc. Armoured Version	**EMS8544**	Front, Rear
24	Suspension Arm Bush - Front		Armoured Version	**EMS8545**	Front, Rear
25	Stabiliser Link - Front			**QLS3515S**	L=278mm
26	Stabiliser Bar Bush - Front		exc Armoured Version	**EMB7261**	
32a	Suspension Arm - Rear			**QSA2741S**	
32b	Suspension Arm - Rear			**QSA2742S**	
35	Stabiliser Link - Rear			**QLS3516S**	L=116mm
35[1]	Tie Rod Link - Rear			**QDL3292S**	
36	Stabiliser Bar Bush - Rear		exc Armoured Version	**EMB7262**	

Discovery 09/09-

Series IV LA



Discovery continued... 09/09-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3902S	Female M16x1.5 RH, Ø 16.1mm Cone, L=90mm
2a	Rack End	⇦		QR3706S	
2b	Rack End	⇨		QR3707S	
20a	Suspension Arm - Front	↲	Air Suspension	QSA2337S	
20b	Suspension Arm - Front	↳	Air Suspension	QSA2338S	
22a	Suspension Arm - Front	↰		QSA2743S	
22b	Suspension Arm - Front	↱		QSA2744S	
23	Ball Joint - Front	↰↱		QSJ3391S	Ø 14mm Cone
24	Suspension Arm Bush - Front	↰↱		EMS8544	Front, Rear
25	Stabiliser Link - Front	⇦⇨		QLS3515S	L=278mm
32a	Suspension Arm - Rear	↰		QSA2741S	
32b	Suspension Arm - Rear	↱		QSA2742S	
35	Stabiliser Link - Rear	⇦⇨		QLS3516S	L=116mm

Discovery Sport 12/14-

LC




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3836S	

Freelander I

07/97-10/06

LNAA,LNAB




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5292S**	Female M16x1.5mm LH, M12x1.5mm Ball Pin, L=71.5mm
1b	Tie Rod End - Outer	⇨		**QR5293S**	Female M16x1.5mm RH, M12x1.5mm Ball Pin, L=71.5mm
2a	Rack End	⇦		**QR5294S**	
2b	Rack End	⇨		**QR5295S**	
3	Tie Rod Connector	⇦⇨		**QR3309S**	Male M16x1.5, L=106mm
20a	Suspension Arm - Front	⇦		**QSA1889S**	
20b	Suspension Arm - Front	⇨		**QSA1890S**	
21	Ball Joint - Front	⇦⇨		**QSJ3245S**	Ø 15.5mm Cone, M14x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8254**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8255**	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.YA999999	**QLS3244S**	L=222mm
61	Top Strut Bearing - Front	⇦⇨		**QAM156**	
30	Suspension Arm - Rear	⇦⇨		**QSJ3529S**	Trailing Arm, L=652mm
30¹	Suspension Arm - Rear	⇦⇨		**QSJ3541S**	Front L=341mm

Freelander II

FA2


10/06-09/15



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3558S**	Female M18x1.5 ↻, Ø 16.8mm Cone, L=112mm
1b	Tie Rod End - Outer	⇨		**QR3559S**	Female M18x1.5 ↻, Ø 16.8mm Cone, L=112mm
20a	Suspension Arm - Front	↲		**QSA2750S**	
20b	Suspension Arm - Front	↳		**QSA2751S**	
24a	Suspension Arm Bush - Front	↲↳		**EMS8456**	Front
21	Ball Joint - Front	↲↳		**QSJ3588S**	Ø 18mm Cone
25	Stabiliser Link- Front	⇦⇨		**QLS3769S**	L=347mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc Armoured Version	**EMB7263**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3770S**	L=229mm

Range Rover 05/94-01/02

ch.MA300001-








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9337S**	Female M22, Ø 14.1mm Cone, L=1230mm
1b	Tie Rod End - Outer	⇨		**QR5303S**	Male M18x1.5
4	Tie Rod Assembly			**QDL5275S**	
6	Drag Link Assembly			**QDL5277S**	
6a	Drag Link End	⇦		**QR5303S**	Male M18x1.5
6b	Drag Link End	⇨		**QR5268S**	Female M18x1.5mm
21	Ball Joint - Front			**QSJ1890S**	Ø 19mm Cone
23	Ball Joint - Front			**QSJ1891S**	Ø 16mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS3248S**	L=97mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8001**	
34b	Suspension Arm Bush - Rear			**-**	Panhard Rod

Range Rover
LMA,LMM


02/02-08/12



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3696S	Female M16x1.5 RH, Ø 15.4mm Cone, L=223mm
2	Rack End	⇦⇨		QR3674S	Male M16x1.5 RH, M18x1.5 Swivel, L=250mm
20	Suspension Arm - Front			QSA2572S	Ø 18mm Cone
22a	Suspension Arm - Front			QSA2581S	Ø 17.5mm Cone
22b	Suspension Arm - Front			QSA2582S	Ø 17.5mm Cone
21	Ball Joint - Front			QSJ3392S	Ø 18mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3517S	L=380mm
35	Stabiliser Link - Rear	⇦⇨		QLS3518S	L=120mm
35¹	Stabiliser Link - Rear	⇦⇨		QLS3519S	Tie Rod, L=300mm

Range Rover
LG


08/12-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR4004S	

Range Rover Evoque 06/11-

LV








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3934S**	
1b	Tie Rod End - Outer	⇨		**QR3935S**	
20a	Suspension Arm - Front	↲		**QSA2631S**	Aluminium
20b	Suspension Arm - Front	↳		**QSA2632S**	Aluminium
25	Stabiliser Link - Front	⇦⇨		**QLS3836S**	

Range Rover Sport 02/05-12/13

LSA



Range Rover Sport continued... 02/05-12/13



Range Rover Sport continued... 02/05-12/13

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	-ch.9A191791	QR3634S	Female M16x1.5, Ø 16.7mm Cone, L=100mm
1	Tie Rod End - Outer	⇦⇨	ch.9A191792-	-	
2	Rack End	⇦⇨		QR3633S	Male M16x1.5, M16x1.5 Swivel, L=380mm
20a	Suspension Arm - Front	⇦		QSA2380S	
20b	Suspension Arm - Front	⇨		QSA2381S	
21	Ball Joint - Front	⇦⇨		QSJ3390S	Ø 20.5mm Cone
22a	Suspension Arm - Front	⇦		QSA2733S	
22b	Suspension Arm - Front	⇨		QSA2734S	
23	Ball Joint - Front	⇦⇨		QSJ3443S	Ø 13.7mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8463	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8464	Rear
25a	Stabiliser Link - Front	⇦		QLS3520S	L=340mm
25b	Stabiliser Link - Front	⇨		QLS3521S	L=340mm
30a	Suspension Arm - Rear	⇦		QSA2735S	
30b	Suspension Arm - Rear	⇨		QSA2736S	
32a	Suspension Arm - Rear	⇦		QSA2737S	
32b	Suspension Arm - Rear	⇨		QSA2738S	
35	Stabiliser Link - Rear	⇦⇨		QLS3522S	L=133mm
35[1]	Tie Rod Link - Rear	⇦⇨		QDL3292S	

200

200-230


04/89-03/96



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-ch.916892	**QR1774LHT**	Male 3/4x16 UNF, Ø 13.2mm Cone, L=92mm
1a	Tie Rod End - Outer	⇦	ch.916893-	**QR2815S**	Male M20x1.5, Ø 12.8mm Cone, L=92mm
1b	Tie Rod End - Outer	⇨	-ch.916892	**QR1774RHT**	Male 3/4x16 UNF, Ø 13.2mm Cone, L=92mm
1b	Tie Rod End - Outer	⇨	ch.916893-	**QR2814S**	Male M20x1.5, Ø 12.8mm Cone, L=92mm
6a	Drag Link End	⇦		**QD2813S**	Female M14x1.5, Ø 13mm Cone
6b	Drag Link End	⇨		**QD2812S**	Female M14x1.5, Ø 13mm Cone
28	King Pin Set	⇦⇨		**QP766TC**	Wheel Set


400

04/89-03/96



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QD2821S**	Male M20x1.5
1b	Tie Rod End - Outer	⇨		**QD2820S**	Male M20x1.5
6a	Drag Link End	⇦		**QD2821S**	Male M20x1.5
6b	Drag Link End	⇨		**QD2820S**	Male M20x1.5
28	King Pin Set	⇦⇨		**QP766TC**	Wheel Set


Convoy 04/96-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QD2821S	Male M20x1.5
1b	Tie Rod End - Outer	⇨		QD2820S	Male M20x1.5
6a	Drag Link End	⇦		QD2821S	Male M20x1.5
6b	Drag Link End	⇨		QD2820S	Male M20x1.5
28	King Pin Set	⇦⇨		QP766TC	Wheel Set

Cub 07/98-


C23M



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2821S	Female M12x1.25, Ø 13mm Cone
2	Rack End	⇦⇨		QR3602S	Male M12x1.25, M14x1.5 Swivel, L=332mm
21a	Ball Joint - Front	↲		QSJ1802S	Ø 14.7mm Cone
21b	Ball Joint - Front	↳		QSJ1803S	Ø 14.7mm Cone
25a	Stabiliser Link - Front	⇦		QLS3289S	L=116mm
25b	Stabiliser Link - Front	⇨		QLS3290S	L=116mm


Maxus 10/05-

VEK,VHK



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA2362S**	
20b	Suspension Arm - Front			**QSA2363S**	
21	Ball Joint - Front			**QSJ3414S**	
25a	Stabiliser Link - Front	⇦		**QLS3545S**	
25b	Stabiliser Link - Front	⇨		**QLS3546S**	


Pilot 04/96-02/02



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2815S**	Male M20x1.5 , Ø 12.8mm Cone, L=92mm
1b	Tie Rod End - Outer	⇨		**QR2814S**	Male M20x1.5 , Ø 12.8mm Cone, L=92mm
6a	Drag Link End	⇦		**QD2812S**	Female M14x1.5 , Ø 13mm Cone
6a	Drag Link End	⇦		**-**	
6b	Drag Link End	⇨		**QD2813S**	Female M14x1.5 , Ø 13mm Cone
6b	Drag Link End	⇨		**-**	
28	King Pin Set	⇦⇨		**QP766TC**	Wheel Set

IS200,IS300 01/99-09/05


GXE10,JCE10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3753S	
1b	Tie Rod End - Outer	⇨		QR3754S	
2	Rack End	⇦⇨		QR3777S	Male M14x1.5 RH, M14x1.5 Swivel, L=332mm
20a	Suspension Arm - Front			QSJ3334S	L=351mm
20b	Suspension Arm - Front			QSJ3335S	L=351mm
21a	Ball Joint - Front			QSJ3518S	
21b	Ball Joint - Front			QSJ3519S	
22a	Suspension Arm - Front			QSA2280S	
22b	Suspension Arm - Front			QSA2281S	
25	Stabiliser Link - Front	⇦⇨		QLS3695S	
35	Stabiliser Link - Rear	⇦⇨		QLS1848S	L=105mm

IS220d,IS250 — 10/05-12/13

ALE20,GSE20



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4058S	
1b	Tie Rod End - Outer	⇨		QR4059S	
2	Rack End	⇦⇨		QR3993S	
21a	Ball Joint - Front	↲		QSJ3750S	
21b	Ball Joint - Front	↳		QSJ3751S	
25a	Stabiliser Link - Front	⇦	2WD	QLS3882S	
25b	Stabiliser Link - Front	⇨	2WD	QLS3883S	
25a	Stabiliser Link - Front	⇦	4WD	QLS3884S	
25b	Stabiliser Link - Front	⇨	4WD	QLS3885S	
35	Stabiliser Link - Rear	⇦⇨		QLS3569S	

GS300 — 06/91-08/97


JZS147



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25a	Stabiliser Link - Front	⇦		QLS3683S	
25b	Stabiliser Link - Front	⇨		QLS3684S	

GS300,GS430 — 09/97-03/05

JZS160,UZS161



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3757S	
1b	Tie Rod End - Outer	⇨		QR3758S	
20a	Suspension Arm - Front	↲		QSJ3336S	L=348mm
20b	Suspension Arm - Front	↳		QSJ3337S	L=348mm
21a	Ball Joint - Front	↲		QSJ3516S	Ø 16.0mm Cone
21b	Ball Joint - Front	↳		QSJ3517S	Ø 16.0mm Cone
25a	Stabiliser Link - Front	⇦		QLS3683S	
25b	Stabiliser Link - Front	⇨		QLS3684S	
35	Stabiliser Link - Rear	⇦⇨		QLS3687S	

GS300,GS430, GS450h, GS460 — 04/05-04/10


GRS,GSW,URS,UZS



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3770S	
1b	Tie Rod End - Outer	⇨		QR3771S	
35	Stabiliser Link - Rear	⇦⇨		QLS3569S	

LS400 11/94-08/00


UCF20



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3730S	
1b	Tie Rod End - Outer	⇨		QR3731S	
2a	Rack End	⇦		QR3751S	
2b	Rack End	⇨		QR3752S	
21a	Ball Joint - Front	↲		QSJ3520S	
21b	Ball Joint - Front	↳		QSJ3521S	
25a	Stabiliser Link - Front	⇦		QLS3657S	
25b	Stabiliser Link - Front	⇨		QLS3658S	
35	Stabiliser Link - Rear	⇦⇨		QLS3688S	

LS430 08/00-07/06

UCF30



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3778S	
1b	Tie Rod End - Outer	⇨		QR3779S	
25	Stabiliser Link - Front	⇦⇨		QLS3671S	

continued...

LS430 continued... 08/00-07/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35a	Stabiliser Link - Rear	⇦		QLS3672S	
35b	Stabiliser Link - Rear	⇨		QLS3673S	

RX300 10/97-06/00

JHF10U







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front	↲		QSA2354S	
20b	Suspension Arm - Front	↳		QSA2355S	

RX300 07/00-03/03

MCU05,MCU15






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9548S	Female M15x1.5

FX4 05/85-12/92


Taxi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR2385S	Male M18x1.5 , Ø 15.7mm Cone
1b	Side Rod End - Outer	⇨		QR2386S	Male M18x1.5 , Ø 15.7mm Cone
2a	Side Rod End - Inner	⇦		QR2386S	Male M18x1.5 , Ø 15.7mm Cone
2b	Side Rod End - Inner	⇨		QR2385S	Male M18x1.5 , Ø 15.7mm Cone
5a	Centre Rod End	⇦		QR2385S	Male M18x1.5 , Ø 15.7mm Cone
5b	Centre Rod End	⇨		QR2386S	Male M18x1.5 , Ø 15.7mm Cone

Fairway,Fairway Driver 06/89-12/98

Taxi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR2385S	Male M18x1.5 , Ø 15.7mm Cone
1b	Side Rod End - Outer	⇨		QR2386S	Male M18x1.5 , Ø 15.7mm Cone
2a	Side Rod End - Inner	⇦		QR2386S	Male M18x1.5 , Ø 15.7mm Cone
2b	Side Rod End - Inner	⇨		QR2385S	Male M18x1.5 , Ø 15.7mm Cone
5a	Centre Rod End	⇦		QR2385S	Male M18x1.5 , Ø 15.7mm Cone
5b	Centre Rod End	⇨		QR2386S	Male M18x1.5 , Ø 15.7mm Cone
21	Ball Joint - Front			QSJ1898S	Ø 47.7mm, Ø 20mm Cone, M18x1.5
23	Ball Joint - Front		Push Fit	QSJ1897S	Ø 37.9mm, Ø 14.8mm Cone, M12x2
23¹	Ball Joint - Front		Screw Fit	QSJ2096S	Male M40x1.5 , Ø 15.9mm Cone, M14x1.5
24	Suspension Arm Bush - Front			EMS1958	x2

TX1

Taxi

03/99-09/02





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21a	Ball Joint - Front			**QSJ2097S**	Ø 20mm Cone, M18x1.5
21b	Ball Joint - Front			**QSJ2098S**	Ø 20mm Cone, M18x1.5
23	Ball Joint - Front		Screw Fit	**QSJ2096S**	Male M40x1.5, Ø 15.9mm Cone, M14x1.5

Elise

RH,111 Mk.I


08/95-10/00



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3572S	Female M12x1.25 , Ø 12mm Cone
21	Ball Joint - Front			QSJ883S	Ø 14mm Cone
23	Ball Joint - Front			QSJ883S	Ø 14mm Cone
31	Ball Joint - Rear			QSJ883S	Ø 14mm Cone
33	Ball Joint - Rear			QSJ883S	Ø 14mm Cone

2 — 02/03-06/07


B2W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3289S	Female M14x1.5, Ø 11.8mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		QR3290S	Female M14x1.5, Ø 11.8mm Cone, L=95mm
2	Rack End	⇦⇨		QR3292S	Male M14x1.5,, M14x1.5 Swivel, L=292mm
20a	Suspension Arm - Front	↲		QSA1984S	
20b	Suspension Arm - Front	↳		QSA1985S	
21	Ball Joint - Front	⇩⇩		QSJ3275S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8202	Front
24b	Suspension Arm Bush - Front	↲		EMS8203	Rear
24c	Suspension Arm Bush - Front	↳		EMS8204	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3306S	L=290mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7115	Outer

2 — 07/07-12/15

DE14




2 continued... 07/07-12/15

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3850S	
1b	Tie Rod End - Outer	⇨		QR3851S	
2	Rack End	⇦⇨		QR3852S	Male M14x1.5, M14x1.5 Swivel, L=230mm
20a	Suspension Arm - Front	↲		QSA2427S	
20b	Suspension Arm - Front	↳		QSA2428S	
21	Ball Joint - Front	⇩⇩		QSJ3556S	Ø 17.5mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3636S	

3 10/03-05/09

BK12,BK14



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3383S	Female M17x1.5, Ø 12.6mm Cone, L=108mm
1b	Tie Rod End - Outer	⇨		QR3384S	Female M17x1.5, Ø 12.6mm Cone, L=108mm
2	Rack End	⇦⇨		QR3385S	Male M17x1.5, M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲		QSA2093S	
20b	Suspension Arm - Front	↳		QSA2094S	
21	Ball Joint - Front	⇩⇩		QSJ2119S	Ø 18.0mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8387	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8251	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3389S	L=298mm


continued...

3 continued... 10/03-05/09

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
32	Suspension Arm - Rear			**QSJ2099S**	L=290mm
30	Suspension Arm - Rear			**QSJ3242S**	Front, L=232mm
30²	Suspension Arm - Rear			**QSJ3420S**	Rear
34a	Suspension Arm Bush - Rear			**EMS8031**	Trailing Arm
34b	Suspension Arm Bush - Rear			**EMS8376**	Front
34e	Suspension Arm Bush - Rear			**EMS8377**	

3 06/09-05/13


BL



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3383S**	Female M17x1.5 , Ø 12.6mm Cone, L=108mm
1b	Tie Rod End - Outer	⇨		**QR3384S**	Female M17x1.5 , Ø 12.6mm Cone, L=108mm
2	Rack End	⇦⇨		**QR3385S**	Male M17x1.5 , M14x1.5 Swivel, L=310mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3390S**	L=99mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7298**	Outer, Ø 15mm

5 02/05-03/11

CR19




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3383S**	Female M17x1.5 , Ø 12.6mm Cone, L=108mm
1b	Tie Rod End - Outer	⇨		**QR3384S**	Female M17x1.5 , Ø 12.6mm Cone, L=108mm
2	Rack End	⇦⇨		**QR3385S**	Male M17x1.5 , M14x1.5 Swivel, L=310mm
25	Stabiliser Link - Front	⇦⇨		**QLS3389S**	L=298mm
32	Suspension Arm - Rear			**QSJ2099S**	L=290mm

6

GG12,GG14,GY19

04/02-07/07




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3386S**	Female M14x1.5 RH, Ø 13.0mm Cone, L=143mm
1b	Tie Rod End - Outer	⇨		**QR3387S**	Female M14x1.5 RH, Ø 13.0mm Cone, L=143mm
2	Rack End	⇦⇨		**QR3388S**	Male M14x1.5 RH, M18x1.5 Swivel, L=198mm
20	Suspension Arm - Front			**QSJ3317S**	Front of Wheel, Ø 18.9mm Cone, M16x1.5
20a¹	Suspension Arm - Front			**QSJ3314S**	Rear of Wheel, Ø 20mm Cone, M16x1.5
20b¹	Suspension Arm - Front			**QSJ3315S**	Rear of Wheel, Ø 20mm Cone, M16x1.5
22a	Suspension Arm - Front			**QSA2284S**	
22b	Suspension Arm - Front			**QSA2285S**	
23	Ball Joint - Front			**QSJ3561S**	
24a	Suspension Arm Bush - Front			**EMS8359**	Front of Wheel, Inner
24b	Suspension Arm Bush - Front			**EMS8360**	Front of Wheel, Outer
24c	Suspension Arm Bush - Front			**EMS8358**	Rear of Wheel
24d	Suspension Arm Bush - Front			**EMS8361**	Front, Rear
25a	Stabiliser Link - Front	⇦		**QLS3376S**	L=155mm
25b	Stabiliser Link - Front	⇨		**QLS3377S**	L=155mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7202**	Outer
32	Suspension Arm - Rear			**QSJ3411S**	L=303mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3378S**	L=79mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7203**	Outer

6

GH12,GH14,GH19


08/07-04/13



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3939S	
1b	Tie Rod End - Outer	⇨		QR3940S	
2	Rack End	⇦⇨		QR3824S	
20a	Suspension Arm - Front	↲		QSA2613S	
20b	Suspension Arm - Front	↳		QSA2614S	
22a	Suspension Arm - Front	↰		QSA2615S	
22b	Suspension Arm - Front	↱		QSA2616S	
23	Ball Joint - Front	⇦⇧		QSJ3561S	
24a	Suspension Arm Bush - Front	⇦⇩		EMS8560	Front of Wheel, Inner
24b	Suspension Arm Bush - Front	⇩⇨		EMS8561	Front of Wheel, Outer
24c	Suspension Arm Bush - Front	↲		EMS8562	Rear of Wheel
24d	Suspension Arm Bush - Front	↳		EMS8563	Rear of Wheel
24e	Suspension Arm Bush - Front	⇦⇧		EMS8564	Front, Rear
25a	Stabiliser Link - Front	⇦		QLS3750S	
25b	Stabiliser Link - Front	⇨		QLS3751S	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7243	Outer
35	Stabiliser Link - Rear	⇦⇨		QLS3752S	
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7244	Outer

121 — 11/90-12/95


DB1



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2992S	Female M12x1.25, Ø 13.3mm Cone, L=73.5mm

121 — 01/96-10/02

AXXBAJ,BXXBAJ,3XXBAJ




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9964S	Female M14x2.0
1b	Tie Rod End - Outer	⇨		QR9961S	Female M14x2.0
2	Rack End	⇦⇨		QR3265S	Male M14x2.0, M14x1.5mm Swivel, L=325mm
20a	Suspension Arm - Front			QSA1895S	Ø 17.4/16.4mm
20a	Suspension Arm - Front			QSA1897S	Ø 17.4/16.4mm
20b	Suspension Arm - Front			QSA1896S	Ø 17.4/16.4mm
20b	Suspension Arm - Front			QSA1898S	Ø 17.4/16.4mm
21	Ball Joint - Front			QSJ1490S	Ø 17.4mm Cone (Inner), Ø 16.4mm Cone (Outer)
24a	Suspension Arm Bush - Front			EMS2657	Front
24b	Suspension Arm Bush - Front			EMS2658	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3075S	L=238mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer, Ø 16mm
61	Top Strut Bearing - Front	⇦⇨		QAM131	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6006	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6006	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6009	

323

BG1 exc.Estate

06/89-04/94




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2992S**	Female M12x1.25 , Ø 13.3mm Cone, L=73.5mm
2a	Rack End	⇦		**QR6003S**	Male M12x1.25, M16x1mm Swivel, L=340mm, With Holes on Swivel End
20a	Suspension Arm - Front		exc.1.8 GTi	**QSA1914S**	Not Complete
20b	Suspension Arm - Front		exc.1.8 GTi	**QSA1915S**	Not Complete
21	Ball Joint - Front			**QSJ1416S**	Ø 16mm Cone
24b	Suspension Arm Bush - Front		1.3,1.6 -JMZBG1….156709	**EMS8163**	Rear
24b	Suspension Arm Bush - Front		1.3,1.6 JMZBG1….156709-	**-**	Rear
24b	Suspension Arm Bush - Front		1.8 GTi	**-**	Rear
24c	Suspension Arm Bush - Front		1.3,1.6 -JMZBG1….156709	**EMS8162**	Rear
24c	Suspension Arm Bush - Front		1.3,1.6 JMZBG1….156709-	**-**	Rear
24c	Suspension Arm Bush - Front		1.8 GTi	**-**	Rear
61	Top Strut Bearing - Front	⇦⇨		**QAM149**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6069**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6069**	

323

BA1 exc.Estate

05/94-04/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2992S**	Female M12x1.25 , Ø 13.3mm Cone, L=73.5mm
2	Rack End	⇦⇨		**QR5288S**	Male M12x1.25 , M16x1.0mm Swivel, L=349mm
21	Ball Joint - Front			**QSJ9209S**	Ø 18mm Cone
20a	Suspension Arm - Front			**QSA1940S**	
20b	Suspension Arm - Front			**QSA1941S**	
25a	Stabiliser Link - Front	⇦		**QLS1625S**	L=102mm
25b	Stabiliser Link - Front	⇨		**QLS1626S**	L=102mm
61	Top Strut Bearing - Front	⇦⇨		**QAM149**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6074**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3427S**	L=250mm

323

BJ1,BJ12

05/98-05/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9933S	Female M14x1.5
2	Rack End	⇦⇨		QR3473S	Male M14x1.5, M16x1.0 Swivel, L=323mm
20a	Suspension Arm - Front			QSA2282S	
20b	Suspension Arm - Front			QSA2283S	
21	Ball Joint - Front			QSJ3525S	
24a	Suspension Arm Bush - Front			EMS8256	Front
24b	Suspension Arm Bush - Front			EMS8257	Rear
25	Stabiliser Link - Front	⇦⇨	05/98-08/00	QLS3477S	L=190mm
25	Stabiliser Link - Front	⇦⇨	09/00-05/04	QLS3476S	L=265mm
35	Stabiliser Link - Rear	⇦⇨	05/98-08/00	QLS3478S	L=190mm
35	Stabiliser Link - Rear	⇦⇨	09/00-05/04	QLS3433S	L=160mm

323 — 01/86-10/95


BW1 Estate



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2287S	Female M12x1.25, Ø 12.5mm Cone
21	Ball Joint - Front			QSJ1116S	Ø 16mm Cone
61	Top Strut Bearing - Front	⇦⇨		QAM149	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6069	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6069	

626 — 08/87-07/91

GD1, GD7 2, 4, 5




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	08/87-07/89	QR2396S	Female M14x1.5, Ø 13mm Cone
1	Tie Rod End - Outer	⇦⇨	08/89-04/97	QR9933S	Female M14x1.5
2	Rack End	⇦⇨		QR2502S	Male M14x1.5, M18x1.5 Swivel, L=305mm
21	Ball Joint - Front			QSJ1227S	Ø 17.5mm Cone
24a	Suspension Arm Bush - Front			EMS8166	Front
24b	Suspension Arm Bush - Front			EMS8165	Rear

626

GE12,GE14,GE64 ⛽4, ⛽5

08/91-06/97




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9933S**	Female M14x1.5
2a	Rack End	⇦		**QR5277S**	Male M14x1.5
2b	Rack End	⇨		**QR5277S**	Male M14x1.5
20a	Suspension Arm - Front	⇦		**QSA1773S**	
20b	Suspension Arm - Front	⇨		**QSA1790S**	
21	Ball Joint - Front	⇦⇨		**QSJ1805S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	exc.2.5 V6	**EMS8060**	Front
24a	Suspension Arm Bush - Front	⇦⇨	2.5 V6	**-**	Front
24b	Suspension Arm Bush - Front	⇦		**EMS8058**	Rear
24c	Suspension Arm Bush - Front	⇨		**EMS8059**	Rear
25a	Stabiliser Link - Front	⇦		**QLS1625S**	L=102mm
25b	Stabiliser Link - Front	⇨		**QLS1626S**	L=102mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	01/96-06/97	**EMR6072**	
35	Stabiliser Link - Rear	⇦⇨		**QLS1834S**	L=88mm
65a	Top Strut Mounting - Rear exc.Bearing	⇦		**EMR6059**	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		**EMR6056**	

626

GF12,GF14 4, 5


07/97-04/02



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9933S**	Female M14x1.5
2	Rack End	⇦⇨		**QR3470S**	Male M14x1.5, M16x1.5 Swivel, L=325mm
20a	Suspension Arm - Front	↲		**QSA2068S**	
20b	Suspension Arm - Front	↳		**QSA2069S**	
24b	Suspension Arm Bush - Front	↲		**EMS8388**	Rear
24c	Suspension Arm Bush - Front	↳		**EMS8389**	Rear
25a	Stabiliser Link - Front	⇦		**QLS1625S**	L=102mm
25b	Stabiliser Link - Front	⇨		**QLS1626S**	L=102mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3362S**	L=230mm

626 — 03/88-09/97


GV1,GVG Estate



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	03/88-07/89	QR2396S	Female M14x1.5 , Ø 13mm Cone
1	Tie Rod End - Outer	⇦⇨	08/89-09/97	QR9933S	Female M14x1.5
2	Rack End	⇦⇨		QR2502S	Male M14x1.5 , M18x1.5 Swivel, L=305mm
21	Ball Joint - Front			QSJ1227S	Ø 17.5mm Cone
24a	Suspension Arm Bush - Front			EMS8166	Front
24b	Suspension Arm Bush - Front			EMS8165	Rear

626 — 10/97-10/02

GW1 Estate




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9933S	Female M14x1.5
2	Rack End	⇦⇨		QR3470S	Male M14x1.5 , M16x1.5 Swivel, L=325mm
24b	Suspension Arm Bush - Front			EMS8388	Rear
24c	Suspension Arm Bush - Front			EMS8389	Rear
25a	Stabiliser Link - Front	⇦		QLS1625S	L=102mm
25b	Stabiliser Link - Front	⇨		QLS1626S	L=102mm

CX-5 11/11-
KE,GH



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3888S	
35a	Stabiliser Link - Rear	⇦		QLS3889S	
35b	Stabiliser Link - Rear	⇨		QLS3890S	

CX-7 11/06-05/13
ER1,ER8



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3887S	L=206mm
1b	Tie Rod End - Outer	⇨		QR3888S	L=206mm
2	Rack End	⇦⇨		QR3889S	L=206mm
20a	Suspension Arm- Front	↲		QSA2711S	
20b	Suspension Arm- Front	↳		QSA2712S	
21	Ball Joint - Front	⇦⇨		QSJ3608S	
25a	Stabiliser Link - Front	⇦		QLS3674S	
25b	Stabiliser Link - Front	⇨		QLS3675S	

Demio 05/98-01/03


DW19



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2992S	Female M12x1.25, Ø 13.3mm Cone, L=73.5mm
20a	Suspension Arm - Front			QSJ3603S	Ø 16mm Cone
20b	Suspension Arm - Front			QSJ3604S	Ø 16mm Cone

MPV 06/99-10/05

LW19




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9933S	Female M14x1.5
2	Rack End	⇦⇨		QR3726S	
20a	Suspension Arm - Front			QSA2286S	
20b	Suspension Arm - Front			QSA2287S	
25	Stabiliser Link - Front	⇦⇨		QLS3382S	L=325mm

MX3

EC1

03/91-12/98



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2992S**	Female M12x1.25 , Ø 13.3mm Cone, L=73.5mm
2	Rack End	⇦⇨	1.6i	**QR5288S**	Male M12x1.25 , M16x1.0mm Swivel, L=349mm
2a	Rack End	⇦	1.8i V6	**-**	
2b	Rack End	⇨	1.8i V6	**-**	
21	Ball Joint - Front		-ch.126547, 03/91-03/93	**QSJ1889S**	Ø 16mm Cone
21	Ball Joint - Front		ch.126548-, 03/93-12/98	**QSJ9209S**	Ø 18mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS3379S**	L=55mm
61	Top Strut Bearing - Front	⇦⇨		**QAM149**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6069**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6069**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3385S**	L=80mm

MX5 09/89-12/97

NA1




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3369S	Female M12x1.25
21	Ball Joint - Front			QSJ3366S	Ø 16.2mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3479S	L=110mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6073	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6073	

MX5

NB1,NB18

01/98-10/05






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3369S**	Female M12x1.25
2a	Rack End	⇦		**QR3570S**	Male M12x1.25, M16x1.0 Swivel, L=321mm
2b	Rack End	⇨		**QR3571S**	Male M12x1.25, M16x1.0 Swivel, L=321mm
20a	Suspension Arm - Front			**QSA2356S**	
20b	Suspension Arm - Front			**QSA2357S**	
21	Ball Joint - Front			**QSJ3366S**	Ø 16.2mm Cone
22a	Suspension Arm - Front		ch.000501-	**QSA2358S**	
22b	Suspension Arm - Front		ch.000501-	**QSA2359S**	
25a	Stabiliser Link - Front	⇦		**QLS3380S**	L=104mm
25b	Stabiliser Link - Front	⇨		**QLS3381S**	L=104mm
35a	Stabiliser Link - Rear	⇦		**QLS1625S**	L=102mm
35b	Stabiliser Link - Rear	⇨		**QLS1626S**	L=102mm

MX5 11/05-


NC18



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25a	Stabiliser Link - Front	⇦		QLS3674S	
25b	Stabiliser Link - Front	⇨		QLS3675S	
35	Stabiliser Link - Rear	⇦⇨		QLS3665S	

MX6 07/91-06/98

GE1,GE7




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9933S	Female M14x1.5
2a	Rack End	⇦		QR5277S	Male M14x1.5
2b	Rack End	⇨		QR5277S	Male M14x1.5

MX6 continued... 07/91-06/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front	↲		QSA1773S	
20b	Suspension Arm - Front	↳		QSA1790S	
21	Ball Joint - Front	⇊		QSJ1805S	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇊		-	Front
24b	Suspension Arm Bush - Front	↲		EMS8058	Rear
24c	Suspension Arm Bush - Front	↳		EMS8059	Rear
25a	Stabiliser Link - Front	⇦		QLS1625S	L=102mm
25b	Stabiliser Link - Front	⇨		QLS1626S	L=102mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6072	
35	Stabiliser Link - Rear	⇦⇨		QLS1834S	L=88mm
65a	Top Strut Mounting - Rear exc.Bearing	⇦		EMR6059	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		EMR6056	

Premacy 03/99-06/05


CP19



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9933S	Female M14x1.5
2a	Rack End	⇦		QR3472S	Male M14x1.5, M16x1.0 Swivel, L=323mm
2b	Rack End	⇨		QR3473S	Male M14x1.5, M16x1.0 Swivel, L=323mm
20a	Suspension Arm - Front	↲		QSA2568S	Ø 18.0mm Cone
20b	Suspension Arm - Front	↳		QSA2569S	Ø 18.0mm Cone
21	Ball Joint - Front	⇊		QSJ3507S	Ø 18.0mm Cone
25	Stabiliser Link - Front	⇦⇨	03/99-06/01	QLS3477S	L=190mm
25	Stabiliser Link - Front	⇦⇨	07/01-06/05	QLS3476S	L=265mm
35	Stabiliser Link - Rear	⇦⇨	03/99-06/01	QLS3478S	L=190mm
35	Stabiliser Link - Rear	⇦⇨	07/01-06/05	QLS3433S	L=160mm

RX7 — 05/92-06/96


FD1



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2992S	Female M12x1.25, Ø 13.3mm Cone, L=73.5mm

RX8 — 05/03-12/10

SE17




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR3733S	Female M14x1.5, Ø 13.0mm Cone, L=160mm
1b	Side Rod End - Outer	⇨		QR3734S	Female M14x1.5, Ø 13.0mm Cone, L=160mm
2	Rack End	⇦⇨		QR3736S	Male M14x1.5, M16x1.5 Swivel, L=250mm
25a	Stabiliser Link - Front	⇦		QLS3674S	
25b	Stabiliser Link - Front	⇨		QLS3675S	
35	Stabiliser Link - Rear	⇦⇨		QLS3665S	

Tribute — 01/01-03/07

CZ,U06,U07,U08,YZ 2.0,2.3,3.0V6




Tribute continued... 01/01-03/07



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3725S	
2	Rack End	⇦⇨		QR3593S	
20a	Suspension Arm - Front	↲		QSA2244S	
20b	Suspension Arm - Front	↳		QSA2245S	
25	Stabiliser Link - Front	⇦⇨		QLS3670S	

Xedos 6 01/92-10/99

CA1,CA12



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9933S	Female M14x1.5
2a	Rack End	⇦		QR5277S	Male M14x1.5
2b	Rack End	⇨		QR5277S	Male M14x1.5
20a	Suspension Arm - Front	↲		QSA2068S	

continued...

Xedos 6 continued... 01/92-10/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front			**QSA2069S**	
21	Ball Joint - Front			**QSJ1805S**	Ø 15mm Cone
25a	Stabiliser Link - Front	⇦		**QLS1625S**	L=102mm
25b	Stabiliser Link - Front	⇨		**QLS1626S**	L=102mm
35	Stabiliser Link - Rear	⇦⇨		**QLS1834S**	L=88mm

B1600,B1800 — 10/81-03/96

UD1 1.6,1.8



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR9211S	Female M14x1.5mm
1b	Side Rod End - Outer	⇨		QR9371S	Female M14x1.5
2	Side Rod End - Inner	⇦⇨		QR9211S	Female M14x1.5mm

B2000,B2200 — 12/85-12/96

UF1Y 2.0, 2.2D



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR9371S	Female M14x1.5
2	Side Rod End - Inner	⇦⇨		QR9211S	Female M14x1.5mm
21	Ball Joint - Front			QSJ9215S	Ø 20mm Cone
23	Ball Joint - Front			QSJ9214S	Ø 15mm Cone

B2500 — 02/99-

UN1 2.0, 2.2, 2.5D




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front		4x4	QSJ3365S	

E2000,E2200

SD1,SR1 2.0, 2.2D


01/84-09/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9216S	Female M14x1.5 RH, Ø 13.9mm Cone
2	Rack End	⇦⇨	01/00-09/04	QR3746S	Male M14x1.5 RH, M18x1.5 Swivel, L=309mm
21	Ball Joint - Front	⇩⇩	exc.4x4	QSJ9218S	Ø 19.6mm Cone
23	Ball Joint - Front	⇧⇧		QSJ9217S	Ø 17.8mm Cone

City Coupé, Cabrio — 04/98-10/03

MC01,MC02



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3727S	
20	Suspension Arm - Front			QSA2074S	
21	Ball Joint - Front			QSJ3301S	Ø 13.5mm Cone, M12x1.5
24	Suspension Arm Bush - Front			EMS8237	Front, Rear
25	Stabiliser Link - Front	⇦⇨		QLS3323S	L=102mm
30	Suspension Arm - Rear	⇦⇨		QSJ3488S	
35	Stabiliser Link - Rear	⇦⇨		QLS3324S	L=149mm


Fortwo — 08/03-12/06

WME450



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3727S	
2	Rack End	⇦⇨		QR3846S	Male M14x1.5 , M14x1.5 Swivel, L=375mm
21	Ball Joint - Front			QSJ3301S	Ø 13.5mm Cone, M12x1.5

Fortwo 01/07-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1841S	Female M12x1.5 RH, Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨		QR3873S	Male M12x1.5 RH, M14x1.5 Swivel, L=393mm
20	Suspension Arm - Front	⇩		QSA2666S	
21	Ball Joint - Front	⇩		QSJ3742S	
25	Stabiliser Link - Front	⇦⇨		QLS3785S	L=226mm

Forfour 08/03-


VME454



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3659S	Female M12x1.25 RH, Ø 12.3mm Cone, L=70.5mm
20a	Suspension Arm - Front	↲		QSA2417S	
20b	Suspension Arm - Front	↳		QSA2418S	
21	Ball Joint - Front	⇩		QSJ3421S	Ø 14.6mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3568S	L=325mm

Roadster Coupé, Roadster 01/03-


VME452



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3727S	
21	Ball Joint - Front	⇩		QSJ3301S	Ø 13.5mm Cone, M12x1.5
25	Stabiliser Link - Front	⇦⇨		QLS3323S	L=102mm
30	Suspension Arm - Rear	⇦⇨		QSJ3488S	

117 Series 01/13-


CLA180CDi,CLA200CDi,CLA220CDi,CLA250,CLA260 CLA Coupé




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3921S	
1b	Tie Rod End - Outer	⇨		QR3922S	
2	Rack End	⇦⇨		QR3923S	
25	Stabiliser Link - Front	⇦⇨		QLS3818S	
35	Stabiliser Link - Rear	⇦⇨		QLS3819S	

124 Series 03/85-07/96

200,220,230,250D,260,280,300,300D,320,E200,E220,E250D,E280,E300,E300D,
E320 exc.4Matic,400,500,E420,E500



124 Series continued... 03/85-07/96



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2298S	Male M14x1.5 , Ø 12.6mm Cone, M10x1
2	Side Rod End - Inner	⇦⇨		QR2299S	Male M14x1.5 , Ø 12.6mm Cone, M10x1
4	Side Rod Assembly	⇦⇨		QDL2510S	
5	Centre Rod Assembly		, -ch.1B022104, 03/85-08/89	QDL5017S	Ø 12.7mm Cone
5	Centre Rod Assembly		ch.1B022105-/2B051199-, 09/89-07/96	QDL2937S	Ø 14.7mm Cone
20a	Suspension Arm - Front		exc.Sport Susp., 300-24v,320	QSA1569S	
20a	Suspension Arm - Front		Sport Susp. -ch.C018227, exc.300-24v,320	QSA1692S	
20a	Suspension Arm - Front		Sport Susp. ch.C018228-, exc.300-24v,320	QSA1569S	
20b	Suspension Arm - Front		exc.Sport Susp., 300-24v,320	QSA1570S	
20b	Suspension Arm - Front		Sport Susp. -ch.C018227, exc.300-24v,320	QSA1693S	
20b	Suspension Arm - Front		Sport Susp. ch.C018228-, exc.300-24v,320	QSA1570S	
21	Ball Joint - Front			QSJ971S	Ø 18mm Cone
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2165	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2510	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.Sport Susp.	-	Outer, Ø 22.5mm
26	Stabiliser Bar Bush - Front	⇦⇨	Sport Susp.	-	Outer, Ø 22.5mm
26¹	Stabiliser Bar Bush - Front	⇨⇦	03/85-09/89	EMB7036	Inner, Ø 24mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		EMB2478	Inner, Ø 26.5mm
26¹	Stabiliser Bar Bush - Front	⇨⇦	09/89-07/96	EMB7130	Inner, Ø 24mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		-	Inner, Ø 25mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		-	Inner, Ø 27.5mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		-	Inner, Ø 28.5mm


continued...

124 Series continued... 03/85-07/96

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
29	Suspension Arm Repair Kit - Front		exc.Sport Susp., Saloon,Coupé -ch.B711095	-	
29	Suspension Arm Repair Kit - Front		exc.Sport Susp., Saloon,Coupé ch.B711096-	QSK244S	
29	Suspension Arm Repair Kit - Front		Sport Susp., Saloon, Coupé -ch.B711095	QSK245S	
29	Suspension Arm Repair Kit - Front		Sport Susp., Saloon ch.B711096-C018227, Coupé ch.B711096-C017668	-	
29	Suspension Arm Repair Kit - Front		Sport Susp., Saloon ch.C018228-, Coupé ch.C017669-	QSK245S	
29	Suspension Arm Repair Kit - Front		Estate -ch.F204091	-	
29	Suspension Arm Repair Kit - Front		Estate ch.F204092-	QSK244S	
62	Top Strut Mounting - Front exc.Bearing			EMR1790	
16	Axle Mounting - Rear			EM2491	Front
30	Suspension Arm - Rear			QLS2923S	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear			QSJ1214S	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear			QDL2926S	Front
32[1]	Suspension Arm - Rear			QLS2924S	Rear, L=298mm
34a	Suspension Arm Bush - Rear			EMS2499	Inner
34b	Suspension Arm Bush - Rear			QSK227S	Outer, Ø 14x40x48mm
34c	Suspension Arm Bush - Rear			EMS8526	Inner Ø 12mm
34c	Suspension Arm Bush - Rear			EMS8527	Inner Ø 13.1mm
35	Stabiliser Link - Rear			QLS2922S	L=200mm
91	Subframe Bush - Rear			EMS8523	

124 Series 03/85-01/96

4Matic, 260,300,300D,E300,E300D



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer			QR2514S	Male M14x1.5 LH, Ø 12.5mm Cone, L=150mm


124 Series continued... 03/85-01/96

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		**QR2515S**	Male M14x1.5 , Ø 12.5mm Cone, L=150mm
1b	Side Rod End - Outer	⇨		**QR2515S**	Male M14x1.5 , Ø 12.5mm Cone, L=150mm
1b	Side Rod End - Outer	⇨		**QR2514S**	Male M14x1.5 , Ø 12.5mm Cone, L=150mm
2a	Side Rod End - Inner	⇦		**-**	Male M14x1.5 , Ø 12.5mm Cone
2b	Side Rod End - Inner	⇨		**-**	Male M14x1.5 , Ø 12.5mm Cone
4a	Side Rod Assembly	⇦		**-**	
4b	Side Rod Assembly	⇨		**-**	
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer
26[1]	Stabiliser Bar Bush - Front	⇨⇦	Saloon	**-**	Inner
26[1]	Stabiliser Bar Bush - Front	⇨⇦	Estate	**-**	Inner
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6070**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1790**	
30	Suspension Arm - Rear			**QLS2923S**	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear			**QSJ1214S**	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear			**QDL2926S**	Front
32[1]	Suspension Arm - Rear			**QLS2924S**	Rear, L=298mm
34a	Suspension Arm Bush - Rear			**EMS2499**	Inner
34b	Suspension Arm Bush - Rear			**QSK227S**	Outer, Ø 14x40x48mm
35	Stabiliser Link - Rear	⇦⇨		**QLS2922S**	L=200mm
36[1]	Stabiliser Bar Bush - Rear	⇨⇦		**-**	Inner

124 Series

400,500,E420,E500

09/89-06/95




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		**QR2748S**	Male M14x1.5 RH, Ø 12.7mm Cone, L=84mm
1b	Side Rod End - Outer	⇨		**QR2751S**	Male M14x1.5 RH, Ø 12.7mm Cone, L=84mm
2a	Side Rod End - Inner	⇦		**QR2749S**	Male M14x1.5 LH, Ø 14.5mm Cone, L=135mm
2b	Side Rod End - Inner	⇨		**QR2750S**	Male M14x1.5 LH, Ø 14.5mm Cone, L=135mm
4b	Side Rod Assembly	⇨		**QDL2709S**	
5	Centre Rod Assembly			**QDL3185S**	
20a	Suspension Arm - Front		500,E500 -ch.B927760, exc.400,E420	**QSA1569S**	
20b	Suspension Arm - Front		500,E500 -ch.B927760, exc.400,E420	**QSA1570S**	

124 Series continued... 09/89-06/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front		500,E500 -ch.B927760	QSJ971S	Ø 18mm Cone
26[1]	Stabiliser Bar Bush - Front			EMB2478	Inner, Ø 26.5mm
26[1]	Stabiliser Bar Bush - Front			-	Inner
29	Suspension Arm Repair Kit - Front		400E,E420	QSK244S	
29	Suspension Arm Repair Kit - Front		500 -ch.B711095	-	
29	Suspension Arm Repair Kit - Front		500 ch.B711096-	QSK244S	
30	Suspension Arm - Rear			QLS2923S	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear			QSJ1214S	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear			QDL2926S	Front
32[1]	Suspension Arm - Rear			QLS2924S	Rear, L=298mm
34a	Suspension Arm Bush - Rear			EMS2499	Inner
34b	Suspension Arm Bush - Rear			QSK227S	Outer, Ø 14x40x48mm
35	Stabiliser Link - Rear			QLS2922S	L=200mm

126 Series 08/80-05/93

260,280,300,380,420,500,560 S,SE,SEL,SEC




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer			QR900RHT	Male M14x1.5 RH, Ø 12.6mm Cone
2	Side Rod End - Inner			QR900LHT	Male M14x1.5 LH, Ø 12.6mm Cone
4	Side Rod Assembly			QDL2696S	
5	Centre Rod Assembly			QDL2057S	
21	Ball Joint - Front			QSJ2013S	Ø 18mm Cone
22a	Suspension Arm - Front			QSJ1216S	Ø 13.6mm Cone
22b	Suspension Arm - Front			QSJ1217S	Ø 13.6mm Cone
24	Suspension Arm Bush - Front			EMS8125	Inner
34	Suspension Arm Bush - Rear			EMS2497	Cross Rod Bush
35	Stabiliser Link - Rear		exc.500,560	QLS2509S	L=110mm

129 Series

09/89-07/01

300SL,500SL,600SL,SL280,SL320,SL500,SL600




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR2748S	Male M14x1.5 , Ø 12.7mm Cone, L=84mm
1a	Side Rod End - Outer	⇦		QR2751S	Male M14x1.5 , Ø 12.7mm Cone, L=84mm
1b	Side Rod End - Outer	⇨		QR2751S	Male M14x1.5 , Ø 12.7mm Cone, L=84mm
1b	Side Rod End - Outer	⇨		QR2748S	Male M14x1.5 , Ø 12.7mm Cone, L=84mm
2a	Side Rod End - Inner	⇦		QR2749S	Male M14x1.5 , Ø 14.5mm Cone, L=135mm
2a	Side Rod End - Inner	⇦		QR2750S	Male M14x1.5 , Ø 14.5mm Cone, L=135mm

129 Series continued... 09/89-07/01


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2b	Side Rod End - Inner	⇨		**QR2750S**	Male M14x1.5 LH, Ø 14.5mm Cone, L=135mm
2b	Side Rod End - Inner	⇨		**QR2749S**	Male M14x1.5 LH, Ø 14.5mm Cone, L=135mm
4a	Side Rod Assembly	⇦		**QDL2713S**	
4a	Side Rod Assembly	⇦		**QDL2709S**	
4b	Side Rod Assembly	⇨		**QDL2709S**	
4b	Side Rod Assembly	⇨		**QDL2713S**	
5	Centre Rod Assembly			**QDL2712S**	
20a	Suspension Arm - Front		exc.500SL, 600SL	**QSA1569S**	
20a	Suspension Arm - Front		500SL 08/89-10/92	**QSA1569S**	
20b	Suspension Arm - Front		exc.500SL, 600SL	**QSA1570S**	
20b	Suspension Arm - Front		500SL 08/89-10/92	**QSA1570S**	
21	Ball Joint - Front		exc.600SL	**QSJ971S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front		300SL,SL280,SL320	**EMS8120**	Front
24b	Suspension Arm Bush - Front		300SL,SL280,SL320	**EMS8121**	Rear
26	Stabiliser Bar Bush - Front			**EMB2510**	Outer, Ø 18mm
26[1]	Stabiliser Bar Bush - Front			**EMB2478**	Inner, Ø 26.5mm
62	Top Strut Mounting - Front exc.Bearing		Self Levelling Susp.	**EMR6048**	
62	Top Strut Mounting - Front exc.Bearing		exc.Self Levelling Susp.	**EMR6070**	
30	Suspension Arm - Rear			**QLS2923S**	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear			**QSJ1214S**	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear			**QDL2926S**	Front
32[1]	Suspension Arm - Rear			**QLS2924S**	Rear, L=298mm
34[1]	Suspension Arm Bush - Rear			**EMS2499**	Inner
34[2]	Suspension Arm Bush - Rear			**EMS8117**	Outer, Ø 12x31x43mm
34[3]	Suspension Arm Bush - Rear			**QSK227S**	Outer, Ø 14x40x48mm
35	Stabiliser Link - Rear			**QLS2922S**	L=200mm

140 Series 05/91-09/99

300,400,420,500,600 SE,SEC,SED, S280,S300D,S320,S350D,S420,S500,S600, CL420,CL500,CL600



140 Series continued... 05/91-09/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Side Rod End - Inner	⇦⇨		**QR3015S**	Male M16x1.5 LH, Ø 14.6mm Cone, L=115mm
4	Side Rod Assembly	⇦⇨		**QDL2714S**	
5	Centre Rod Assembly			**QDL3191S**	
20a	Suspension Arm - Front	↲		**QSA1688S**	
20b	Suspension Arm - Front	↳		**QSA1689S**	
21	Ball Joint - Front	⇦⇨		**QSJ1560S**	M18x1.5, M14x1.5
22a	Suspension Arm - Front	↰		**QSA1563S**	
22b	Suspension Arm - Front	↱		**QSA1564S**	
24	Suspension Arm Bush - Front	⇦⇨		**EMS8397**	
25a	Stabiliser Link - Front	⇦		**QLS3186S**	L=155mm
25b	Stabiliser Link - Front	⇨		**QLS3187S**	L=155mm
30	Suspension Arm - Rear	⇦⇨		**QDL3188S**	Front, Thrust Control Arm
30¹	Suspension Arm - Rear	⇦⇨		**QLS3010S**	Middle, Track Rod, L=290mm
32	Suspension Arm - Rear	⇦⇨		**QDL3189S**	Front
32¹	Suspension Arm - Rear	⇦⇨		**QDL3190S**	Rear
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS2499**	Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**QSK227S**	Outer, Ø 14x40x48mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3009S**	L=230mm

156 Series 12/13-


GLA200,GLA200CDi,GLA220CDi,GLA250 GLA-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3921S	
1b	Tie Rod End - Outer	⇨		QR3922S	
2	Rack End	⇦⇨		QR3923S	
25	Stabiliser Link - Front	⇦⇨		QLS3818S	

163 Series 04/98-07/05

ML230,ML270D,ML320,ML350,ML400D,ML430,ML500 M-Klasse




163 Series continued... 04/98-07/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3357S**	Female M16x1.5, Ø 15mm Cone, L=219mm
1b	Tie Rod End - Outer	⇨		**QR3358S**	Female M16x1.5, Ø 15mm Cone, L=219mm
2	Rack End	⇦⇨		**QR9980S**	M16x1.5, L=174.5mm, M16 Swivel
21	Ball Joint - Front			**QSJ3238S**	Ø 16mm Cone, M14x1.5
22a	Suspension Arm - Front			**QSA2052S**	
22b	Suspension Arm - Front			**QSA2053S**	
24a	Suspension Arm Bush - Front			**EMS8258**	Front
24b	Suspension Arm Bush - Front			**EMS8259**	Front & Rear
25a	Stabiliser Link - Front	⇦	-ch.A289559, X754619	**QLS3544S**	
25a	Stabiliser Link - Front	⇦	ch.A289560, X754620-	**-**	
25b	Stabiliser Link - Front	⇨	-ch.A289559, X754619	**QLS3430S**	
25b	Stabiliser Link - Front	⇨	ch.A289560, X754620-	**-**	
29	Suspension Arm Repair Kit - Front			**QSK249S**	Front & Rear
30a	Suspension Arm - Rear			**QSJ3712S**	
30b	Suspension Arm - Rear			**QSJ3713S**	
32a	Suspension Arm - Rear			**QSA2230S**	
32b	Suspension Arm - Rear			**QSA2231S**	
33	Ball Joint - Rear			**QSJ3432S**	Ø 19.9mm Cone
35	Stabiliser Link - Rear	⇦⇨		**QLS3722S**	L=220mm

164 Series 08/05-


ML280CDi,ML320CDi,ML350,ML420CDi,ML500,ML63AMG M-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3781S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR3782S	Female M14x1.5
2	Rack End	⇦⇨		QR3783S	L=223mm
20a	Suspension Arm - Front			QSA2547S	
20b	Suspension Arm - Front			QSA2548S	
21	Ball Joint - Front			QSJ3425S	Ø 19.3mm Cone
22a	Suspension Arm - Front			QSA2549S	
22b	Suspension Arm - Front			QSA2550S	
25	Stabiliser Link - Front	⇦⇨		QLS3564S	L=195mm
30	Suspension Arm - Rear			QSJ3711S	
31	Ball Joint - Rear			QSJ3426S	
35	Stabiliser Link - Rear	⇦⇨		QLS3524S	L=150mm

164 Series (X) 01/06-


GL320CDi,GL420CDi,GL450,GL500,GL550 GL-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3781S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR3782S	Female M14x1.5
2	Rack End	⇦⇨		QR3783S	L=223mm
20a	Suspension Arm - Front			QSA2547S	
20b	Suspension Arm - Front			QSA2548S	
21	Ball Joint - Front			QSJ3425S	Ø 19.3mm Cone
22a	Suspension Arm - Front			QSA2549S	
22b	Suspension Arm - Front			QSA2550S	
25	Stabiliser Link - Front	⇦⇨		QLS3564S	L=195mm
31	Ball Joint - Rear			QSJ3426S	
35	Stabiliser Link - Rear	⇦⇨		QLS3524S	L=150mm

168 Series 06/97-08/04

A140,A160,A170D,A190,A210 A-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3058S	Female M12x1.5 , Ø 13.2mm Cone, L=205mm
1b	Tie Rod End - Outer	⇨		QR3057S	Female M12x1.5 , Ø 13.2mm Cone, L=205mm
2	Rack End	⇦⇨		QR3073S	Female M12x1.5 ,M14x1.5 Swivel, L=220mm
20a	Suspension Arm - Front			QSA1690S	
20b	Suspension Arm - Front			QSA1691S	
21	Ball Joint - Front			QSJ1597S	Ø 14.4mm Cone L=365mm
24a	Suspension Arm Bush - Front			EMS8072	Front
24b	Suspension Arm Bush - Front			EMS8073	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3192S	L=220mm
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9010	

169 Series

08/04-06/12

A150,A160CDi,A170,A180,A180CDi,A200,A200CDi A-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3543S**	Female M14x1.5 RH, Ø 16.6mm Cone, L=200mm
1b	Tie Rod End - Outer	⇨		**QR3544S**	Female M14x1.5 RH, Ø 16.6mm Cone, L=200mm
2a	Rack End	⇦	-ch.1J126739, -03/05	**QR3540S**	Male M14x1.5 RH, L=201mm
2a	Rack End	⇦	ch.1J126740-, 04/05-	**QR3542S**	Male M14x1.5 RH, L=201mm
2b	Rack End	⇨	-ch.1J126739, -03/05	**QR3541S**	Male M14x1.5 RH, L=201mm
2b	Rack End	⇨	ch.1J126740-, 04/05-	**QR3542S**	Male M14x1.5 RH, L=201mm
20a	Suspension Arm - Front			**QSA2232S**	
20b	Suspension Arm - Front			**QSA2233S**	
21	Ball Joint - Front			**QSJ3419S**	Ø 15.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8465**	Front
24b	Suspension Arm Bush - Front			**EMS8466**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3523S**	L=244mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3559S**	L=87mm

170 Series

09/96-01/04

SLK200,SLK230,SLK320 SLK Coupé




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	SLK200K (163PS), SLK230K (193PS), SLK320, SLK320K AMG	**QR2874S**	Female M12x1.5 , Ø 16.0mm Cone, L=73mm
20a	Suspension Arm - Front			**QSA1694S**	
20b	Suspension Arm - Front			**QSA1695S**	
21	Ball Joint - Front			**QSJ1352S**	Ø 16mm Cone
22a	Suspension Arm - Front		SLK200, SLK200K (192PS), SLK230K (193PS)	**QSA1696S**	

170 Series continued... 09/96-01/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
22a	Suspension Arm - Front		SLK200K (163PS), SLK230K (197PS), SLK320, SLK320K AMG	**QSA2050S**	
22b	Suspension Arm - Front		SLK200, SLK200K (192PS), SLK230K (193PS)	**QSA1697S**	
22b	Suspension Arm - Front		SLK200K (163PS), SLK230K (197PS), SLK320, SLK320K AMG	**QSA2051S**	
26	Stabiliser Bar Bush - Front			**EMB2510**	Outer, Ø 18mm
26[1]	Stabiliser Bar Bush - Front		SLK200, SLK200K (192PS), SLK230K (193PS)	**EMB7130**	Inner, Ø 24mm
26[1]	Stabiliser Bar Bush - Front		SLK200K (163PS), SLK230K (197PS), SLK320	**-**	Inner
26[1]	Stabiliser Bar Bush - Front		SLK320K AMG	**-**	Inner
29	Suspension Arm Repair Kit - Front			**QSK250S**	
30	Suspension Arm - Rear			**QLS2923S**	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear			**QSJ1214S**	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear			**QDL2926S**	Front
32[1]	Suspension Arm - Rear			**QLS2924S**	Rear, L=298mm
34	Suspension Arm Bush - Rear			**QSK227S**	Outer, Ø 14x40x48mm
34[1]	Suspension Arm Bush - Rear			**-**	Inner

171 Series 02/04-

SLK200,SLK350,SLK55AMG SLK Coupé




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3361S**	Female M14x1.5, Ø 16.8 mm Cone L=176mm
1b	Tie Rod End - Outer	⇨		**QR3362S**	Female M14x1.5, Ø 16.8 mm Cone L=176mm
2	Rack End	⇦⇨		**QR3785S**	Male M12x1.25 , L=257mm, M14x1.5 Swivel
20a	Suspension Arm - Front	↲		**QSJ3299S**	M14x1.5mm Ball Pin, Ø 16.5mm Cone, L=410mm
20b	Suspension Arm - Front	↳		**QSJ3300S**	M14x1.5mm Ball Pin, Ø 16.5mm Cone, L=410mm
22a	Suspension Arm - Front	↰		**QSJ3297S**	M14x1.5mm Ball Pin, Ø 16.2mm Cone, L=345mm
22b	Suspension Arm - Front	↱		**QSJ3298S**	M14x1.5mm Ball Pin, Ø 16.2mm Cone, L=345mm
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8399**	Inner
24b	Suspension Arm Bush - Front	⇧⇧		**EMS8398**	Inner
25	Stabiliser Link - Front	⇦⇨		**QLS3525S**	L=255mm
30	Suspension Arm - Rear	⇩⇩		**QLS2923S**	Front, Thrust Control Arm, L=313mm
30¹	Suspension Arm - Rear	⇩⇩		**QSJ3367S**	Middle, Track Rod, Ø 14.0mm Cone
32	Suspension Arm - Rear	⇧⇧		**QDL2926S**	Front
32¹	Suspension Arm - Rear	⇧⇧		**QLS2924S**	Rear, L=298mm
34	Suspension Arm Bush - Rear	⇩⇩		**QSK227S**	Outer, Ø 14x40x48mm
34¹	Suspension Arm Bush - Rear	⇩⇩		-	Inner

171 Series continued... 02/04-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34²	Suspension Arm Bush - Rear	⇦⇨		EMS2494	Cross Rod Bush Ø 69mm
35	Stabiliser Link - Rear	⇦⇨		QLS2922S	L=200mm

176 Series 06/12-

A160CDi,A180,A180CDi,A200,A200CDi,A220CDi,A250 A-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3921S	
1b	Tie Rod End - Outer	⇨		QR3922S	
2	Rack End	⇦⇨		QR3923S	
25	Stabiliser Link - Front	⇦⇨		QLS3818S	
35	Stabiliser Link - Rear	⇦⇨		QLS3819S	


201 Series

190,190D,190E

10/82-06/93



201 Series continued... 10/82-06/93



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2289S	Male M12x1.5, Ø 10.8mm Cone
2a	Side Rod End - Inner	⇦		QR2290S	Male M12x1.5, Ø 10.8mm Cone, L=82mm
2a	Side Rod End - Inner	⇦		QR2291S	Male M12x1.5, Ø 10.8mm Cone, L=87mm
2b	Side Rod End - Inner	⇨		QR2291S	Male M12x1.5, Ø 10.8mm Cone, L=87mm
2b	Side Rod End - Inner	⇨		QR2290S	Male M12x1.5, Ø 10.8mm Cone, L=82mm
4a	Side Rod Assembly	⇦		QDL2694S	
4a	Side Rod Assembly	⇦		QDL2695S	
4b	Side Rod Assembly	⇨		QDL2695S	
4b	Side Rod Assembly	⇨		QDL2694S	
5	Centre Rod Assembly			QDL2056S	L=520mm
20a	Suspension Arm - Front		exc.Sport Susp. 1.8,2.0,2.0D,2.5D	QSA1567S	
20a	Suspension Arm - Front		exc.Sport Susp. 2.3,2.5TD,2.6	QSA1565S	
20a	Suspension Arm - Front		Sport Susp.	QSA1569S	
20a	Suspension Arm - Front		2.3-16,2.5-16	QSA1692S	
20b	Suspension Arm - Front		exc.Sport Susp. 1.8,2.0,2.0D,2.5D	QSA1568S	
20b	Suspension Arm - Front		exc.Sport Susp. 2.3,2.5TD,2.6	QSA1566S	
20b	Suspension Arm - Front		Sport Susp.	QSA1570S	
20b	Suspension Arm - Front		2.3-16,2.5-16	QSA1693S	
21	Ball Joint - Front			QSJ971S	Ø 18mm Cone

continued...

201 Series continued... 10/82-06/93

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front		exc.Sport Susp. 1.8,2.0,2.0D,2.5D	EMS8120	Front
24a[1]	Suspension Arm Bush - Front		exc.Sport Susp. 2.3,2.5TD,2.6	EMS8115	Front
24b	Suspension Arm Bush - Front		exc.Sport Susp. 1.8,2.0,2.0D,2.5D	EMS8121	Rear
24b[1]	Suspension Arm Bush - Front		exc.Sport Susp. 2.3,2.5TD,2.6	EMS8114	Rear
24e	Suspension Arm Bush - Front			EMS8105	Inner
26	Stabiliser Bar Bush - Front		1.8,2.0,2.3,2.0D,2.5D,2.5TD exc.Sport Susp.	EMB2165	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front		1.8,2.0,2.3,2.0D Sport Susp.	-	Outer
26	Stabiliser Bar Bush - Front		2.6 exc.Sport Susp.	EMB2510	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front		2.6 Sport Susp.	-	Outer, Ø 22.5mm
26	Stabiliser Bar Bush - Front		2.5D,2.5TD Sport Susp.	-	Outer, Ø 22.5mm
26	Stabiliser Bar Bush - Front		2.3-16,2.5-16	-	Outer
26[1]	Stabiliser Bar Bush - Front		1.8,2.0,2.3,2.0D exc.Sport Susp.	EMB2165	Inner, Ø 23mm
26[1]	Stabiliser Bar Bush - Front		1.8,2.0,2.3,2.0D Sport Susp.	-	Inner
26[1]	Stabiliser Bar Bush - Front		2.5D,TD exc.Sport Susp.	EMB7036	Inner
26[1]	Stabiliser Bar Bush - Front		2.5D,2.5TD Sport Susp.	-	Inner
26[1]	Stabiliser Bar Bush - Front		2.6 exc.Sport Susp.	-	Inner
26[1]	Stabiliser Bar Bush - Front		2.6 Sport Susp.	-	Inner
26[1]	Stabiliser Bar Bush - Front		2.3-16,2.5-16	-	Inner
29	Suspension Arm Repair Kit - Front		1.8,2.0,2.0D,2.5D -ch.A675431,-F920107 exc.Sport Susp.	QSK251S	
29	Suspension Arm Repair Kit - Front		1.8,2.0,2.0D,2.5D -ch.A675431,-F920107 Sport Susp.	-	
29	Suspension Arm Repair Kit - Front		1.8,2.0,2.0D,2.5D ch.A675432-,F920108- Sport Susp.	QSK244S	
29	Suspension Arm Repair Kit - Front		2.3,2.6,2.5TD -ch.A675431,-F920107 exc.Sport Susp.	-	
29	Suspension Arm Repair Kit - Front		2.3,2.6,2.5TD ch.A675432-,F920108- exc.Sport Susp.	-	
29	Suspension Arm Repair Kit - Front		2.3,2.6,2.5TD -ch.A675431,-F920107 Sport Susp.	-	
29	Suspension Arm Repair Kit - Front		2.3,2.6,2.5TD ch.A675432-,F920108- Sport Susp.	QSK244S	
29	Suspension Arm Repair Kit - Front		2.3-16,2.5-16 -ch.F920107	QSK245S	
29	Suspension Arm Repair Kit - Front		2.3-16,2.5-16 ch.F920108-	-	
62	Top Strut Mounting - Front exc.Bearing		190E exc.Sportline	EMR2246	
16	Axle Mounting - Rear			EM2701	Subframe
16	Axle Mounting - Rear			EM2701	Subframe
30	Suspension Arm - Rear			QLS2923S	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear			QSJ1214S	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear			QDL2926S	Front
32[1]	Suspension Arm - Rear			QLS2924S	Rear, L=298mm
34a	Suspension Arm Bush - Rear			EMS2499	Rear, Inner
34b	Suspension Arm Bush - Rear			QSK227S	Outer, Ø 14x40x48mm
34c	Suspension Arm Bush - Rear			EMS8117	Outer, Ø 12x31x43mm
34c	Suspension Arm Bush - Rear			EMS8526	Inner Ø 12mm
34c	Suspension Arm Bush - Rear			EMS8527	Inner Ø 13.1mm
34d	Suspension Arm Bush - Rear			EMS2494	Axle Cross Rod Bush Ø 69mm
35	Stabiliser Link - Rear			QLS2922S	L=200mm
37	Suspension Arm Repair Kit - Rear			EMS2492	Axle Cross Rod Bush Kit Ø 69mm
91	Subframe Bush - Rear			EMS8523	

202 Series 06/93-10/00


C180,C200,C200D,C220,C220D,C230,C240,C250D,C280 C-Klasse








202 Series continued... 06/93-10/00






202 Series continued... 06/93-10/00


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2874S	Female M12x1.5 ↻, Ø 16.0mm Cone, L=73mm
5	Centre Rod Assembly		exc.C240,C280 197PS,C43AMG	QDL2873S	Complete
5	Centre Rod Assembly		C240,C280 197PS,C43AMG	QDL5282S	Complete
20a	Suspension Arm - Front	↲		QSA1694S	
20b	Suspension Arm - Front	↳		QSA1695S	
21	Ball Joint - Front	⇩⇩		QSJ1352S	Ø 16mm Cone
22a	Suspension Arm - Front	↰	exc.Sport Susp.	QSA1696S	
22a	Suspension Arm - Front	↰	Sport Susp.	QSA2050S	
22b	Suspension Arm - Front	↱	exc.Sport Susp.	QSA1697S	
22b	Suspension Arm - Front	↱	Sport Susp.	QSA2051S	
24a	Suspension Arm Bush - Front	⇩⇩		EMS8143	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8137	Rear
24c	Suspension Arm Bush - Front	↰↱	exc.Sport Susp.	EMS8260	
24d	Suspension Arm Bush - Front	↰↱	Sport Susp.	EMS8261	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2510	Outer, Ø 18mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	C180,C200,C220,C230,C200D,C220D exc.Sport Susp.	-	Inner
26[1]	Stabiliser Bar Bush - Front	⇨⇦	C180,C200,C220,C230,C200D,C220D Sport Susp.	EMB7130	Inner, Ø 24mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦	C240,C250D,C280	-	Inner
29	Suspension Arm Repair Kit - Front	⇩⇩	-ch.A443812,F500865	QSK254S	
29	Suspension Arm Repair Kit - Front	⇩⇩	ch.A443813-,F500866-	QSK250S	
30	Suspension Arm - Rear	⇩⇩		QLS2923S	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear	⇩⇩		QSJ1214S	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear	↰↱		QDL2926S	Front
32[1]	Suspension Arm - Rear	↰↱		QLS2924S	Rear, L=298mm
34a	Suspension Arm Bush - Rear	⇩⇩		EMS2499	Inner
34b	Suspension Arm Bush - Rear	⇩⇩		QSK227S	Outer, Ø 14x40x48mm
34c	Suspension Arm Bush - Rear	↰↱		EMS8526	Inner Ø 12mm
34c	Suspension Arm Bush - Rear	↰↱		EMS8527	Inner Ø 13.1mm
34c	Suspension Arm Bush - Rear	⇦⇨		EMS2494	Axle Cross Rod Bush Ø 69mm
35	Stabiliser Link - Rear	⇦⇨		QLS2922S	L=200mm
37	Suspension Arm Repair Kit - Rear	⇦⇨		EMS2492	Axle Cross Rod Bush Kit Ø 69mm
91	Subframe Bush - Rear	⇦⇨		EMS8523	

203 Series 06/00-01/08

C180,C200,C200D,C220D,C230,C240,C270D,C320 C-Klasse inc.Coupé




203 Series continued... 06/00-01/08



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3361S	Female M14x1.5, Ø 16.8 mm Cone L=176mm
1b	Tie Rod End - Outer	⇨		QR3362S	Female M14x1.5, Ø 16.8 mm Cone L=176mm
2	Rack End	⇦⇨		QR3363S	Male M14x1.5, M16x1.5 Swivel, L=245mm
20a	Suspension Arm - Front			QSJ3299S	M14x1.5mm Ball Pin, Ø 16.5mm Cone, L=410mm
20b	Suspension Arm - Front			QSJ3300S	M14x1.5mm Ball Pin, Ø 16.5mm Cone, L=410mm
22a	Suspension Arm - Front			QSJ3297S	M14x1.5mm Ball Pin, Ø 16.2mm Cone, L=345mm
22b	Suspension Arm - Front			QSJ3298S	M14x1.5mm Ball Pin, Ø 16.2mm Cone, L=345mm
24a	Suspension Arm Bush - Front			EMS8399	Inner
24b	Suspension Arm Bush - Front			EMS8398	Inner
25	Stabiliser Link - Front	⇦⇨	exc.Estate with Sports Susp., 4Matic	QLS3336S	L=276mm
25	Stabiliser Link - Front	⇦⇨	Estate with Sports Susp.	QLS3676S	
25	Stabiliser Link - Front	⇦⇨	4Matic	-	
26	Stabiliser Bar Bush - Front	⇦⇨	exc.Sports Susp.	EMB7197	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	Sports Susp.	EMB7198	Outer
30	Suspension Arm - Rear			QLS2923S	Front, Thrust Control Arm, L=313mm
30¹	Suspension Arm - Rear			QSJ3367S	Middle, Track Rod, Ø 14.0mm Cone
34	Suspension Arm Bush - Rear			QSK227S	Outer, Ø 14x40x48mm
34¹	Suspension Arm Bush - Rear			-	Inner
34²	Suspension Arm Bush - Rear	⇦⇨		EMS2494	Cross Rod Bush Ø 69mm
34c	Suspension Arm Bush - Rear			EMS8526	Inner Ø 12mm
34c	Suspension Arm Bush - Rear			EMS8527	Inner Ø 13.1mm
35a	Stabiliser Link - Rear	⇦		QLS3339S	L=188mm
35b	Stabiliser Link - Rear	⇨		QLS3340S	L=188mm
37	Suspension Arm Repair Kit - Rear	⇦⇨		EMS2492	Axle Cross Rod Bush Kit Ø 69mm
91	Subframe Bush - Rear	⇦⇨		EMS8523	

204 Series 02/07-

C180,C200,C200D,C220D,C230,C280,C320D,C350 C-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc. 4-Matic	QR3792S	Ø 16.0mm Cone
1b	Tie Rod End - Outer	⇨	exc. 4-Matic	QR3793S	Ø 16.0mm Cone
1a	Tie Rod End - Outer	⇦	4-Matic	QR3863S	
1b	Tie Rod End - Outer	⇨	4-Matic	QR3864S	
2	Rack End	⇦⇨	exc. 4-Matic	QR3637S	Male M14x1.5, M16x1.5 Swivel, L=275mm
2	Rack End	⇦⇨	4-Matic	QR3865S	
20a	Suspension Arm - Front		exc. 4-Matic	QSJ3464S	
20b	Suspension Arm - Front		exc. 4-Matic	QSJ3465S	
20a	Suspension Arm - Front		4-Matic	QSJ3716S	
20b	Suspension Arm - Front		4-Matic	QSJ3717S	
22a	Suspension Arm - Front		exc. 4-Matic	QSJ3297S	M14x1.5mm Ball Pin, Ø 16.2mm Cone, L=345mm
22b	Suspension Arm - Front		exc. 4-Matic	QSJ3298S	M14x1.5mm Ball Pin, Ø 16.2mm Cone, L=345mm
22a	Suspension Arm - Front		4-Matic	QSJ3718S	
22b	Suspension Arm - Front		4-Matic	QSJ3719S	
24	Suspension Arm Bush - Front			EMS8398	Inner
25a	Stabiliser Link - Front	⇦	exc.Sports Susp., 4-Matic	QLS3624S	L=305mm
25a	Stabiliser Link - Front	⇦	Sports Susp., 4-Matic	QLS3626S	
25b	Stabiliser Link - Front	⇨	exc.Sports Susp., 4-Matic	QLS3625S	L=305mm
25b	Stabiliser Link - Front	⇨	Sports Susp., 4-Matic	QLS3627S	
30a	Suspension Arm - Rear			QSJ3710S	Front of Wheel

204 Series continued... 02/07-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
30b	Suspension Arm - Rear			**QSJ3717S**	Rear of Wheel
30c	Suspension Arm - Rear			**QSJ3716S**	Rear of Wheel
32a	Suspension Arm - Rear			**QSJ3628S**	Front
32b	Suspension Arm - Rear			**QSJ3629S**	Front
32a[1]	Suspension Arm - Rear			**QSJ3630S**	Rear
32b	Suspension Arm - Rear			**QSJ3631S**	Rear
35a	Stabiliser Link - Rear	⇦		**QLS3588S**	L=228mm
35b	Stabiliser Link - Rear	⇨		**QLS3589S**	L=228mm

204 Series (X) 06/08-


GLK200,GLK220,GLK250,GLK280,GLK300,GLK320,GLK350 GLK-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR4062S**	
1b	Tie Rod End - Outer	⇨		**QR4063S**	
30a	Suspension Arm - Rear			**QSJ3710S**	Front of Wheel

208 Series 04/97-07/02

CLK200,CLK230,CLK320,CLK430,CLK55AMG CLK-Klasse




208 Series continued... 04/97-07/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR2874S	Female M12x1.5, Ø 16.0mm Cone, L=73mm
5	Centre Rod Assembly		CLK200,CLK200K,CLK230	QDL2873S	Complete
5	Centre Rod Assembly		CLK320,CLK430,CLK55AMG	QDL5282S	Complete
20a	Suspension Arm - Front			QSA1694S	
20b	Suspension Arm - Front			QSA1695S	
21	Ball Joint - Front			QSJ1352S	Ø 16mm Cone
22a	Suspension Arm - Front		exc.Sport Susp., exc.CLK55AMG	QSA1696S	
22a	Suspension Arm - Front		Sport Susp., CLK55AMG	QSA2050S	
22b	Suspension Arm - Front		exc.Sport Susp., exc.CLK55AMG	QSA1697S	
22b	Suspension Arm - Front		Sport Susp., CLK55AMG	QSA2051S	
24a	Suspension Arm Bush - Front			EMS8143	Front
24b	Suspension Arm Bush - Front			EMS8137	Rear
26	Stabiliser Bar Bush - Front			EMB2510	Outer, Ø 18mm
26[1]	Stabiliser Bar Bush - Front		CLK200 exc.Sport Susp.	-	Inner
26[1]	Stabiliser Bar Bush - Front		CLK200 Sport Susp.	EMB7130	Inner, Ø 24mm
26[1]	Stabiliser Bar Bush - Front		CLK200K,230K,320,430	-	Inner
26[1]	Stabiliser Bar Bush - Front		CLK55AMG	-	Inner
29	Suspension Arm Repair Kit - Front			QSK255S	
30	Suspension Arm - Rear			QLS2923S	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear			QSJ1214S	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear			QDL2926S	Front
32[1]	Suspension Arm - Rear			QLS2924S	Rear, L=298mm
34	Suspension Arm Bush - Rear			QSK227S	Outer, Ø 14x40x48mm
34[1]	Suspension Arm Bush - Rear			-	Inner
35	Stabiliser Link - Rear			QLS2922S	L=200mm

209 Series 08/02-

CLK200,CLK240,CLK270,CLK320,CLK500,CLK55AMG CLK-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3361S**	Female M14x1.5, Ø 16.8 mm Cone L=176mm
1b	Tie Rod End - Outer	⇨		**QR3362S**	Female M14x1.5, Ø 16.8 mm Cone L=176mm
2	Rack End	⇦⇨		**QR3363S**	Male M14x1.5, M16x1.5 Swivel, L=245mm
20a	Suspension Arm - Front			**QSJ3299S**	M14x1.5mm Ball Pin, Ø 16.5mm Cone, L=410mm
20b	Suspension Arm - Front			**QSJ3300S**	M14x1.5mm Ball Pin, Ø 16.5mm Cone, L=410mm
22a	Suspension Arm - Front			**QSJ3297S**	M14x1.5mm Ball Pin, Ø 16.2mm Cone, L=345mm
22b	Suspension Arm - Front			**QSJ3298S**	M14x1.5mm Ball Pin, Ø 16.2mm Cone, L=345mm
24a	Suspension Arm Bush - Front			**EMS8399**	Inner
24b	Suspension Arm Bush - Front			**EMS8398**	Inner
25	Stabiliser Link - Front	⇦⇨	exc.Sport Susp.	**QLS3336S**	L=276mm
25	Stabiliser Link - Front	⇦⇨	Sport Susp.	**QLS3676S**	
30	Suspension Arm - Rear			**QLS2923S**	Front, Thrust Control Arm, L=313mm
30¹	Suspension Arm - Rear			**QSJ1214S**	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear			**QDL2926S**	Front
32¹	Suspension Arm - Rear			**QLS2924S**	Rear, L=298mm
35a	Stabiliser Link - Rear	⇦		**QLS3339S**	L=188mm
35b	Stabiliser Link - Rear	⇨		**QLS3340S**	L=188mm

210 Series 07/95-01/02

E200,E220D,E230,E240,E250D,E270D,E280,E290D,E300D,E320,E420,E430,
exc.4Matic E-Klasse








210 Series continued... 07/95-01/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3012S	Female M14x1.5 ↻, Ø 16mm Cone, L=150mm
1b	Tie Rod End - Outer	⇨		QR3013S	Female M14x1.5 ↻, Ø 16mm Cone, L=150mm
2	Rack End	⇦⇨		QR3011S	Male M14x1.5 ↻, L=260mm, M16x1.5 Swivel
20a	Suspension Arm - Front	↲	exc.Taxi	QSA1698S	
20b	Suspension Arm - Front	↳	exc.Taxi	QSA1699S	
21	Ball Joint - Front	⇩⇩		QSJ1352S	Ø 16mm Cone
22a	Suspension Arm - Front	↰	exc.Sport Susp.	QSA2050S	
22b	Suspension Arm - Front	↱	exc.Sport Susp.	QSA2051S	
24a	Suspension Arm Bush - Front	⇩⇩		EMS8262	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8263	Rear
25a	Stabiliser Link - Front	⇦		QLS3337S	L=115mm
25b	Stabiliser Link - Front	⇨		QLS3338S	L=115mm
29	Suspension Arm Repair Kit - Front	⇩⇩		QSK256S	
30	Suspension Arm - Rear	⇩⇩		QLS2923S	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear	⇩⇩		QSJ1214S	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear	⇧⇧		QDL2926S	Front
32[1]	Suspension Arm - Rear	⇧⇧		QLS2924S	Rear, L=298mm
34	Suspension Arm Bush - Rear	⇩⇩		QSK227S	Outer, Ø 14x40x48mm
34[1]	Suspension Arm Bush - Rear	⇩⇩		-	Inner
35	Stabiliser Link - Rear	⇦⇨		QLS2922S	L=200mm

210 Series

04/97-01/02


E280,E320,E430 4Matic E-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3366S	Female M14x1.5 RH, L=205mm
1b	Tie Rod End - Outer	⇨		QR3367S	Female M14x1.5 RH, L=205mm
2	Rack End	⇦⇨		QR3368S	Male M14x1.5 RH, M16x1.5 Swivel, L=220mm
21	Ball Joint - Front			QSJ1352S	Ø 16mm Cone
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2510	Outer, Ø 18mm
30	Suspension Arm - Rear			QLS2923S	Front, Thrust Control Arm, L=313mm
30[1]	Suspension Arm - Rear			QSJ1214S	Middle, Track Rod, Ø 11.5mm Cone
32	Suspension Arm - Rear			QDL2926S	Front
32[1]	Suspension Arm - Rear			QLS2924S	Rear, L=298mm
34	Suspension Arm Bush - Rear			QSK227S	Outer, Ø 14x40x48mm
35	Stabiliser Link - Rear	⇦⇨		QLS2922S	L=200mm

211 Series 04/02-

E200,E220,E240,E270,E320,E400,E500,E55AMG E-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.4Matic (4x4)	**QR3583S**	Female M14x1.5 RH, Ø 16.5mm Cone, L=184mm
1b	Tie Rod End - Outer	⇨	exc.4Matic (4x4)	**QR3584S**	Female M14x1.5 RH, Ø 16.5mm Cone, L=184mm
2	Rack End	⇦⇨	exc.4Matic (4x4)	**QR3363S**	Male M14x1.5 RH, M16x1.5 Swivel, L=245mm
2	Rack End	⇦⇨	4Matic (4x4)	**-**	
20a	Suspension Arm - Front	↲	exc.E55AMG	**QSJ2054S**	Front, M14x1.5mm Ball Pin, Ø 17.4mm Cone, L=380mm
20a	Suspension Arm - Front	↲	E55AMG	**-**	Front
20b	Suspension Arm - Front	↳	exc.E55AMG	**QSJ2055S**	Front, M14x1.5mm Ball Pin, Ø 17.4mm Cone, L=380mm
20b	Suspension Arm - Front	↳	E55AMG	**-**	Front

211 Series continued... 04/02-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a[1]	Suspension Arm - Front			QSJ2056S	Rear, L=321mm
20b[1]	Suspension Arm - Front			QSJ2057S	Rear, L=321mm
21	Ball Joint - Front			QSJ3490S	Front
21[1]	Ball Joint - Front			QSJ2110S	Rear
22a	Suspension Arm - Front			QSA2058S	
22b	Suspension Arm - Front			QSA2059S	
23	Ball Joint - Front			QSJ3438S	Ø 13.1mm Cone, 50mm Pcd
24a	Suspension Arm Bush - Front		exc.4Matic	EMS8400	Front
24a	Suspension Arm Bush - Front		4Matic	-	Front
24b	Suspension Arm Bush - Front			EMS8402	Rear, Outer
24c	Suspension Arm Bush - Front			EMS8401	Rear, Inner
25a	Stabiliser Link - Front			QLS3341S	L=176mm
25b	Stabiliser Link - Front			QLS3342S	L=176mm
30[1]	Suspension Arm - Rear			QSJ3566S	Push Rod
30a	Suspension Arm - Rear			QSJ3581S	L=512mm
30b	Suspension Arm - Rear			QSJ3582S	L=512mm
32a	Suspension Arm - Rear			QSJ3583S	L=262mm
32b	Suspension Arm - Rear			QSJ3584S	L=262mm
32a	Suspension Arm - Rear			QSJ3585S	L=324mm
32b	Suspension Arm - Rear			QSJ3586S	L=324mm
34	Suspension Arm Bush - Rear			EMS8500	Front, Hub
35	Stabiliser Link - Rear			QLS3343S	L=260mm

212 Series 08/09-

E200,E220,E250,350,500 E-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer		exc.4Matic (4x4)	QR3936S	


continued...

212 Series continued... 08/09-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1b	Tie Rod End - Outer	⇨	exc.4Matic (4x4)	QR3937S	
2	Rack End	⇦⇨		QR3938S	
20a	Suspension Arm - Front	↲		QSJ3658S	
20b	Suspension Arm - Front	↳		QSJ3659S	
22a[1]	Suspension Arm - Front	↰		QSJ3660S	
22b[1]	Suspension Arm - Front	↱		QSJ3661S	
21	Ball Joint - Front	⇩⇩		QSJ3650S	
25a	Stabiliser Link - Front	⇦		QLS3827S	
25b	Stabiliser Link - Front	⇨		QLS3828S	
32a	Suspension Arm - Rear	↰		QSJ3628S	Front
32b	Suspension Arm - Rear	↱		QSJ3629S	Front
32a[1]	Suspension Arm - Rear	↰		QSJ3630S	Rear
32b[1]	Suspension Arm - Rear	↱		QSJ3631S	Rear
35a	Stabiliser Link - Rear	⇦		QLS3588S	L=228mm
35b	Stabiliser Link - Rear	⇨		QLS3589S	L=228mm

215 Series 09/99-07/06

CL500,CL600,CL55AMG,CL65AMG CL-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3364S	Female M14x1.5 , L=190mm
2	Rack End	⇦⇨		QR3363S	Male M14x1.5 , M16x1.5 Swivel, L=245mm
20a	Suspension Arm - Front	↲		QSJ2106S	Front
20b	Suspension Arm - Front	↳		QSJ2107S	Front

215 Series continued... 09/99-07/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front			QSJ2110S	Rear
22a	Suspension Arm - Front			QSA2453S	
22b	Suspension Arm - Front			QSA2454S	
24b	Suspension Arm Bush - Front		09/99-02/02, -ch.A028008	EMS8484	Rear, Inner
30	Suspension Arm - Rear		CL55AMG,CL500, CL600 (BM215.373/375/378)	QSJ2111S	Front, Thrust Control Arm
30	Suspension Arm - Rear		CL55AMG Kompr.,CL600 (BM215.374/376)	-	Front, Thrust Control Arm
30	Suspension Arm - Rear		CL65AMG (BM215.379)	-	Front, Thrust Control Arm
30[1]	Suspension Arm - Rear			QSJ2112S	Middle, Track Rod
32	Suspension Arm - Rear		CL55AMG,CL500, CL600 (BM215.373/375/378)	QSJ2113S	Front
32	Suspension Arm - Rear		CL55AMG Kompr.,CL600 (BM215.374/376)	-	Front
32	Suspension Arm - Rear		CL65AMG (BM215.379)	-	Front
32[2]	Suspension Arm - Rear		CL55AMG,CL500, CL600 (BM215.373/375/378)	QSJ2114S	Rear
32[2]	Suspension Arm - Rear		CL55AMG Kompr.,CL600 (BM215.374/376)	-	Rear
32[2]	Suspension Arm - Rear		CL65AMG (BM215.379)	-	Rear
34	Suspension Arm Bush - Rear			-	Outer

216 Series 08/06-


CL500,CL600,CL55AMG,CL63AMG CL-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSJ3533S	
20b	Suspension Arm - Front			QSJ3534S	
22a	Suspension Arm - Front			QSA2445S	
22b	Suspension Arm - Front			QSA2446S	
25a	Stabiliser Link - Front			QLS3605S	L=281mm
25b	Stabiliser Link - Front			QLS3606S	L=281mm
35a	Stabiliser Link - Rear			QLS3607S	L=241mm
35b	Stabiliser Link - Rear			QLS3608S	L=241mm

219 Series 07/04-

CLS320,CLS350,CLS350CDi,CLS500,CLS55AMG CLS-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		**QR3363S**	Male M14x1.5 ↻, M16x1.5 Swivel, L=245mm
20a	Suspension Arm - Front	↲	exc.E55AMG	**QSJ2054S**	Front, M14x1.5mm Ball Pin, Ø 17.4mm Cone, L=380mm
20a	Suspension Arm - Front	↲	E55AMG	**-**	Front
20b	Suspension Arm - Front	↳	exc.E55AMG	**QSJ2055S**	Front, M14x1.5mm Ball Pin, Ø 17.4mm Cone, L=380mm
20b	Suspension Arm - Front	↳	E55AMG	**-**	Front
20a¹	Suspension Arm - Front	↲		**QSJ2056S**	Rear, L=321mm
20b¹	Suspension Arm - Front	↳		**QSJ2057S**	Rear, L=321mm
21	Ball Joint - Front	⇩⇩		**QSJ3490S**	Front

219 Series continued... 07/04-


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21[1]	Ball Joint - Front			QSJ2110S	Rear
22a	Suspension Arm - Front			QSA2058S	
22b	Suspension Arm - Front			QSA2059S	
24a	Suspension Arm Bush - Front			EMS8402	Rear, Outer
24b	Suspension Arm Bush - Front			EMS8401	Rear, Inner
25a	Stabiliser Link - Front			QLS3341S	L=176mm
25b	Stabiliser Link - Front			QLS3342S	L=176mm
30[1]	Suspension Arm - Rear			QSJ3566S	Push Rod, Front
30a	Suspension Arm - Rear			QSJ3581S	Rear
30b	Suspension Arm - Rear			QSJ3582S	Rear
32a	Suspension Arm - Rear			QSJ3583S	Front
32b	Suspension Arm - Rear			QSJ3584S	Front
32a	Suspension Arm - Rear			QSJ3585S	Rear
32b	Suspension Arm - Rear			QSJ3586S	Rear
34	Suspension Arm Bush - Rear			EMS8500	Front, Hub
35	Stabiliser Link - Rear			QLS3343S	L=260mm

220 Series 09/98-08/05

S280,S320,S350,S400,S430,S500 exc.S600,4Matic S-Klasse



220 Series continued... 09/98-08/05




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3364S**	Female M14x1.5 RH, L=190mm
2	Rack End	⇦⇨		**QR3363S**	Male M14x1.5 RH, M16x1.5 Swivel, L=245mm
20a	Suspension Arm - Front	↲		**QSJ2106S**	Front
20b	Suspension Arm - Front	↳		**QSJ2107S**	Front
20a¹	Suspension Arm - Front	↲	exc.Active Body Control	**QSJ2108S**	Rear
20a¹	Suspension Arm - Front	↲	Active Body Control	**-**	Rear
20b¹	Suspension Arm - Front	↳	exc.Active Body Control	**QSJ2109S**	Rear
20b¹	Suspension Arm - Front	↳	Active Body Control	**-**	Rear
21	Ball Joint - Front	⇙⇘		**QSJ3490S**	Front
21¹	Ball Joint - Front	⇙⇘		**QSJ2110S**	Rear
22a	Suspension Arm - Front	↰		**QSA2453S**	
22b	Suspension Arm - Front	↱		**QSA2454S**	
25a	Stabiliser Link - Front	⇦	exc. 4-Matic	**QLS3344S**	L=175mm
25b	Stabiliser Link - Front	⇨	exc. 4-Matic	**QLS3345S**	L=175mm
30	Suspension Arm - Rear	⇙⇘		**QSJ2111S**	Front, Thrust Control Arm
30¹	Suspension Arm - Rear	⇙⇘		**QSJ2112S**	Middle, Track Rod
32	Suspension Arm - Rear	↰↱		**QSJ2113S**	Front
32²	Suspension Arm - Rear	↰↱		**QSJ2114S**	Rear
34a	Suspension Arm Bush - Rear	⇙⇘		**EMS8487**	Inner
34b	Suspension Arm Bush - Rear	⇙⇘		**-**	Outer
35	Stabiliser Link - Rear	⇦⇨		**QLS3009S**	L=230mm

221 Series

09/05-

S320,S350,S450,S500,S550,S63AMG,S65AMG S-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.4Matic (4x4)	**QR3667S**	Female M14x1.5 , Ø 16.6mm Cone, L=183mm
1	Tie Rod End - Outer	⇦	4Matic (4x4)	**QR3863S**	Female M14x1.5 , Ø 16.7mm Cone, L=220mm
1	Tie Rod End - Outer	⇨	4Matic (4x4)	**QR3864S**	Female M14x1.5 , Ø 16.7mm Cone, L=220mm
2	Rack End	⇦⇨	exc.4Matic (4x4)	**QR3668S**	
2	Rack End	⇦⇨	4Matic (4x4)	**QR3865S**	Male M14x1.5 , M16x1.5 Swivel, L=260mm
20a	Suspension Arm - Front			**QSJ3533S**	Front of Wheel
20b	Suspension Arm - Front			**QSJ3534S**	Front of Wheel
20a¹	Suspension Arm - Front		exc.Active Body Control	**QSJ3708S**	Rear of Wheel
20b¹	Suspension Arm - Front		exc.Active Body Control	**QSJ3709S**	Rear of Wheel
20a²	Suspension Arm - Front		Active Body Control	**QSJ3714S**	Rear of Wheel
20b²	Suspension Arm - Front		Active Body Control	**QSJ3715S**	Rear of Wheel
22a	Suspension Arm - Front			**QSA2445S**	
22b	Suspension Arm - Front			**QSA2446S**	


continued...

221 Series continued... 09/05-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24	Suspension Arm Bush - Front			**EMS8447**	Front, Rear
25a	Stabiliser Link - Front			**QLS3605S**	L=281mm
25b	Stabiliser Link - Front			**QLS3606S**	L=281mm
30a	Suspension Arm - Rear			**QSJ3539S**	
30b	Suspension Arm - Rear			**QSJ3540S**	
32a	Suspension Arm - Rear			**QSJ3537S**	Front, L=395mm
32b	Suspension Arm - Rear			**QSJ3538S**	Front, L=395mm
35a	Stabiliser Link - Rear			**QLS3607S**	L=241mm
35b	Stabiliser Link - Rear			**QLS3608S**	L=241mm

230 Series 08/01-

SL350,SL500,SL600,SL55AMG,SL65AMG SL-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR3364S**	Female M14x1.5 LH, L=190mm
2	Rack End			**QR3363S**	Male M14x1.5 LH, M16x1.5 Swivel, L=245mm
20a	Suspension Arm - Front		exc.SL55AMG,SL65AMG	**QSJ2054S**	Front, M14x1.5mm Ball Pin, Ø 17.4mm Cone, L=380mm
20a	Suspension Arm - Front		SL55AMG,SL65AMG	-	Front
20b	Suspension Arm - Front		exc.SL55AMG,SL65AMG	**QSJ2055S**	Front, M14x1.5mm Ball Pin, Ø 17.4mm Cone, L=380mm
20b	Suspension Arm - Front		SL55AMG,SL65AMG	-	Front
21	Ball Joint - Front			**QSJ3490S**	Front
21[1]	Ball Joint - Front			**QSJ2110S**	Rear
24a	Suspension Arm Bush - Front			**EMS8400**	Front

230 Series continued... 08/01-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			**EMS8484**	Rear
25a	Stabiliser Link - Front	⇦	exc.Active Body Control	**QLS3679S**	
25b	Stabiliser Link - Front	⇨	exc.Active Body Control	**QLS3680S**	
30[1]	Suspension Arm - Rear			**QSJ3566S**	Push Rod, Front
30a	Suspension Arm - Rear			**QSJ3581S**	Rear
30b	Suspension Arm - Rear			**QSJ3582S**	Rear
32a	Suspension Arm - Rear			**QSJ3583S**	Front
32b	Suspension Arm - Rear			**QSJ3584S**	Front
32a	Suspension Arm - Rear			**QSJ3585S**	Rear
32b	Suspension Arm - Rear			**QSJ3586S**	Rear
34	Suspension Arm Bush - Rear			**EMS8500**	Front, Hub
35	Stabiliser Link - Rear	⇦⇨		**QLS3343S**	L=260mm

245 Series 06/05-11/11


B150,B170,B180CDi,B200,B200CDi B-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3543S**	Female M14x1.5 LH, Ø 16.6mm Cone, L=200mm
1b	Tie Rod End - Outer	⇨		**QR3544S**	Female M14x1.5 LH, Ø 16.6mm Cone, L=200mm
2a	Rack End	⇦		**QR3542S**	Male M14x1.5 LH, L=201mm
2b	Rack End	⇨		**QR3542S**	Male M14x1.5 LH, L=201mm
20a	Suspension Arm - Front			**QSA2232S**	
20b	Suspension Arm - Front			**QSA2233S**	
21	Ball Joint - Front			**QSJ3419S**	Ø 15.5mm Cone
25	Stabiliser Link - Front	⇦⇨	-ch.1J210986 -20/01/2007	**QLS3523S**	L=244mm
25	Stabiliser Link - Front	⇦⇨	ch.1J210987- 20/01/2007-	**QLS3628S**	L=244mm, Aluminium
35	Stabiliser Link - Rear	⇦⇨		**QLS3559S**	L=87mm

246 Series 11/11-


B160CDi,B180,B180CDi,B200,B200CDi,B220,B220CDi,B250 B-Klasse



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3921S	
1b	Tie Rod End - Outer	⇨		QR3922S	
2	Rack End	⇦⇨		QR3923S	
25	Stabiliser Link - Front	⇦⇨		QLS3818S	
35	Stabiliser Link - Rear	⇦⇨		QLS3819S	

251 Series 08/05-

R280,R280CDi,R320CDi,R350,R500,R550,R63AMG R-Klasse




251 Series continued... 08/05-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3781S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR3782S	Female M14x1.5
2	Rack End	⇦⇨		QR3783S	L=223mm
20a	Suspension Arm - Front			QSA2547S	
20b	Suspension Arm - Front			QSA2548S	
21	Ball Joint - Front			QSJ3425S	Ø 19.3mm Cone
22a	Suspension Arm - Front			QSA2549S	
22b	Suspension Arm - Front			QSA2550S	
25	Stabiliser Link - Front	⇦⇨		QLS3564S	L=195mm
31	Ball Joint - Rear			QSJ3426S	
35	Stabiliser Link - Rear	⇦⇨		QLS3524S	L=150mm

414 Series 10/01-07/05

Vaneo



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3430S	Female M14x1.5, Ø 16.5mm Cone, L=210mm
1b	Tie Rod End - Outer	⇨		QR3431S	Female M14x1.5, Ø 16.5mm Cone, L=210mm
2	Rack End	⇦⇨		QR3429S	Male M14x1.5, M14x1.5 Swivel, L=214mm
21	Ball Joint - Front			QSJ2116S	Ø 15.4mm Cone, M14x1.5
20a	Suspension Arm - Front			QSA2603S	Ø 15.4mm Cone, M14x1.5
20b	Suspension Arm - Front			QSA2604S	Ø 15.4mm Cone, M14x1.5
24a	Suspension Arm Bush - Front			-	Front
24b	Suspension Arm Bush - Front			-	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3423S	L=212mm

460 Series 02/79-05/93


200GE,230G,230GE,240GD,250GD,280GE,290GD,300GD G-Wagen



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		-	
5a/5b	Centre Rod End	⇦⊐⇨		QR2397S	Male M20x1.5 ↻, Ø 18mm Cone
6a	Drag Link End	⇦		QR5223S	Male M20x1.5 ↻

638 Series 08/96-07/03

V200,V200D,V220D,V230,V230D,V280 V-Klasse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR9972S	Female M16x1.5 ↻
2	Rack End	⇦⊐⇨		QR9971S	Male M16x1.5 ↻, M16x1.5 Swivel, L=360mm
4	Tie Rod Assembly	⇦⊐⇨		QDL9546S	
20a	Suspension Arm - Front	↲		QSA2048S	Complete
20b	Suspension Arm - Front	↳		QSA2049S	Complete

638 Series continued... 08/96-07/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front			QSJ2095S	Ø 22mm Cone
24a	Suspension Arm Bush - Front			EMS8157	Front
24b	Suspension Arm Bush - Front			EMS8158	Rear
25a	Stabiliser Link - Front	⇦	exc.Diesel CDi	QLS3264S	L=250mm
25a	Stabiliser Link - Front	⇦	Diesel CDi	QLS3347S	L=232mm
25b	Stabiliser Link - Front	⇨	exc.Diesel CDi	QLS3263S	L=250mm
25b	Stabiliser Link - Front	⇨	Diesel CDi	QLS3348S	L=232mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB7123	Inner
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6103	
36[1]	Stabiliser Bar Bush - Rear	⇨⇦		EMB7124	Inner
35	Stabiliser Link - Rear	⇦⇨		QLS3265S	L=135mm

639 Series 08/03-


639711,639713,639715,639811,639813,639815 Viano



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3474S	Female M16x1.5 RH, Ø 16.9mm Cone, L=167mm
1b	Tie Rod End - Outer	⇨		QR3475S	Female M16x1.5 RH, Ø 16.9mm Cone, L=167mm
2	Rack End	⇦⇨		QR3579S	Male M16x1.5 RH, M16x1.5 Swivel, L=308mm
20a	Suspension Arm - Front			QSA2288S	
20b	Suspension Arm - Front			QSA2289S	
21	Ball Joint - Front			QSJ3415S	Ø 22mm Cone, Ø 17mm Groove
24a	Suspension Arm Bush - Front			EMS8157	Front
24b	Suspension Arm Bush - Front			EMS8157	Rear
25a	Stabiliser Link - Front	⇦		QLS3547S	L=280mm
25b	Stabiliser Link - Front	⇨		QLS3548S	L=280mm
35	Stabiliser Link - Rear	⇦⇨		QLS3900S	

MB100 04/88-10/95


631 Series ch.013458-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR3007S	Male M20x1.5 ↺, Ø 18.0mm Cone, L=93mm
1b	Side Rod End - Outer	⇨		QR2397S	Male M20x1.5 ↻, Ø 18mm Cone
2a	Side Rod End - Inner	⇦		QR2397S	Male M20x1.5 ↻, Ø 18mm Cone
2b	Side Rod End - Inner	⇨		QR3007S	Male M20x1.5 ↺, Ø 18.0mm Cone, L=93mm
4	Side Rod Assembly	⇦⇨		QDL3021S	
6	Drag Link Assembly			QDL3012S	
6a/6b	Drag Link End			⇦⇨	QR3002S Male M18x1.5 ↻, L=90mm
21	Ball Joint - Front	⇩⇧		QSJ3009S	Ø 22mm Cone

Sprinter 901,902 2-ton 12/94-05/06

208D,208CDi,210D,211CDi,212D,213CDi,214,216CDi




Sprinter 901,902 2-ton continued... 12/94-05/06



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9969S	Female M16x1.5
2	Rack End	⇦⇨		QR9970S	Male M16x1.5 , L=400mm
4	Tie Rod Assembly	⇦⇨		-	
20a	Suspension Arm - Front	↲	exc.4x4	QSA2236S	
20b	Suspension Arm - Front	↳	exc.4x4	QSA2237S	
21	Ball Joint - Front	⇦⇨	exc.4x4	QSJ9968S	Ø 23.65mm Cone, Ø M20x1.5
24	Suspension Arm Bush - Front	⇦⇨		EMS8407	Front, Rear
25a	Stabiliser Link - Front	⇦		QLS3316S	L=112mm
25b	Stabiliser Link - Front	⇨		QLS3317S	L=112mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		EMB7196	Inner
27	Stabiliser Link Bush - Front	⇦⇨		EMB7215	
18	Leaf Spring Bush - Rear	⇦⇨		EMS8483	Front
35	Stabiliser Link - Rear	⇦⇨	exc.4x4	QLS3526S	L=95mm
35	Stabiliser Link - Rear	⇦⇨	4x4	-	

Sprinter 903,904 3-ton,4-ton 12/94-05/06

308D,308CDi,310D,311CDi,312D,313CDi,314,316CDi,408D,408CDi,410D,
411CDi,412D,413CDi,414,416CDi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9969S**	Female M16x1.5
2	Rack End	⇦⇨		**QR9970S**	Male M16x1.5 , L=400mm
4	Tie Rod Assembly	⇦⇨		**-**	
20a	Suspension Arm - Front		exc.4x4	**QSA2236S**	
20b	Suspension Arm - Front		exc.4x4	**QSA2237S**	
21	Ball Joint - Front		exc.4x4	**QSJ9968S**	Ø 23.65mm Cone, Ø M20x1.5
25a	Stabiliser Link - Front	⇦		**QLS3316S**	L=112mm
25b	Stabiliser Link - Front	⇨		**QLS3317S**	L=112mm
27	Stabiliser Link Bush - Front	⇦⇨		**EMB7215**	
35	Stabiliser Link - Rear	⇦⇨	exc.4x4, exc. 4 Tonne	**QLS3526S**	L=95mm
35	Stabiliser Link - Rear	⇦⇨	exc.4x4, 4 Tonne	**QLS3898S**	
35	Stabiliser Link - Rear	⇦⇨	4x4	**QLS3899S**	
36	Stabiliser Bar Bush - Rear	⇦⇨	exc. 4 Tonne	**EMB7199**	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨	4 Tonne	**EMB7200**	Outer

Sprinter 905 6-ton — 06/03-05/06


616CDi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25a	Stabiliser Link - Front	⇦		**QLS3533S**	L=130mm
25b	Stabiliser Link - Front	⇨		**QLS3534S**	L=130mm

Sprinter 906 — 06/06-


209D,211D,213D,215D,218D,224,309D,311D,313D,315D,318D,324,411D,415D,
418D,424,509D,511D,515D,518D,524



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3618S**	Female M16x1.5 RH, Ø 16.8mm Cone, L=90mm
2	Rack End	⇦⇨		**QR3619S**	Male M16x1.5 RH, M18x1.5 Swivel, L=399mm
20a	Suspension Arm - Front	↲		**QSA2370S**	
20b	Suspension Arm - Front	↳		**QSA2371S**	
21	Ball Joint - Front	⇩⇩		**QSJ3435S**	
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8425**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS8426**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3572S**	L=138mm
25b	Stabiliser Link - Front	⇨		**QLS3573S**	L=138mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7251**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7252**	Outer, Ø 23mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3560S**	
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7250**	Outer

T1 601 2-ton 08/77-04/95


207,207D,208,208D,209D,210,210D



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Axle 730.404/446/447/448	QR2518S	Male M20x1.5, Ø 16.2mm Cone, L=95mm
1a	Tie Rod End - Outer	⇦	Axle 730.403/445	QR2523S	Male M24x1.5, Ø 16.2mm Cone
1b	Tie Rod End - Outer	⇨	Axle 730.404/446/447/448	QR2519S	Male M20x1.5, Ø 16.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨	Axle 730.403/445	QR2524S	Male M24x1.5, Ø 16.2mm Cone
4[1]	Tie Rod Assembly		Axle 730.403/445	QDL9547S	M24, Ø 16.3mm Cone, M14x1.5, L=1345mm
6	Drag Link Assembly		, -ch.152919, -ch.152683	QDL2521S	L=486mm
6	Drag Link Assembly		, ch.152920-, ch.152684-	QDL2527S	L=470mm
6	Drag Link Assembly		-ch.166248	QDL2521S	L=486mm
6	Drag Link Assembly		ch.166249-	QDL2527S	L=470mm
6	Drag Link Assembly			-	L=470mm
6a	Drag Link End	⇦	Short	QR2517S	Male M22x1.5, Ø 16.2mm Cone, L=95mm
6b	Drag Link End	⇨	Long , ch.152646-, ch.152684-	QR2783S	Male M22x1.5, Ø 16.1mm Cone

T1 602 3-ton 08/77-04/95

307D,308,308D,309D,310,310D




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Axle 730.404/446/447/448	QR2518S	Male M20x1.5, Ø 16.2mm Cone, L=95mm
1a	Tie Rod End - Outer	⇦	Axle 730.403/445	QR2523S	Male M24x1.5, Ø 16.2mm Cone
1b	Tie Rod End - Outer	⇨	Axle 730.404/446/447/448	QR2519S	Male M20x1.5, Ø 16.2mm Cone, L=95mm

T1 602 3-ton continued... 08/77-04/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1b	Tie Rod End - Outer	⇨	Axle 730.403/445	**QR2524S**	Male M24x1.5 , Ø 16.2mm Cone
4[1]	Tie Rod Assembly	⇦⇨	Axle 730.403/445	**QDL9547S**	M24, Ø 16.3mm Cone, M14x1.5, L=1345mm
6	Drag Link Assembly		, -ch.152645, -ch.152683	**QDL2521S**	L=486mm
6	Drag Link Assembly		, ch.152646-, ch.152684-	**QDL2527S**	L=470mm
6	Drag Link Assembly		-ch.166248	**QDL2521S**	L=486mm
6	Drag Link Assembly		ch.166249-	**QDL2527S**	L=470mm
6	Drag Link Assembly			**-**	L=470mm
6a	Drag Link End	⇦	Short	**QR2517S**	Male M22x1.5 , Ø 16.2mm Cone, L=95mm
6b	Drag Link End	⇨	Long , ch.152646-, ch.152684-	**QR2783S**	Male M22x1.5 , Ø 16.1mm Cone

T1 611 4-ton 04/81-10/94

407D,408D,409D,410,410D




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
6	Drag Link Assembly			**QDL2527S**	L=470mm
6a	Drag Link End	⇦	Short	**QR2517S**	Male M22x1.5 , Ø 16.2mm Cone, L=95mm
6b	Drag Link End	⇨	Long	**QR2783S**	Male M22x1.5 , Ø 16.1mm Cone

Vito 638

11/95-07/03

108D,110D,112D,113,114




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9972S**	Female M16x1.5
2	Rack End	⇦⇨		**QR9971S**	Male M16x1.5 , M16x1.5 Swivel, L=360mm
4	Tie Rod Assembly	⇦⇨		**QDL9546S**	
20a	Suspension Arm - Front	↲		**QSA2048S**	Complete
20b	Suspension Arm - Front	↳		**QSA2049S**	Complete
21	Ball Joint - Front	⇦⇨		**QSJ2095S**	Ø 22mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8157**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8158**	Rear
25a	Stabiliser Link - Front	⇦	exc.Diesel CDi	**QLS3264S**	L=250mm
25a	Stabiliser Link - Front	⇦	Diesel CDi	**QLS3347S**	L=232mm
25b	Stabiliser Link - Front	⇨	exc.Diesel CDi	**QLS3263S**	L=250mm
25b	Stabiliser Link - Front	⇨	Diesel CDi	**QLS3348S**	L=232mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7123**	Inner
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6103**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3265S**	L=135mm
36¹	Stabiliser Bar Bush - Rear	⇨⇦		**EMB7124**	Inner

Vito 639

109,111,115,119,120,122.123


08/03-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3474S**	Female M16x1.5 RH, Ø 16.9mm Cone, L=167mm
1b	Tie Rod End - Outer	⇨		**QR3475S**	Female M16x1.5 RH, Ø 16.9mm Cone, L=167mm
2	Rack End	⇦⇨		**QR3579S**	Male M16x1.5 RH, M16x1.5 Swivel, L=308mm
20a	Suspension Arm - Front			**QSA2288S**	
20b	Suspension Arm - Front			**QSA2289S**	
21	Ball Joint - Front			**QSJ3415S**	Ø 22mm Cone, Ø 17mm Groove
24a	Suspension Arm Bush - Front			**EMS8157**	Front
24b	Suspension Arm Bush - Front			**EMS8157**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3547S**	L=280mm
25b	Stabiliser Link - Front	⇨		**QLS3548S**	L=280mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3900S**	


3000 GT — 06/92-06/99

Z16A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR2875S	Female M14x1.5 , Ø 13.5mm Cone
25	Stabiliser Link - Front	⇦⊐⇨		QLS1831S	L=60mm

ASX — 05/10-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR3996S	
2	Rack End	⇦⊐⇨		QR3997S	
25	Stabiliser Link - Front	⇦⊐⇨		QLS3557S	L=265mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB7278	Outer

Carisma — 03/95-10/04

DA1A,DA2A,DA3A,DA4A



Carisma continued... 03/95-10/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2304S**	Female M12x1.25 RH, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨		**QR9278S**	Male M12x1.25 RH
2	Rack End	⇦⇨		**QR3551S**	Male M12x1.25 RH, M16x1.5 Swivel, L=325mm
20a	Suspension Arm - Front	↲	03/95-02/99	**QSA1763S**	
20a	Suspension Arm - Front	↲	03/99-10/04	**QSA2292S**	
20b	Suspension Arm - Front	↳	03/95-02/99	**QSA1783S**	
20b	Suspension Arm - Front	↳	03/99-10/04	**QSA2293S**	
21	Ball Joint - Front	⇩⇩	03/95-02/99	**QSJ1124S**	Ø 15mm Cone
21	Ball Joint - Front	⇩⇩	03/99-10/04	**-**	
24a	Suspension Arm Bush - Front	↲		**EMS8024**	Rear
24b	Suspension Arm Bush - Front	↳		**EMS8023**	Rear
25	Stabiliser Link - Front	⇦⇨	exc 1.3	**QLS3251S**	L=200mm
34	Suspension Arm Bush - Rear	⇩⇩		**EMS3470**	Axle
35	Stabiliser Link - Rear	⇦⇨	1.8i	**QLS1833S**	L=76mm

Challenger 11/98-10/00

K94W,K96W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21a	Ball Joint - Front	↲		**QSJ9287S**	Ø 19.7mm Cone
21b	Ball Joint - Front	↳		**QSJ9288S**	Ø 19.7mm Cone
23	Ball Joint - Front	⇦⇧⇨		**QSJ9286S**	Ø 16mm Cone

Colt 05/84-04/88


C11A,C12A,C13A,C14A,C15A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	05/84-05/86	QR2303S	Female M14x1.5 , Ø 13.4mm Cone
1	Tie Rod End - Outer	⇦⇨	06/86-04/88	QR2304S	Female M12x1.25 , Ø 13.4mm Cone, L=78mm
21	Ball Joint - Front			QSJ1124S	Ø 15mm Cone

Colt 04/88-11/91


C51A,C52A,C53A,C54A,C58A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2304S	Female M12x1.25 , Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨		-	Male M12x1.25 , M16x1.5 Swivel, L=315mm
2	Rack End	⇦⇨		QR9282S	Male M12x1.25 , M16x1.5 Swivel, L=330mm
21	Ball Joint - Front			QSJ1124S	Ø 15mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS1831S	L=60mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5015	

Colt 12/91-02/96

CA1A,CA4A,CA5A,CC4A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2304S	Female M12x1.25, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨		QR9282S	Male M12x1.25, M16x1.5 Swivel, L=330mm
20a	Suspension Arm - Front	↲		QSA1918S	
20b	Suspension Arm - Front	↳		QSA1919S	
21	Ball Joint - Front	⇩⇧		QSJ1124S	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇩⇧		EMS8147	Front
24b	Suspension Arm Bush - Front	↲		EMS8024	Rear
24c	Suspension Arm Bush - Front	↳		EMS8023	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7007	Outer, Ø 22.5mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5001	
34	Suspension Arm Bush - Rear	⇩⇧		EMS3470	Axle
35	Stabiliser Link - Rear	⇦⇨	exc.1.8 GTi	QLS1833S	L=76mm
35	Stabiliser Link - Rear	⇦⇨	1.8 GTi	QLS1832S	L=105mm

Colt 12/91-02/96

C51A,C52A,C53A,C54A,C58A




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3797S	

Colt

CJ1A,CJ4A

03/96-05/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2304S	Female M12x1.25 RH, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨		QR9282S	Male M12x1.25 RH, L=330mm
21	Ball Joint - Front			QSJ1124S	Ø 15mm Cone
20a	Suspension Arm - Front			QSA2290S	
20b	Suspension Arm - Front			QSA2291S	
25	Stabiliser Link - Front	⇦⇨		QLS3612S	L=138mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7008	Outer, Ø 18mm
61	Top Strut Bearing - Front	⇦⇨		QAM154	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	03/97-05/04	EMR6043	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	03/96-03/97	EMA5014	
34	Suspension Arm Bush - Rear			EMS3470	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	01/97-05/04	EMR6042	

Colt 06/04-04/14


S45,T45,Z32,Z34,Z36,Z37,Z38,,Z39,Z44,Z45



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3659S	Female M12x1.25 , Ø 12.3mm Cone, L=70.5mm
20a	Suspension Arm - Front			QSA2417S	
20b	Suspension Arm - Front			QSA2418S	
21	Ball Joint - Front			QSJ3421S	Ø 14.6mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3568S	L=325mm

Galant 01/88-10/92

E31A,E32A,E33A,E34A,E38A 4x4,E39A




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2450S	Female M14x1.5 , Ø 13.3mm Cone, L=69mm
2	Rack End	⇦⇨	exc.E38A 4x4	QR2541S	Male M14x1.5 , M16x1.5 Swivel, L=335mm
21	Ball Joint - Front			QSJ1124S	Ø 15mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS1831S	L=60mm

Galant

11/92-09/96


E52A,E54A,E55A,E57A,E64A,E75A 4x4,E88A 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR5246S**	Female M14x1.5mm, M10x1.25mm Ball Pin, L=74mm
2	Rack End	⇦⇨		**QR3310S**	Male M14x1.5, M16 Swivel, L=253mm
20a	Suspension Arm - Front			**QSJ3246S**	Front of Wheel, Ø 16mm Cone, L=336mm
20b	Suspension Arm - Front			**QSJ3247S**	Front of Wheel, Ø 16mm Cone, L=336mm
20a¹	Suspension Arm - Front			**QSJ3248S**	Rear of Wheel, Ø 15.5mm Cone, L=425mm
20b¹	Suspension Arm - Front			**QSJ3249S**	Rear of Wheel, Ø 15.5mm Cone, L=425mm
22a	Suspension Arm - Front			**QSJ3250S**	Front of Wheel, M10 Ball Pin, Ø 13.5mm Cone, L=195mm
22b	Suspension Arm - Front			**QSJ3251S**	Front of Wheel, M10 Ball Pin, Ø 13.5mm Cone, L=195mm
25	Stabiliser Link - Front	⇦⇨		**QLS3365S**	L=122mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6042**	
35	Stabiliser Link - Rear	⇦⇨		**QLS1831S**	L=60mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6042**	

Galant 10/96-10/03

EA2A,EA3A,EA5A,EA6A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5246S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=74mm
2	Rack End	⇦⇨		QR3310S	Male M14x1.5, M16 Swivel, L=253mm
20a	Suspension Arm - Front	↲		QSJ3246S	Front of Wheel, Ø 16mm Cone, L=336mm
20b	Suspension Arm - Front	↳		QSJ3247S	Front of Wheel, Ø 16mm Cone, L=336mm
20a¹	Suspension Arm - Front	↲		QSJ3248S	Rear of Wheel, Ø 15.5mm Cone, L=425mm
20b¹	Suspension Arm - Front	↳		QSJ3249S	Rear of Wheel, Ø 15.5mm Cone, L=425mm
22a	Suspension Arm - Front	↰		QSJ3250S	Front of Wheel, M10 Ball Pin, Ø 13.5mm Cone, L=195mm
22b	Suspension Arm - Front	↱		QSJ3251S	Front of Wheel, M10 Ball Pin, Ø 13.5mm Cone, L=195mm
25	Stabiliser Link - Front	⇦⇨		QLS3365S	L=122mm
35	Stabiliser Link - Rear	⇦⇨		QLS1821S	L=60mm

Grandis 06/03-03/11

NA4W,NA8W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3735S	
2	Rack End	⇦⇨		QR3823S	Male M14x1.5, M18 x 1.5 Swivel, L=258mm


i-MiEV 08/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2304S	Female M12x1.25, Ø 13.4mm Cone, L=78mm

Lancer 02/84-05/92


C12A,C12V,C14A,C14V,C15A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	02/84-05/86	QR2303S	Female M14x1.5, Ø 13.4mm Cone
1	Tie Rod End - Outer	⇦⇨	06/86-05/92	QR2304S	Female M12x1.25, Ø 13.4mm Cone, L=78mm
21	Ball Joint - Front			QSJ1124S	Ø 15mm Cone

Lancer 05/88-12/95

C661A,C62A,C63A,C64A,C68A 05/88-05/92, C66A,C67A,C68A,C69A,C76A, C77A 06/92-12/95




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2304S	Female M12x1.25, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨		-	Male M12x1.25, M16x1.5 Swivel, L=315mm
2	Rack End	⇦⇨		QR9282S	Male M12x1.25, L=330mm

Lancer continued... 05/88-12/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		06/92-12/95	**QSA1918S**	
20b	Suspension Arm - Front		06/92-12/95	**QSA1919S**	
21	Ball Joint - Front			**QSJ1124S**	Ø 15mm Cone
25	Stabiliser Link - Front		05/88-05/92	**QLS1831S**	L=60mm
25	Stabiliser Link - Front		06/92-12/95	**-**	
63	Top Strut Mounting - Front inc.Bearing			**EMA5015**	

Lancer 09/03-03/07


CS1A,CS3A,CS5A,CS9A,CS3W,CS9W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR2304S**	
2	Rack End			**QR3654S**	Male M12x1.25, M16x1.5 Swivel, L=329mm
20a	Suspension Arm - Front			**QSA2573S**	Ø 20mm Cone
20b	Suspension Arm - Front			**QSA2574S**	Ø 20mm Cone
21	Ball Joint - Front			**QSJ1124S**	Ø 15mm Cone
25	Stabiliser Link - Front			**QLS3612S**	L=138mm
30	Suspension Arm - Rear			**QSJ3728S**	
35	Stabiliser Link - Rear			**QLS3839S**	

Lancer 03/07-

CX1A,CX2A,CX3A,CX4A,CX6A,CX8A,CX9A




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3735S	
2	Rack End	⇦⇨		QR3737S	
20a	Suspension Arm - Front	↲		QSA2523S	
20b	Suspension Arm - Front	↳		QSA2524S	
21	Ball Joint - Front	⇩⇩		QSJ3549S	
25	Stabiliser Link - Front	⇦⇨		QLS3557S	
30	Suspension Arm - Rear	⇩⇩		QSJ3782S	
32	Suspension Arm - Rear	⇧⇧		QSJ3727S	

Montero 03/91-08/99

V21,23,24,25,26,43,44,45,46C/W



Montero continued... 03/91-08/99




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR9284S	Male M16x1.5
2	Side Rod End - Inner	⇦⇨		QR9285S	Male M16x1.5
7	Idler Arm Assembly			QDL5258S	
8	Pitman Arm			-	
8	Pitman Arm			QD2818S	
21a	Ball Joint - Front	⇦		QSJ9287S	Ø 19.7mm Cone
21b	Ball Joint - Front	⇨		QSJ9288S	Ø 19.5mm Cone
22a	Suspension Arm - Front	⇦		QSJ3254S	M14x1.5mm Ball Pin, Ø 16mm Cone, L=195mm
22b	Suspension Arm - Front	⇨		QSJ3255S	M14x1.5mm Ball Pin, Ø 16mm Cone, L=195mm
23	Ball Joint - Front	⇦⇨		QSJ9286S	Ø 16mm Cone
25a	Stabiliser Link - Front	⇦		QLS3318S	L=79mm
25b	Stabiliser Link - Front	⇨		QLS3319S	L=79mm
30	Suspension Arm - Rear			QLS1849S	Radius Rod, L=86mm
35	Stabiliser Link - Rear	⇦⇨		QLS3436S	L=150mm

Montero

09/99-08/06

V64W,V65W,V68W,V75W,V78W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3477S**	Male M16x1.5 ,Ø 13.5mm Cone , L=205mm
1b	Tie Rod End - Outer	⇨		**QR3478S**	Male M16x1.5 ,Ø 13.5mm Cone , L=205mm
2	Rack End	⇦⇨		**QR3479S**	Male M16x1.5 ,M16x1.5 Swivel, L=220mm
21	Ball Joint - Front	⇩⇩		**QSJ3370S**	Ø 19.5mm Cone
22a	Suspension Arm - Front	⇦		**QSA2484S**	
22b	Suspension Arm - Front	⇨		**QSA2485S**	
23	Ball Joint - Front	⇧⇧		**QSJ3508S**	
25a	Stabiliser Link - Front	⇦		**QLS3480S**	L=78mm
25b	Stabiliser Link - Front	⇨		**QLS3481S**	L=78mm
35a	Stabiliser Link - Rear	⇦		**QLS3482S**	L=115mm
35b	Stabiliser Link - Rear	⇨		**QLS3483S**	L=115mm

Montero 09/06-

V87W,V88W,V97W,V98W









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3669S	
1b	Tie Rod End - Outer	⇨		QR3670S	
25a	Stabiliser Link - Front	⇦		QLS3553S	L=78mm
25b	Stabiliser Link - Front	⇨		QLS3554S	L=78mm

Outlander 04/03-10/06

CU1W,CU2W,CU4W,CU5W










KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3759S	Male M14x1.5 ↻ ,M16x1.5 Swivel, L=340mm
25	Stabiliser Link - Front	⇦⇨		QLS3719S	

Outlander 11/06-12/13


CW5W,CW8W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3735S	
2	Rack End	⇦⇨		QR3737S	
20a	Suspension Arm - Front	↲		QSA2523S	
20b	Suspension Arm - Front	↳		QSA2524S	
21	Ball Joint - Front	⇦⇨		QSJ3549S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8566	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8531	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3557S	L=265mm
35a	Stabiliser Link - Rear	⇦		QLS3555S	L=80mm
35b	Stabiliser Link - Rear	⇨		QLS3556S	L=80mm

Outlander 04/12-

GF2W,GF3W,GF4W,GF6W,GF7W




Outlander continued... 04/12-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3735S	
2	Rack End	⇦⇨		QR3737S	
20a	Suspension Arm - Front		-05/15	QSA2523S	
20b	Suspension Arm - Front		-05/15	QSA2524S	
21	Ball Joint - Front		-05/15	QSJ3549S	

Pajero 03/91-08/99

V21,23,24,25,26,43,44,45,46C/W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR9284S	Male M16x1.5
2	Side Rod End - Inner	⇦⇨		QR9285S	Male M16x1.5
7	Idler Arm Assembly			QDL5258S	


continued...

Pajero continued... 03/91-08/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
8	Pitman Arm			-	
8	Pitman Arm			QD2818S	
21a	Ball Joint - Front			QSJ9287S	Ø 19.7mm Cone
21b	Ball Joint - Front			QSJ9288S	Ø 19.5mm Cone
22a	Suspension Arm - Front			QSJ3254S	M14x1.5mm Ball Pin, Ø 16mm Cone, L=195mm
22b	Suspension Arm - Front			QSJ3255S	M14x1.5mm Ball Pin, Ø 16mm Cone, L=195mm
23	Ball Joint - Front			QSJ9286S	Ø 16mm Cone
25a	Stabiliser Link - Front			QLS3318S	L=79mm
25b	Stabiliser Link - Front			QLS3319S	L=79mm
30	Suspension Arm - Rear			QLS1849S	Radius Rod, L=86mm
35	Stabiliser Link - Rear			QLS3436S	L=150mm

Pajero 09/99-08/06

V64W,V65W,V68W,V75W,V78W




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR3477S	Male M16x1.5 ,Ø 13.5mm Cone , L=205mm
1b	Tie Rod End - Outer			QR3478S	Male M16x1.5 ,Ø 13.5mm Cone , L=205mm
2	Rack End			QR3479S	Male M16x1.5 ,M16x1.5 Swivel, L=220mm
21	Ball Joint - Front			QSJ3370S	Ø 19.5mm Cone
22a	Suspension Arm - Front			QSA2484S	
22b	Suspension Arm - Front			QSA2485S	
23	Ball Joint - Front			QSJ3508S	
25a	Stabiliser Link - Front			QLS3480S	L=78mm
25b	Stabiliser Link - Front			QLS3481S	L=78mm

Pajero continued... 09/99-08/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35a	Stabiliser Link - Rear	⇦		QLS3482S	L=115mm
35b	Stabiliser Link - Rear	⇨		QLS3483S	L=115mm

Pajero 09/06-12/10


V87W,V88W,V97W,V98W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3669S	
1b	Tie Rod End - Outer	⇨		QR3670S	
25a	Stabiliser Link - Front	⇦		QLS3553S	L=78mm
25b	Stabiliser Link - Front	⇨		QLS3554S	L=78mm

Pajero Pinin 05/99-02/05

H66W,H77W





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5246S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=74mm
2	Rack End	⇦⇨		QR3745S	L=364mm
20a	Suspension Arm - Front	↲		QSA2072S	
20b	Suspension Arm - Front	↳		QSA2073S	
24	Suspension Arm Bush - Front	⇦⇨		EMS8414	
25	Stabiliser Link - Front	⇦⇨		QLS1831S	L=60mm

Shogun 03/91-08/99

V21,23,24,25,26,43,44,45,46C/W








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR9284S	Male M16x1.5
2	Side Rod End - Inner	⇦⇨		QR9285S	Male M16x1.5
7	Idler Arm Assembly			QDL5258S	
8	Pitman Arm			-	
8	Pitman Arm			QD2818S	
21a	Ball Joint - Front			QSJ9287S	Ø 19.7mm Cone
21b	Ball Joint - Front			QSJ9288S	Ø 19.5mm Cone
22a	Suspension Arm - Front			QSJ3254S	M14x1.5mm Ball Pin, Ø 16mm Cone, L=195mm
22b	Suspension Arm - Front			QSJ3255S	M14x1.5mm Ball Pin, Ø 16mm Cone, L=195mm
23	Ball Joint - Front			QSJ9286S	Ø 16mm Cone
25a	Stabiliser Link - Front	⇦		QLS3318S	L=79mm
25b	Stabiliser Link - Front	⇨		QLS3319S	L=79mm
30	Suspension Arm - Rear			QLS1849S	Radius Rod, L=86mm

Shogun continued... 03/91-08/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35	Stabiliser Link - Rear	⇦⇨		QLS3436S	L=150mm

Shogun 09/99-08/06


V64W,V65W,V68W,V75W,V78W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3477S	Male M16x1.5 ,Ø 13.5mm Cone , L=205mm
1b	Tie Rod End - Outer	⇨		QR3478S	Male M16x1.5 ,Ø 13.5mm Cone , L=205mm
2	Rack End	⇦⇨		QR3479S	Male M16x1.5 ,M16x1.5 Swivel, L=220mm
20a	Suspension Arm - Front			QSA2667S	
20b	Suspension Arm - Front			QSA2668S	
21	Ball Joint - Front			QSJ3370S	Ø 19.5mm Cone
22a	Suspension Arm - Front			QSA2484S	
22b	Suspension Arm - Front			QSA2485S	
23	Ball Joint - Front			QSJ3508S	
25a	Stabiliser Link - Front	⇦		QLS3480S	L=78mm
25b	Stabiliser Link - Front	⇨		QLS3481S	L=78mm
35a	Stabiliser Link - Rear	⇦		QLS3482S	L=115mm
35b	Stabiliser Link - Rear	⇨		QLS3483S	L=115mm

Shogun 09/06-


V87W,V88W,V97W,V98W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3669S	
1b	Tie Rod End - Outer	⇨		QR3670S	
2	Rack End	⇦⇨		QR3999S	
22a	Suspension Arm - Front	↰		QSA2484S	
22b	Suspension Arm - Front	↱		QSA2485S	
25a	Stabiliser Link - Front	⇦		QLS3553S	L=78mm
25b	Stabiliser Link - Front	⇨		QLS3554S	L=78mm

Shogun Pinin 05/99-02/05


H66W,H77W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5246S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=74mm
2	Rack End	⇦⇨		QR3745S	L=364mm
20a	Suspension Arm - Front	↲		QSA2072S	
20b	Suspension Arm - Front	↳		QSA2073S	
24	Suspension Arm Bush - Front	⇦⇨		EMS8414	
25	Stabiliser Link - Front	⇦⇨		QLS1831S	L=60mm

Sigma
F16A,F07W


11/90-10/96



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5246S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=74mm
25	Stabiliser Link - Front	⇦⇨	exc.Estate	QLS1831S	L=60mm
35	Stabiliser Link - Rear	⇦⇨		QLS1821S	L=60mm

Space Gear
PA3W,PA4W,PA5W,PC5W


12/94-05/00



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front	⇩⇧		QSJ1333S	Ø 19.5mm Cone
23	Ball Joint - Front	⇧⇩		QSJ1332S	Ø 17.5mm Cone

Space Runner
N11W,N18W,N21W

06/91-09/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5246S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=74mm
2	Rack End	⇦⇨		QR3721S	

continued...

Space Runner continued... 06/91-09/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25a	Stabiliser Link - Front	⇦		**QLS3363S**	L=53mm
25b	Stabiliser Link - Front	⇨		**QLS3364S**	L=53mm

Space Runner 10/99-04/03

N63W,N64W






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR5246S**	Female M14x1.5mm, M10x1.25mm Ball Pin, L=74mm

Space Star 08/98-03/06


DG1A,DG3A,DG4A,DG5A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2304S**	Female M12x1.25, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨		**QR3551S**	Male M12x1.25, M16x1.5 Swivel, L=325mm
24a	Suspension Arm Bush - Front	⇦		**EMS8024**	Rear
24b	Suspension Arm Bush - Front	⇨		**EMS8023**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3612S**	L=138mm
34	Suspension Arm Bush - Rear	⇦⇨		**EMS3470**	Axle

Spacewagon 05/91-11/98

N31W,N33W,N34W,N35W,N38W,N41W,N43W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5246S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=74mm
2	Rack End	⇦⇨		QR3721S	
25a	Stabiliser Link - Front	⇦		QLS3363S	L=53mm
25b	Stabiliser Link - Front	⇨		QLS3364S	L=53mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	05/91-07/94	EMA5016	

Spacewagon 12/98-05/03

N84W,N94W



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5246S	Female M14x1.5mm, M10x1.25mm Ball Pin, L=74mm
35	Stabiliser Link - Rear	⇦⇨		QLS3689S	L=150mm

L200 — 11/86-08/96


K11T,K12T,K14T 2x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSJ3252S**	M8x1.25mm Ball Pin, L=335mm
20b	Suspension Arm - Front			**QSJ3253S**	M8x1.25mm Ball Pin, L=335mm
22a	Suspension Arm - Front			**QSA9292S**	
22b	Suspension Arm - Front			**QSA9293S**	
23	Ball Joint - Front			**QSJ1125S**	Ø 16.4mm Cone

L200 — 11/86-08/96

K22T,K24T,K32T,K33T,K34T 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer			**QR2308S**	Male M16x1.5 LH, Ø 13.5mm Cone
2	Side Rod End - Inner			**QR2309S**	Male M16x1.5 RH, Ø 13.4mm Cone, L=173mm
21	Ball Joint - Front			**QSJ1126S**	Ø 19.5mm Cone
23	Ball Joint - Front			**QSJ1125S**	Ø 16.4mm Cone

L200 — 01/96-03/06

K62T,K64T 2x4



L200 continued... 01/96-03/06




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR3601S	Male M16x1.5 , Ø 13.6mm Cone, L=86mm
2	Side Rod End - Inner	⇦⇨		QR3476S	Male M16x1.5 , Ø 13.5mm Cone, L=205mm
20a	Suspension Arm - Front	↲		QSA2719S	
20b	Suspension Arm - Front	↳		QSA2720S	
21	Ball Joint - Front	⇩⇩		QSJ909S	
22a	Suspension Arm - Front	↰		QSA2671S	
22b	Suspension Arm - Front	↱		QSA2672S	
23	Ball Joint - Front	⇦⇧⇨		QSJ1125S	

L200 01/96-03/06

K74T,K75T 4x4





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR9284S	Male M16x1.5
21a	Ball Joint - Front	↲		QSJ9287S	
21b	Ball Joint - Front	↳		QSJ9288S	
22a	Suspension Arm - Front	↰		QSJ3254S	
22b	Suspension Arm - Front	↱		QSJ3255S	
23	Ball Joint - Front	⇦⇧⇨		QSJ9286S	
24a	Suspension Arm Bush - Front	⇩⇩		EMS8019	Front


continued...

L200 continued... 01/96-03/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			EMS8020	Rear

L200 03/06-


KA4T,KB4T 2x4, 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End			QR3756S	Male M16x1.5 , M16 X1.5 Swivel, L=218mm
20a	Suspension Arm - Front			QSA2669S	
20b	Suspension Arm - Front			QSA2670S	
22a	Suspension Arm - Front			QSA2715S	
22b	Suspension Arm - Front			QSA2716S	
25a	Stabiliser Link - Front			QLS3904S	
25b	Stabiliser Link - Front			QLS3905S	

L300 02/80-05/94

L032P 02/80-10/86, L039P,L062P 11/86-05/94 Pick-up, Chassis Cab




L300 continued... 02/80-05/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	02/80-05/83	QR2818S	Female M14x1.5 , Ø 13.3mm Cone, L=77mm
1	Tie Rod End - Outer	⇦⇨	06/83-05/94	QR5246S	Female M14x1.5mm , M10x1.25mm Ball Pin, L=74mm
2	Side Rod End - Inner	⇦⇨	02/80-05/83	-	
23	Ball Joint - Front		06/83-05/94	QSJ1125S	Ø 16.4mm Cone

L300 06/94-05/99


P13T,P15T Pick-up, Chassis Cab



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR9283S	Male M14x1.5 , L=315mm
21	Ball Joint - Front			QSJ1333S	Ø 19.5mm Cone
23	Ball Joint - Front			QSJ1332S	Ø 17.5mm Cone

L300 11/86-05/99

P02V,P03V,P05V,P12V,P13V,P15V Van




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2875S	Female M14x1.5 , Ø 13.5mm Cone
2	Rack End	⇦⇨		QR9283S	Male M14x1.5 , L=315mm
21	Ball Joint - Front			QSJ1333S	Ø 19.5mm Cone
23	Ball Joint - Front			QSJ1332S	Ø 17.5mm Cone

100NX

B13

10/90-07/96



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.2.0	**QR2823S**	Female M12x1.25 , Ø 13mm Cone, L=95mm
1	Tie Rod End - Outer	⇦⇨	2.0	**-**	
2	Rack End	⇦⇨	exc.2.0	**QR2822S**	Male M12x1.25 , M16 x1.0 Swivel, L=293mm
2	Rack End	⇦⇨	2.0	**-**	
20a	Suspension Arm - Front	↲	exc.2.0	**QSA1771S**	
20a	Suspension Arm - Front	↲	2.0	**-**	
20b	Suspension Arm - Front	↳	exc.2.0	**QSA1778S**	
20b	Suspension Arm - Front	↳	2.0	**-**	
21	Ball Joint - Front	⇦⇨		**QSJ1335S**	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**-**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8061**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1835S**	L=87mm
61	Top Strut Bearing - Front	⇦⇨		**QAM154**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6051**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6051**	
35	Stabiliser Link - Rear	⇦⇨		**QLS1838S**	L=170mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6052**	

200SX 03/88-03/94
S13




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2312S	Female M12x1.25 , Ø 12.9mm Cone, L=100mm
2	Rack End	⇦⇨		QR1849S	Male M12x1.25 , M16x1.0 Swivel, L=280mm
25	Stabiliser Link - Front	⇦⇨		QLS1836S	L=110mm

200SX 04/94-12/99
S14



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS1836S	L=110mm

Almera 07/95-04/00
N15



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.2.0 D,GTi	QR9934S	Female M12x1.25
1	Tie Rod End - Outer	⇦⇨	2.0 D,GTi	QR5251S	Female M14x1.5 , M12x1.25mm Ball Pin, L=94mm
2	Rack End	⇦⇨	1.4i,1.6i	QR3480S	Male M12x1.25, M16 x 1.0 Swivel, L=292mm


continued...

Almera continued... 07/95-04/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA1912S**	
20b	Suspension Arm - Front			**QSA1913S**	
21	Ball Joint - Front			**QSJ1335S**	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8264**	Front
24b	Suspension Arm Bush - Front			**EMS8061**	Rear
25	Stabiliser Link - Front			**QLS1835S**	L=87mm

Almera 05/00-09/06

N16



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR3481S**	Female M12x1.25 RH, Ø 13.0mm Cone, L=100mm
2	Rack End			**QR3747S**	Male M12x1.25 RH,M16x1.0 Swivel L=286mm
20a	Suspension Arm - Front		1.5i,1.8i	**QSA2070S**	
20b	Suspension Arm - Front		1.5i,1.8i	**QSA2071S**	
21	Ball Joint - Front			**QSJ3610S**	
24a	Suspension Arm Bush - Front			**EMS8390**	Front
24b	Suspension Arm Bush - Front			**EMS8449**	Rear
25	Stabiliser Link - Front			**QLS3486S**	L=87mm
61	Top Strut Bearing - Front			**QAM154**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6051**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6051**	

Almera Tino
V10M

04/00-11/06





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		**QR3703S**	
1	Tie Rod End - Outer	⇦⇨		**QR5251S**	Female M14x1.5 ↻, M12x1.25mm Ball Pin, L=94mm
20a	Suspension Arm - Front	↲		**QSA2294S**	
20b	Suspension Arm - Front	↳		**QSA2295S**	
21	Ball Joint - Front	⇦⇨		**QSJ3427S**	Ø 15.4mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3487S**	L=65mm
25b	Stabiliser Link - Front	⇨		**QLS3488S**	L=65mm

Bluebird
U11 Estate

11/83-05/90





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2823S**	Female M12x1.25 ↻, Ø 13mm Cone, L=95mm
2	Rack End	⇦⇨		**QR1849S**	Male M12x1.25 ↻, M16x1.0 Swivel, L=280mm
21	Ball Joint - Front	⇦⇨		**QSJ1265S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8184**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**-**	Rear
25	Stabiliser Link - Front	⇦⇨	01/86-05/90	**QLS1835S**	L=87mm

Juke 06/10-





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3871S	Female M12x1.25 , Ø 12mm Cone, L=192mm
1b	Tie Rod End - Outer	⇨		QR3872S	Female M12x1.25 , Ø 12mm Cone, L=192mm
2	Rack End	⇦⇨		QR3944S	
20a	Suspension Arm - Front	↲		QSA2619S	
20b	Suspension Arm - Front	↳		QSA2620S	
21	Ball Joint - Front	⇩⇩		QSJ3652S	
25	Stabiliser Link - Front	⇦⇨		QLS3774S	L=284mm

Maxima QX 01/00-08/03

CA33



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front	⇩⇩		QSJ3427S	Ø 15.4mm Cone
22	Tie Rod End - Outer	⇦⇨		QR5251S	Female M14x1.5 , M12x1.25mm Ball Pin, L=94mm

Micra 12/82-07/92

K10



Micra continued... 12/82-07/92




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2221S	Female M12x1.25 , Ø 11mm Cone, L=80mm
2	Rack End	⇦⇨	02/85-07/92	QR1849S	Male M12x1.25 , M16x1.0 Swivel, L=280mm
20a	Suspension Arm - Front			QSA9138S	
20b	Suspension Arm - Front			QSA9137S	
21	Ball Joint - Front			QSJ1883S	Ø 12mm Cone
24a	Suspension Arm Bush - Front			EMS8265	Front
24b	Suspension Arm Bush - Front			EMS1846	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7183	Outer

Micra 03/93-12/02

K11,K11E







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3083S	Female M12x1.25 , Ø 11.0mm Cone
2	Rack End	⇦⇨		QR1849S	Male M12x1.25 , M16x1.0 Swivel, L=280mm
20a	Suspension Arm - Front		03/93-03/98	QSA1545S	Ø 12.4mm Cone


continued...

Micra continued... 03/93-12/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		03/98-08/02	**QSA1998S**	Ø 13.1mm Cone
20b	Suspension Arm - Front		03/93-03/98	**QSA1544S**	Ø 12.4mm Cone
20b	Suspension Arm - Front		03/98-08/02	**QSA1999S**	Ø 13.1mm Cone
21	Ball Joint - Front		03/93-03/98	**QSJ9136S**	M12x1.25mm Ball Pin, Ø 12.4mm Cone
21	Ball Joint - Front		03/98-08/02	**QSJ3580S**	Ø 13.1mm Cone
24a	Suspension Arm Bush - Front			**EMS8074**	Front
24b	Suspension Arm Bush - Front			**EMS8075**	Rear
25	Stabiliser Link - Front			**QLS3292S**	L=110mm
26	Stabiliser Bar Bush - Front			**EMB7183**	Outer
35	Stabiliser Link - Rear			**QLS1758S**	L=90mm

Micra 01/03-06/10


K12,K12E



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer		01/03-04/04	**QR3396S**	Female M14x1.5 Ø 12.0mm Cone, L=90mm
1a	Tie Rod End - Outer		05/04-09/07	**QR3338S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1a	Tie Rod End - Outer		10/07-	**QR3585S**	Female M12x1.25 , 11.7mm Cone, L=197mm
1b	Tie Rod End - Outer		01/03-04/04	**QR3397S**	Female M14x1.5 Ø 12.0mm Cone, L=90mm
1b	Tie Rod End - Outer		05/04-09/07	**QR3339S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer		10/07-	**QR3586S**	Female M12x1.25 , 11.7mm Cone, L=197mm
20a	Suspension Arm - Front			**QSA2095S**	
20b	Suspension Arm - Front			**QSA2096S**	
21	Ball Joint - Front			**QSJ3312S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS8266**	Front
24b	Suspension Arm Bush - Front			**EMS8267**	Rear
25	Stabiliser Link - Front			**QLS3489S**	L=247mm
62a	Top Strut Mounting - Front exc.Bearing			-	
62b	Top Strut Mounting - Front exc.Bearing			-	

Micra 05/10-


K13



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3941S	
1b	Tie Rod End - Outer	⇨		QR3942S	
2	Rack End	⇦⇨		QR3943S	
20a	Suspension Arm - Front	↲		QSA2617S	
20b	Suspension Arm - Front	↳		QSA2618S	
21	Ball Joint - Front	⇦⇩⇨		QSJ3651S	
25	Stabiliser Link - Front	⇦⇨		QLS3829S	

Murano 02/05-

Z50



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3911S	L=194mm
2	Rack End	⇦⇨		QR4003S	
25a	Stabiliser Link - Front	⇦		QLS3745S	L=308mm
25b	Stabiliser Link - Front	⇨		QLS3746S	L=308mm


continued...

Murano continued... 02/05-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35a	Stabiliser Link - Rear	⇦		QLS3908S	
35b	Stabiliser Link - Rear	⇨		QLS3909S	

Murano 01/10-


Z51



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3906S	
1b	Tie Rod End - Outer	⇨		QR3907S	
25a	Stabiliser Link - Front	⇦		QLS3550S	
25b	Stabiliser Link - Front	⇨		QLS3551S	
35a	Stabiliser Link - Rear	⇦		QLS3910S	
35b	Stabiliser Link - Rear	⇨		QLS3911S	

Note 01/06-

E11E




Note continued... 01/06-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3585S	Female M12x1.25, 11.7mm Cone, L=197mm
1b	Tie Rod End - Outer	⇨		QR3586S	Female M12x1.25, 11.7mm Cone, L=197mm
20a	Suspension Arm - Front			QSA2095S	
20b	Suspension Arm - Front			QSA2096S	
21	Ball Joint - Front			QSJ3312S	Ø 16mm Cone
24a	Suspension Arm Bush - Front			EMS8266	Front
24b	Suspension Arm Bush - Front			EMS8267	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3561S	L=255mm

Pathfinder 01/96-12/04


R50M



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA2394S	
20b	Suspension Arm - Front			QSA2395S	
21	Ball Joint - Front			QSJ3492S	
25	Stabiliser Link - Front	⇦⇨		QLS3811S	L=190mm
35	Stabiliser Link - Rear	⇦⇨		QLS3812S	L=163mm

Pathfinder 01/05-


R51M



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3698S**	Female M16x1.5, Ø 15.0mm Cone, L=183mm
1b	Tie Rod End - Outer	⇨		**QR3699S**	Female M16x1.5, Ø 15.0mm Cone, L=183mm
2	Rack End	⇦⇨		**QR3697S**	Male M16x1.5, M20x1.0 Swivel
25a	Stabiliser Link - Front	⇦		**QLS3529S**	L=65mm
25b	Stabiliser Link - Front	⇨		**QLS3530S**	L=65mm
35a	Stabiliser Link - Rear	⇦		**QLS3707S**	L=64mm
35b	Stabiliser Link - Rear	⇨		**QLS3708S**	L=64mm

Patrol 10/91-09/97

Y60 GR



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	10/91-07/92	**-**	Male
1a	Tie Rod End - Outer	⇦	08/92-09/97	**QR5315S**	Female M30, M14 Ball Pin, 15.5mm cone, L=123mm
1b	Tie Rod End - Outer	⇨	10/91-07/92	**-**	Male
1b	Tie Rod End - Outer	⇨	08/92-09/97	**QR5316S**	Female M30, M14 Ball Pin, 15.5mm cone, L=123mm
25	Stabiliser Link - Front	⇦⇨		**QLS1840S**	L=164mm
35	Stabiliser Link - Rear	⇦⇨		**QLS1840S**	L=164mm

Patrol
Y61 GR


10/97-08/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5315S	Female M30, M14 Ball Pin, 15.5mm cone, L=123mm
1b	Tie Rod End - Outer	⇨		QR5316S	Female M30, M14 Ball Pin, 15.5mm cone, L=123mm
35	Stabiliser Link - Rear	⇦⇨		QLS1840S	L=164mm

Pixo


01/09-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3436S	
2	Rack End	⇦⇨		QR3825S	
20a	Suspension Arm - Front	⇙		QSA2721S	
20b	Suspension Arm - Front	⇘		QSA2722S	
25	Stabiliser Link - Front	⇦⇨		QLS3749S	

Prairie
M11


10/88-07/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	4x4	-	
2	Rack End	⇦⇨	2x4	QR1849S	Male M12x1.25, M16x1.0 Swivel, L=280mm
21	Ball Joint - Front	⇩⇩		QSJ1265S	Ø 15mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS1835S	L=87mm

Primera
P10E Saloon

06/90-05/96




Primera continued... 06/90-05/96

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2821S	Female M12x1.25 ↻, Ø 13mm Cone
20a	Suspension Arm - Front	↲		QSA1547S	
20b	Suspension Arm - Front	↳		QSA1546S	
21	Ball Joint - Front	⇩⇧		QSJ1334S	Ø 15.0mm Cone
22a	Suspension Arm - Front	↰		QSJ1720S	L=180mm
22b	Suspension Arm - Front	↱		QSJ1721S	L=180mm
24a	Suspension Arm Bush - Front	⇩⇧		EMS8051	Front
24b	Suspension Arm Bush - Front	⇩⇧		EMS8085	Rear
24c	Suspension Arm Bush - Front	⇦⇨		EMS8070	Outer, Front, Rear, 41x29mm
24d	Suspension Arm Bush - Front	⇦⇨		EMS8069	Inner, Front, Rear, 56x29mm
25	Stabiliser Link - Front	⇦⇨	1.6i	QLS1835S	L=87mm
25	Stabiliser Link - Front	⇦⇨	2.0i	QLS1839S	L=162mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.6i	EMB7094	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	2.0 exc.GT	EMB7095	Outer, Yellow
26	Stabiliser Bar Bush - Front	⇦⇨	2.0 GT	-	Outer, White
30b	Suspension Arm - Rear	↳		QSJ3287S	Radius Rod
35	Stabiliser Link - Rear	⇦⇨		QLS1837S	L=115mm
36	Stabiliser Bar Bush - Rear	⇦⇨	2.0 exc.GT	-	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨	2.0 GT	-	Outer

Primera 06/96-12/01

P11E Saloon



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2821S	Female M12x1.25 ↻, Ø 13mm Cone
2	Rack End	⇦⇨		QR3616S	
20a	Suspension Arm - Front	↲	06/96-06/99	QSA1742S	
20a	Suspension Arm - Front	↲	Wide Wheels, 06/99-12/01	QSA1742S	
20a	Suspension Arm - Front	↲	Std. Wheels, 06/99-12/01	-	
20b	Suspension Arm - Front	↳	06/96-06/99	QSA1743S	
20b	Suspension Arm - Front	↳	Wide Wheels, 06/99-12/01	QSA1743S	

continued...

Primera continued... 06/96-12/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		Std. Wheels, 06/99-12/01	-	
21	Ball Joint - Front			QSJ1334S	Ø 15.0mm Cone
22a	Suspension Arm - Front			QSJ1720S	L=180mm
22b	Suspension Arm - Front			QSJ1721S	L=180mm
24a	Suspension Arm Bush - Front			EMS8268	Front
24b	Suspension Arm Bush - Front			EMS8077	Rear
24c	Suspension Arm Bush - Front			EMS8076	Rear
24d	Suspension Arm Bush - Front			EMS8070	Outer, Front, Rear, 41x29mm
24e	Suspension Arm Bush - Front			EMS8069	Inner, Front, Rear, 56x29mm
25	Stabiliser Link - Front			QLS3293S	L=170mm
26	Stabiliser Bar Bush - Front		06/96-05/99	-	Outer
26	Stabiliser Bar Bush - Front		06/99-12/01, Std.Wheels	-	Outer
26	Stabiliser Bar Bush - Front		06/99-12/01, Wide Wheels	EMB7095	Outer, Yellow

Primera 07/90-01/98

W10 Estate (Japan)




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR2823S	Female M12x1.25, Ø 13mm Cone, L=95mm
2	Rack End			QR2822S	Male M12x1.25, M16 x1.0 Swivel, L=293mm
21	Ball Joint - Front			QSJ1265S	Ø 15mm Cone
25	Stabiliser Link - Front			QLS1835S	L=87mm

Primera

WP11E Estate (UK)


02/98-12/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2821S**	Female M12x1.25 , Ø 13mm Cone
20a	Suspension Arm - Front		02/98-06/99	**QSA1742S**	
20a	Suspension Arm - Front		Wide Wheels, 06/99-12/01	**QSA1742S**	
20a	Suspension Arm - Front		Std. Wheels, 06/99-12/01	**-**	
20b	Suspension Arm - Front		02/98-06/99	**QSA1743S**	
20b	Suspension Arm - Front		Wide Wheels, 06/99-12/01	**QSA1743S**	
20b	Suspension Arm - Front		Std. Wheels, 06/99-12/01	**-**	
21	Ball Joint - Front			**QSJ1334S**	Ø 15.0mm Cone
22a	Suspension Arm - Front			**QSJ1720S**	L=180mm
22b	Suspension Arm - Front			**QSJ1721S**	L=180mm
24a	Suspension Arm Bush - Front			**EMS8070**	Outer, Front, Rear, 41x29mm
24b	Suspension Arm Bush - Front			**EMS8069**	Inner, Front, Rear, 56x29mm
25	Stabiliser Link - Front	⇦⇨		**QLS3293S**	L=170mm
26	Stabiliser Bar Bush - Front	⇦⇨	02/98-05/99	**-**	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	06/99-12/01, Std.Wheels	**-**	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	06/99-12/01, Wide Wheels	**EMB7095**	Outer, Yellow

Primera 01/02-04/15

P12E



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2821S	Female M12x1.25 RH, Ø 13mm Cone
2	Rack End	⇦⇨		QR3700S	
20a	Suspension Arm - Front	⇩		QSA2097S	
20b	Suspension Arm - Front	⇩		QSA2098S	
21	Ball Joint - Front	⇩⇩		QSJ3427S	Ø 15.4mm Cone
22a	Suspension Arm - Front	⇧		QSJ2104S	
22b	Suspension Arm - Front	⇧		QSJ2105S	
24a	Suspension Arm Bush - Front	⇩⇩		EMS8391	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8392	Rear
25a	Stabiliser Link - Front	⇦		QLS3420S	L=65mm
25b	Stabiliser Link - Front	⇨		QLS3421S	L=65mm
35	Stabiliser Link - Rear	⇦⇨		QLS3649S	L=91mm

Qashqai 10/06-12/14

J10E



Qashqai continued... 10/06-12/14



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3635S	
1b	Tie Rod End - Outer	⇨		QR3636S	
2	Rack End	⇦⇨		QR3671S	Male M14x1.5 RH, M22x1.5 Swivel, L=249mm
20a	Suspension Arm - Front			QSA2423S	
20b	Suspension Arm - Front			QSA2424S	
21	Ball Joint - Front			QSJ3468S	Ø 20.0mm Cone, 16mm Groove
24a	Suspension Arm Bush - Front			EMS8467	Front
24b	Suspension Arm Bush - Front			EMS8468	Rear
25a	Stabiliser Link - Front	⇦		QLS3550S	L=299mm
25b	Stabiliser Link - Front	⇨		QLS3551S	L=299mm
35a	Stabiliser Link - Rear	⇦		QLS3758S	
35b	Stabiliser Link - Rear	⇨		QLS3759S	

Qashqai 11/13-

J11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4009S	
1b	Tie Rod End - Outer	⇨		QR4010S	
25	Stabiliser Link - Front	⇦⇨		QLS3774S	

QX
A32

10/94-12/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR5251S**	Female M14x1.5 , M12x1.25mm Ball Pin, L=94mm

QX
CA33

01/00-09/04




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA2246S**	
20b	Suspension Arm - Front			**QSA2247S**	

Serena
C23M

07/92-09/01






Serena continued... 07/92-09/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2821S	Female M12x1.25 ↻, Ø 13mm Cone
2	Rack End	⇦⇨		QR3602S	Male M12x1.25 ↻, M14x1.5 Swivel, L=332mm
20a	Suspension Arm - Front	↲		QSA2242S	
20b	Suspension Arm - Front	↳		QSA2243S	
24a	Suspension Arm Bush - Front	⇩⇩		EMS8364	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8365	Rear
21a	Ball Joint - Front	↲	09/94-09/01	QSJ1802S	Ø 14.7mm Cone
21b	Ball Joint - Front	↳	09/94-09/01	QSJ1803S	Ø 14.7mm Cone
25a	Stabiliser Link - Front	⇦		QLS3289S	L=116mm
25b	Stabiliser Link - Front	⇨		QLS3290S	L=116mm

Sunny 10/90-06/95

N14 exc.GTi-R



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.2.0 GTi	QR2823S	Female M12x1.25 ↻, Ø 13mm Cone, L=95mm
1	Tie Rod End - Outer	⇦⇨	2.0 GTi	-	
2	Rack End	⇦⇨	exc.2.0 GTi	QR2822S	Male M12x1.25 ↻, M16 x1.0 Swivel, L=293mm
2	Rack End	⇦⇨	2.0 GTi	-	
20a	Suspension Arm - Front	↲	exc.2.0 GTi	QSA1771S	
20b	Suspension Arm - Front	↳	exc.2.0 GTi	QSA1778S	
21	Ball Joint - Front	⇩⇩	exc.2.0 GTi	QSJ1335S	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		-	Front

continued...

Sunny continued... 10/90-06/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			EMS8061	Rear
25	Stabiliser Link - Front		exc.2.0 GTi	QLS1835S	L=87mm
61	Top Strut Bearing - Front			QAM154	
62	Top Strut Mounting - Front exc.Bearing			EMR6051	
63	Top Strut Mounting - Front inc.Bearing			EMA6051	
35	Stabiliser Link - Rear		exc.2.0 GTi	QLS1838S	L=170mm
65	Top Strut Mounting - Rear exc.Bearing			EMR6052	

Sunny 02/92-12/93

N14 GTI-R 4x4 Turbo





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
61	Top Strut Bearing - Front			QAM154	

Sunny 10/90-03/00

Y10








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR2823S	Female M12x1.25 RH, Ø 13mm Cone, L=95mm
2	Rack End			QR2822S	Male M12x1.25 RH, M16 x1.0 Swivel, L=293mm
20a	Suspension Arm - Front			QSA1771S	
20b	Suspension Arm - Front			QSA1778S	
21	Ball Joint - Front			QSJ1335S	Ø 14.5mm Cone
25	Stabiliser Link - Front			QLS1835S	L=87mm
35	Stabiliser Link - Rear		mtr.1.4,Diesel 10/90-11/93	QLS1838S	L=170mm
35	Stabiliser Link - Rear		mtr.1.6,2.0 GTi 10/90-11/93	QLS1839S	L=162mm

Sunny continued... 10/90-03/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35	Stabiliser Link - Rear	⇦⇨	11/93-03/00	**QLS1838S**	L=170mm

Terrano II 02/93-02/02


R20



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨	06/96-02/02	**QR5224S**	Male M16x1.5 , M12x1.25mm Swivel, L=130mm
2	Side Rod End - Inner	⇦⇨	06/96-02/02	**QR5250S**	Male M16x1.5 , M12x1.25mm Ball Pin, L=130mm
4	Side Rod Assembly	⇦⇨	06/96-02/02	**QDL5274S**	
21	Ball Joint - Front		02/93-05/96	**QSJ1878S**	Ø 19.6mm Cone, M18 Ball Pin
21	Ball Joint - Front		06/96-02/02	**QSJ3433S**	Ø 19.6mm Cone
23	Ball Joint - Front			**QSJ911S**	Ø 15.9mm Cone
24a	Suspension Arm Bush - Front			**-**	
24b	Suspension Arm Bush - Front			**EMS8002**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3283S**	L=88mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3528S**	L=208mm

Tiida
C11X


09/07-12/13



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3585S	Female M12x1.25, 11.7mm Cone, L=197mm
1b	Tie Rod End - Outer	⇨		QR3586S	Female M12x1.25, 11.7mm Cone, L=197mm
2	Rack End	⇦⇨		QR3891S	L=200mm
20a	Suspension Arm - Front	↲		QSA2575S	18mm Cone
20b	Suspension Arm - Front	↳		QSA2576S	18mm Cone
21	Ball Joint - Front	⇩⇩		QSJ3609S	18mm Cone

X-Trail
T30

09/01-02/07




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3486S	Female M14x1.5, Ø 14.8mm Cone, L=95mm
2	Rack End	⇦⇨		QR3603S	Male M14x1.5, M16x1 Swivel, L=303mm

X-Trail continued... 09/01-02/07

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA2099S	
20b	Suspension Arm - Front			QSA2100S	
24a	Suspension Arm Bush - Front			EMS8403	Front
24b	Suspension Arm Bush - Front			EMS8404	Rear
25a	Stabiliser Link - Front			QLS3490S	L=65mm
25b	Stabiliser Link - Front			QLS3491S	L=65mm
35	Stabiliser Link - Rear			QLS3531S	L=115mm
36	Stabiliser Bar Bush - Rear			EMB7299	Ø 17mm

X-Trail 09/07-03/15


T31



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR3635S	
1b	Tie Rod End - Outer			QR3636S	
2	Rack End			QR3671S	
20a	Suspension Arm - Front			QSA2423S	
20b	Suspension Arm - Front			QSA2424S	
21	Ball Joint - Front			QSJ3468S	Ø 20.0mm Cone, 16mm Groove
24a	Suspension Arm Bush - Front			EMS8467	Front
24b	Suspension Arm Bush - Front			EMS8468	Rear
25a	Stabiliser Link - Front			QLS3550S	
25b	Stabiliser Link - Front			QLS3551S	
35a	Stabiliser Link - Rear			QLS3758S	
35b	Stabiliser Link - Rear			QLS3759S	

Cabstar 01/82-06/92


F22



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4a	Side Rod Assembly	⇦		QDL2795S	Ø 16mm Cone
4b	Side Rod Assembly	⇨		QDL2794S	Ø 16mm Cone
23	Ball Joint - Front			QSJ911S	Ø 15.9mm Cone
24	Suspension Arm Bush - Front			EMS8002	Rear

Cabstar 07/92-11/98

F23




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4a	Side Rod Assembly	⇦		QDL2795S	Ø 16mm Cone
4b	Side Rod Assembly	⇨		QDL2794S	Ø 16mm Cone
23	Ball Joint - Front			QSJ911S	Ø 15.9mm Cone
24	Suspension Arm Bush - Front			EMS8002	Rear

Interstar

X70

04/02-01/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5283S**	Female M14x1.5 ↻, L=223mm, Ø 16.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5284S**	Female M14x1.5 ↻, L=223mm, Ø 16.5mm Cone
2	Rack End	⇦⇨	04/02-12/07	**QR5285S**	Male M16x1.5 ↻, M14x1.5mm Swivel, L=199mm
2	Rack End	⇦⇨	12/07-01/10	**QR3839S**	
20a	Suspension Arm - Front	↲	04/02-09/07	**QSA1876S**	
20a	Suspension Arm - Front	↲	09/07-01/10	**QSA2533S**	
20b	Suspension Arm - Front	↳	04/02-09/07	**QSA1877S**	
20b	Suspension Arm - Front	↳	09/07-01/10	**QSA2534S**	
21	Ball Joint - Front	⇩⇩	04/02-09/07	**QSJ1921S**	Ø 22mm Cone
21	Ball Joint - Front	⇩⇩	09/07-01/10	**QSJ3504S**	
23	Ball Joint - Front	⇧⇧		**QSJ3272S**	Outer, Ø 17mm Cone, M14 x 1.5
23²	Ball Joint - Front	⇧⇧	exc.H.D.Susp.	**QSJ1875S**	Inner, Ø 15mm Cone
23²	Ball Joint - Front	⇧⇧	H.D.Susp.	**-**	Inner
23²	Ball Joint - Front	⇧⇧		**-**	Inner, Coil Spring
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8196**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS8197**	Rear
24c	Suspension Arm Bush - Front	⇧⇧		**-**	Inner
25a	Stabiliser Link - Front	⇦		**QLS3267S**	L=129mm
25b	Stabiliser Link - Front	⇨		**QLS3266S**	L=129mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7180**	Outer
18	Leaf Spring Bush - Rear	⇦⇨		**EMS8494**	Rear

Kubistar

X76

10/03-03/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3338S	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		QR3339S	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨		QR5216S	Male M14x1.5 , M12x1.0 Swivel, L=284mm
2	Rack End	⇦⇨		QR3343S	Male M14x1.5 , M12x1 Swivel, L=320mm
4a	Tie Rod Assembly	⇦		QDL3281S	
4b	Tie Rod Assembly	⇨		QDL3282S	
20a	Suspension Arm - Front		exc.H.D.	QSA1549S	
20b	Suspension Arm - Front		exc.H.D.	QSA1548S	
20b	Suspension Arm - Front		H.D.	-	
21	Ball Joint - Front			QSJ1646S	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front		exc.H.D.	EMS8057	Front, Rear
24	Suspension Arm Bush - Front		H.D.	-	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7022	Outer, Ø 22mm, with mounting bolt
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7152	Outer, Ø 23mm, without mounting bolt
26¹	Stabiliser Bar Bush - Front	⇨⇦		EMB2615	Inner, Ø 23mm, Blue
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2658	Outer, Ø 22mm,23mm without mounting bolt
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2659	Outer, Ø 22mm,23mm with mounting bolt
27¹	Stabiliser Bar Bush Kit - Front	⇨⇦		EMBK3056	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⇨		QAM112	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6014	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6014	
34	Suspension Arm Bush - Rear			EMB7125	Trailing Arm
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9006	

Navara
D40M

05/05-





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3698S**	Female M16x1.5 , Ø 15.0mm Cone, L=183mm
1b	Tie Rod End - Outer	⇨		**QR3699S**	Female M16x1.5 , Ø 15.0mm Cone, L=183mm
2	Rack End	⇦⇨		**QR3697S**	Male M16x1.5 , M20x1.0 Swivel
20a	Suspension Arm - Front			**QSA2421S**	
20b	Suspension Arm - Front			**QSA2422S**	
21	Ball Joint - Front			**QSJ3467S**	Ø 20.0mm Cone, 18mm Groove
22a	Suspension Arm - Front			**QSA2419S**	
22b	Suspension Arm - Front			**QSA2420S**	
23	Ball Joint - Front			**QSJ3466S**	Ø 14.7mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3529S**	L=65mm
25b	Stabiliser Link - Front	⇨		**QLS3530S**	L=65mm

NV400 02/10-









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3840S	Female M18x1.5 RH, Ø 16.5mm Cone, L=235mm
1b	Tie Rod End - Outer	⇨		QR3841S	Female M18x1.5 RH, Ø 16.5mm Cone, L=235mm
2	Rack End	⇦⇨		QR3842S	Male M18x1.5 RH, M16x1.5 Swivel, L=271mm
20a	Suspension Arm - Front			QSA2545S	
20b	Suspension Arm - Front			QSA2546S	
21	Ball Joint - Front			QSJ3574S	Ø 18.0mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3772S	L=330mm
26	Stabiliser Bar Bush - Front	⇦⇨	FWD	EMB7289	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨	FWD	EMB7284	Outer, Ø 21mm

Pick-Up 09/85-01/98

D21 2x4






Pick-Up continued... 09/85-01/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		**QR5248S**	Male M18x1.5, M12x1.25mm Ball Pin, L=105mm
2	Side Rod End - Inner	⇦⇨		**QR5249S**	Male M18x1.5, M12x1.25mm Ball Pin, L=225mm
7	Idler Arm Assembly			**QDL5249S**	
20a	Suspension Arm - Front			**QSA1916S**	
20b	Suspension Arm - Front			**QSA1917S**	
21	Ball Joint - Front			**QSJ9146S**	Ø 19.6mm Cone
23	Ball Joint - Front			**QSJ911S**	Ø 15.9mm Cone
24b	Suspension Arm Bush - Front			**EMS8002**	Rear

Pick-Up 09/85-01/98

D21 4x4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		**QR5224S**	Male M16x1.5, M12x1.25mm Swivel, L=130mm
1	Side Rod End - Outer	⇦⇨	, 05/92-01/98	**QR9159S**	Male M16x1.5, Ø 14mm Cone, L=134.5mm
2	Side Rod End - Inner	⇦⇨		**QR5250S**	Male M16x1.5, M12x1.25mm Ball Pin, L=130mm
2	Side Rod End - Inner	⇦⇨	, 05/92-01/98	**QR9160S**	Male M16x1.5, M12x1.25mm Ball Pin, L=132mm
4	Side Rod Assembly	⇦⇨		**QDL5274S**	
20a	Suspension Arm - Front			**QSA1916S**	
20b	Suspension Arm - Front			**QSA1917S**	
21	Ball Joint - Front			**QSJ1878S**	Ø 19.6mm Cone, M18 Ball Pin
23	Ball Joint - Front			**QSJ911S**	Ø 15.9mm Cone
24b	Suspension Arm Bush - Front			**EMS8002**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3810S**	

Pick-Up

D22 Pick-Up


02/98-12/07



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	2x4	QR3482S	Male M18x1.5 ,Ø 14.4mm Cone, L=90mm
1	Tie Rod End - Outer	⇦⇨	4x4	QR3486S	Female M14x1.5 , Ø 14.8mm Cone, L=94mm
2	Side Rod End - Inner	⇦⇨	2x4	QR3483S	Male M18x1.5 ,Ø 14.5mm Cone
2	Side Rod End - Inner	⇦⇨	4x4	QR3485S	Female M14x1.5 , Ø 14.8mm Cone, L=94mm
4	Tie Rod Assembly	⇦⇨	4x4	QDL5287S	
21	Ball Joint - Front	⇦⇨	2x4	QSJ9146S	Ø 19.6mm Cone
21	Ball Joint - Front	⇦⇨	4x4	QSJ3509S	
22a	Suspension Arm - Front	⇦	2x4	QSA2511S	
22b	Suspension Arm - Front	⇨	2x4	QSA2512S	
23	Ball Joint - Front	⇦⇨		QSJ3487S	
25	Stabiliser Link - Front	⇦⇨		QLS3810S	

Primastar
X83


07/02-06/12



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3311S**	Female M14x1.5 RH, L=210mm Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		**QR3312S**	Female M14x1.5, L=210mm Ø 12mm Cone
2	Rack End	⇦⇨		**QR3365S**	Male M14x1.5 RH, M12x1 Swivel, L=280mm
20a	Suspension Arm - Front		07/02-10/06	**QSA2220S**	Pressed Type
20a¹	Suspension Arm - Front		10/06-	**QSA2435S**	Forged Type
20b	Suspension Arm - Front		07/02-10/06	**QSA2221S**	Pressed Type
20b¹	Suspension Arm - Front		10/06-	**QSA2436S**	Forged Type
21	Ball Joint - Front		07/02-10/06	**QSJ3288S**	Ø 18.7mm Cone, Ø 10mm Hole
21	Ball Joint - Front		10/06-	**QSJ3489S**	Ø 18.7mm Cone, Ø 12mm Hole
24a	Suspension Arm Bush - Front			**EMS8269**	Front
24b	Suspension Arm Bush - Front			**EMS8270**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3330S**	L=310mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7281**	Outer

Sunny Van 11/91-04/00


Y10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2823S	Female M12x1.25 RH, Ø 13mm Cone, L=95mm
2	Rack End	⇦⇨		QR2822S	Male M12x1.25 RH, M16 x1.0 Swivel, L=293mm
20a	Suspension Arm - Front	↲		QSA1771S	
20b	Suspension Arm - Front	↳		QSA1778S	
21	Ball Joint - Front	⇩⇧		QSJ1335S	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇧		-	Front
24b	Suspension Arm Bush - Front	⇩⇧		EMS8061	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1835S	L=87mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6051	

Urvan 02/87-05/97

E24



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2¹	Rack End	⇦⇨	Steering Rack	QR9151S	Male M14x1.5 RH, M16x1.5mm Swivel, L=310mm
21	Ball Joint - Front	⇩⇧		QSJ9146S	Ø 19.6mm Cone
23	Ball Joint - Front	⇧⇧		QSJ911S	Ø 15.9mm Cone
24a	Suspension Arm Bush - Front	⇧⇧		EMS8002	Rear

Vanette
C220
09/85-12/95





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		**QR2828S**	Female M14x1.5 RH, Ø 13.5mm Cone, L=80mm
2a	Side Rod End - Inner	⇦		**QR2829S**	Female M14x1.5 LH, Ø 13.5mm Cone, L=105mm
2b	Side Rod End - Inner	⇨		**QR2830S**	Female M14x1.5 RH, Ø 13.5mm Cone, L=105mm
21	Ball Joint - Front	⇩⇨		**QSJ1337S**	Ø 19.6mm Cone
23	Ball Joint - Front	⇦⇧		**QSJ1336S**	Ø 13.5mm Cone


Vanette
C23E
09/94-05/01





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2821S**	Female M12x1.25 RH, Ø 13mm Cone
21a	Ball Joint - Front	⇩		**QSJ1802S**	Ø 14.7mm Cone
21b	Ball Joint - Front	⇩		**QSJ1803S**	Ø 14.7mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3289S**	L=116mm
25b	Stabiliser Link - Front	⇨		**QLS3290S**	L=116mm

Adam 10/12-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3556S	Female M14x1.5 , Ø 12mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		QR3557S	Female M14x1.5 , Ø 12mm Cone, L=113mm
2	Rack End	⇦⇨		QR4016S	
20a	Suspension Arm - Front			QSA2326S	
20b	Suspension Arm - Front			QSA2327S	
21	Ball Joint - Front			QSJ3393S	
25	Stabiliser Link - Front	⇦⇨		QLS3934S	
24a	Suspension Arm Bush - Front			EMS8348	Front
24b	Suspension Arm Bush - Front			EMS8349	Rear

Agila 03/00-04/08

HAF68



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	-ch.1G.075421	QR3320S	Female M12x1.25 , Ø 12.5mm Cone, L=74mm
1	Tie Rod End - Outer	⇦⇨	ch.1G.075422-	QR3321S	Female M12x1.25 , Ø 13.0mm Cone, L=70mm
2	Rack End	⇦⇨		QR3623S	Male M12x1.25 , M14x1.5 Swivel, L=260mm
20	Suspension Arm - Front		-ch.1G.075421	QSJ3239S	Ø 15mm Cone, L=290mm
20	Suspension Arm - Front		ch.1G.075422-	QSJ3240S	Ø 15mm Cone, L=295mm
24a	Suspension Arm Bush - Front			EMS8271	Inner
24b	Suspension Arm Bush - Front			EMS8272	Outer, x2


Agila 05/08-

FXB22S,FXB32S,FXB52S



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3436S	Female M12x1.25 Ø 12.8mm Cone, L=71mm
2	Rack End	⇦⇨		QR3437S	Male M12x1.25, L=324mm, M18 x 1.5 Swivel
25	Stabiliser Link - Front	⇦⇨		QLS3426S	L=300mm


Ampera 11/11-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3681S	
2	Rack End	⇦⇨		QR3866S	
20a	Suspension Arm - Front	↲		QSA2637S	
20b	Suspension Arm - Front	↳		QSA2638S	
25	Stabiliser Link - Front	⇦⇨		QLS3634S	

Antara 08/06-03/11

L07




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3665S	Female M14x1.5 , Ø 12.3mm Cone, L=75mm
2	Rack End	⇦⇨		QR3828S	
20a	Suspension Arm - Front			QSA2494S	
20b	Suspension Arm - Front			QSA2495S	
21	Ball Joint - Front			QSJ3463S	Ø 15.1mm Cone
24a	Suspension Arm Bush - Front			EMS8450	Front
24b	Suspension Arm Bush - Front			EMS8451	Rear
24c	Suspension Arm Bush - Front			EMS8452	Rear
25a	Stabiliser Link - Front	⇦	-ch.80999999	QLS3617S	L=286mm
25a	Stabiliser Link - Front	⇦	ch.9B000001-	-	
25b	Stabiliser Link - Front	⇨	-ch.80999999	QLS3618S	L=286mm
25b	Stabiliser Link - Front	⇨	ch.9B000001-	-	
35	Stabiliser Link - Rear	⇦⇨		QLS3726S	

Astra F 09/91-02/98

exc.GSi,GT,Sport



Astra F continued... 09/91-02/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2383S	Female M16x2.0 LH, Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		QR2384S	Female M16x2.0 RH, Ø 13mm Cone, L=66mm
2a	Rack End	⇦		QR2335S	Female M16x2.0 RH
2b	Rack End	⇨		QR2334S	Female M16x2.0 LH
3	Tie Rod Connector	⇦⇨		QR2774S	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		QDL2771S	
4b	Tie Rod Assembly	⇨		QDL2772S	
20a	Suspension Arm - Front			QSA1427S	
20b	Suspension Arm - Front			QSA1426S	
21	Ball Joint - Front			QSJ874S	Ø 16mm Thick, Ø 13.4mm Cone
24a	Suspension Arm Bush - Front		-ch.P2603822/ -P8146889	EMS1864	Front
24a	Suspension Arm Bush - Front		ch.P2603823-R2587415/ -R5111734/ P8146890-R8145949	EMS8126	Front
24a	Suspension Arm Bush - Front		ch.R2587416-/ R5111735-/ R8145950-	EMS8118	Front
24b	Suspension Arm Bush - Front		-ch.P2603822/ -P8146889	EMS1865	Rear
24b	Suspension Arm Bush - Front		ch.P2603823-R2587415/ -R5111734/ P8146890-R8145949	EMS1960	Rear
24b	Suspension Arm Bush - Front		ch.R2587416-/ R5111735-/ R8145950-	EMS1960	Rear
24c	Suspension Arm Bush - Front			EMS1961	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226/ -R2588488	QLS1956S	Ø 18mm
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226/ -R2588488	QLS1957S	Ø 22mm
25	Stabiliser Link - Front	⇦⇨	ch.R2595227-/ R2588489-	QLS3198S	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2644	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2643	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM134	Ø 14.6x92.8x12.13mm with Shield
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1892	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1892	
34	Suspension Arm Bush - Rear			EMS3085	Axle

Astra F

GSi,GT,Sport

09/91-02/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2383S**	Female M16x2.0 RH, Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		**QR2384S**	Female M16x2.0 LH, Ø 13mm Cone, L=66mm
2a	Rack End	⇦		**QR2335S**	Female M16x2.0 LH
2b	Rack End	⇨		**QR2334S**	Female M16x2.0 RH
3	Tie Rod Connector	⇦⇨		**QR2774S**	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		**QDL2771S**	
4b	Tie Rod Assembly	⇨		**QDL2772S**	
20a	Suspension Arm - Front	↲		**QSA1427S**	
20b	Suspension Arm - Front	↳		**QSA1426S**	
21	Ball Joint - Front	⇦⇨		**QSJ874S**	Ø 16mm Thick, Ø 13.4mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	-ch.P2603822/ -P8146889	**EMS1864**	Front
24a	Suspension Arm Bush - Front	⇦⇨	ch.P2603823-R2587415/ -R5111734/ P8146890-R8145949	**EMS8126**	Front
24a	Suspension Arm Bush - Front	⇦⇨	ch.R2587416-/ R5111735-/ R8145950-	**EMS8118**	Front
24b	Suspension Arm Bush - Front	⇦⇨	-ch.P2603822/ -P8146889	**EMS1865**	Rear
24b	Suspension Arm Bush - Front	⇦⇨	ch.P2603823-R2587415/ -R5111734/ P8146890-R8145949	**EMS1960**	Rear
24b	Suspension Arm Bush - Front	⇦⇨	ch.R2587416-/ R5111735-/ R8145950-	**EMS1960**	Rear
24c	Suspension Arm Bush - Front	⇦⇨		**EMS1961**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226/ -R2588488	**QLS1956S**	Ø 18mm
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226/ -R2588488	**QLS1957S**	Ø 22mm
25	Stabiliser Link - Front	⇦⇨	ch.R2595227-/ R2588489-	**QLS3198S**	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2644**	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2643**	Outer, Ø 22mm

Astra F continued... 09/91-02/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
61	Top Strut Bearing - Front	⇦⇨		QAM134	Ø 14.6x92.8x12.13mm with Shield
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1892	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1892	

Astra G 02/98-05/04

exc.Coupé



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3196S	Female M14x1.5 , Ø 13.5mm Cone, L=135mm
2	Rack End	⇦⇨	Mfr.TRW, exc.OPC	QR5318S	Male M14x1.5 , M18x1.5mm Swivel, L=292mm
2	Rack End	⇦⇨	Mfr.Delphi, exc.OPC	QR5215S	Male M14x1.5 , M18x1.5 Swivel, L=302mm
2	Rack End	⇦⇨	Mfr.TRW, OPC	-	Male M14x1.5
4	Tie Rod Assembly	⇦⇨	Mfr.TRW, exc.OPC	QDL3197S	
4	Tie Rod Assembly	⇦⇨	Mfr.Delphi, exc.OPC	QDL3194S	
20a	Suspension Arm - Front	↲		QSA1662S	
20b	Suspension Arm - Front	↳		QSA1661S	
21	Ball Joint - Front	⇦⇨		QSJ1518S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS2698	Front


continued...

Astra G continued... 02/98-05/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			EMS2699	Rear
25	Stabiliser Link - Front			QLS3239S	L=300mm, Plastic
25[1]	Stabiliser Link - Front			QLS3399S	L=300mm, Metal
26	Stabiliser Bar Bush - Front		-ch.X2999999/ -5999999/ -6999999/ -8999999 exc.Estate,Convertible	EMB7110	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front		ch.X2999999-/ 5999999-/ 6999999-/ 8999999- exc.Estate,Convertible	EMB7112	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front		Estate, Convertible	-	Outer, Ø 22mm
61	Top Strut Bearing - Front			QAM157	
62	Top Strut Mounting - Front exc.Bearing			EMR1842	with bulge ring, H=44
62	Top Strut Mounting - Front exc.Bearing			EMR1841	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear		exc.2.0 Turbo,Convertible,OPC	EMS4127	Axle
34	Suspension Arm Bush - Rear		2.0 Turbo,Convertible,OPC	EMS8296	Axle
36	Stabiliser Bar Bush - Rear			EMB7131	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear			EMB7132	Outer, Ø 18mm

Astra G 10/99-05/05

Coupé




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR3196S	Female M14x1.5 RH, Ø 13.5mm Cone, L=135mm
2	Rack End		Mfr.TRW	QR5318S	Male M14x1.5 RH, M18x1.5mm Swivel, L=292mm
2	Rack End		Mfr.Delphi	QR5215S	Male M14x1.5 RH, M18x1.5 Swivel, L=302mm
4	Tie Rod Assembly		Mfr.TRW	QDL3197S	
4	Tie Rod Assembly		Mfr.Delphi	QDL3194S	
20a	Suspension Arm - Front			QSA1662S	

Astra G continued... 10/99-05/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front			QSA1661S	
21	Ball Joint - Front			QSJ1518S	Ø 18mm Cone
24a	Suspension Arm Bush - Front			EMS2698	Front
24b	Suspension Arm Bush - Front			EMS2699	Rear
25	Stabiliser Link - Front			QLS3239S	L=300mm, Plastic
25	Stabiliser Link - Front			QLS3399S	L=300mm, Metal
26	Stabiliser Bar Bush - Front		-ch.X2999999/ -5999999/ -6999999/ -8999999	EMB7110	Outer, Ø 16mm
26[1]	Stabiliser Bar Bush - Front		ch.X2999999-/ 5999999-/ 6999999-/ 8999999-	EMB7112	Outer, Ø 20mm
61	Top Strut Bearing - Front			QAM157	
62	Top Strut Mounting - Front exc.Bearing			EMR1842	with bulge ring, H=44
62	Top Strut Mounting - Front exc.Bearing			EMR1841	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear			EMS8296	Axle

Astra H 03/04-12/13



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer		TRW, ZF	QR3389S	Female M14x1.5 RH, Ø 13.5mm Cone, L=141mm
1b	Tie Rod End - Outer		TRW, ZF	QR3390S	Female M14x1.5 RH, Ø 13.5mm Cone, L=141mm
2	Rack End		TRW	QR3412S	Male M14x1.5 RH, M18x1.5 Swivel, L=300mm
2	Rack End		ZF, exc.Sport Susp.	QR3413S	Male M14x1.5 RH, M16x1.5 Swivel, L=293mm
2	Rack End		ZF, Sport Susp. exc.18",19" Wheels	QR3566S	Male M14x1.5 RH, M16x1.5 Swivel, L=292mm
2	Rack End		ZF, Sport Susp. 18",19" Wheels	-	
20a	Suspension Arm - Front			QSA2077S	
20b	Suspension Arm - Front			QSA2078S	
21	Ball Joint - Front			QSJ1518S	Ø 18mm Cone

continued...

Astra H continued... 03/04-12/13

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			EMS2698	Front
24b	Suspension Arm Bush - Front			EMS8306	Rear
25	Stabiliser Link - Front	⇦⇨	exc.IDS	QLS3239S	L=300mm, Plastic
25¹	Stabiliser Link - Front	⇦⇨	exc.IDS	QLS3399S	L=300mm, Metal
25²	Stabiliser Link - Front	⇦⇨	IDS	QLS3400S	L=300mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7270	Outer, Ø 24mm

Astra J 09/09-

L68 exc GTC







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3681S	
2	Rack End	⇦⇨	, Std.Susp	QR3959S	
2	Rack End	⇦⇨	, Sport Susp	QR3982S	
2	Rack End	⇦⇨	EPAS, Std.Susp	QR3866S	
2	Rack End	⇦⇨	EPAS, Sport Susp.	QR3867S	Male M16x1.5 , M16x1.5 Swivel, L=304mm
20a	Suspension Arm - Front		exc BiTurbo	QSA2637S	
20b	Suspension Arm - Front		exc BiTurbo	QSA2638S	
25	Stabiliser Link - Front	⇦⇨	exc.Flexride Susp.	QLS3634S	
25¹	Stabiliser Link - Front	⇦⇨	Flexride Susp.	QLS3747S	


Astra J GTC 10/11-





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3962S	
1b	Tie Rod End - Outer	⇨		QR3963S	
2	Rack End	⇦⇨		QR3960S	
2	Rack End	⇦⇨	EPAS	QR3961S	
20	Suspension Arm - Front		exc OPC,VXR	QSA2639S	
25a	Stabiliser Link - Front	⇦		QLS3833S	
25b	Stabiliser Link - Front	⇨		QLS3834S	

Calibra 08/89-05/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2383S**	Female M16x2.0 RH, Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		**QR2384S**	Female M16x2.0 LH, Ø 13mm Cone, L=66mm
2a	Rack End	⇦		**QR2335S**	Female M16x2.0 LH
2b	Rack End	⇨		**QR2334S**	Female M16x2.0 RH
3	Tie Rod Connector	⇦⇨		**QR2774S**	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		**QDL2771S**	
4b	Tie Rod Assembly	⇨		**QDL2772S**	
20a	Suspension Arm - Front		exc.V6	**QSA1427S**	
20b	Suspension Arm - Front		exc.V6	**QSA1426S**	
21	Ball Joint - Front		exc.V6 -ch.T1/-T9	**QSJ874S**	Ø 16mm Thick, Ø 13.4mm Cone
21	Ball Joint - Front		exc.V6 ch.T1-/T9-	**-**	
21	Ball Joint - Front		V6	**-**	
24a	Suspension Arm Bush - Front		mtr.C20NE, -ch.R9003127	**EMS1864**	Front
24a	Suspension Arm Bush - Front		mtr.C20NE, ch.R9003128-	**EMS8118**	Front
24a	Suspension Arm Bush - Front		exc.mtr.C20NE	**EMS8126**	Front
24b	Suspension Arm Bush - Front		mtr.C20NE, -ch.R9003127	**EMS1865**	Rear
24b	Suspension Arm Bush - Front		mtr.C20NE, ch.R9003128-	**EMS1960**	Rear
24b	Suspension Arm Bush - Front		ch.R9003128-	**EMS1960**	Rear
24c	Suspension Arm Bush - Front			**EMS1961**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	-ch.R9003127	**QLS1957S**	Ø 22mm

Calibra continued... 08/89-05/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨	ch.R9003128-	QLS3198S	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2643	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM123	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.2.5 mtr.C25XE,X25XE	EMR1923	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	2.5 mtr.C25XE,X25XE	-	
34	Suspension Arm Bush - Rear	⇩		EMS8127	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7105	Outer, Ø 15.0mm
36²	Stabiliser Link Bush - Rear	⇦⇨		EMB7023	

Corsa A 09/82-03/93




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1841S	Female M12x1.5 ↻, Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨		QR2136S	Male M12x1.5 ↻,Female M14x1.5 Swivel, L=293mm
20a	Suspension Arm - Front	⇩		QSJ1419S	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front	⇩		QSJ1418S	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front	⇩		QSJ1354S	Ø 15mm Cone
24	Suspension Arm Bush - Front	⇩		EMS2109	Inner
26	Stabiliser Bar Bush - Front	⇦⇨	exc.mtr.E16SE, Diesel	-	Outer, Ø 16.5mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.mtr.E16SE, Diesel	EMB2107	Outer, Ø 17.5mm
26	Stabiliser Bar Bush - Front	⇦⇨	mtr.E16SE, Diesel	EMB2636	Outer, Ø 19.5mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2084	Ø 17.5mm
61	Top Strut Bearing - Front	⇦⇨		QAM122	
34	Suspension Arm Bush - Rear	⇩		EMS8298	Front
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR2108	

Corsa B

04/93-05/97

-ch.V3023597, -V4166925, -V6066279




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1841S**	Female M12x1.5 LH, Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨		**QR2832S**	Male M12x1.5 LH, Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⇨		**QR2833S**	Male M12x1.5 LH, M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			**QSJ1421S**	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			**QSJ1420S**	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front	⇦⇨		**QSJ1354S**	Ø 15mm Cone
24	Suspension Arm Bush - Front	⇦⇨		**EMS1985**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2635**	Outer, Ø 21.5mm
26²	Stabiliser Bar Bush - Front	⇦⇨		**EMB1984**	Tie Bar Front Bush
61	Top Strut Bearing - Front	⇦⇨		**QAM122**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2287**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2287**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8298**	Front
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7107**	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7106**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7131**	Outer, Ø 17mm

Corsa B


05/97-08/00

ch.V3023598-, V4166926-, V6066280-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3240S**	Female M12x1.5 , Ø 10.7mm Cone, L=77mm
2	Rack End	⇦⇨	, Electric	**QR2832S**	Male M12x1.5 , Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⇨	exc.Electric	**QR2833S**	Male M12x1.5 , M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			**QSJ1658S**	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			**QSJ1657S**	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			**QSJ1664S**	Ø 15mm Cone
24	Suspension Arm Bush - Front			**EMS1985**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2635**	Outer, Ø 21.5mm
61	Top Strut Bearing - Front	⇦⇨		**QAM122**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2287**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2287**	
34	Suspension Arm Bush - Rear			**EMS8298**	Front
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7107**	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7106**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7131**	Outer, Ø 17mm

Corsa C 09/00-07/06




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1841S	Female M12x1.5 , Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨	-ch.33999999/ -34999999/ -36999999	QR3281S	Male M12x1.5,Female M14x1.5 Swivel, L=314mm
2	Rack End	⇦⇨	ch.43000001-/ 4400001-/ 4600001-	QR3838S	
20a	Suspension Arm - Front	↲	exc.Sport Susp., Bad Roads	QSA1974S	
20a	Suspension Arm - Front	↲	Sport Susp., Bad Roads -ch.14999999/-16999999	QSA1974S	
20a	Suspension Arm - Front	↲	Sport Susp., Bad Roads ch.24000001/26000001-	-	
20b	Suspension Arm - Front	↳	exc.Sport Susp., Bad Roads	QSA1975S	
20b	Suspension Arm - Front	↳	Sport Susp., Bad Roads -ch.14999999/-16999999	QSA1975S	
20b	Suspension Arm - Front	↳	Sport Susp., Bad Roads ch.24000001/26000001-	-	
21	Ball Joint - Front	⇩⇩		QSJ3271S	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇩⇩	exc.Sport Susp., Bad Roads	EMS8078	Front, Bush & Bracket
24a	Suspension Arm Bush - Front	⇩⇩	Sport Susp., Bad Roads -ch.14999999/-16999999	EMS8078	Front, Bush & Bracket
24a	Suspension Arm Bush - Front	⇩⇩	Sport Susp., Bad Roads ch.24000001/26000001-	-	Front, Bush & Bracket
24a	Suspension Arm Bush - Front	⇩⇩	exc.Sport Susp., Bad Roads	EMS8492	Front, Bush only
24b	Suspension Arm Bush - Front	⇩⇩		EMS8079	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3200S	L=245mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7113	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7110	Outer, Ø 16mm
61	Top Strut Bearing - Front	⇦⇨		QAM157	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1841	exc.bulge ring, H=42

Corsa C continued... 09/00-07/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34	Suspension Arm Bush - Rear	⇦⇨		EMS8334	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7131	Outer, Ø 17mm

Corsa D 08/06-

L08,L68




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3556S	Female M14x1.5 , Ø 12mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		QR3557S	Female M14x1.5 , Ø 12mm Cone, L=113mm
2	Rack End	⇦⇨		QR3550S	Male M14x1.5 , M14x1.5 Swivel, L=305mm
20a	Suspension Arm - Front			QSA2326S	Complete
20b	Suspension Arm - Front			QSA2327S	Complete
21	Ball Joint - Front			QSJ3393S	Ø 16mm Cone, 65mm Pcd,Ø 13mm Groove
24a	Suspension Arm Bush - Front			EMS8348	Front
24b	Suspension Arm Bush - Front			EMS8349	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.94999999,96999999	QLS3527S	L=301mm
62	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5052	

Corsa E 08/14-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3556S	Female M14x1.5 , Ø 12mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		QR3557S	Female M14x1.5 , Ø 12mm Cone, L=113mm
20a	Suspension Arm - Front			QSA2326S	
20b	Suspension Arm - Front			QSA2327S	
21	Ball Joint - Front			QSJ3393S	
24a	Suspension Arm Bush - Front			EMS8348	Front
24b	Suspension Arm Bush - Front			EMS8349	Rear

Frontera A 08/91-08/98




Frontera A continued... 08/91-08/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2781S	Female M14x1.5 R, Ø 16mm Cone
2	Side Rod End - Inner	⇦⇨		QR2780S	Female M14x1.5 L, Ø 16mm Cone
7	Idler Arm Assembly			QDL5281S	
21	Ball Joint - Front			QSJ1306S	Ø 21mm Cone
23	Ball Joint - Front		-ch.SV720102, 08/91-07/95	QSJ1307S	Ø 17.5mm Cone
23¹	Ball Joint - Front		ch.SV720103-, 08/95-08/98	QSJ9381S	Ø 19mm Cone
24c	Suspension Arm Bush - Front			EMS8011	
25	Stabiliser Link - Front	⇦⇨	-ch.SV720102, 08/91-07/95	-	
25a	Stabiliser Link - Front	⇦	ch.SV720103-, 08/95-08/98	QLS3359S	L=152mm
25b	Stabiliser Link - Front	⇨	ch.SV720103-, 08/95-08/98	QLS3360S	L=152mm
18	Shackle Pin Bush - Rear			-	Front, 2 per Vehicle
18¹	Shackle Pin Bush - Rear			EMS8013	Rear, 8 per Vehicle
35	Stabiliser Link - Rear	⇦⇨		QLS3361S	L=205mm

Frontera B 09/98-07/04




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3521S	Female M14x1.5 R, Ø 16mm Cone, L=75mm
2	Rack End	⇦⇨		QR3522S	Male M14x1.5 R, M14x1.5 Swivel, L=331mm
21	Ball Joint - Front			QSJ1306S	Ø 21mm Cone
23	Ball Joint - Front			QSJ9381S	Ø 19mm Cone
25a	Stabiliser Link - Front	⇦		QLS3359S	L=152mm
25b	Stabiliser Link - Front	⇨		QLS3360S	L=152mm

Insignia 08/08-12/14



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨	exc.OPC/VXR	QR3681S	
1a	Tie Rod End - Outer	⇦	OPC/VXR	-	
1b	Tie Rod End - Outer	⇨	OPC/VXR	-	
2	Rack End	⇦⊐⇨	exc.OPC/VXR	QR3682S	
2	Rack End	⇦⊐⇨	OPC/VXR	-	
20a	Suspension Arm - Front	↲	exc.Lowered Susp. & exc.Bad Roads	QSA2425S	Non Removable Ball Joint
20a	Suspension Arm - Front	↲	Lowered Susp. & exc.Bad Roads	-	Non Removable Ball Joint
20b	Suspension Arm - Front	↳	exc.Lowered Susp. & exc.Bad Roads	QSA2426S	Non Removable Ball Joint
20b	Suspension Arm - Front	↳	Lowered Susp. & exc.Bad Roads	-	Non Removable Ball Joint
24a	Suspension Arm Bush - Front	⇦⇨		-	Front
24b	Suspension Arm Bush - Front	⇦⇨	exc.Lowered Susp. & exc.Bad Roads	-	Rear
24b	Suspension Arm Bush - Front	⇦⇨	Lowered Susp. & exc.Bad Roads	-	Rear
25	Stabiliser Link - Front	⇦⊐⇨	exc.Flexride Susp.	QLS3634S	
25[1]	Stabiliser Link - Front	⇦⊐⇨	Flexride Susp.	QLS3747S	
35	Stabiliser Link - Rear	⇦⊐⇨	exc.4x4	QLS3635S	
35	Stabiliser Link - Rear	⇦⊐⇨	4x4	QLS3857S	

Kadett E 09/84-05/92




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR1829S	Female M16x1.5 RH, Ø 12.9mm Cone, L=65.8mm
1b	Tie Rod End - Outer	⇨		QR1828S	Female M16x1.5 LH, Ø 12.9mm Cone, L=65.8mm
2a	Rack End	⇦		QR2770S	Female M16x1.5 RH, L=430mm
2b	Rack End	⇨		QR2769S	Female M16x1.5 LH, L=430mm
3	Tie Rod Connector	⇦⇨		QR2773S	Male M16x1.5, L=98mm
20a	Suspension Arm - Front	⇦	exc.Diesel	QSA1470S	
20b	Suspension Arm - Front	⇨	exc.Diesel	QSA1469S	
21	Ball Joint - Front	⇦⇨		QSJ877S	Ø 13.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS2634	Front
24b	Suspension Arm Bush - Front	⇦⇨	exc.Diesel	EMS1987	Rear
24b	Suspension Arm Bush - Front	⇦⇨	Diesel	-	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1699S	Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1983	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2085	Ø 18mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.2,1.3,1.4,1.6 mtr.16SV,E16NZ,C16LZ, C16NZ	EMA1564	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.5TD,1.6 mtr.16S,1.6D,1.7D,TD,1.8,2.0	EMA1565	
34	Suspension Arm Bush - Rear	⇨⇦		EMS1869	Inner, Trailing Arm

Meriva

E75

04/03-05/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3391S	Female M14x1.5 ↻, L=70mm
2	Rack End	⇦⇨	exc.EPAS	QR3392S	Male M14x1.5 ↻, M14x1.5 Swivel, L=332mm
2	Rack End	⇦⇨	EPAS	QR3393S	Male M14x1.5 ↻, M14x1.5 Swivel, L=334mm
20a	Suspension Arm - Front	↲	exc.OPC,VXR	QSA2101S	
20a	Suspension Arm - Front	↲	OPC,VXR	-	
20b	Suspension Arm - Front	↳	exc.OPC,VXR	QSA2102S	
20b	Suspension Arm - Front	↳	OPC,VXR	-	
21a	Ball Joint - Front	↲		QSJ3304S	Ø 16mm Cone
21b	Ball Joint - Front	↳		QSJ3305S	Ø 16mm Cone
24a	Suspension Arm Bush - Front	↲↳		EMS8078	Front, Bush & Bracket
24a	Suspension Arm Bush - Front	↲↳		EMS8492	Front, Bush only
24a	Suspension Arm Bush - Front	↲↳		-	Front, 2 Bush Kit
24b	Suspension Arm Bush - Front	↲↳		EMS8079	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3200S	L=245mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7114	Outer
61	Top Strut Bearing - Front	⇦⇨		QAM157	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1842	with bulge ring, H=44
34	Suspension Arm Bush - Rear	⇦⇨	-ch.44999999	EMS8296	Axle

Meriva-B

S10

01/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3389S	
1b	Tie Rod End - Outer	⇨		QR3390S	
2	Rack End	⇦⇨	exc Active Steering	QR3945S	
2	Rack End	⇦⇨	Active Steering	QR3946S	
20a	Suspension Arm - Front			QSA2077S	
20b	Suspension Arm - Front			QSA2078S	
21	Ball Joint - Front			QSJ1518S	
24a	Suspension Arm Bush - Front			EMS2698	Front
24b	Suspension Arm Bush - Front			EMS8306	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3832S	L=305mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7270	Outer, Ø 24mm

Mokka 06/12-









KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	Hydraulic Power Steering	**QR3665S**	
1	Tie Rod End - Outer	⇦⇨	Electric Power Steering	**QR4017S**	
2	Rack End	⇦⇨	Electric Power Steering	**QR3972S**	
20a	Suspension Arm - Front	↲		**QSA2723S**	
20b	Suspension Arm - Front	↳	exc.Xenon Headlights	**QSA2724S**	
20b¹	Suspension Arm - Front	↳	Xenon Headlights	**QSA2725S**	
25a	Stabiliser Link - Front	⇦		**QLS3935S**	
25b	Stabiliser Link - Front	⇨		**QLS3936S**	

Monterey 08/91-08/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2780S	Female M14x1.5 LH, Ø 16mm Cone
2	Side Rod End - Inner	⇦⇨		QR2781S	Female M14x1.5 RH, Ø 16mm Cone
21	Ball Joint - Front	⇦⇨		QSJ1306S	Ø 21mm Cone
23	Ball Joint - Front	⇦⇨		QSJ9381S	Ø 19mm Cone
25a	Stabiliser Link - Front	⇦		QLS3359S	L=152mm
25b	Stabiliser Link - Front	⇨		QLS3360S	L=152mm
35	Stabiliser Link - Rear	⇦⇨		QLS3361S	L=205mm

Omega A 09/86-04/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		**QR2329S**	Male M14x1.5 , Ø 13.2mm Cone
1b	Side Rod End - Outer	⇨		**QR2328S**	Male M14x1.5 , Ø 13.2mm Cone
2a	Side Rod End - Inner	⇦		**QR2331S**	Male M14x1.5 , Ø 13.2mm Cone, L=92mm
2b	Side Rod End - Inner	⇨		**QR2330S**	Male M14x1.5 , Ø 13.2mm Cone, L=92mm
4a	Side Rod Assembly	⇦		**QDL2143S**	Ø 13.2mm Cone
4b	Side Rod Assembly	⇨		**QDL2142S**	Ø 13.2mm Cone
5	Centre Rod Assembly		, , 1.8-2.0 -ch.L1999999	**-**	
5	Centre Rod Assembly		, , 1.8-2.0 ch.M1000001-, 2.4i, 2.6-3.0, Diesel	**QDL2570S**	
5	Centre Rod Assembly		, , exc.2.4i, Diesel,Turbo Diesel	**QDL2570S**	
5	Centre Rod Assembly		, , 2.4i, Diesel,Turbo Diesel	**QDL2569S**	L=685mm
20a	Suspension Arm - Front		exc.Lotus	**QSA7005S**	
20b	Suspension Arm - Front		exc.Lotus	**QSA7004S**	
21a	Ball Joint - Front			**QSJ1056S**	Ø 18mm Cone
21b	Ball Joint - Front			**QSJ1055S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front			**EMS2645**	Front
24b	Suspension Arm Bush - Front			**EMS2647**	Rear
25	Stabiliser Link - Front			**QLS1607S**	L=230mm
26	Stabiliser Bar Bush - Front			**EMB2637**	Outer
61	Top Strut Bearing - Front			**QAM152**	

Omega B 05/94-08/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		**QR3028S**	Male M14x1.5 , Ø 15mm Cone
1b	Side Rod End - Outer	⇨		**QR3027S**	Male M14x1.5 , Ø 15mm Cone
2a	Side Rod End - Inner	⇦		**QR3025S**	Male M14x1.5 , Ø 15mm Cone

continued...

Omega B continued... 05/94-08/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2b	Side Rod End - Inner	⇨		**QR3026S**	Male M14x1.5 ↻, Ø 15mm Cone
4a	Side Rod Assembly	⇦	-ch.X1999999, 05/94-08/99	**QDL3030S**	
4a	Side Rod Assembly	⇦	-ch.Y1000001, 09/99-08/03	**QDL5288S**	
4b	Side Rod Assembly	⇨	-ch.X1999999, 05/94-08/99	**QDL3029S**	
4b	Side Rod Assembly	⇨	-ch.Y1000001, 09/99-08/03	**QDL5289S**	
5	Centre Rod Assembly			**QDL3032S**	
5	Centre Rod Assembly			**QDL3031S**	
20a	Suspension Arm - Front	↲		**QSA1648S**	
20b	Suspension Arm - Front	↳		**QSA1649S**	
21	Ball Joint - Front	⇩⇩		**QSJ1518S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8033**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS1988**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1607S**	L=230mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7026**	Outer
61	Top Strut Bearing - Front	⇦⇨		**QAM152**	
34a	Suspension Arm Bush - Rear	⇩⇩		**EMS8291**	Inner
34b	Suspension Arm Bush - Rear	⇩⇩		**EMS8127**	Outer
35a	Stabiliser Link - Rear	⇦		**QLS3300S**	L=180mm
35b	Stabiliser Link - Rear	⇨		**QLS3301S**	L=180mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7105**	Outer, Ø 15.0mm
36¹	Stabiliser Link Bush - Rear	⇧⇧		**EMB7120**	Upper
36²	Stabiliser Link Bush - Rear	⇦⇨		**EMB7023**	
91	Subframe Bush - Rear	⇩⇩		**EMS8294**	Front
91¹	Subframe Bush - Rear	⇩⇩		**-**	Centre
91¹	Subframe Bush - Rear	⇦⇨		**EMS8292**	Rear


Senator B 07/86-06/93



Senator B continued... 07/86-06/93

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		**QR2329S**	Male M14x1.5 , Ø 13.2mm Cone
1b	Side Rod End - Outer	⇨		**QR2328S**	Male M14x1.5 , Ø 13.2mm Cone
2a	Side Rod End - Inner	⇦		**QR2331S**	Male M14x1.5 , Ø 13.2mm Cone, L=92mm
2b	Side Rod End - Inner	⇨		**QR2330S**	Male M14x1.5 , Ø 13.2mm Cone, L=92mm
4a	Side Rod Assembly	⇦		**QDL2143S**	Ø 13.2mm Cone
4b	Side Rod Assembly	⇨		**QDL2142S**	Ø 13.2mm Cone
5	Centre Rod Assembly			**QDL2570S**	
20a	Suspension Arm - Front			**QSA7005S**	
20b	Suspension Arm - Front			**QSA7004S**	
21a	Ball Joint - Front			**QSJ1056S**	Ø 18mm Cone
21b	Ball Joint - Front			**QSJ1055S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front			**EMS2645**	Front
24b	Suspension Arm Bush - Front			**EMS2647**	Rear
25	Stabiliser Link - Front			**QLS1607S**	L=230mm
26	Stabiliser Bar Bush - Front			**EMB2637**	Outer
61	Top Strut Bearing - Front			**QAM152**	
34	Suspension Arm Bush - Rear		-ch.L5.155.054/ -L1.019.854	**EMS8127**	Inner, Outer
34	Suspension Arm Bush - Rear		ch.L5.155.055-/ L1.019.855-	**EMS8291**	Inner, Outer

Signum 02/03-07/08



continued...

Signum continued... 02/03-07/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3296S	Female M14x1.5, Ø 13mm Cone, L=136mm,
1b	Tie Rod End - Outer	⇨		QR3297S	Female M14x1.5, Ø 13mm Cone, L=136mm,
2	Rack End	⇦⇨	16/17'' Wheels	QR3567S	Male M14x1.5, M18x1.5 Swivel, L=304mm
2	Rack End	⇦⇨	18'' Wheels	-	
20a	Suspension Arm - Front		exc.OPC,VXR	QSA2000S	
20a	Suspension Arm - Front		OPC,VXR	-	
20b	Suspension Arm - Front		exc.OPC,VXR	QSA2001S	
20b	Suspension Arm - Front		OPC,VXR	-	
24a	Suspension Arm Bush - Front			EMS8207	Front
24b	Suspension Arm Bush - Front			EMS8208	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.61127658 exc.IDS+	QLS3311S	L=356mm
25	Stabiliser Link - Front	⇦⇨	ch.61127659- exc.IDS+	-	
25	Stabiliser Link - Front	⇦⇨	-ch.31999999 IDS+	QLS3311S	L=356mm
25	Stabiliser Link - Front	⇦⇨	ch.41000001- IDS+	QLS3730S	
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.51999999	EMB7149	Outer, Ø 24.0mm
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.51999999	EMB7150	Outer, Ø 25.2mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.61000001-	EMB7270	Outer, Ø 24mm
32	Suspension Arm - Rear		-ch.51999999	QSJ3331S	L=379mm
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8335	Front, Control Arm
34b	Suspension Arm Bush - Rear			EMS8336	Outer, Hub
34c	Suspension Arm Bush - Rear		Fitted to QSJ3331S	EMS8346	Outer, Rose Joint
35	Stabiliser Link - Rear	⇦⇨		QLS3541S	L=86mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7174	Outer, Ø 16.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7151	Outer, Ø 17.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7175	Outer, Ø 18.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7176	Outer, Ø 19.0mm


Sintra 11/96-09/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
61	Top Strut Bearing - Front	⇦⇨		QAM150	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6047	
62	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6047	

Tigra A 08/94-05/97

-ch.V3023597,V4166925,V6066279




Tigra A continued... 08/94-05/97



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1841S	Female M12x1.5 RH, Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨		QR2832S	Male M12x1.5 RH, Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⇨		QR2833S	Male M12x1.5 RH, M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			QSJ1421S	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			QSJ1420S	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			QSJ1354S	Ø 15mm Cone
24	Suspension Arm Bush - Front			EMS1985	Inner
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2635	Outer, Ø 21.5mm
26²	Stabiliser Bar Bush - Front	⇦⇨		EMB1984	Tie Bar Front Bush
61	Top Strut Bearing - Front	⇦⇨		QAM122	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2287	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2287	
34	Suspension Arm Bush - Rear			EMS8298	Front
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7107	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7106	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7131	Outer, Ø 17mm

Tigra A 05/97-04/01

ch.V3023598,V4166926,V6066280-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3240S	Female M12x1.5 RH, Ø 10.7mm Cone, L=77mm
2	Rack End	⇦⇨	, Electric	QR2832S	Male M12x1.5 RH, Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⇨	exc.Electric	QR2833S	Male M12x1.5 RH, M14 x1.5 Swivel, L=295mm

continued...

Tigra A continued... 05/97-04/01


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSJ1658S	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			QSJ1657S	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			QSJ1664S	Ø 15mm Cone
24	Suspension Arm Bush - Front			EMS1985	Inner
26	Stabiliser Bar Bush - Front			EMB2635	Outer, Ø 21.5mm
61	Top Strut Bearing - Front			QAM122	
62	Top Strut Mounting - Front exc.Bearing			EMR2287	
63	Top Strut Mounting - Front inc.Bearing			EMA2287	
34	Suspension Arm Bush - Rear			EMS8298	Front
36	Stabiliser Bar Bush - Rear			EMB7107	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear			EMB7106	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear			EMB7131	Outer, Ø 17mm

Tigra B 07/04-06/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR1841S	Female M12x1.5 , Ø 10.8mm Cone, L=72mm
2	Rack End			QR3675S	
21	Ball Joint - Front			QSJ3271S	Ø 16mm Cone
24a	Suspension Arm Bush - Front			-	Front, Bush & Bracket
24b	Suspension Arm Bush - Front			EMS8079	Rear
25	Stabiliser Link - Front			QLS3200S	L=245mm
26	Stabiliser Bar Bush - Front			EMB7112	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front			EMB7110	Outer, Ø 16mm
61	Top Strut Bearing - Front			QAM157	
62	Top Strut Mounting - Front exc.Bearing			EMR1841	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear			EMS8334	Axle
36	Stabiliser Bar Bush - Rear			EMB7131	Outer, Ø 17mm

Vectra A 08/88-08/95




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2383S	Female M16x2.0 RH, Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		QR2384S	Female M16x2.0 LH, Ø 13mm Cone, L=66mm
2a	Rack End	⇦		QR2335S	Female M16x2.0 LH
2b	Rack End	⇨		QR2334S	Female M16x2.0 RH
3	Tie Rod Connector	⇦⇨		QR2774S	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		QDL2771S	
4b	Tie Rod Assembly	⇨		QDL2772S	
20a	Suspension Arm - Front	↲		QSA1427S	
20b	Suspension Arm - Front	↳		QSA1426S	
21	Ball Joint - Front	⇩⇩		QSJ874S	Ø 16mm Thick, Ø 13.4mm Cone
24a	Suspension Arm Bush - Front	⇩⇩	-ch.R1049314/ -R5112256/ -R7540515	EMS1864	Front
24a	Suspension Arm Bush - Front	⇩⇩	ch.R1049315/ R5112257/ R7540516-	EMS8118	Front
24b	Suspension Arm Bush - Front	⇩⇩	-ch.R1049314/ -R5112256/ -R7540515	EMS1865	Rear
24b	Suspension Arm Bush - Front	⇩⇩	ch.R1049315/ R5112257/ R7540516-	EMS1960	Rear
24c	Suspension Arm Bush - Front	⇩⇩		EMS1961	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	-ch.R1049314/ -R5112256/ -R7540515	QLS1956S	Ø 18mm
25	Stabiliser Link - Front	⇦⇨	-ch.R1049314/ -R5112256/ -R7540515	QLS1957S	Ø 22mm
25	Stabiliser Link - Front	⇦⇨	ch.R1049315/ R5112257/ R7540516-	QLS3198S	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2644	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2643	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM123	

continued...

Vectra A continued... 08/88-08/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	exc.2.5	EMR1923	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	2.5	-	
34	Suspension Arm Bush - Rear		exc.4x4	EMS3085	Axle
34	Suspension Arm Bush - Rear		4x4	EMS8127	Axle - Inner

Vectra B 09/95-07/02




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR3167S	Female M14x1.5 RH, Ø 13.3mm Cone, L=75mm
2	Rack End	⇦⊐⇨	Mfr.ZF	QR2928S	Male M14x1.5 RH, M16 Swivel, L=360mm
2	Rack End	⇦⊐⇨	Mfr.Saginaw	QR2985S	Male M14x1.5 RH, L=365mm, M14 Swivel
20a	Suspension Arm - Front			QSA1660S	
20b	Suspension Arm - Front			QSA1659S	
21	Ball Joint - Front			QSJ1518S	Ø 18mm Cone

Vectra B continued... 09/95-07/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS2698**	Front
24b	Suspension Arm Bush - Front			**EMS2699**	Rear
25	Stabiliser Link - Front			**QLS3200S**	L=245mm
26	Stabiliser Bar Bush - Front		-ch.W1999999 -W5999999/ -W7999999	**EMB7110**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front		ch.X1000001-/ X7000001-/ YL.000001-	**EMB7166**	Outer, Ø 17mm
61	Top Strut Bearing - Front			**QAM157**	
62	Top Strut Mounting - Front exc.Bearing		1.6i,1.8i,1.7D,2.0 mtr.20NEJ	**EMR1841**	exc.bulge ring, H=42
62	Top Strut Mounting - Front exc.Bearing		2.0i 16v mtr.C20SEL,X20XEV,2.2i,2.5i,2.6i, 2.0D, 2.2D	**EMR1842**	with bulge ring, H=44
34a	Suspension Arm Bush - Rear			**EMS8128**	Front, Control Arm
34b	Suspension Arm Bush - Rear			**EMS1962**	Rear, Control Arm x2
34c	Suspension Arm Bush - Rear			**EMS8308**	Inner
36	Stabiliser Bar Bush - Rear		1.6 -ch.W1999999/ -W5999999/ -W7999999	**EMB7105**	Outer, Ø 15.0mm
36	Stabiliser Bar Bush - Rear		1.6 ch.X1000001-/ X7000001-/ YL.000001-	**EMB7121**	Outer, Ø 16.0mm
36	Stabiliser Bar Bush - Rear		1.8,2.0,2.0TD -ch.W1999999/ -W5999999/ -W7999999	**EMB7121**	Outer, Ø 16.0mm
36	Stabiliser Bar Bush - Rear		2.2 exc.Sports Susp.	**EMB7121**	Outer, Ø 16.0mm
91	Subframe Bush - Rear			**EM4032**	Front x2
91	Subframe Bush - Rear			**EM4033**	Rear x2

Vectra C 04/02-12/09




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3296S**	Female M14x1.5, Ø 13mm Cone, L=136mm,
1b	Tie Rod End - Outer	⇨		**QR3297S**	Female M14x1.5, Ø 13mm Cone, L=136mm,
2	Rack End	⇦⇨	exc.Sport Susp.	**QR3298S**	Male M14x1.5, M18x1.5 Swivel, L=305mm,
2	Rack End	⇦⇨	Sport Susp. ch.31032141-/38040656-, 16/17" Wheels	**QR3567S**	Male M14x1.5, M18x1.5 Swivel, L=304mm
2	Rack End	⇦⇨	Sport Susp. ch.31032141-/38040656-, 18" Wheels	**QR3791S**	Male M14x1.5, M18x1.5 Swivel L=305mm
20a	Suspension Arm - Front		exc.OPC,VXR	**QSA2000S**	
20a	Suspension Arm - Front		OPC,VXR	**-**	
20b	Suspension Arm - Front		exc.OPC,VXR	**QSA2001S**	
20b	Suspension Arm - Front		OPC,VXR	**-**	
24a	Suspension Arm Bush - Front			**EMS8207**	Front
24b	Suspension Arm Bush - Front			**EMS8208**	Rear
25	Stabiliser Link - Front	⇦⇨	exc.IDS+	**QLS3311S**	L=356mm
25	Stabiliser Link - Front	⇦⇨	IDS+	**QLS3730S**	
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.51999999/-58999999	**EMB7149**	Outer, Ø 24.0mm
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.51999999/-58999999	**EMB7150**	Outer, Ø 25.2mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.61000001-	**EMB7270**	Outer, Ø 24mm
32	Suspension Arm - Rear			**QSJ3331S**	L=379mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8335**	Front, Control Arm
34b	Suspension Arm Bush - Rear			**EMS8336**	Outer, Hub

Vectra C continued... 04/02-12/09

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34c	Suspension Arm Bush - Rear		Fitted to QSJ3331S	EMS8346	Outer, Rose Joint
35	Stabiliser Link - Rear			QLS3541S	L=86mm
36	Stabiliser Bar Bush - Rear			EMB7174	Outer, Ø 16.0mm
36	Stabiliser Bar Bush - Rear			EMB7151	Outer, Ø 17.0mm
36	Stabiliser Bar Bush - Rear			EMB7175	Outer, Ø 18.0mm
36	Stabiliser Bar Bush - Rear			EMB7176	Outer, Ø 19.0mm

Zafira A 02/99-07/05




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR3196S	Female M14x1.5, Ø 13.5mm Cone, L=135mm
2	Rack End		Mfr.TRW, exc.OPC	QR5318S	Male M14x1.5, M18x1.5mm Swivel, L=292mm
2	Rack End		Mfr.TRW, OPC	-	
2	Rack End		Mfr.Delphi	QR5215S	Male M14x1.5, M18x1.5 Swivel, L=302mm
4	Tie Rod Assembly		Mfr.TRW, exc.OPC	QDL3197S	
4	Tie Rod Assembly		Mfr.Delphi, exc.OPC	QDL3194S	
20a	Suspension Arm - Front			QSA1662S	
20b	Suspension Arm - Front			QSA1661S	

continued...

Zafira A continued... 02/99-07/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front	⇦⇨		**QSJ1518S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2698**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2699**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3239S**	L=300mm, Plastic
25¹	Stabiliser Link - Front	⇦⇨		**QLS3399S**	L=300mm, Metal
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.Y2.168.371	**EMS8295**	Outer, ID=21mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.Y2.168.372-	**-**	Outer, ID=21mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7248**	Outer, ID= 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM157**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1842**	with bulge ring, H=44
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1841**	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8296**	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7131**	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7132**	Outer, Ø 18mm

Zafira B 07/05-09/11




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Mfr.TRW, ZF	**QR3389S**	Female M14x1.5 , Ø 13.5mm Cone, L=141mm
1b	Tie Rod End - Outer	⇨	Mfr.TRW, ZF	**QR3390S**	Female M14x1.5 , Ø 13.5mm Cone, L=141mm
2	Rack End	⇦⇨	Mfr.TRW, -ch.72095156/-7G066981	**QR3545S**	Male M14x1.5 , M18x1.5 Swivel L=294mm,
2	Rack End	⇦⇨	Mfr.TRW, ch.72095157-/7G066982-	**-**	
2	Rack End	⇦⇨	Mfr.ZF exc.18'' Wheels	**QR3566S**	Male M14x1.5 , M16x1.5 Swivel, L=292mm
2	Rack End	⇦⇨	Mfr.ZF 18'' Wheels	**-**	
20a	Suspension Arm - Front	⇦		**QSA2077S**	
20b	Suspension Arm - Front	⇨		**QSA2078S**	
21	Ball Joint - Front	⇦⇨		**QSJ1518S**	Ø 18mm Cone

Zafira B continued... 07/05-09/11

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			EMS2698	Front
24b	Suspension Arm Bush - Front			EMS8306	Rear
25	Stabiliser Link - Front	⇦⇨	exc.IDS	QLS3239S	L=300mm, Plastic
25¹	Stabiliser Link - Front	⇦⇨	exc.IDS	QLS3399S	L=300mm, Metal
25²	Stabiliser Link - Front	⇦⇨	IDS	QLS3400S	L=300mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7270	Outer, Ø 24mm


Zafira C 10/11-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3681S	
2	Rack End	⇦⇨		QR4018S	
20a	Suspension Arm - Front			QSA2745S	
20b	Suspension Arm - Front			QSA2746S	
25	Stabiliser Link - Front	⇦⇨	exc.Flexride Susp.	QLS3634S	
25¹	Stabiliser Link - Front	⇦⇨	Flexride Susp.	QLS3747S	

Arena
THB,TF,TB


06/98-04/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1843S	Male M14x1.5 , Ø 12mm Cone
2	Rack End	⇦⇨		QR2635S	Female M14x1.5 , M12x1.0 Swivel, L=309mm
4	Tie Rod Assembly	⇦⇨		QDL2175S	L=345mm Overall, L=227mm Tube
21	Ball Joint - Front	⇩⇧		QSJ975S	Ø 18mm Cone
24	Suspension Arm Bush - Front	⇩⇧		EMS8138	Front, Rear
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2127	

Astra F
Van

09/91-02/98



Astra F continued... 09/91-02/98








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2383S**	Female M16x2.0 , Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		**QR2384S**	Female M16x2.0 , Ø 13mm Cone, L=66mm
2a	Rack End	⇦		**QR2335S**	Female M16x2.0
2b	Rack End	⇨		**QR2334S**	Female M16x2.0
3	Tie Rod Connector	⇦⇨		**QR2774S**	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		**QDL2771S**	
4b	Tie Rod Assembly	⇨		**QDL2772S**	
20a	Suspension Arm - Front			**QSA1427S**	
20b	Suspension Arm - Front			**QSA1426S**	
21	Ball Joint - Front	⇦⇨		**QSJ874S**	Ø 16mm Thick, Ø 13.4mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	-ch.P2603822/ -P8146889	**EMS1864**	Front
24a	Suspension Arm Bush - Front	⇦⇨	ch.P2603823-R2587415/ R5111734-/ P8146890-R8145949	**EMS8126**	Front
24a	Suspension Arm Bush - Front	⇦⇨	ch.R2587416-/ R5111735-/ R8145950-	**EMS8118**	Front
24b	Suspension Arm Bush - Front	⇦⇨	-ch.P2603822/ -P8146889	**EMS1865**	Rear
24b	Suspension Arm Bush - Front	⇦⇨	ch.P2603823-/ P8146890-	**EMS1960**	Rear
24c	Suspension Arm Bush - Front	⇦⇨		**EMS1961**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226/ -R2588488	**QLS1956S**	Ø 18mm
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226/ -R2588488	**QLS1957S**	Ø 22mm
25	Stabiliser Link - Front	⇦⇨	ch.R2595227-/ R2588489-	**QLS3198S**	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2644**	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2643**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM134**	Ø 14.6x92.8x12.13mm with Shield
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1892**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1892**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS3085**	Axle

Astra G

Van

02/98-04/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3196S	Female M14x1.5 RH, Ø 13.5mm Cone, L=135mm
2	Rack End	⇦⇨	Mfr.TRW	QR5318S	Male M14x1.5 RH, M18x1.5mm Swivel, L=292mm
2	Rack End	⇦⇨	Mfr.Delphi	QR5215S	Male M14x1.5 RH, M18x1.5 Swivel, L=302mm
4	Tie Rod Assembly	⇦⇨	Mfr.TRW	QDL3197S	
4	Tie Rod Assembly	⇦⇨	Mfr.Delphi	QDL3194S	
20a	Suspension Arm - Front	⇦		QSA1662S	
20b	Suspension Arm - Front	⇨		QSA1661S	
21	Ball Joint - Front	⇦⇨		QSJ1518S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS2698	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS2699	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3239S	L=300mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨		QLS3399S	L=300mm, Metal
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.X2999999/ -5999999/ -6999999/ -8999999	EMB7110	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.X2999999-/ 5999999-/ 6999999-/ 8999999-	EMB7112	Outer, Ø 20mm
61	Top Strut Bearing - Front	⇦⇨		QAM157	


Astra G continued... 02/98-04/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1842	with bulge ring, H=44
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1841	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear	⇦⇨		EMS4127	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7131	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7132	Outer, Ø 18mm

Astra H 12/04-12/13

Van






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	TRW, ZF	QR3389S	Female M14x1.5 , Ø 13.5mm Cone, L=141mm
1b¹	Tie Rod End - Outer	⇨	TRW, ZF	QR3390S	Female M14x1.5 , Ø 13.5mm Cone, L=141mm
2	Rack End	⇦⇨	TRW	QR3412S	Male M14x1.5 , M18x1.5 Swivel, L=300mm
2	Rack End	⇦⇨	ZF	QR3413S	Male M14x1.5 , M16x1.5 Swivel, L=293mm
20a	Suspension Arm - Front	↲		QSA2077S	
20b	Suspension Arm - Front	↳		QSA2078S	
21	Ball Joint - Front	⇩⇨		QSJ1518S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩⇨		EMS2698	Front
24b	Suspension Arm Bush - Front	⇩⇨		EMS8306	Rear
25	Stabiliser Link - Front	⇦⇨	exc.IDS	QLS3239S	L=300mm, Plastic
25¹	Stabiliser Link - Front	⇦⇨	exc.IDS	QLS3399S	L=300mm, Metal
25²	Stabiliser Link - Front	⇦⇨	IDS	QLS3400S	L=300mm

Campo 10/88-


TFR,TFS Pick-Up



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2781S	Female M14x1.5 , Ø 16mm Cone
2	Side Rod End - Inner	⇦⇨		QR2780S	Female M14x1.5 , Ø 16mm Cone
21	Ball Joint - Front		TFR 2x4	QSJ1321S	Ø 20.5mm Cone
21	Ball Joint - Front		TFS 4x4	QSJ1306S	Ø 21mm Cone
23	Ball Joint - Front			QSJ1307S	Ø 17.5mm Cone
24d	Suspension Arm Bush - Front			EMS8011	Inner
18	Shackle Pin Bush - Rear			-	Front, 2 per vehicle
18¹	Shackle Pin Bush - Rear			EMS8013	Rear, 8 per vehicle

Corsa A 11/90-04/93

Van




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1841S	Female M12x1.5 , Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨		QR2136S	Male M12x1.5 ,Female M14x1.5 Swivel, L=293mm

Corsa A continued... 11/90-04/93

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSJ1419S**	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			**QSJ1418S**	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			**QSJ1354S**	Ø 15mm Cone
24	Suspension Arm Bush - Front			**EMS2109**	Inner
26	Stabiliser Bar Bush - Front		exc.mtr.E16SE, Diesel	**-**	Outer, Ø 16.5mm
26	Stabiliser Bar Bush - Front		exc.mtr.E16SE, Diesel	**EMB2107**	Outer, Ø 17.5mm
26	Stabiliser Bar Bush - Front		mtr.E16SE, Diesel	**EMB2636**	Outer, Ø 19.5mm
27	Stabiliser Link Kit - Front			**EMBK2084**	Ø 17.5mm
61	Top Strut Bearing - Front			**QAM122**	
34	Suspension Arm Bush - Rear			**EMS8298**	Front
65	Top Strut Mounting - Rear exc.Bearing			**EMR2108**	

Corsa, Combo 04/93-05/97

Van, -ch.V3023597, -V4166925, -V6066279




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR1841S**	Female M12x1.5 , Ø 10.8mm Cone, L=72mm
2	Rack End			**QR2832S**	Male M12x1.5 , Female M14 x1.5 Swivel, L=325mm
2	Rack End			**QR2833S**	Male M12x1.5 , M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			**QSJ1421S**	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			**QSJ1420S**	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			**QSJ1354S**	Ø 15mm Cone
24	Suspension Arm Bush - Front			**EMS1985**	Inner
26	Stabiliser Bar Bush - Front			**EMB2635**	Outer, Ø 21.5mm
26²	Stabiliser Bar Bush - Front			**EMB1984**	Tie Bar Front Bush
61	Top Strut Bearing - Front			**QAM122**	
62	Top Strut Mounting - Front exc.Bearing			**EMR2287**	
63	Top Strut Mounting - Front inc.Bearing			**EMA2287**	
36	Stabiliser Bar Bush - Rear			**EMB7107**	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear			**EMB7106**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear			**EMB7131**	Outer, Ø 17mm

Corsa, Combo

05/97-08/00

Van, ch.V3023598-, V4166926-, V6066280-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3240S**	Female M12x1.5 LH, Ø 10.7mm Cone, L=77mm
2	Rack End	⇦⇨	, Electric	**QR2832S**	Male M12x1.5 LH, Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⇨	Electric	**QR2833S**	Male M12x1.5 LH, M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front	↲		**QSJ1658S**	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front	↳		**QSJ1657S**	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front	↲↳		**QSJ1664S**	Ø 15mm Cone
24	Suspension Arm Bush - Front	↲↳		**EMS1985**	Inner
24	Suspension Arm Bush - Front	↲	ch.V3.023.598-/ V4.166.926-/ V6.066.280-, exc.Combo	**-**	Front
24	Suspension Arm Bush - Front	↳	ch.V3.023.598-/ V4.166.926-/ V6.066.280-, exc.Combo	**-**	Front
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2635**	Outer, Ø 21.5mm
61	Top Strut Bearing - Front	⇦⇨		**QAM122**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2287**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2287**	
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7107**	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7106**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7131**	Outer, Ø 17mm

Corsa, Combo

Van

09/00-06/12




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1841S**	Female M12x1.5 ↻, Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨	-ch.33999999/ -34999999/ -36999999	**QR3281S**	Male M12x1.5,Female M14x1.5 Swivel, L=314mm
2	Rack End	⇦⇨	ch.43000001-/ 4400001-/ 4600001-	**QR3838S**	
20a	Suspension Arm - Front	↲		**QSA1974S**	
20b	Suspension Arm - Front	↳		**QSA1975S**	
21	Ball Joint - Front	⇦⇨		**QSJ3271S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8078**	Front, Bush & Bracket
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8492**	Front, Bush only
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8079**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3200S**	L=245mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.0,1.2	**EMB7113**	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.4,1.8,1.7TD	**EMB7110**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨	Combo	**-**	Outer
61	Top Strut Bearing - Front	⇦⇨		**QAM157**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	Corsa	**EMR1841**	exc.bulge ring, H=42
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	Combo	**EMR1842**	with bulge ring, H=44
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8296**	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7131**	Outer, Ø 17mm

Kadett E


09/84-05/92

Van



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR1829S**	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
1b	Tie Rod End - Outer	⇨		**QR1828S**	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
2a	Rack End	⇦		**QR2770S**	Female M16x1.5 , L=430mm
2b	Rack End	⇨		**QR2769S**	Female M16x1.5 , L=430mm
3	Tie Rod Connector	⇦⇨		**QR2773S**	Male M16x1.5, L=98mm
20a	Suspension Arm - Front	⇦	exc.Diesel	**QSA1470S**	
20b	Suspension Arm - Front	⇨	exc.Diesel	**QSA1469S**	
21	Ball Joint - Front	⇦⇨		**QSJ877S**	Ø 13.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2634**	Front
24b	Suspension Arm Bush - Front	⇦⇨	exc.Diesel	**EMS1987**	Rear
24b	Suspension Arm Bush - Front	⇦⇨	Diesel	**-**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1699S**	Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1983**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2085**	Ø 18mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.2,1.3,1.4,1.6 mtr.16SV,E16NZ,C16LZ, C16NZ	**EMA1564**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.6 mtr.16S,1.8,2.0,D	**EMA1565**	
34	Suspension Arm Bush - Rear	⇨⇦		**EMS1869**	Inner, Trailing Arm

Movano A 11/98-07/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5283S	Female M14x1.5 RH, L=223mm, Ø 16.5mm Cone
1b	Tie Rod End - Outer	⇨		QR5284S	Female M14x1.5 RH, L=223mm, Ø 16.5mm Cone
2	Rack End	⇦⇨	-ch.B810866(ED)/-BB57431(FD)/ -B785825(HD)-B794913(JD)-B825494(DU)	QR5285S	Male M16x1.5 RH, M14x1.5mm Swivel, L=199mm
2	Rack End	⇦⇨	ch.B810867-(ED)/BB57432-(FD)/ B785826-(HD)B794914-(JD)B825495-(DU)	QR3839S	
20a	Suspension Arm - Front	↲	-ch.B809445(ED)/-BB35302(FD)/ -J023002(FD)-B784590(HD)-B794053(JD)-B822152(UD)	QSA1876S	
20a	Suspension Arm - Front	↲	ch.B809446-(ED)/BB35303-(FD)/ J023003-(FD)B784591-(HD)B794054-(JD) B822153-(UD)	QSA2533S	
20b	Suspension Arm - Front	↳	-ch.B809445(ED)/-BB35302(FD)/ -J023002(FD)-B784590(HD)-B794053(JD)-B822152(UD)	QSA1877S	
20b	Suspension Arm - Front	↳	ch.B809446-(ED)/BB35303-(FD)/ J023003-(FD)B784591-(HD)B794054-(JD) B822153-(UD)	QSA2534S	
21	Ball Joint - Front	↲↳	-ch.B809445(ED)/-BB35302(FD)/ -J023002(FD)-B784590(HD)-B794053(JD)-B822152(UD)	QSJ1921S	Ø 22mm Cone

continued...

Movano A continued... 11/98-07/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front		ch.B809446-(ED)/BB35303-(FD)/ J023003-(FD)B784591-(HD)B794054-(JD) B822153-(UD)	**QSJ3504S**	
23	Ball Joint - Front			**QSJ3272S**	Outer, Ø 17mm Cone, M14 x 1.5
23²	Ball Joint - Front		exc.H.D.Susp.	**QSJ1875S**	Inner, Ø 15mm Cone
23²	Ball Joint - Front		H.D.Susp.	**-**	Inner
23²	Ball Joint - Front			**-**	Inner, Coil Spring
24a	Suspension Arm Bush - Front			**EMS8196**	Front
24b	Suspension Arm Bush - Front			**EMS8197**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3267S**	L=129mm
25b	Stabiliser Link - Front	⇨		**QLS3266S**	L=129mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7180**	Outer
18	Leaf Spring Bush - Rear	⇦⇨		**EMS8494**	Rear
36¹	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7230**	Outer, Ø 26mm

Movano B 07/10-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3840S**	Female M18x1.5 RH, Ø 16.5mm Cone, L=235mm
1b	Tie Rod End - Outer	⇨		**QR3841S**	Female M18x1.5 RH, Ø 16.5mm Cone, L=235mm
2	Rack End	⇦⇨		**QR3842S**	Male M18x1.5 RH, M16x1.5 Swivel, L=271mm
20a	Suspension Arm - Front			**QSA2545S**	
20b	Suspension Arm - Front			**QSA2546S**	
21	Ball Joint - Front			**QSJ3574S**	Ø 18.0mm Cone
21	Ball Joint - Front		-08/10	**QSJ3574S**	Ø 18.0mm Cone
21	Ball Joint - Front		09/10-	**QSJ3743S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3772S**	L=330mm
36	Stabiliser Bar Bush - Rear	⇦⇨	FWD	**EMB7284**	Outer, Ø 21mm

Vivaro

09/00-

E7A/B,F7A/B,J7A/B



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3311S**	Female M14x1.5, L=210mm Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		**QR3312S**	Female M14x1.5, L=210mm Ø 12mm Cone
2	Rack End	⇦⇨		**QR3365S**	Male M14x1.5, M12x1 Swivel, L=280mm
20a	Suspension Arm - Front	⇦	-ch.6V699999/-6Y999999	**QSA2220S**	Pressed Type
20a¹	Suspension Arm - Front	⇦	ch.7V600001-7V620920/7Y00001-7Y721556	**QSA2435S**	Forged Type
20a¹	Suspension Arm - Front	⇦	ch.7V620921-/7Y721557-	**-**	
20b	Suspension Arm - Front	⇨	-ch.6V699999/-6Y999999	**QSA2221S**	Pressed Type
20b¹	Suspension Arm - Front	⇨	ch.7V600001-7V620920/7Y00001-7Y721556	**QSA2436S**	Forged Type
20b¹	Suspension Arm - Front	⇨	ch.7V620921-/7Y721557-	**-**	
21	Ball Joint - Front	⇦⇨	-ch.7V621197/-7Y721612	**QSJ3288S**	Ø 18.7mm Cone, Ø 10mm Hole
21	Ball Joint - Front	⇦⇨	ch.7V621198-/7Y721613-	**QSJ3489S**	Ø 18.7mm Cone, Ø 12mm Hole
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8269**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8270**	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.7V622141	**QLS3330S**	L=310mm
25	Stabiliser Link - Front	⇦⇨	ch.7V622142-	**-**	
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7281**	Outer

Nippa

L201RS

07/97-03/01






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2453S	Female M12x1.25 , Ø 12mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		QR2455S	Female M12x1.25 ð, Ø 12mm Cone, L=90mm

106

1A,1C exc.Rallye

08/91-07/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5, Ø 12mm Cone, L=110mm
2a	Rack End	⇦	, -rp.7232	**QR2757S**	Male M14x1.5, L=90mm
2a	Rack End	⇦	, -rp.7114	**QR2757S**	Male M14x1.5, L=90mm
2b	Rack End	⇨	-rp.7232	**QR5087S**	Female M14x1.5, Ø 12mm Cone
2b	Rack End	⇨	, -rp.7114	**QR3071S**	Female M14x1.5
2	Rack End	⇦⇨	, rp.7233-	**QR9082S**	Male M14x1.5, M14x1.5mm Swivel
2	Rack End	⇦⇨	, rp.7115-	**QR9082S**	Male M14x1.5, M14x1.5mm Swivel
3a	Tie Rod Connector	⇦	, -rp.7232	**QR3081S**	M14x1.5, L=381mm
3a	Tie Rod Connector	⇦	, -rp.7114	**QR3081S**	M14x1.5, L=381mm


continued...

106 continued... 08/91-07/04


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
3b	Tie Rod Connector	⇨	, -rp.7232	**QR5086S**	Female M14x1.5 , Ø 12mm Cone, L=133mm
3b	Tie Rod Connector	⇨	, -rp.7114	**QR5086S**	Female M14x1.5 , Ø 12mm Cone, L=133mm
3	Tie Rod Connector	⇦⇨	, rp.7233-	**QR3081S**	M14x1.5 , L=381mm
3	Tie Rod Connector	⇦⇨	, rp.7115-	**QR3081S**	M14x1.5 , L=381mm
4a	Tie Rod Assembly	⇦	-rp.7232	**QDL2738S**	
4a	Tie Rod Assembly	⇦	-rp.7114	**QDL2740S**	
4b	Tie Rod Assembly	⇨	, -rp.7232	**QDL2737S**	
4b	Tie Rod Assembly	⇨	, -rp.7114	**QDL2739S**	
20a	Suspension Arm - Front		exc.16S,XSi	**QSA1376S**	
20a	Suspension Arm - Front		16S,XSi, 08/91-07/04	**QSA9404S**	
20b	Suspension Arm - Front		exc.16S,XSi	**QSA1375S**	
20b	Suspension Arm - Front		16S,XSi, 08/91-07/04	**QSA9403S**	
21	Ball Joint - Front	⇦⇨	exc.16S,XSi	**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	exc.16S,XSi	**EMS1989**	Front
24a	Suspension Arm Bush - Front	⇦⇨	16S,XSi	**EMS2648**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS3186**	Rear
25	Stabiliser Link - Front	⇦⇨	16S,XSi, 08/91-05/95	**QLS2915S**	L=350mm
25	Stabiliser Link - Front	⇦⇨	16S,XSi, 05/95-07/04	**QLS3077S**	Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.16S,XSi	**EMB7020**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.16S,XSi	**EMB7021**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨	16S,XSi, 08/91-05/93	**EMB7059**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨	16S,XSi, 05/93-07/04	**EMB7143**	Outer, Ø 20mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB7081**	Inner, Ø 16mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB3045**	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB3042**	Inner, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.16S,Rallye,XSi	**EMBK2254**	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.16S,Rallye,XSi	**EMBK2255**	2xAluminium, 2xSteel, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit	⇦⇨		**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	08/91-07/92 -ch.50265608	**EMR2005**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	08/92-07/04 ch.50265609-	**EMR2278**	
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS4046**	Axle
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8288**	Subframe
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Stabiliser Bar	**QWB9017**	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear	⇦⇨	Stabiliser Bar	**QWB9018**	Stabiliser Bar
64	Bump Stop - Rear	⇦⇨	1.0,1.1 exc.Airbag	**EM4230**	Ø 48mm
64	Bump Stop - Rear	⇦⇨	1.0,1.1 with Airbag,1.4,1.6,1.5D	**EMS8320**	

106 08/91-07/04

1A,1C Rallye



106 continued... 08/91-07/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5, Ø 12mm Cone, L=110mm
2a	Rack End	⇦	, -rp.7140	**QR2757S**	Male M14x1.5, L=90mm
2a	Rack End	⇦	, -rp.7114	**QR2757S**	Male M14x1.5, L=90mm
2b	Rack End	⇨	-rp.7140	**QR5087S**	Female M14x1.5, Ø 12mm Cone
2b	Rack End	⇨	, -rp.7114	**QR3071S**	Female M14x1.5
2	Rack End	⇦⇨	, rp.7141-	**QR9082S**	Male M14x1.5, M14x1.5mm Swivel
2	Rack End	⇦⇨	, rp.7115-	**QR9082S**	Male M14x1.5, M14x1.5mm Swivel
3a	Tie Rod Connector	⇦	, -rp.7140	**QR3081S**	M14x1.5, L=381mm
3a	Tie Rod Connector	⇦	, -rp.7114	**QR3081S**	M14x1.5, L=381mm
3b	Tie Rod Connector	⇨	, -rp.7140	**QR5086S**	Female M14x1.5, Ø 12mm Cone, L=133mm
3b	Tie Rod Connector	⇨	, -rp.7114	**QR5086S**	Female M14x1.5, Ø 12mm Cone, L=133mm
3	Tie Rod Connector	⇦⇨	, rp.7141-	**QR3081S**	M14x1.5, L=381mm
3	Tie Rod Connector	⇦⇨	, rp.7115-	**QR3081S**	M14x1.5, L=381mm
4a	Tie Rod Assembly	⇦	-rp.7140	**QDL2738S**	
4a	Tie Rod Assembly	⇦	-rp.7114	**QDL2740S**	
4b	Tie Rod Assembly	⇨	, -rp.7140	**QDL2737S**	
4b	Tie Rod Assembly	⇨	, -rp.7114	**QDL2739S**	
20a	Suspension Arm - Front			**QSA9404S**	
20b	Suspension Arm - Front			**QSA9403S**	
21	Ball Joint - Front			**QSJ1228S**	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS2648**	Front
24b	Suspension Arm Bush - Front			**EMS3186**	Rear
25	Stabiliser Link - Front	⇦⇨	08/91-05/95	**QLS2915S**	L=350mm
25	Stabiliser Link - Front	⇦⇨	05/95-07/04	**QLS3077S**	Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨	08/91-05/93	**-**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨	05/93-07/04	**EMB7075**	Outer, Ø 21mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7081**	Inner, Ø 16mm
26¹	Stabiliser Bar Bush - Front	⇨⇦	To Body	**EMB3045**	Inner, Ø 19mm
26¹	Stabiliser Bar Bush - Front	⇨⇦	To Body	**EMB3042**	Inner, Ø 21mm
29¹	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	


continued...

106 continued... 08/91-07/04


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	08/91-07/92 -ch.50265608	EMR2005	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	08/92-07/04 ch.50265609-	EMR2278	
37	Suspension Arm Repair Kit - Rear	⇦⊐⇨		QWB9018	Stabiliser Bar
64	Bump Stop - Rear	⇦⊐⇨	1.0,1.1 exc.Airbag	EM4230	Ø 48mm
64	Bump Stop - Rear	⇦⊐⇨	1.0,1.1 with Airbag,1.4,1.6,1.5D	EMS8320	


106 08/91-07/04


1A,1C



106 continued... 08/91-07/04








106 continued... 08/91-07/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2220S	Male M14x1.5, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		QR2219S	Male M14x1.5, Ø 12mm Cone, L=110mm
2a	Rack End	⇦	, -rp.7232, 08/91-08/96	QR5087S	Female M14x1.5, Ø 12mm Cone
2b	Rack End	⇨	, -rp.7232, 08/91-08/96	QR2757S	Male M14x1.5, L=90mm
2	Rack End	⇦⇨	, rp.7233-, 08/96-07/04	QR9082S	Male M14x1.5, M14x1.5mm Swivel
2	Rack End	⇦⇨		QR9082S	Male M14x1.5, M14x1.5mm Swivel
3a	Tie Rod Connector	⇦	, -rp.7232, 08/91-08/96	QR5086S	Female M14x1.5, Ø 12mm Cone, L=133mm
3b	Tie Rod Connector	⇨	, -rp.7232, 08/91-08/96	QR3081S	M14x1.5, L=381mm
3	Tie Rod Connector	⇦⇨	, rp.7233-, 08/96-07/04	QR3081S	M14x1.5, L=381mm
3	Tie Rod Connector	⇦⇨		QR3081S	M14x1.5, L=381mm
20a	Suspension Arm - Front	↲	exc.16S,Rallye,XSi	QSA1376S	
20a[1]	Suspension Arm - Front	↲	16S,Rallye,XSi, 08/91-04/04	QSA9404S	
20b	Suspension Arm - Front	↳	exc.16S,Rallye,XSi	QSA1375S	
20b[1]	Suspension Arm - Front	↳	16S,Rallye,XSi, 08/91-04/04	QSA9403S	
21	Ball Joint - Front	⇦⇨		QSJ1228S	Ø 36.8mm, Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	exc.16S,Rallye,XSi	EMS1989	Front
24a	Suspension Arm Bush - Front	⇦⇨	16S,Rallye,XSi	EMS2648	Front
24b	Suspension Arm Bush - Front	⇦⇨	exc.16S,Rallye,XSi	EMS3186	Rear
24b	Suspension Arm Bush - Front	⇦⇨	16S,Rallye,XSi	EMS8216	Rear
25	Stabiliser Link - Front	⇦⇨	16S,Rallye,XSi, 08/91-05/95	QLS2915S	L=350mm
25	Stabiliser Link - Front	⇦⇨	16S,Rallye,XSi, 05/95-07/04	QLS3077S	Ø 12mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.16S,XSi,Rallye	EMB7020	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.16S,XSi,Rallye	EMB7021	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨	16S,XSi, 08/91-05/93	EMB7059	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨	16S,XSi, 05/93-07/04	EMB7143	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	Rallye 08/91-05/93	-	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨	Rallye 05/93-07/04	EMB7075	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB7081	Inner, Ø 16mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB3045	Inner, Ø 19mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB3042	Inner, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.16S,Rallye,XSi	EMBK2254	2xAluminium, 2xSteel, Ø 19mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.16S,Rallye,XSi	EMBK2255	2xAluminium, 2xSteel, Ø 21mm
29	Suspension Arm Pinch Bolt Kit	⇦⇨		QSK270S	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	08/91-07/92 -ch.50265608	EMR2005	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	08/92-07/04 ch.50265609-	EMR2278	
34a	Suspension Arm Bush - Rear	⇦⇨		EMS4046	Axle
34b	Suspension Arm Bush - Rear	⇦⇨		EMS8288	Subframe
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.16S,Rallye,XSi, exc.Stabiliser Bar	QWB9017	exc.Stabiliser Bar
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.16S,Rallye,XSi, Stabiliser Bar	QWB9018	Stabiliser Bar
64	Bump Stop - Rear	⇦⇨	1.0,1.1 exc.Airbag	EM4230	Ø 48mm
64	Bump Stop - Rear	⇦⇨	1.0,1.1 with Airbag,1.4,1.6,1.5D	EMS8320	

107
PA,PC


07/05-04/15



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3573S**	Female M12x1.25 ↻, 12.6mm Cone, L=163mm
1b	Tie Rod End - Outer	⇨		**QR3574S**	Female M12x1.25 ↻, 12.6mm Cone, L=163mm
2	Rack End	⇦⇨		**QR3575S**	
20a	Suspension Arm - Front	↲		**QSA2360S**	
20b	Suspension Arm - Front	↳		**QSA2361S**	
21	Ball Joint - Front	⇦⇨		**QSJ3270S**	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8371**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8372**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3543S**	L=92mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7277**	Outer

108

05/14-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3573S**	Female M12x1.25 ↻, 12.6mm Cone, L=163mm
1b	Tie Rod End - Outer	⇨		**QR3574S**	Female M12x1.25 ↻, 12.6mm Cone, L=163mm
21	Ball Joint - Front	⇦⇨		**QSJ3270S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3543S**	L=92mm

205

02/83-12/99

20A,20C,20S,741 exc.CTi,GTi,Rallye,TD




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1741S**	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		**QR2119S**	Female M14x1.5 , M12x1.0 Swivel, L=330mm
4	Tie Rod Assembly	⇦⇨		**QDL2194S**	Ø 12mm Cone
20a	Suspension Arm - Front			**QSJ974S**	Ø 16mm Cone
20b	Suspension Arm - Front			**QSJ973S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS2207**	Inner
24b	Suspension Arm Bush - Front			**EMS2136**	Outer, x2
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2139**	Outer, Ø 20mm,White
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2137**	Outer, Ø 22mm, Green
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2138**	Outer, Ø 23mm,Blue
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2065**	Ø 20mm,White
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2066**	exc.Aluminium Clamp, Ø 22mm, Green
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2067**	Ø 23mm,Blue
29	Suspension Arm Repair Kit - Front			**EMBK2601**	Inner, Outer
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2173**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2173**	
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9011**	
93	Subframe Mounting - Rear			**EM4027**	

205

02/83-12/99

20A,20C,20S,741 CTi,GTi,Rallye,TD




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		QR2119S	Female M14x1.5 , M12x1.0 Swivel, L=330mm
4	Tie Rod Assembly	⇦⇨		QDL2194S	Ø 12mm Cone
20a	Suspension Arm - Front			QSA1039S	
20b	Suspension Arm - Front			QSA1038S	
24a	Suspension Arm Bush - Front			EMS1992	Front
24b	Suspension Arm Bush - Front			EMS2650	Rear
25	Stabiliser Link - Front	⇦⇨		QLS2146S	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2138	Outer, Ø 23mm,Blue
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2406	Ø 23mm,Blue
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2173	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2173	
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9011	
93	Subframe Mounting - Rear	⇦⇨		EM4027	

206

08/98-04/10

2A,2C,2D,2E,2H,2K,2S



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2219S**	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2220S**	Male M14x1.5 LH, Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨		**QR9531S**	Female M14x1.5 RH, L=315mm
20a	Suspension Arm - Front	↲	exc.1.6 16v, 2.0i 16v -rp.9440 -09/02	**QSA9533S**	
20a	Suspension Arm - Front	↲	exc.1.6 16v, 2.0i 16v rp.9441- 09/02-	**QSA2256S**	
20a	Suspension Arm - Front	↲	1.6 16v, 2.0i 16v -rp.9440 -09/02	**QSA1930S**	
20a	Suspension Arm - Front	↲	1.6 16v, 2.0i 16v rp.9441- 09/02-	**QSA2296S**	
20b	Suspension Arm - Front	↳	exc.1.6 16v, 2.0i 16v -rp.9440 -09/02	**QSA9532S**	
20b	Suspension Arm - Front	↳	exc.1.6 16v, 2.0i 16v rp.9441- 09/02-	**QSA2257S**	
20b	Suspension Arm - Front	↳	1.6 16v, 2.0i 16v -rp.9440 -09/02	**QSA1931S**	
20b	Suspension Arm - Front	↳	1.6 16v, 2.0i 16v rp.9441- 09/02-	**QSA2297S**	
24a	Suspension Arm Bush - Front	↲↳	exc.1.6 16v, 2.0i 16v	**EMS8373**	Front
24a	Suspension Arm Bush - Front	↲↳	1.6 16v, 2.0i 16v	**EMS8471**	Front
24b	Suspension Arm Bush - Front	↲↳	exc.1.6 16v, 2.0i 16v	**EMS3197**	Rear
24b	Suspension Arm Bush - Front	↲↳	1.6 16v, 2.0i 16v	**EMS8071**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS5266S**	L=338mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.4i 8v,1.9D,Di -rp.9276	**EMB7046**	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.6i 8v,1.6i 16v -rp.9122,2.0HDi -rp.9085	**EMB7082**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.4i 16v,1.4HDi,1.6HDi,2.0i 16v mtr.EW10J4	**EMB7177**	Outer, Ø 20mm


206 continued... 08/98-04/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨	1.4i 8v,1.9D,Di rp.9276-	**EMB7177**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.6i 8v,1.6i 16v rp.9123-	**EMB7177**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	2.0i 16v mtr.EW10J4S	**EMB7224**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨	2.0HDi rp.9086-	**EMB7177**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.4i 8v,1.9D,Di -rp.9276	**EMBK3077**	Outer, Ø 18mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.6i 8v,1.6i 16v -rp.9122,2.0HDi -rp.9085	**EMBK3078**	Outer, Ø 19mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.4i 16v,1.4HDi,1.6HDi,2.0i 16v mtr.EW10J4	**EMBK3075**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.4i 8v,1.9D,Di rp.9276-	**EMBK3075**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.6i 8v,1.6i 16v rp.9123-	**EMBK3075**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	2.0i 16v mtr.EW10J4S	**-**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	2.0HDi rp.9086-	**EMBK3075**	Outer, Ø 20mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	exc.Stabiliser Bar	**-**	
62a	Top Strut Mounting - Front exc.Bearing	⇦	Stabiliser Bar,	**EMR6085**	
62b	Top Strut Mounting - Front exc.Bearing	⇦	exc.Stabiliser Bar	**-**	
62b	Top Strut Mounting - Front exc.Bearing	⇨	Stabiliser Bar,	**EMR6086**	
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA6085**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA6086**	
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8289**	Subframe, Front
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8290**	Subframe, Rear
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.1.1,1.6i 16v,2.0 16v Saloon, 206CC	**QWB9015**	
37	Suspension Arm Repair Kit - Rear	⇦⇨	1.1 exc.Stabiliser Bar	**QWB9013**	
37	Suspension Arm Repair Kit - Rear	⇦⇨	1.1 Stabiliser Bar	**QWB9015**	
37a	Suspension Arm Repair Kit - Rear	⇦	1.6i 16v,2.0 16v Saloon, 206CC	**QWB9016**	
37b	Suspension Arm Repair Kit - Rear	⇨	1.6i 16v,2.0 16v Saloon, 206CC	**QWB9015**	
64	Bump Stop - Rear	⇦⇨	1.1i,1.4i,1.9D,2.0i 16v, Std.Susp.	**EM4230**	Ø 48mm

206 +

2A,2C,2D,2E,2H,2K,2S

02/09-12/12




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2219S**	Male M14x1.5 RH, Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2220S**	Male M14x1.5 LH, Ø 12mm Cone, L=110mm
2	Rack End	⇦⇨		**QR9531S**	Female M14x1.5 LH, L=315mm
20a	Suspension Arm - Front			**QSA2256S**	
20b	Suspension Arm - Front			**QSA2257S**	
24a	Suspension Arm Bush - Front			**EMS8373**	Front
24b	Suspension Arm Bush - Front			**EMS3197**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS5266S**	L=338mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7177**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7224**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3075**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**-**	Outer, Ø 21mm
29[1]	Suspension Arm Pinch Bolt Kit			**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR6085**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR6086**	
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA6085**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA6086**	

206 + continued... 02/09-12/12

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8289	Subframe, Front
34b	Suspension Arm Bush - Rear	⇦⇨		EMS8290	Subframe, Rear
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9015	
37	Suspension Arm Repair Kit - Rear	⇦⇨	Manufactured in Malaysia	-	


207 04/06-03/13

WA,WC



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3546S	Female M16x1.5 , Ø 12.5mm Cone, L=214mm
1b	Tie Rod End - Outer	⇨		QR3547S	Female M16x1.5 , Ø 12.5mm Cone, L=214mm
2	Rack End	⇦⇨		QR3548S	Male M16x1.5 , M12x1.0 Swivel, L=229mm
20a	Suspension Arm - Front	↲		QSA2330S	
20b	Suspension Arm - Front	↳		QSA2331S	
21	Ball Joint - Front	⇩⇩		QSJ3279S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8350	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8351	Rear
25a	Stabiliser Link - Front	⇦		QLS3535S	L=329mm
25b	Stabiliser Link - Front	⇨		QLS3536S	L=329mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.4i 8v,1.4i 16v,1.4HDi,1.6HDi 15'' Wheels	EMB7218	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.6i 16v,1.6i 16v Turbo THP, 1.6HDi 16'' Wheels	EMB7219	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.6HDi 17'' Wheels	EMB7217	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7221	Outer, Ø 23mm
29¹	Suspension Arm Pinch Bolt Kit	⇩⇩		QSK270S	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6119	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6119	

208 04/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc. EP6CDT,EP6CDTX	**QR3903S**	
1a	Tie Rod End - Outer	⇦	EP6CDT,EP6CDTX	**QR3546S**	
1b	Tie Rod End - Outer	⇨	exc. EP6CDT,EP6CDTX	**QR3904S**	
1b	Tie Rod End - Outer	⇨	EP6CDT,EP6CDTX	**QR3547S**	
2	Rack End	⇦⇨	exc. EP6CDT,EP6CDTX	**QR3905S**	
20a	Suspension Arm - Front	↲	Ø 266mm Brake Disc, exc.XY, exc.H.D.Susp.	**QSA2595S**	
20a¹	Suspension Arm - Front	↲	Ø 302mm Brake Disc	**QSA2330S**	
20b	Suspension Arm - Front	↳	Ø 266mm Brake Disc, exc.XY, exc.H.D.Susp.	**QSA2596S**	
20b¹	Suspension Arm - Front	↳	Ø 302mm Brake Disc	**QSA2331S**	
21	Ball Joint - Front	↲↳	Ø 266mm Brake Disc, exc.XY, exc.H.D.Susp.	**QSJ3635S**	
21¹	Ball Joint - Front	↲↳	Ø 266mm Brake Disc, XY, H.D.Susp.	**QSJ3619S**	
21²	Ball Joint - Front	↲↳	Ø 302mm Brake Disc	**QSJ3279S**	
24a	Suspension Arm Bush - Front	↲↳	Ø 266mm Brake Disc, exc.XY, exc.H.D.Susp.	**EMS8548**	Front
24a	Suspension Arm Bush - Front	↲↳	Ø 302mm Brake Disc	**EMS8350**	Front
24b	Suspension Arm Bush - Front	↲↳	Ø 266mm Brake Disc, exc.XY, exc.H.D.Susp.	**EMS8549**	Rear
24b	Suspension Arm Bush - Front	↲↳	Ø 302mm Brake Disc	**EMS8351**	Rear
26	Stabiliser Bar Bush - Front	⇦⇨	Ø 266mm Brake Disc	**EMB7296**	Outer, Ø 20.0mm
26	Stabiliser Bar Bush - Front	⇦⇨	Ø 266mm Brake Disc	**EMB7217**	Outer, Ø 22.0mm
26	Stabiliser Bar Bush - Front	⇦⇨	Ø 302mm Brake Disc	**EMB7218**	Outer, Ø 20.mm
26	Stabiliser Bar Bush - Front	⇦⇨	Ø 302mm Brake Disc	**EMB7219**	Outer, Ø 21.0mm
25	Stabiliser Bar Bush Kit - Front	⇦⇨	Ø 302mm Brake Disc	**-**	Outer, Ø 21mm

208 continued... 04/12-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦	Ø 302mm Brake Disc	QLS3535S	
25	Stabiliser Link - Front	⇨	Ø 302mm Brake Disc	QLS3536S	
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc. EP6CDT,EP6CDTX	EMR6120	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc. EP6CDT,EP6CDTX	EMA6120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	EP6CDT,EP6CDTX	EMR6121	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	EP6CDT,EP6CDTX	EMA6121	
90	Subframe Bush - Front	⇦⇨	exc. XY,GTI	EMS8543	Rear

301 11/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3546S	
1a	Tie Rod End - Outer	⇨		QR3547S	
2	Rack End	⇦⇨		QR3976S	
20a	Suspension Arm - Front	↲		QSA2648S	
20b	Suspension Arm - Front	↳		QSA2649S	
21	Ball Joint - Front	⇦⇨		QSJ3619S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8350	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8351	Rear
25a	Stabiliser Link - Front	⇦		QLS3535S	
25b	Stabiliser Link - Front	⇨		QLS3536S	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7303	Outer, Ø 20.5mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6120	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6120	
34	Suspension Arm Bush - Rear	⇦⇨		EMS8543	

305 II

581 exc.XU Engine

08/82-07/90




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2220S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨		**QR2219S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
4a	Tie Rod Assembly	⇦		**QDL2159S**	
4b	Tie Rod Assembly	⇨		**QDL2158S**	
14	Steering Column Flexible Coupling		08/82-07/84	**EMD1630**	
14	Steering Column Flexible Coupling		08/84-07/90	**EMD1631**	35mm
21	Ball Joint - Front	⇦⇨		**QSJ972S**	Ø 14.6mm Cone, Ø 38mm Mounting Thread
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
37	Suspension Arm Repair Kit - Rear	⇦⇨	Estate, Rear	**QWB9000**	

305 II

581 XU Engine

08/84-07/90




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2106S	Male M14x1.5 , Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		QR2105S	Male M14x1.5 , Ø 12mm Cone
2	Rack End	⇦⇨		QR2629S	Female M14x1.5 , M12x1.0 Swivel, L=200mm
4a	Tie Rod Assembly	⇦		QDL2104S	
4a	Tie Rod Assembly	⇦	,	QDL2104S	
4a	Tie Rod Assembly	⇦	,	-	
4b	Tie Rod Assembly	⇨		QDL2103S	
4b	Tie Rod Assembly	⇨	,	QDL2103S	
4b	Tie Rod Assembly	⇨	,	-	
14	Steering Column Flexible Coupling			EMD1630	
21	Ball Joint - Front			QSJ972S	Ø 14.6mm Cone, Ø 38mm Mounting Thread
61	Top Strut Bearing - Front	⇦⇨		QAM111	
37	Suspension Arm Repair Kit - Rear	⇦⇨	Estate, Rear	QWB9000	

306 I

7A,7B,7C,7E,7S,7T

04/93-03/97



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		QR2834S	Female M14x1.5 , M12 x1.0 Swivel, L=370mm
4	Tie Rod Assembly	⇦⇨		QDL2907S	
20a	Suspension Arm - Front	↲	,exc.2.0i,Cabrio	QSA995S	Complete
20a	Suspension Arm - Front	↲	,exc.2.0i,Cabrio	QSA997S	Complete
20a	Suspension Arm - Front	↲	exc.2.0i,Cabrio	QSA2368S	Not Complete
20a	Suspension Arm - Front	↲	2.0,Cabrio	-	
20b	Suspension Arm - Front	↳	,exc.2.0i,Cabrio	QSA994S	Complete


306 I continued... 04/93-03/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		,exc.2.0i,Cabrio	**QSA996S**	Complete
20b	Suspension Arm - Front		exc.2.0i,Cabrio	**QSA2369S**	Not Complete
20b	Suspension Arm - Front		2.0,Cabrio	**-**	
21	Ball Joint - Front		,exc.2.0i,Cabrio	**QSJ1298S**	Ø 16mm Cone
21	Ball Joint - Front		,exc.2.0i,Cabrio	**QSJ1299S**	Ø 16mm Cone
21	Ball Joint - Front		2.0,Cabrio	**QSJ1299S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS1859**	Front
24b	Suspension Arm Bush - Front			**EMS1858**	Rear
25	Stabiliser Link - Front			**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front			**QLS3240S**	L=306mm, Plastic
26	Stabiliser Bar Bush - Front			**EMB7080**	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front			**EMB7073**	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front			**EMB7074**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front			**EMB7079**	Outer, Ø 21mm
27[1]	Stabiliser Bar Bush Kit - Front			**EMBK3054**	Inner, Ø 21mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2653**	Outer, Ø 17mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2074**	Outer, Ø 18mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2073**	Outer, Ø 19mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2660**	Outer, Ø 21mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6020**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6020**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6021**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6021**	
16	Axle Mounting - Rear		exc.2.0i 16v	**EM1896**	Inner
16	Axle Mounting - Rear		2.0i 16v	**-**	Inner
16a	Axle Mounting - Rear			**EM2517**	Outer
16b	Axle Mounting - Rear			**EM1914**	Outer
37	Suspension Arm Repair Kit - Rear			**QWB9011**	
64	Bump Stop - Rear			**-**	49.5x63

306 II

7A,7B,7C,7E,7S,7T -org.7969

04/97-07/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5, Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		QR2834S	Female M14x1.5, M12 x1.0 Swivel, L=370mm
4	Tie Rod Assembly	⇦⇨		QDL2907S	
20a	Suspension Arm - Front	↲	, -rp.7905, 04/97-07/98, exc.H.D.Susp.	QSA997S	Complete
20a	Suspension Arm - Front	↲	, -rp.7905, 04/97-07/98, exc.H.D.Susp.	QSA995S	Complete
20a	Suspension Arm - Front	↲	rp.7906-, 07/98-07/99, exc.H.D.Susp.	QSA2117S	Complete
20a	Suspension Arm - Front	↲	exc.H.D.Susp.	QSA2368S	Not Complete
20a	Suspension Arm - Front	↲	H.D.Susp.	QSA1905S	Sheet Steel Type, Complete
20b	Suspension Arm - Front	↳	, -rp.7905, 04/97-07/98, exc.H.D.Susp.	QSA996S	Complete
20b	Suspension Arm - Front	↳	, -rp.7905, 04/97-07/98, exc.H.D.Susp.	QSA994S	Complete
20b	Suspension Arm - Front	↳	rp.7906-, 07/98-07/99, exc.H.D.Susp.	QSA2118S	Complete
20b	Suspension Arm - Front	↳	exc.H.D.Susp.	QSA2369S	Not Complete


306 II continued... 04/97-07/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		H.D.Susp.	**QSA1906S**	
21	Ball Joint - Front		, -rp.7905, 04/97-07/98, exc.H.D.Susp.	**QSJ1299S**	Ø 16mm Cone
21	Ball Joint - Front		, -rp.7905, 04/97-07/98, exc.H.D.Susp.	**QSJ1298S**	Ø 16mm Cone
21	Ball Joint - Front		rp.7906-, 07/98-07/99, exc.H.D.Susp.	**QSJ9534S**	Ø 18mm Cone
21	Ball Joint - Front		H.D.Susp.	**QSJ1298S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS1859**	Front
24b	Suspension Arm Bush - Front			**EMS1858**	Rear
25	Stabiliser Link - Front		-org.7608, 04/97-08/97	**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front		org.7609-, 09/97-07/99	**QLS3240S**	L=306mm, Plastic
26	Stabiliser Bar Bush - Front			**EMB7080**	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front			**EMB7073**	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front			**EMB7074**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front			**EMB7179**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front			**EMB7079**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front			**EMB7156**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front			**EMBK3054**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2653**	Outer, Ø 17mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2074**	Outer, Ø 18mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2073**	Outer, Ø 19mm
27	Stabiliser Bar Bush Kit - Front			**-**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2661**	Outer, Ø 22mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6020**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6020**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6021**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6021**	
16	Axle Mounting - Rear		exc.2.0i 16v	**EM1896**	Inner
16	Axle Mounting - Rear		2.0i 16v	**-**	Inner
16a	Axle Mounting - Rear			**EM2517**	Outer
16b	Axle Mounting - Rear			**EM1914**	Outer
37	Suspension Arm Repair Kit - Rear		exc.Saloon,Cabriolet	**QWB9011**	
37	Suspension Arm Repair Kit - Rear		Saloon,Cabriolet	**QWB9019**	
64	Bump Stop - Rear			**-**	49.5x63

306 II

08/99-12/02

7A,7B,7C,7E,7S,7T org.7970-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 ↻, Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		QR2834S	Female M14x1.5 ↻, M12 x1.0 Swivel, L=370mm
4	Tie Rod Assembly	⇦⇨		QDL2907S	
20a	Suspension Arm - Front	↲	exc.H.D.Susp.	QSA2117S	Complete
20a	Suspension Arm - Front	↲	exc.H.D.Susp.	QSA2368S	Not Complete
20a	Suspension Arm - Front	↲	H.D.Susp.	QSA1905S	Sheet Steel Type, Complete
20b	Suspension Arm - Front	↳	exc.H.D.Susp.	QSA2118S	Complete
20b	Suspension Arm - Front	↳	exc.H.D.Susp.	QSA2369S	Not Complete
20b	Suspension Arm - Front	↳	H.D.Susp.	-	
21	Ball Joint - Front	↲↳		QSJ9534S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	↲↳		EMS1859	Front
24b	Suspension Arm Bush - Front	↲↳		EMS1858	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3063S	L=306mm, Metal
25	Stabiliser Link - Front	⇦⇨		QLS3240S	L=306mm, Plastic
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7080	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7073	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7074	Outer, Ø 19mm


306 II continued... 08/99-12/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7179**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7079**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7156**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2653**	Outer, Ø 17mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2074**	Outer, Ø 18mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2073**	Outer, Ø 19mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**-**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2661**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
16	Axle Mounting - Rear	⇧	exc.2.0i 16v	**EM1896**	Inner
16	Axle Mounting - Rear	⇧	2.0i 16v	**-**	Inner
16a	Axle Mounting - Rear	⇦		**EM2517**	Outer
16b	Axle Mounting - Rear	⇨		**EM1914**	Outer
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Saloon,Cabriolet	**QWB9011**	
37	Suspension Arm Repair Kit - Rear	⇦⇨	Saloon,Cabriolet	**QWB9019**	

307

3A,3C,3E,3H

03/01-11/07




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-rp.10310, -02/05	**QR2219S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨	-rp.10310, -02/05	**QR2220S**	Male M14x1.5 , Ø 12mm Cone, L=110mm
1	Tie Rod End - Outer	⇦⇨	rp.10311-, 03/05-	**QR1741S**	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨	-rp.10310, -02/05	**QR3275S**	Female M14x1.5, M14X1.5 Swivel, L=340mm
2	Rack End	⇦⇨	rp.10311-, 03/05-	**QR3552S**	Male M14x1.5 , M14x1.5 Swivel, L=360mm
20a	Suspension Arm - Front		exc.Coupé Cabriolet	**QSA1948S**	
20a	Suspension Arm - Front		Coupé Cabriolet	**-**	
20b	Suspension Arm - Front		exc.Coupé Cabriolet	**QSA1949S**	
20b	Suspension Arm - Front		Coupé Cabriolet	**-**	
21	Ball Joint - Front			**QSJ3256S**	Ø 16mm Cone, M14x1.5
24a	Suspension Arm Bush - Front		exc.Coupé Cabriolet	**EMS8192**	Front
24a	Suspension Arm Bush - Front		Coupé Cabriolet	**-**	Front
24b	Suspension Arm Bush - Front			**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3294S**	L=340mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7083**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7084**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨	-rp.11433	**EMB7137**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨	rp.11433-	**EMB7137**	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10178	**EMBK2656**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	rp.10179-	**EMBK3069**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10178	**EMBK2655**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	rp.10179-	**EMBK3068**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-rp.10178	**-**	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	rp.10179-11433	**-**	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	rp.11433-	**-**	Outer, Ø 23mm

307 continued... 03/01-11/07

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR5042	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5042	


308 I 09/07-05/15

4A,4C



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3638S	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
1b	Tie Rod End - Outer	⇨		QR3639S	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
2	Rack End	⇦⇨		QR3617S	Male M14x1.5 RH,M14x1.5 Swivel, L=295mm
20a	Suspension Arm - Front	↲		QSA2396S	
20b	Suspension Arm - Front	↳		QSA2397S	
21	Ball Joint - Front	⇩⇩		QSJ3434S	Ø 15.6mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8192	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8193	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3558S	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7083	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7084	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7137	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3069	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3068	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		-	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		-	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6127	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6127	

308 II 09/13-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4000S	
1b	Tie Rod End - Outer	⇨		QR4001S	
2	Rack End	⇦⇨		QR4002S	
20a	Suspension Arm - Front	↲	exc. GTi	QSA2730S	Aluminium, Without Ball Joint
20b	Suspension Arm - Front	↳	exc. GTi	QSA2731S	Aluminium, Without Ball Joint
21	Ball Joint - Front	↲↳		QSJ3703S	
25	Stabiliser Link - Front	⇦⇨		QLS3558S	

309 10/85-10/93

3A,3C,10A,10C



309 continued... 10/85-10/93



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨		QR5217S	Female M14x1.5, M12x1.0 Swivel, L=339mm
4	Tie Rod Assembly	⇦⇨		QDL2107S	Ø 12mm Cone
20a	Suspension Arm - Front	↲	exc.TD,GTi	QSJ1041S	Ø 16mm Cone
20a¹	Suspension Arm - Front	↲	TD,GTi	QSA1026S	
20b	Suspension Arm - Front	↳	exc.TD,GTi	QSJ1040S	Ø 16mm Cone
20b¹	Suspension Arm - Front	↳	TD,GTi	QSA1027S	
24a	Suspension Arm Bush - Front	⇦⇨	exc.TD,GTi	EMS1992	Inner
24b	Suspension Arm Bush - Front	⇦⇨	exc.TD,GTi	EMS2169	Outer
24a¹	Suspension Arm Bush - Front	⇦⇨	TD,GTi	EMS1992	Front
24b¹	Suspension Arm Bush - Front	⇦⇨	TD,GTi	EMS2650	Rear
25	Stabiliser Link - Front	⇦⇨	TD,GTi	QLS2146S	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.TD,GTi	EMB2139	Outer, Ø 20mm,White
26	Stabiliser Bar Bush - Front	⇦⇨	exc.TD,GTi	EMB2137	Outer, Ø 22mm, Green
26	Stabiliser Bar Bush - Front	⇦⇨	exc.TD,GTi	EMB2138	Outer, Ø 23mm,Blue
26a	Stabiliser Bar Bush - Front	⇦	TD	-	Outer
26b	Stabiliser Bar Bush - Front	⇨	TD	EMB3063	Outer
27	Stabiliser Link Kit - Front	⇦⇨	exc.TD,GTi	EMBK2075	Outer, Ø 20mm,White
27	Stabiliser Link Kit - Front	⇦⇨	exc.TD,GTi	-	Outer, Ø 23mm,Blue
29	Suspension Arm Repair Kit - Front	⇦⇨	exc.TD,GTi	EMBK2602	Inner, Outer Fitted to QSJ1040 & QSJ1041S


continued...

309 continued... 10/85-10/93

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2173	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2173	
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.Saloon,Cabriolet	QWB9011	
64	Bump Stop - Rear	⇦⇨	1.9i 16v GTi exc.H.D.Susp.	-	49.5x63
93	Subframe Mounting - Rear	⇦⇨		EM4027	

405 I 06/87-07/93

4B,4E,15B,15E -ch.71358279



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2106S	Male M14x1.5 , Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		QR2105S	Male M14x1.5 , Ø 12mm Cone
2	Rack End	⇦⇨		QR2629S	Female M14x1.5 , M12x1.0 Swivel, L=200mm
4a	Tie Rod Assembly	⇦		QDL2104S	
4b	Tie Rod Assembly	⇨		QDL2103S	
20a	Suspension Arm - Front			QSA1045S	
20b	Suspension Arm - Front			QSA1044S	
21	Ball Joint - Front			QSJ972S	Ø 14.6mm Cone, Ø 38mm Mounting Thread


405 I continued... 06/87-07/93

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS1994**	Front
24b	Suspension Arm Bush - Front			**EMS1993**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3271S**	L=165mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.9,2.0,Mi16,4x4	**EMB3057**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.9,2.0,Mi16,4x4	**EMB3059**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.9,2.0,Mi16,4x4	**EMB3058**	Outer, Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.1.9,2.0,Mi16,4x4	**EMBK2256**	Outer, Ø 20mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.1.9,2.0,Mi16,4x4	**EMBK2257**	Outer, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.1.9,2.0,Mi16,4x4	**EMBK2258**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	06/87-06/92	**EMR2173**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	07/92-07/93	**EMR1844**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	06/87-06/92	**EMA2173**	
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8330**	Trailing Arm, Front
34b	Suspension Arm Bush - Rear	⇦⇨	exc.4x4	**EMS2603**	Axle
34b	Suspension Arm Bush - Rear	⇦⇨	4x4	**EMS2604**	Axle
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.4x4	**QWB9012**	
64	Bump Stop - Rear	⇦⇨	exc.4x4, H.D.Susp.	**-**	49.5x63

405 II

08/93-12/95

4B,4E,15B,15E ch.71358279-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.mtr.2.0i 16v Turbo XU10J4TE	QR2106S	Male M14x1.5 , Ø 12mm Cone
1a	Tie Rod End - Outer	⇦	mtr.2.0i 16v Turbo XU10J4TE	-	Male M16x1.5
1b	Tie Rod End - Outer	⇨	exc.mtr.2.0i 16v Turbo XU10J4TE	QR2105S	Male M14x1.5 , Ø 12mm Cone
1b	Tie Rod End - Outer	⇨	mtr.2.0i 16v Turbo XU10J4TE	-	Male M16x1.5
2	Rack End	⇦⇨	exc.mtr.2.0i 16v Turbo XU10J4TE	QR2629S	Female M14x1.5 , M12x1.0 Swivel, L=200mm
2	Rack End	⇦⇨	mtr.2.0i 16v Turbo XU10J4TE	-	
4a	Tie Rod Assembly	⇦	exc.mtr.2.0i 16v Turbo XU10J4TE	QDL2104S	
4a	Tie Rod Assembly	⇦	mtr.2.0i 16v Turbo XU10J4TE	-	
4b	Tie Rod Assembly	⇨	exc.mtr.2.0i 16v Turbo XU10J4TE	QDL2103S	
4b	Tie Rod Assembly	⇨	mtr.2.0i 16v Turbo XU10J4TE	-	
20a	Suspension Arm - Front			QSA1386S	
20b	Suspension Arm - Front			QSA1385S	
21	Ball Joint - Front			QSJ1184S	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front			EMS1994	Front
24b	Suspension Arm Bush - Front			EMS1993	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3271S	L=165mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3057	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3059	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3058	Outer, Ø 22mm


405 II continued... 08/93-12/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2256**	Outer, Ø 20mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2257**	Outer, Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2258**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1844**	
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8330**	Trailing Arm, Front
34b	Suspension Arm Bush - Rear	⇦⇨	exc.4x4	**EMS2603**	Axle
34b	Suspension Arm Bush - Rear	⇦⇨	4x4	**EMS2604**	Axle
37	Suspension Arm Repair Kit - Rear	⇦⇨	exc.4x4	**QWB9012**	
95[1]	Shock Absorber Bush - Rear	⇩		**EMS8504**	Lower
95[2]	Shock Absorber Bush - Rear	⇧		**EMS8505**	Upper


406 I

8B,8C,8E

08/95-04/99



406 I continued... 08/95-04/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9231S	Male M16x1.5, Ø 12.0mm Cone
1b	Tie Rod End - Outer	⇨		QR9232S	Male M16x1.5, Ø 12.0mm Cone
2	Rack End	⇦⇨	exc.3.0i V6	QR9233S	Female M16x1.5, M12 Swivel, L=325mm
2	Rack End	⇦⇨	3.0i V6	QR9981S	Female M16x1.5, M16 Swivel, L=302mm
4a	Tie Rod Assembly	⇦	exc.3.0i V6	QDL5267S	
4b	Tie Rod Assembly	⇨	exc.3.0i V6	QDL5268S	
20a	Suspension Arm - Front			QSA1499S	
20b	Suspension Arm - Front			QSA1500S	
21	Ball Joint - Front			QSJ1184S	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front		-rp.7398	EMS2534	Front
24a	Suspension Arm Bush - Front		rp.7398-	-	Front
24b	Suspension Arm Bush - Front			EMS3029	Rear
25	Stabiliser Link - Front	⇦⇨	-rp.7664, 11/95-11/97	QLS3077S	Ø 12mm
25¹	Stabiliser Link - Front	⇦⇨	rp.7665-, 11/97-04/99	QLS3256S	L=324mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.8	EMB3061	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.8	EMB3060	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.1.8	EMBK2416	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨	1.8	EMBK2412	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		QAM136	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.Variable Susp.	EMR6082	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	Variable Susp., -rp.7846	EMR6087	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.Variable Susp.	EMA6082	
92	Subframe Mounting - Front	⇳		EMS8601	Front, Inner
92a	Subframe Mounting - Front			EMS8600	Rear
92b	Subframe Mounting - Front			EMS8602	Rear
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8378	Axle, Front
34b	Suspension Arm Bush - Rear	⇦⇨		EMS8311	Rear
34c	Suspension Arm Bush - Rear	⇳		EMS8310	Inner


continued...

406 I continued... 08/95-04/99


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34d	Suspension Arm Bush - Rear	⇦⇨	-rp.7664 Mfr.Lemforder	**EMS8032**	Outer, Rose Bush
34e	Suspension Arm Bush - Rear	⇦⇨	rp.7665- Mfr.Kleber	**EMS8287**	Outer, Solid Bush
35	Stabiliser Link - Rear	⇦⇨		**QLS9237S**	Vertical, L=320mm
35[1]	Track Control Arm - Rear	⇦⇨		**QLS3259S**	Horizontal, L=246mm
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.TD,2.0 Turbo	**EMB7085**	Outer, Ø 21mm
36	Stabiliser Bar Bush - Rear	⇦⇨	TD,2.0 Turbo	**EMB7086**	Outer, Ø 22mm
91	Subframe Bush - Rear	⇩⇧		**EM4201**	Front & Rear, Bush

406 II 05/99-12/04

8B,8C,8E




406 II continued... 05/99-12/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9231S	Male M16x1.5, Ø 12.0mm Cone
1b	Tie Rod End - Outer	⇨		QR9232S	Male M16x1.5, Ø 12.0mm Cone
2	Rack End	⇦⇨		QR9981S	Female M16x1.5, M16 Swivel, L=302mm
20a	Suspension Arm - Front			QSA1499S	
20b	Suspension Arm - Front			QSA1500S	
21	Ball Joint - Front	⇦⇨		QSJ1184S	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front	⇦⇨		-	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS3029	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3256S	L=324mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3060	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB3061	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2412	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2416	Outer, Ø 24mm
61	Top Strut Bearing - Front	⇦⇨		QAM136	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.Variable Susp.	EMR6082	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.Coupé, Variable Susp.	EMR6087	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.Variable Susp.	EMA6082	
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8378	Axle, Front
34b	Suspension Arm Bush - Rear	⇦⇨		EMS8311	Rear
34c	Suspension Arm Bush - Rear	⇨⇦		EMS8310	Inner
34d	Suspension Arm Bush - Rear	⇦⇨		EMS8287	Outer, Solid Bush
35	Stabiliser Link - Rear	⇦⇨		QLS9237S	Vertical, L=320mm
35¹	Track Control Arm - Rear	⇦⇨		QLS3259S	Horizontal, L=246mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7085	Outer, Ø 21mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7086	Outer, Ø 22mm
93	Subframe Mounting - Rear	⇦⇨		EM4201	Front & Rear, Bush

407
6D,6E

03/04-09/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Saloon,Estate -rp.10597, Coupé -rp.10593 03/04-11/05	**QR3380S**	Male M14x1.5 RH, Ø 12.0mm Cone L=247mm
1a	Tie Rod End - Outer	⇦	Saloon,Estate rp.10598-, Coupé rp.10594- 11/05-	**QR3672S**	Male M14x1.5 RH, Ø 17mm Cone, L=240mm
1b	Tie Rod End - Outer	⇨	Saloon,Estate -rp.10597, Coupé -rp.10593 03/04-11/05	**QR3381S**	Male M14x1.5 RH, Ø 12.0mm Cone L=247mm
1b	Tie Rod End - Outer	⇨	Saloon,Estate rp.10598-, Coupé rp.10594- 11/05-	**QR3673S**	Male M14x1.5 RH, Ø 17mm Cone, L=240mm
2	Rack End	⇦⇨		**QR3382S**	Female M14x1.5 RH, M16x1.5 Swivel, L=123mm
20a	Suspension Arm - Front		exc.Variable Susp.	**QSA2105S**	
20a	Suspension Arm - Front		-rp.11039, Variable Susp.	**-**	
20a	Suspension Arm - Front		rp.11040-, Variable Susp.	**-**	
20b	Suspension Arm - Front		exc.Variable Susp.	**QSA2106S**	
20b	Suspension Arm - Front		-rp.11039, Variable Susp.	**-**	
20b	Suspension Arm - Front		rp.11040-, Variable Susp.	**-**	
21	Ball Joint - Front			**QSJ3316S**	
23	Ball Joint - Front			**QSJ3329S**	Ø 20.6mm

407 continued... 03/04-09/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS8315**	Front
24b	Suspension Arm Bush - Front			**EMS8314**	Rear
24c	Suspension Arm Bush - Front			**EMS8488**	Hub, Swivel
25a	Stabiliser Link - Front	⇦		**QLS3386S**	L=195mm
25b	Stabiliser Link - Front	⇨		**QLS3387S**	L=195mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7271**	Outer, Ø 23.5mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7168**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7168**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7169**	Outer, Ø 25mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3070**	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3070**	Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3071**	Outer, Ø 25mm
30	Suspension Arm - Rear			**-**	Front
30[1]	Suspension Arm - Rear			**QSJ3477S**	Rear
30a	Suspension Arm - Rear			**QSJ3475S**	Centre
30b	Suspension Arm - Rear			**QSJ3476S**	Centre
34a	Suspension Arm Bush - Rear			**EMS8568**	Centre,Front
34b	Suspension Arm Bush - Rear			**EMS8567**	Centre,Rear
35	Stabiliser Link - Rear	⇦⇨		**QLS3419S**	L=144mm

407 03/04-01/12

6D,6E








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	16'' Wheels, exc. 2.7 HDI mtr.DT17TED4, 3.0 mtr.ES9A, 3.0 HDI mtr.DT20C	**EMR5049**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	17'' Wheels, exc. 2.7 HDI mtr.DT17TED4, 3.0 mtr.ES9A, 3.0 HDI mtr.DT20C	**EMR5050**	

505 05/79-12/93


551A,551B,551D,551F,551S exc.GTi Turbo & V6



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
4	Tie Rod Assembly	⇦⇨	-ch.3024482	QDL1776S	
4[1]	Tie Rod Assembly	⇦⇨	ch.3024483-	-	
14	Steering Column Flexible Coupling			EMD1630	
21	Ball Joint - Front	⇦⇨	ch.1341365-	QSJ1046S	Ø 15mm Cone
21[1]	Ball Joint Repair Kit - Front	⇦⇨	-ch.1341364	-	Repair kit
24	Suspension Arm Bush - Front	⇦⇨		-	Inner, 14x28x32x28mm
24	Suspension Arm Bush - Front	⇦⇨		EMS2181	Inner, 14x29x32x44mm
24	Suspension Arm Bush - Front	⇦⇨		-	Inner, 14x33x32x44mm
24b	Suspension Arm Bush - Front	⇦⇨		EMS1662	Outer, 16x24x30mm
34	Suspension Arm Bush - Rear	⇦⇨		-	Mounting
34	Suspension Arm Bush - Rear	⇦⇨		EMS1662	Bush 16x24x30mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7138	Outer, Ø 12mm

505 05/79-12/93


551A,551B,551D,551F,551S GTi Turbo & V6



505 continued... 05/79-12/93

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
14	Steering Column Flexible Coupling			EMD1630	
21	Ball Joint - Front			QSJ1046S	Ø 15mm Cone
24	Suspension Arm Bush - Front			-	Inner, 14x28x32x28mm
24	Suspension Arm Bush - Front			EMS2181	Inner, 14x29x32x44mm
24	Suspension Arm Bush - Front			-	Inner, 14x33x32x44mm
24b	Suspension Arm Bush - Front	⇦⇨		EMS1662	Rear, Bush,16x24x30mm
34	Suspension Arm Bush - Rear	⇦⇨		-	Centre, Mount
34	Suspension Arm Bush - Rear	⇦⇨		EMS1662	Rear, Bush,16x24x30mm

508 10/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Mac Pherson Suspension	QR4067S	
1b	Tie Rod End - Outer	⇨	Mac Pherson Suspension	QR4068S	
1a	Tie Rod End - Outer	⇦	VH10 Type Suspension	QR3857S	Female M16x1.5, Ø 14.8mm Cone L=209mm
1b	Tie Rod End - Outer	⇨	VH10 Type Suspension	QR3858S	Female M16x1.5, Ø 14.8mm Cone L=209mm
2	Rack End	⇦⇨	Macpherson Type Suspension	QR3883S	Male M14x1.5, L=225.5mm
20a	Suspension Arm - Front		VH10 Type Suspension	QSA2105S	
20b	Suspension Arm - Front		VH10 Type Suspension	QSA2106S	

continued...

508 continued... 10/10-


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		Mac Pherson Suspension	**QSA2650S**	
20b	Suspension Arm - Front		Mac Pherson Suspension	**QSA2651S**	
21	Ball Joint - Front		VH10 Type Suspension	**QSJ3316S**	
21	Ball Joint - Front		Mac Pherson Suspension	**QSJ3747S**	
24a	Suspension Arm Bush - Front		VH10 Type Suspension	**EMS8315**	Front
25	Stabiliser Link - Front		Mac Pherson Suspension	**QLS3921S**	
25a	Stabiliser Link - Front		VH10 Type Suspension	**QLS3386S**	L=195mm
25b	Stabiliser Link - Front		VH10 Type Suspension	**QLS3387S**	L=195mm
26	Stabiliser Bar Bush - Front		VH10 Type Suspension	**EMB7271**	Outer, Ø 23.5mm
26	Stabiliser Bar Bush - Front		VH10 Type Suspension	**EMB7168**	Outer, Ø 24.0mm
26	Stabiliser Bar Bush - Front		VH10 Type Suspension	**EMB7168**	Outer, Ø 24.5mm
26	Stabiliser Bar Bush - Front		VH10 Type Suspension	**EMB7169**	Outer, Ø 25.0mm
61	Top Strut Bearing - Front		exc. DW10FC,DW12C	-	
62	Top Strut Mounting - Front exc.Bearing		exc. DW10FC,DW12C	-	
62	Top Strut Mounting - Front exc.Bearing		exc. DW10FC,DW12C	-	
62	Top Strut Mounting - Front exc.Bearing		DW10FC,DW12C	**EMR5050**	
30[1]	Suspension Arm - Rear		W/O Hybrid Traction Chain	**QSJ3477S**	Rear
30	Suspension Arm - Rear		Hybrid Traction Chain	-	Front
30[1]	Suspension Arm - Rear		Hybrid Traction Chain	-	Rear
30a	Suspension Arm - Rear		W/O Hybrid Traction Chain	**QSJ3475S**	Centre
30a	Suspension Arm - Rear		Hybrid Traction Chain	-	Centre
30b	Suspension Arm - Rear		W/O Hybrid Traction Chain	**QSJ3476S**	Centre
30	Suspension Arm - Rear		W/O Hybrid Traction Chain	-	Front
30b	Suspension Arm - Rear		Hybrid Traction Chain	-	Centre
32a	Suspension Arm - Rear		W/O Hybrid Traction Chain	-	
32a	Suspension Arm - Rear		Hybrid Traction Chain	-	
32b	Suspension Arm - Rear		W/O Hybrid Traction Chain	-	
32b	Suspension Arm - Rear		Hybrid Traction Chain	-	
34b	Suspension Arm Bush - Rear		W/O Hybrid Traction Chain	**EMS8568**	Front
34b	Suspension Arm Bush - Rear		Hybrid Traction Chain	-	Front
34b	Suspension Arm Bush - Rear		W/O Hybrid Traction Chain	**EMS8567**	Rear
34c	Suspension Arm Bush - Rear		Macpherson Type Suspension	**EMS8567**	Rear

605 08/89-06/00

6BG,6BP,6BR,6BS,6BT,6BU,6BX



605 continued... 08/89-06/00



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	08/89-07/94	QR2220S	Male M14x1.5 , Ø 12mm Cone, L=110mm
1a	Tie Rod End - Outer	⇦	07/94-06/00	QR9936S	Male M16x1.5
1b	Tie Rod End - Outer	⇨	08/89-07/94	QR2219S	Male M14x1.5 , Ø 12mm Cone, L=110mm
1b	Tie Rod End - Outer	⇨	07/94-06/00	QR9937S	Male M16x1.5
2	Rack End	⇦⇨	08/89-07/94	QR5014S	Female M14x1.5 , L=310mm
2	Rack End	⇦⇨	07/94-06/00	QR5227S	Female M16x1.5, M12x1.0mm Swivel, L=292mm
4a	Tie Rod Assembly	⇦	07/94-06/00	QDL5269S	Ø 16mm
4b	Tie Rod Assembly	⇨	07/94-06/00	QDL5270S	Ø 16mm
20a	Suspension Arm - Front		Diesel	-	
20a	Suspension Arm - Front		Petrol	QSA9440S	
20b	Suspension Arm - Front		Diesel	-	
20b	Suspension Arm - Front		Petrol	QSA9430S	
21	Ball Joint - Front			QSJ1184S	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front			EMS8273	Front
24b	Suspension Arm Bush - Front		Diesel	EMS8274	Rear
24b	Suspension Arm Bush - Front		Petrol	-	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3072S	exc.Adjustable, L=399mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7067	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM136	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	-06/94 exc.Anti Squeal Assembly	EMR2282	


continued...

605 continued... 08/89-06/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	-06/94 with Anti Squeal Assembly	EMR2283	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	07/94-	-	
34	Suspension Arm Bush - Rear			EMS8503	Rear, Inner
35a	Stabiliser Link - Rear	⇦		QLS1961S	L=85mm
35b	Stabiliser Link - Rear	⇨		QLS1761S	L=85mm
36	Stabiliser Bar Bush - Rear	⇦⇨	2.0,2.0i,2.1D,TD,2.5TD,3.0i ch.S90803858-	EMB7068	Outer, Ø 25mm
36	Stabiliser Bar Bush - Rear	⇦⇨	3.0i -ch.S90803857	EMB7139	Outer, Ø 26mm
93	Subframe Mounting - Rear			EMS8322	Front, Lower, Crossmember Retainer, Ø 12.5x71.5mm
93[1]	Subframe Mounting - Rear			EMS8321	Front, Upper, Flexible Joint, Ø 12x57x62.3mm

607 12/99-

9D,9U



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9936S	Male M16x1.5


607 continued... 12/99-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1b	Tie Rod End - Outer	⇨		**QR9937S**	Male M16x1.5
2	Rack End	⇦⇨		**QR9982S**	Female M16x1.5, M16 Swivel, L=295mm
20a	Suspension Arm - Front		exc.3.0i 24v mtr.ES9J4S -rp.9303	**QSA9440S**	
20b	Suspension Arm - Front		exc.3.0i 24v mtr.ES9J4S -rp.9303	**QSA9430S**	
21	Ball Joint - Front			**QSJ1184S**	Ø 15.8mm Cone, Ø 40mm Mounting Thread
24a	Suspension Arm Bush - Front			**EMS8273**	Front
24b	Suspension Arm Bush - Front		exc.3.0i 24v mtr.ES9J4S -rp.9303	**-**	Rear
24b	Suspension Arm Bush - Front		exc.ES9J4S rp.9304-	**-**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3256S**	L=324mm
61	Top Strut Bearing - Front	⇦⇨		**QAM136**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	-12/2004, exc.Variable Susp.	**EMR6131**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	-12/2004, Variable Susp.	**-**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	12/2004-	**-**	
34	Suspension Arm Bush - Rear			**EMS8603**	Outer
34	Suspension Arm Bush - Rear			**EMS8503**	Rear, Inner
35a	Stabiliser Link - Rear	⇦		**QLS1961S**	L=85mm
35b	Stabiliser Link - Rear	⇨		**QLS1761S**	L=85mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7068**	Outer, Ø 25mm
93	Subframe Mounting - Rear			**EMS8322**	Front, Lower, Crossmember Retainer, Ø 12.5x71.5mm
93[1]	Subframe Mounting - Rear			**EMS8321**	Front, Upper, Flexible Joint, Ø 12x57x62.3mm

806

221,AF3,AFR

08/94-02/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2856S**	Female M14x1.5 , Ø 12.6mm Cone, L=75mm
2	Rack End	⇦⇨		**QR2857S**	Male M14x1.5 , L=320mm
4	Tie Rod Assembly	⇦⇨		**QDL3287S**	
20a	Suspension Arm - Front	⇩		**QSA9113S**	
20b	Suspension Arm - Front	⇩		**QSA9114S**	
24a	Suspension Arm Bush - Front	⇩⇩		**EMS2660**	Front
24b	Suspension Arm Bush - Front	⇩		**EMS2662**	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	⇩		**EMS2661**	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		**QLS1885S**	L=120mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7069**	Outer, Ø 24mm
27¹	Stabiliser Bar Bush Kit - Front	⇦⇨	exc.Stabiliser Link	**EMBK2657**	Outer, Ø 24mm
27²	Stabiliser Bar Bush Kit - Front	⇦⇨	inc.Stabiliser Link	**EMBK3055**	Outer, Ø 24mm
27³	Stabiliser Link Bush - Front	⇦⇨		**EMB7148**	
61	Top Strut Bearing - Front	⇦⇨		**QAM115**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR2580**	

806 continued... 08/94-02/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR2579**	
34	Suspension Arm Bush - Rear			**EMS8318**	

807 08/02-03/11

EA,EB




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3350S**	Female M14x1.5mm, Ø 13.5mm Cone, L=75mm
2	Rack End	⇦⇨		**QR3351S**	Male M14x1.5 , M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front		exc.2.0HDi 140,2.2HDi 160	**QSA2535S**	
20a	Suspension Arm - Front		2.0HDi 140,2.2HDi 160	**QSA2441S**	Ø 19mm
20b	Suspension Arm - Front		exc.2.0HDi 140,2.2HDi 160	**QSA2536S**	
20b	Suspension Arm - Front		2.0HDi 140,2.2HDi 160	**QSA2442S**	Ø 19mm
24a	Suspension Arm Bush - Front			**EMS2660**	Front,Fits QSA2531S,QSA2532S
24a	Suspension Arm Bush - Front			**EMS8442**	Front,Fits QSA2535S,QSA2536S,QSA2441S, QSA2442S
24b	Suspension Arm Bush - Front			**EMS8489**	Rear, Ø 47mm
24c	Suspension Arm Bush - Front			**EMS8490**	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		**QLS3334S**	Ø 22 mm, L=262mm
61	Top Strut Bearing - Front	⇦⇨		**-**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR2580**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR2579**	

1007


KM

11/04-03/09




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.1.6i mtr.TU5JP4,1.6 HDi mtr.DV6TED4	**QR3300S**	Female M14x1.5 , Ø 12mm Cone, L=172mm
1a	Tie Rod End - Outer	⇦	1.6i mtr.TU5JP4,1.6 HDi mtr.DV6TED4 -rp.10618 11/04-12/05	**QR3300S**	Female M14x1.5 , Ø 12mm Cone, L=172mm
1a	Tie Rod End - Outer	⇦	1.6i mtr.TU5JP4,1.6 HDi mtr.DV6TED4 rp.10619- 12/05-	**QR3964S**	
1b	Tie Rod End - Outer	⇨	exc.1.6i mtr.TU5JP4,1.6 HDi mtr.DV6TED4	**QR3301S**	Female M14x1.5 , Ø 12mm Cone, L=172mm
1b	Tie Rod End - Outer	⇨	1.6i mtr.TU5JP4,1.6 HDi mtr.DV6TED4 -rp.10618 11/04-12/05	**QR3301S**	Female M14x1.5 , Ø 12mm Cone, L=172mm
1b	Tie Rod End - Outer	⇨	1.6i mtr.TU5JP4,1.6 HDi mtr.DV6TED4 rp.10619- 12/05-	**QR3965S**	
2	Rack End	⇦⇨	exc.1.6i mtr.TU5JP4,1.6 HDi mtr.DV6TED4	**QR3299S**	Male M14x1.5 , M12x1.0 Swivel, L=252mm,
2	Rack End	⇦⇨	1.6i mtr.TU5JP4,1.6 HDi mtr.DV6TED4 -rp.10618 11/04-12/05	**QR3299S**	Male M14x1.5 , M12x1.0 Swivel, L=252mm,
2	Rack End	⇦⇨	1.6i mtr.TU5JP4,1.6 HDi mtr.DV6TED4 rp.10619- 12/05-	**QR3966S**	
20a	Suspension Arm - Front	⇙	exc.1.6HDi 16v	**QSA2334S**	
20a	Suspension Arm - Front	⇙	1.6HDi 16v	**QSA2405S**	
20b	Suspension Arm - Front	⇘	exc.1.6HDi 16v	**QSA2335S**	
20b	Suspension Arm - Front	⇘	1.6HDi 16v	**QSA2406S**	
21	Ball Joint - Front	⇙⇘		**QSJ3460S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇙⇘	exc.1.6HDi 16v	**EMS8190**	Front
24a	Suspension Arm Bush - Front	⇙⇘	1.6HDi 16v	**-**	Front
24b	Suspension Arm Bush - Front	⇙⇘	exc.1.6HDi 16v	**EMS8191**	Rear
24b	Suspension Arm Bush - Front	⇙⇘	1.6HDi 16v	**-**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS5266S**	L=338mm
29[1]	Suspension Arm Pinch Bolt Kit	⇙⇘		**QSK270S**	Wheel Set, Pinch Bolt M10x66mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6128**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6128**	

2008 05/13-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3903S	
1b	Tie Rod End - Outer	⇨		QR3904S	
2	Rack End	⇦⇨		QR3905S	
21	Ball Joint - Front	⇦⇨		QSJ3619S	
25	Stabiliser Link - Front	⇦⇨		QLS5266S	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7295	Outer, Ø 21.5mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7217	Outer, Ø 22.0mm
90	Subframe Bush - Front	⇦⇨		EMS8543	Rear

3008 04/09-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3638S	Female M14x1.5, Ø 12mm Cone, L=165mm
1b	Tie Rod End - Outer	⇨		QR3639S	Female M14x1.5, Ø 12mm Cone, L=165mm
2	Rack End	⇦⇨		QR3617S	Male M14x1.5, M14x1.5 Swivel, L=295mm


continued...

3008 continued... 04/09-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA2396S	
20b	Suspension Arm - Front			QSA2397S	
21	Ball Joint - Front			QSJ3434S	Ø 15.6mm Cone
24a	Suspension Arm Bush - Front			EMS8192	Front
24b	Suspension Arm Bush - Front			EMS8193	Rear
25	Stabiliser Link - Front			QLS3558S	L=335mm
26	Stabiliser Bar Bush - Front		exc.Hybrid	EMB7137	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front		Hybrid	EMB7256	Outer, Ø 25mm
61	Top Strut Bearing - Front			QAM111	


4007 09/07-12/12

GP




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR3735S	
2	Rack End			QR3737S	
20a	Suspension Arm - Front			QSA2523S	
20b	Suspension Arm - Front			QSA2524S	
21	Ball Joint - Front			QSJ3549S	
24a	Suspension Arm Bush - Front			EMS8566	Front
24b	Suspension Arm Bush - Front			EMS8531	Rear
25	Stabiliser Link - Front			QLS3557S	L=265mm
26	Stabiliser Bar Bush - Front			EMB7278	Outer
35a	Stabiliser Link - Rear			QLS3555S	L=80mm
35b	Stabiliser Link - Rear			QLS3556S	L=80mm
36	Stabiliser Bar Bush - Rear		exc. 2,0 MMC	EMB7275	Outer

4008 05/12-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		-rp,13691	**QSA2523S**	
20b	Suspension Arm - Front		-rp,13691	**QSA2524S**	
24b	Suspension Arm Bush - Front			**EMS8531**	Rear
25	Stabiliser Link - Front			**QLS3557S**	L=265mm
26	Stabiliser Bar Bush - Front			**EMB7278**	Outer
62	Top Strut Mounting - Front exc.Bearing			**EMR6126**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6126**	
35a	Stabiliser Link - Rear			**QLS3555S**	L=80mm
35b	Stabiliser Link - Rear			**QLS3556S**	L=80mm

5008 09/09-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3638S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
1b	Tie Rod End - Outer	⇨		**QR3639S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
2	Rack End	⇦⇨		**QR3617S**	Male M14x1.5 RH,M14x1.5 Swivel, L=295mm
20a	Suspension Arm - Front	⇦		**QSA2396S**	
20b	Suspension Arm - Front	⇨		**QSA2397S**	
21	Ball Joint - Front	⇦⇨		**QSJ3434S**	Ø 15.6mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8192**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3558S**	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7137**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	


iOn 08/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2304S**	Female M12x1.25 RH, Ø 13.4mm Cone, L=78mm


Partner Tepee 06/08-

GJ



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3638S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
1b	Tie Rod End - Outer	⇨		**QR3639S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
2	Rack End	⇦⇨		**QR3807S**	
20a	Suspension Arm - Front	↲		**QSA1948S**	
20b	Suspension Arm - Front	↳		**QSA1949S**	
21	Ball Joint - Front	⇦⇨		**QSJ3256S**	Ø 16mm Cone, M14x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8192**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3558S**	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7260**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7256**	Outer, Ø 25mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5042**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5042**	


RCZ 03/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		**QR3807S**	
21	Ball Joint - Front			**QSJ3434S**	Ø 15.6mm Cone
24a	Suspension Arm Bush - Front			**-**	Front
24b	Suspension Arm Bush - Front			**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3558S**	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7084**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7137**	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3068**	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	

Bipper
AA8,AAK

11/07-05/15




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3660S**	Female M14x1.5 RH, Ø 11.6mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		**QR3661S**	Female M14x1.5 RH, Ø 11.6mm Cone, L=113mm
2	Rack End	⇦⇨		**QR3844S**	Male M14x1.5 RH,M14x1.5 Swivel, L=287mm
20a	Suspension Arm - Front	↲		**QSA2326S**	
20b	Suspension Arm - Front	↳		**QSA2327S**	
21	Ball Joint - Front	⇦⇨		**QSJ3393S**	Ø 16mm Cone, 65mm Pcd,Ø 13mm Groove
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8348**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8349**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3615S**	L=290mm
26	Stabiliser Bar Bush - Front	⇦⇨	11/07-01/08	**EMB7233**	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	02/08-	**EMB7234**	Outer
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA6142**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA6143**	

Boxer I

02/94-02/02

231,232,233 1000-1800kg




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2858S	Female M16x1.5 RH, Ø 14.3mm Cone
2	Rack End	⇦⇨		QR2859S	Male M16x1.5 RH, L=335mm
20a	Suspension Arm - Front	↲	exc.1800kg, -rp.8850	QSA9246S	
20a	Suspension Arm - Front	↲	exc.1800kg, rp.8851-	QSA2107S	
20a	Suspension Arm - Front	↲	1800kg, -rp.8850	QSA9248S	
20a	Suspension Arm - Front	↲	1800kg, rp.8851-	QSA2115S	
20b	Suspension Arm - Front	↳	exc.1800kg, -rp.8850	QSA9247S	
20b	Suspension Arm - Front	↳	exc.1800kg, rp.8851-	QSA2108S	
20b	Suspension Arm - Front	↳	1800kg, -rp.8850	QSA9249S	
20b	Suspension Arm - Front	↳	1800kg, rp.8851-	QSA2116S	
21	Ball Joint - Front	↲↳	exc.1800kg, -rp.8850	QSJ1495S	Ø 17mm Cone
21	Ball Joint - Front	↲↳	exc.1800kg, rp.8851-	QSJ3324S	Ø 17mm Cone
21	Ball Joint - Front	↲↳	1800kg, -rp.8850	QSJ1496S	Ø 20mm Cone
21	Ball Joint - Front	↲↳	1800kg, rp.8851-	QSJ3325S	Ø 24mm Cone
24a	Suspension Arm Bush - Front	↲↳		EMS2696	Front
24b	Suspension Arm Bush - Front	↲↳		EMS2697	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1886S	L=134mm, M12x1.25
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7148	
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2654	Outer, Ø 24mm
61	Top Strut Bearing - Front	⇦⇨		QAM138	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2321	
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2320	

Boxer I continued... 02/94-02/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA2321**	
63b	Top Strut Mounting - Front inc.Bearing	⇨		**EMA2320**	
18a	Leaf Spring Bush - Rear	⇦⇨	exc.4x4	**-**	Front
18b	Leaf Spring Bush - Rear	⇦⇨	exc.4x4	**EMS8491**	Rear

Boxer II 02/02-05/06

ZAT,ZBT,ZCT 1000-1800kg



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	02/02-12/02, -rp.9534	**QR2858S**	Female M16x1.5 , Ø 14.3mm Cone
1	Tie Rod End - Outer	⇦⇨	12/02-, rp9535-	**QR3409S**	Female M16x1.5 , Ø 12.6mm Cone, L=108mm
2	Rack End	⇦⇨		**QR2859S**	Male M16x1.5 , L=335mm
20a	Suspension Arm - Front	↲	1000kg,1400kg	**QSA2107S**	
20a	Suspension Arm - Front	↲	1800kg	**QSA2115S**	
20b	Suspension Arm - Front	↳	1000kg,1400kg	**QSA2108S**	
20b	Suspension Arm - Front	↳	1800kg	**QSA2116S**	
21	Ball Joint - Front	↲↳	1000kg,1400kg	**QSJ3324S**	Ø 17mm Cone
21¹	Ball Joint - Front	↲↳	1800kg	**QSJ3325S**	Ø 24mm Cone
24a	Suspension Arm Bush - Front	↲↳		**EMS2696**	Front
24b	Suspension Arm Bush - Front	↲↳		**EMS8245**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1886S**	L=134mm, M12x1.25
27²	Stabiliser Link Bush - Front	⇦⇨		**EMB7148**	
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2654**	Outer, Ø 24mm
61	Top Strut Bearing - Front	⇦⇨		**QAM138**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR2321**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR2320**	


continued...

Boxer II continued... 02/02-05/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63a	Top Strut Mounting - Front inc.Bearing	⇦		EMA2321	
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA2320	

Boxer III 05/06-


12Q,14Q,16Q,20Q



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3627S	Female M16x1.5 , Ø 16.0mm Cone, L=211mm
1b	Tie Rod End - Outer	⇨		QR3628S	Female M16x1.5 , Ø 16.0mm Cone, L=211mm
2	Rack End	⇦⇨		QR3629S	
20a	Suspension Arm - Front	↲	12Q,14Q,16Q Std.Payload	QSA2467S	
20a	Suspension Arm - Front	↲	16Q,20Q H.D.Payload	QSA2468S	
20b	Suspension Arm - Front	↳	12Q,14Q,16Q Std.Payload	QSA2469S	
20b	Suspension Arm - Front	↳	16Q,20Q H.D.Payload	QSA2470S	
21	Ball Joint - Front	⇩⇩		QSJ3416S	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8443	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8444	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3586S	L=112mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7292	
61	Top Strut Bearing - Front	⇦⇨		QAM138	
62a	Top Strut Mounting - Front exc.Bearing	⇦		-	
62b	Top Strut Mounting - Front exc.Bearing	⇨		-	
35	Stabiliser Link - Rear	⇦⇨		QLS3739S	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7293	

Expert I,II
222,223,224

10/95-10/06



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	-rp.9792, 10/95-08/03	**QR2856S**	Female M14x1.5 RH, Ø 12.6mm Cone, L=75mm
1	Tie Rod End - Outer	⇦⇨	rp.9793-, 09/03-	**QR3350S**	Female M14x1.5mm, Ø 13.5mm Cone, L=75mm
2	Rack End	⇦⇨	03/07/2006	**QR2857S**	Male M14x1.5 RH, L=320mm
4	Tie Rod Assembly	⇦⇨	-rp.9792, 10/95-08/03	**QDL3287S**	
20a	Suspension Arm - Front	↲	-rp.10829, 10/95-07/06	**QSA9113S**	
20a	Suspension Arm - Front	↲	rp.10830- 08/06-10/06	**QSA2537S**	
20b	Suspension Arm - Front	↳	-rp.10829, 10/95-07/06	**QSA9114S**	
20b	Suspension Arm - Front	↳	rp.10830- 08/06-10/06	**QSA2538S**	
24a	Suspension Arm Bush - Front	↲↳	-rp.10829, 10/95-07/06	**EMS2660**	Front
24a	Suspension Arm Bush - Front	↲↳	rp.10830- 08/06-10/06	**EMS8442**	Front
24b	Suspension Arm Bush - Front	↲		**EMS2662**	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	↳		**EMS2661**	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⇨		**QLS1885S**	L=120mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7069**	Outer, Ø 24mm


continued...

Expert I,II continued... 10/95-10/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
27	Stabiliser Bar Bush Kit - Front	⇦⊐⇨	exc.Stabiliser Link	EMBK2657	Outer, Ø 24mm
27[1]	Stabiliser Bar Bush Kit - Front	⇦⊐⇨	inc.Stabiliser Link	EMBK3055	Outer, Ø 24mm
27[2]	Stabiliser Link Bush - Front	⇦⊐⇨		EMB7148	
61	Top Strut Bearing - Front	⇦⊐⇨	-rp.8704	-	
61	Top Strut Bearing - Front	⇦⊐⇨	rp.8705-	QAM115	
62a	Top Strut Mounting - Front exc.Bearing	⇦		EMR2580	
62b	Top Strut Mounting - Front exc.Bearing	⇨		EMR2579	
34	Suspension Arm Bush - Rear	⇦⇨		EMS8318	

Expert III 11/06-

VF3



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR3712S	Female M14x1.5 , Ø 14.5mm Cone, L=80mm
2	Rack End	⇦⊐⇨		QR3713S	
20a	Suspension Arm - Front	↲		QSA2441S	
20b	Suspension Arm - Front	↳		QSA2442S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8442	Front
24b	Suspension Arm Bush - Front	↲		EMS8489	Rear, Ø 47mm
24c	Suspension Arm Bush - Front	↳		EMS8490	Rear, Ø 47mm
25	Stabiliser Link - Front	⇦⊐⇨		QLS3651S	L=263mm

Expert III

VF3


11/06-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
61	Top Strut Bearing - Front	⇦⇨		QAM115	
62	Top Strut Mounting - Front exc.Bearing	⇦	Std.Susp.	EMR2580	
62	Top Strut Mounting - Front exc.Bearing	⇨	Std.Susp.	EMR2579	
62	Top Strut Mounting - Front exc.Bearing	⇦	H.D. Susp	EMR6157	
62	Top Strut Mounting - Front exc.Bearing	⇨	H.D. Susp	EMR6158	
63	Top Strut Mounting - Front inc.Bearing	⇦	Std.Susp.	EMA2580	
63	Top Strut Mounting - Front inc.Bearing	⇨	Std.Susp.	EMA2579	
63	Top Strut Mounting - Front inc.Bearing	⇦	H.D. Susp	EMA6157	
63	Top Strut Mounting - Front inc.Bearing	⇨	H.D. Susp	EMA6158	

J5 09/81-01/94

280,290 exc.4x4 Caravan




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2064S	Female M16x1.5 , Ø 14.5mm Cone, L=79.5mm
2	Rack End	⇦⇨		QR2118S	Male M16x1.5 ,M16x1.5 Swivel, L=295mm
4	Tie Rod Assembly	⇦⇨		QDL2152S	
20a	Suspension Arm - Front		exc.1800kg, -ch.0244300, 09/81-09/85	QSJ1280S	
20a	Suspension Arm - Front		exc.1800kg, ch.0244301-, 09/85-01/94	QSJ1282S	
20a	Suspension Arm - Front		1800kg	QSJ1284S	
20b	Suspension Arm - Front		exc.1800kg, -ch.0244300, 09/81-09/85	QSJ1279S	
20b	Suspension Arm - Front		exc.1800kg, ch.0244301-, 09/85-01/94	QSJ1281S	
20b	Suspension Arm - Front		1800kg	QSJ1283S	
21	Ball Joint - Front		-ch.0244300, 11/81-09/85	QSJ985S	Ø 16mm Cone, Ø M14x1.5
21	Ball Joint - Front		ch.0244301-, 09/85-03/94	QSJ1033S	Ø M16x1.5, Ø 17.1mm Cone
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7140	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2240	

Partner I 05/96-11/02

GB,GC,GE,GJ,SB,SC,SD,SE,SF,SH Van



Partner I continued... 05/96-11/02



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 , Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨	exc.HDi	QR3076S	Female M14x1.5 ,M12x1.0 Swivel, L=355mm
2	Rack End	⇦⇨	HDi	QR5328S	Female M14x1.5mm, M14x1mm Swivel, L=338mm
4	Tie Rod Assembly	⇦⇨	exc.HDi	QDL5263S	
20a	Suspension Arm - Front	↲	, -rp.7972, 07/96-09/98, exc.HDi	QSA991S	Complete
20a	Suspension Arm - Front	↲	, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	QSA1905S	Sheet Steel Type, Complete
20a	Suspension Arm - Front	↲	, -rp.7972, 07/96-09/98, exc.HDi	QSA993S	Complete
20a	Suspension Arm - Front	↲	, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	QSA1905S	Sheet Steel Type, Complete
20a¹	Suspension Arm - Front	↲	exc.HDi, exc.Electric	QSA2368S	Not Complete
20a¹	Suspension Arm - Front	↲	HDi	QSA1976S	Cast Type, Complete
20a¹	Suspension Arm - Front	↲	Electric	-	

continued...

Partner I continued... 05/96-11/02


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA990S**	Complete
20b	Suspension Arm - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSA1906S**	Sheet Steel Type, Complete
20b	Suspension Arm - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSA992S**	Complete
20b	Suspension Arm - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSA1906S**	Sheet Steel Type, Complete
20b[1]	Suspension Arm - Front		exc.HDi, exc.Electric	**QSA2369S**	Not Complete
20b[1]	Suspension Arm - Front		HDi	**QSA1977S**	Cast Type, Complete
20b[1]	Suspension Arm - Front		Electric	**-**	
21	Ball Joint - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSJ1294S**	Ø 16mm Cone
21	Ball Joint - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSJ9537S**	Ø 18mm Cone
21	Ball Joint - Front		, -rp.7972, 07/96-09/98, exc.HDi	**QSJ1600S**	Ø 16mm Cone
21	Ball Joint - Front		, rp.7973-, 10/98-11/02, exc.Electric Motor, exc.HDi	**QSJ9537S**	Ø 18mm Cone, H=32.5mm
24a	Suspension Arm Bush - Front			**EMS1859**	Front
24b	Suspension Arm Bush - Front		exc.1.9D mtr.DW8,DW8B,2.0HDi,H.D., Multifunction Roof,Electric	**EMS1858**	Rear
24b[1]	Suspension Arm Bush - Front		1.9D mtr.DW8,DW8B,2.0HDi,Multifunction Roof	**EMS8189**	Rear
24b	Suspension Arm Bush - Front		Electric,H.D. -rp.8364 07/96-10/99	**EMS1858**	Rear
24b[1]	Suspension Arm Bush - Front		Electric,H.D. rp.8365- 10/99-11/02	**EMS8189**	Rear
25	Stabiliser Link - Front			**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front			**QLS3240S**	L=306mm, Plastic
26	Stabiliser Bar Bush - Front			**EMB7079**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front			**EMB7156**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front		exc.2.0HDi,H.D.	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		exc.2.0HDi,H.D.	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		exc.2.0HDi,H.D.	**EMBK2661**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front		2.0HDi	**EMBK3054**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		2.0HDi	**-**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front		H.D. -rp.8364 05/96-10/99	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		H.D. -rp.8364 05/96-10/99	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		H.D. rp.8365- 10/99-11/02	**EMBK3054**	Outer, Ø 21mm
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing		exc.2.0HDi	**EMR2275**	
62	Top Strut Mounting - Front exc.Bearing		exc.2.0HDi	**EMR1925**	
62	Top Strut Mounting - Front exc.Bearing		2.0HDi	**-**	
63	Top Strut Mounting - Front inc.Bearing		exc.2.0HDi	**EMA1925**	
34a	Suspension Arm Bush - Rear		exc.800kg,H.D.Susp.	**EMS8330**	Trailing Arm, Front
34a	Suspension Arm Bush - Rear		800kg,H.D.Susp.	**-**	Trailing Arm, Front
34b	Suspension Arm Bush - Rear			**EM4231**	Axle
37	Suspension Arm Repair Kit - Rear			**QWB9012**	
95	Shock Absorber Bush - Rear		Std.Susp.	**EMS8505**	Upper
95	Shock Absorber Bush - Rear		H.D Susp.-rp.9946	**EMS8505**	Upper

Partner II 11/02-04/08

GB,GC,GE,MA,MB,MC,ME,5HZ Van



Partner II continued... 11/02-04/08



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1741S	Male M14x1.5 RH, Ø 12mm Cone, L=95mm
2	Rack End	⇦⇨	exc.HDi	QR3076S	Female M14x1.5 RH,M12x1.0 Swivel, L=355mm
2	Rack End	⇦⇨	HDi -rp.10016, 11/02-04/04	QR5328S	Female M14x1.5mm, M14x1mm Swivel, L=338mm
2	Rack End	⇦⇨	HDi rp.10017-, 04/04-06/08	QR3816S	Female M14x1.5 RH, M12x1 Swivel, L=354mm
20a	Suspension Arm - Front	⇦	exc.HDi, exc.H.D.	QSA1905S	Sheet Steel Type, Complete
20a¹	Suspension Arm - Front	⇦	exc.HDi, exc.H.D.	QSA2368S	Not Complete
20a¹	Suspension Arm - Front	⇦	HDi, H.D.	QSA1976S	Cast Type, Complete
20b	Suspension Arm - Front	⇨	exc.HDi, exc.H.D.	QSA1906S	Sheet Steel Type, Complete
20b¹	Suspension Arm - Front	⇨	exc.HDi, exc.H.D.	QSA2369S	Not Complete
20b¹	Suspension Arm - Front	⇨	HDi, H.D.	QSA1977S	Cast Type, Complete
21	Ball Joint - Front	⇦⇨	exc.HDi, exc.H.D.	QSJ9537S	Ø 18mm Cone, H=32.5mm
24a	Suspension Arm Bush - Front	⇦⇨		EMS1859	Front
24b	Suspension Arm Bush - Front	⇦⇨	1.1i,1.4i,1.9Di mtr.DW8B exc.H.D Susp.	EMS1858	Rear

continued...


Partner II continued... 11/02-04/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24c	Suspension Arm Bush - Front		1.6i 16v,1.6HDi,2.0HDi,H.D.	**EMS8189**	Rear
25	Stabiliser Link - Front			**QLS3063S**	L=306mm, Metal
25[1]	Stabiliser Link - Front			**QLS3240S**	L=306mm, Plastic
26	Stabiliser Bar Bush - Front			**EMB7156**	Outer, Ø 22mm
26[1]	Stabiliser Bar Bush - Front			**EMB7079**	Inner, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		-rp.10562 Short Van 500,SA18 Electric Mtr.	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		-rp.10562 Short Van 500,SA18 Electric Mtr.	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		-rp.10562 Short Van 600 exc.2.0HDi	**EMBK2410**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		-rp.10562 Short Van 600 exc.2.0HDi	**EMBK2660**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		-rp.10562 Short Van 600, 2.0HDi	**EMBK3054**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		-rp.10562 Short Van 800,Type 8 Platform Cab exc.2.0HDi	**EMBK2661**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front		-rp.10562 Short Van 800,Type 8 Platform Cab, 2.0HDi	**-**	Outer, Ø 22mm
27	Stabiliser Bar Bush Kit - Front		rp.10563- Short Van 500,SA18 Electric Mtr.	**-**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		rp.10563- Short Van 600 1.6HDi,1.9Di, 2.0HDi	**-**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		rp.10563- Short Van 600 1.4,1.4i	**-**	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front		rp.10563- Short Van 800, Type 8 Platform Cab	**-**	Outer, Ø 22mm
34a	Suspension Arm Bush - Rear		exc.H.D.Susp.	**EMS8330**	Trailing Arm, Front
34a	Suspension Arm Bush - Rear		H.D.Susp.,exc.Type 8 Platform Cab,Short Van 800	**EMS8330**	Trailing Arm, Front
34a	Suspension Arm Bush - Rear		H.D.Susp.,Type 8 Platform Cab,Short Van 800	**-**	Trailing Arm, Front
34b	Suspension Arm Bush - Rear			**EM4231**	Axle
37	Suspension Arm Repair Kit - Rear			**QWB9012**	
95	Shock Absorber Bush - Rear			**EMS8505**	Upper

Partner III

Van


04/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3638S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
1b	Tie Rod End - Outer	⇨		**QR3639S**	Female M14x1.5 RH, Ø 12mm Cone, L=165mm
2	Rack End	⇦⇨		**QR3807S**	
20a	Suspension Arm - Front	↲		**QSA1948S**	
20b	Suspension Arm - Front	↳		**QSA1949S**	
21	Ball Joint - Front	⇦⇨		**QSJ3256S**	Ø 16mm Cone, M14x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8192**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8193**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3558S**	L=335mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7137**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7260**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7256**	Outer, Ø 25mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5042**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5042**	

911 — 09/96-01/05

996



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊏⇨		**QR4005S**	
2	Rack End	⇦⊏⇨		**QR3755S**	Male M14x1.5 ,M16x1.5 Swivel, L=213mm
25a	Stabiliser Link - Front	⇦	01/00-01/05	**QLS3590S**	L=200mm
25b	Stabiliser Link - Front	⇨	01/00-01/05	**QLS3591S**	L=200mm
35	Stabiliser Link - Rear	⇦⊏⇨	01/00-01/05, exc.GT2,GT3	**QLS3629S**	L=100mm


911 — 08/04-

997




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊏⇨		**QR4005S**	
2	Rack End	⇦⊏⇨		**QR4006S**	
25a	Stabiliser Link - Front	⇦	exc.Carrera 4	**QLS3592S**	L=200mm
25b	Stabiliser Link - Front	⇨	exc.Carrera 4	**QLS3593S**	L=200mm

944 — 08/81-07/91




944 continued... 08/81-07/91



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1¹	Tie Rod End - Outer	⇦⇨	-ch.94D.N402644, -ch.94D.N402812, 08/81-07/85	QR1785S	Female M14x1.5, Ø 12.6mm Cone, L=79mm
1	Tie Rod End - Outer	⇦⇨	ch.94D.N402645-, ch.D.N402813-, 08/85-07/91	-	Male M14x1.5, Ø 12.7mm Cone
1¹	Tie Rod End - Outer	⇦⇨		QR1785S	Female M14x1.5, Ø 12.6mm Cone, L=79mm
20	Suspension Arm - Front	⇦⇨	08/81-01/85	QSA9630S	Not Complete
20a	Suspension Arm - Front	⇦	02/85-07/91	-	
20b	Suspension Arm - Front	⇨	02/85-07/91	-	
21	Ball Joint - Front	⇦⇨	08/81-01/85	QSJ793S	Ø 17mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS1643	Front
24b	Suspension Arm Bush - Front	⇦⇨		-	Rear

Boxster 09/96-07/04

986 2.5,2.7,3.2 S



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR4005S	
2	Rack End	⇦⇨		QR3755S	
25a	Stabiliser Link - Front	⇦		QLS3590S	L=200mm
25b	Stabiliser Link - Front	⇨		QLS3591S	L=200mm

Boxster 08/04-

987 2.7,3.2 S,3.4 S




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR4005S	
2	Rack End	⇦⇨		QR4006S	

Cayenne


9PZ

08/02-09/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3568S	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		QR3569S	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
2	Rack End	⇦⇨		QR3610S	Male M16x1.5 , M16x1.5 Swivel, L=305mm
4a	Tie Rod Assembly	⇦		QDL3297S	
4b	Tie Rod Assembly	⇨		QDL3298S	
20a	Suspension Arm - Front	⇦		QSA2352S	
20b	Suspension Arm - Front	⇨		QSA2353S	
22	Suspension Arm - Front	⇦⇨		QSA2351S	
24a	Suspension Arm Bush - Front	⇦⇨		-	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8478	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3595S	L=197mm
35a	Stabiliser Link - Rear	⇦		QLS3566S	L=201mm
35b	Stabiliser Link - Rear	⇨		QLS3567S	L=201mm

Cayenne 01/10-





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3568S	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		QR3569S	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
2	Rack End	⇦⇨		QR3610S	Male M16x1.5 , M16x1.5 Swivel, L=305mm
4a	Tie Rod Assembly	⇦		QDL3297S	
4b	Tie Rod Assembly	⇨		QDL3298S	
22	Suspension Arm - Front			QSA2634S	
24a	Suspension Arm Bush - Front			EMS8528	Front, Outer
24b	Suspension Arm Bush - Front			EMS8529	Front, Inner
25	Stabiliser Link - Front	⇦⇨		QLS3595S	L=197mm

Cayman 07/06-

987



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR4005S	
2	Rack End	⇦⇨		QR4006S	

Cayman 03/13-

981




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR4005S	
2	Rack End	⇦⊐⇨		QR4006S	

Persona

11/93-07/00

C95L,C95S,C96L,C96S,C97L,C97S,C98L,C98S,C99L,C99S




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2304S	Female M12x1.25 RH, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨	exc.1.8 SRi,2.0 D	QR9282S	Male M12x1.25 RH, L=330mm
20a	Suspension Arm - Front	↲		QSA1918S	
20b	Suspension Arm - Front	↳		QSA1919S	
21	Ball Joint - Front	⇦⇨		QSJ1124S	Ø 15mm Cone
24a	Suspension Arm Bush - Front	↲		EMS8024	Rear
24b	Suspension Arm Bush - Front	↳		EMS8023	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7007	Outer, Ø 22.5mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5001	
34	Suspension Arm Bush - Rear	⇦⇨		EMS3470	Axle
35	Stabiliser Link - Rear	⇦⇨		QLS1832S	L=105mm

Persona

413,415,416,418,420

11/93-07/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2304S**	Female M12x1.25 RH, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨	exc.1.8 SRi,2.0 D	**QR9282S**	Male M12x1.25 RH, L=330mm
20a	Suspension Arm - Front	↲		**QSA1918S**	
20b	Suspension Arm - Front	↳		**QSA1919S**	
21	Ball Joint - Front	⇦⇨		**QSJ1124S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front	↲		**EMS8024**	Rear
24b	Suspension Arm Bush - Front	↳		**EMS8023**	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7007**	Outer, Ø 22.5mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5001**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS3470**	Axle
35	Stabiliser Link - Rear	⇦⇨		**QLS1832S**	L=105mm

Compact

11/95-07/00


C96M,C97M,C98M,C99M



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2304S**	Female M12x1.25 RH, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨		**QR9282S**	Male M12x1.25 RH, L=330mm
20a	Suspension Arm - Front	↲		**QSA1918S**	
20b	Suspension Arm - Front	↳		**QSA1919S**	
21	Ball Joint - Front	⇩⇩		**QSJ1124S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front	↲		**EMS8024**	Rear
24b	Suspension Arm Bush - Front	↳		**EMS8023**	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7007**	Outer, Ø 22.5mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5001**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS3470**	Axle
35	Stabiliser Link - Rear	⇦⇨	exc.1.3i	**QLS1832S**	L=105mm

Compact 11/95-07/00

313,315,316,318



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2304S	Female M12x1.25 ↻, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨		QR9282S	Male M12x1.25 ↻, L=330mm
20a	Suspension Arm - Front	↲		QSA1918S	
20b	Suspension Arm - Front	↳		QSA1919S	
21	Ball Joint - Front	⇦⇨		QSJ1124S	Ø 15mm Cone
24a	Suspension Arm Bush - Front	↲		EMS8024	Rear
24b	Suspension Arm Bush - Front	↳		EMS8023	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7007	Outer, Ø 22.5mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5001	
34	Suspension Arm Bush - Rear	⇦⇨		EMS3470	Axle
35	Stabiliser Link - Rear	⇦⇨	exc.1.3i	QLS1832S	L=105mm

Impian 09/01-


CF1



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA2292S	
20b	Suspension Arm - Front			QSA2293S	

Satria 07/00-

C96M,C97M,C98M,C99M



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2304S	Female M12x1.25 RH, Ø 13.4mm Cone, L=78mm
2	Rack End	⇦⇨		QR9282S	Male M12x1.25 RH, L=330mm
20a	Suspension Arm - Front			QSA1918S	


continued...

Satria continued... 07/00-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front			**QSA1919S**	
21	Ball Joint - Front			**QSJ1124S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front			**EMS8024**	Rear
24b	Suspension Arm Bush - Front			**EMS8023**	Rear
26	Stabiliser Bar Bush - Front			**EMB7007**	Outer, Ø 22.5mm
34	Suspension Arm Bush - Rear			**EMS3470**	Axle
35	Stabiliser Link - Rear		exc.1.3i	**QLS1832S**	L=105mm

Wira 07/00-


C95L,C95S,C96L,C96S,C97L,C97S,C98L,C98S,C99L,C99S 413,415,416,418, 420



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR2304S**	Female M12x1.25, Ø 13.4mm Cone, L=78mm
2	Rack End		exc.1.8 SRi,2.0 D	**QR9282S**	Male M12x1.25, L=330mm
20a	Suspension Arm - Front			**QSA1918S**	
20b	Suspension Arm - Front			**QSA1919S**	
21	Ball Joint - Front			**QSJ1124S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front			**EMS8024**	Rear
24b	Suspension Arm Bush - Front			**EMS8023**	Rear
26	Stabiliser Bar Bush - Front			**EMB7007**	Outer, Ø 22.5mm
34	Suspension Arm Bush - Rear			**EMS3470**	Axle
35	Stabiliser Link - Rear			**QLS1832S**	L=105mm

R4, R6 06/78-12/92

R4 R1123 2012577-, R4 R1126 655997-, R4 R1128 060550-, R4 S128, R4 112C,
R6 R1180 598708-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1707S	Male M14x1.5 RH, Ø 12.0mm Cone, L=98mm
2	Rack End	⇦⇨		QR4192S	Female M14x1.5 RH, L=195mm
4	Tie Rod Assembly	⇦⇨		QDL2167S	Ø 11.8mm Cone
14	Steering Column Flexible Coupling			EMD1631	35mm
14¹	Column Joint			EMD1623	9x50mm
20a	Suspension Arm - Front	↲	exc.R6	QSA216S	
20b	Suspension Arm - Front	↳	exc.R6	QSA217S	
21a	Ball Joint - Front	↲		QSJ889S	Ø 12.5mm Cone
21b	Ball Joint - Front	↳		QSJ888S	Ø 12.5mm Cone
22a	Suspension Arm - Front	↰		QSA210S	
22b	Suspension Arm - Front	↱		QSA211S	
23	Ball Joint - Front	↰↱		QSJ651S	Ø 11.5mm Cone
24b	Suspension Arm Bush - Front	↰↱		EMS2211	
26¹	Stabiliser Bar Bush - Front	⇨⇦	To body	EMB2213	Inner
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2070	10x29mm
27	Stabiliser Link Kit - Front	⇦⇨		-	10x51mm
27	Stabiliser Link Kit - Front	⇦⇨		-	12x33mm
29	Suspension Arm Repair Kit - Front	↲↳	R6	-	Wheel Set
34	Suspension Arm Bush - Rear			EMS2030	Torque Rod

R5 Supercinq

08/84-12/98

B40.., C40..




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1768S**	Male M14x1.5 RH, Ø 11.8mm Cone, L=98mm
2	Rack End	⇦⇨		**QR2120S**	Female M14x1.5 RH, L=275mm
4	Tie Rod Assembly	⇦⇨		**QDL2243S**	Ø 11.9mm Cone
14¹	Column Joint			**EMD1624**	9x50mm
20a	Suspension Arm - Front	↲	exc.1.4 Turbo,1.6 D,1.7 GTE	**QSA230S**	
20a	Suspension Arm - Front	↲	1.4 Turbo,1.6 D,1.7 GTE	**QSA927S**	
20b	Suspension Arm - Front	↳	exc.1.4 Turbo,1.6 D,1.7 GTE	**QSA926S**	
20b	Suspension Arm - Front	↳	1.4 Turbo,1.6 D,1.7 GTE	**QSA926S**	
21	Ball Joint - Front	⇩⇩		**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
24	Suspension Arm Bush - Front	⇩⇩		**EMS2186**	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2624**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨	To arm	**EMB2031**	Outer, Ø 21mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7141**	Inner, Ø 22x39mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7146**	Inner, Ø 21mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7034**	Inner, Ø 22mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2614**	Inner, Ø 22x45mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2623**	Inner, Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2063**	Ø 21mm
29	Suspension Arm Repair Kit - Front	⇩⇩	1.4 Turbo,1.6 D,1.7 GTX	**-**	Wheel Set
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2173**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2173**	

R19

01/88-02/97


B53.., C53..,D53.., L53.., 453.., 853..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2901S**	Male M14x1.5 , Ø 11.7mm Cone
1b	Tie Rod End - Outer	⇨		**QR2900S**	Male M14x1.5 , Ø 11.7mm Cone
2	Rack End	⇦⇨	exc.1.8 16v	**QR2671S**	Female M14x1.5 , M12x1.0 Swivel, L=290mm
2	Rack End	⇦⇨	1.8 16v	**QR2631S**	Female M14x1.5 , M12x1.0 Swivel, L=295mm
4a	Tie Rod Assembly	⇦	, exc.1.8 16v	**QDL2173S**	
4b	Tie Rod Assembly	⇨	, exc.1.8 16v	**QDL2174S**	
20a	Suspension Arm - Front		exc.1.8 16v	**QSA267S**	Pressed Steel, Ø 10mm Holes
20a	Suspension Arm - Front		1.8 16v	**QSA1009S**	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front		exc.1.8 16v	**QSA266S**	Pressed Steel, Ø 10mm Holes
20b	Suspension Arm - Front		1.8 16v	**QSA1004S**	Pressed Steel, Ø 12mm Holes
21	Ball Joint - Front		exc.1.8 16v	**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
21¹	Ball Joint - Front		1.8 16v	**QSJ1646S**	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front		exc.1.8 16v	**EMS2125**	Front, Rear
24	Suspension Arm Bush - Front		1.8 16v	**EMS2625**	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨	To arm	**EMB2122**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨	To arm	**EMB2624**	Outer, Ø 19mm
26¹	Stabiliser Bar Bush - Front	⇨⇦	To body	**EMB2615**	Inner, Ø 23mm, Blue
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2064**	Inner, Outer, Ø 23mm
27¹	Stabiliser Bar Bush Kit - Front	⇨⇦	To body, EMB2615 inc.bracket	**EMB7042**	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.1.8 16v	**EMR2519**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.1.8 16v	**EMA2719**	
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9007**	

R21 04/86-09/95

L48.., B48.., Estate K48.. 1.4, 1.7, 1.9D Transverse




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1768S	Male M14x1.5 RH, Ø 11.8mm Cone, L=98mm
2	Rack End	⇦⇨		QR2202S	Female M14x1.5 RH, L=290mm
4	Tie Rod Assembly	⇦⇨		QDL2177S	Ø 11.8mm Cone
20a	Suspension Arm - Front		exc.4x4	QSA240S	
20b	Suspension Arm - Front		exc.4x4	QSA241S	
21	Ball Joint - Front			QSJ885S	Ø 16mm Cone, Ø 10mm Holes
24	Suspension Arm Bush - Front			EMS2186	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2624	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7145	Outer, Ø 25mm
26¹	Stabiliser Bar Bush - Front			EMB2121	Inner, Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2259	Ø 16mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2061	Ø 21mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		-	

R21 04/86-09/95

L48.., B48.., Estate K48.. 2.0, 2.1D, 2.1TD, 2.2 Longitudinal



R21 continued... 04/86-09/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.Turbo,L485,48L	QR2132S	Male M14x1.5 RH, Ø 12mm Cone
1	Tie Rod End - Outer	⇦⇨	Turbo,L485,48L	-	
2a	Rack End	⇦	, exc.Turbo,L485,48L	QR5045S	Male M16x1.5 RH
2b	Rack End	⇨	, exc.Turbo,L485,48L	QR5046S	Male M16x1.5 RH
4a	Tie Rod Assembly	⇦	, exc.Turbo,L485,48L	QDL2742S	
4a	Tie Rod Assembly	⇦	Turbo,L485,48L	-	
4b	Tie Rod Assembly	⇨	, exc.Turbo,L485,48L	QDL2741S	
4b	Tie Rod Assembly	⇨	Turbo,L485,48L	-	
20a	Suspension Arm - Front		exc.4x4,L485,48L	QSA264S	
20a	Suspension Arm - Front		4x4,L485,48L 1990-09/95	-	
20b	Suspension Arm - Front		exc.4x4,L485,48L	QSA265S	
20b	Suspension Arm - Front		4x4,L485,48L 1990-09/95	-	
21	Ball Joint - Front	⇦⇨		QSJ1049S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	exc.4x4,L485,48L	EMS8067	Front
24a	Suspension Arm Bush - Front	⇦⇨	4x4,L485,48L	-	Front
24b	Suspension Arm Bush - Front	⇦⇨	exc.4x4,L485,48L	EMS2113	Rear
24b	Suspension Arm Bush - Front	⇦⇨	L485,48L exc.4x4	EMS8331	Rear
24c	Suspension Arm Bush - Front	⇦⇨	L485,48L 4x4	EMS8333	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2251	Outer, Ø 24mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		EMB7038	Inner
26¹	Stabiliser Bar Bush - Front	⇨⇦		EMB7223	Inner, Ø 24mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.D,TD	EMBK2062	Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨	D,TD	EMBK2252	Ø 21mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.D,TD	EMBK2079	Ø 23mm


continued...

R21 continued... 04/86-09/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
27	Stabiliser Link Kit - Front	⇦⇨	D,TD	EMBK2253	Ø 23mm
27²	Stabiliser Link Bush - Front	⇦⇨	D,TD	EMB2214	Ø 23mm
27²	Stabiliser Link Bush - Front	⇦⇨	exc.D,TD	EMB2140	Ø 20mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		-	
92	Subframe Mounting - Front	⇩		EM4080	Front
92¹	Subframe Mounting - Front	⇩		EM4081	Rear

R25 05/84-12/93

B29..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1768S	Male M14x1.5 RH, Ø 11.8mm Cone, L=98mm
2	Rack End	⇦⇨		QR2203S	Female M14x1.5 RH, L=205mm
4	Tie Rod Assembly	⇦⇨		QDL2181S	Ø 12mm Cone
14¹	Column Joint			EMD1623	9x50mm
21	Ball Joint - Front	⇩		QSJ977S	Ø 14.5mm Cone
23	Ball Joint - Front	⇧		QSJ976S	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇩		EMS8328	Front
24b	Suspension Arm Bush - Front	⇩		EMS8284	Rear
24b	Suspension Arm Bush - Front	⇧		EMS8327	Inner
24c	Suspension Arm Bush - Front	⇧		EMS2216	To Shock Absorber
24d	Suspension Arm Bush - Front	⇧		EMS8283	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨	B290,B296,B297	EMB7147	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2620	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 24mm
27	Stabiliser Link Kit - Front	⇦⇨	B290,B296,B297 05/84-02/88	EMBK2417	Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨	B29W,B290,B296,B297 03/88-12/93	EMBK2417	Ø 22mm

Avantime 05/01-06/03

DE01,DE0T,DE0U



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			EMS3026	Front
24b	Suspension Arm Bush - Front			EMS8238	Rear
61	Top Strut Bearing - Front			QAM111	

Captur 06/13-






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR3912S	
1b	Tie Rod End - Outer			QR3913S	
2	Rack End			QR3914S	
20a	Suspension Arm - Front			QSA2026S	
20b	Suspension Arm - Front			QSA2027S	
21	Ball Joint - Front			QSJ3330S	Ø 18mm Cone
24a	Suspension Arm Bush - Front			EMS8299	Front
24b	Suspension Arm Bush - Front			EMS8300	Rear
25	Stabiliser Link - Front			QLS3489S	

Clio I 03/90-03/94

B57.., C57.., L57.., 357.., 557.. Male Tie Rod End




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2690S	Male M14x1.5 , Ø 11.8mm Cone, L=134mm
1b	Tie Rod End - Outer	⇨		QR2689S	Male M14x1.5 , Ø 11.8mm Cone, L=134mm
2	Rack End	⇦⇨		QR3158S	Female M14x1.5 ,M12x1.0 Swivel, L=257mm
4a	Tie Rod Assembly	⇦	exc.Williams	QDL2746S	
4b	Tie Rod Assembly	⇨	exc.Williams	QDL2745S	
20a	Suspension Arm - Front	⇦⇨	exc.16S,RTi,RSi,S,Williams	QSA269S	
20a	Suspension Arm - Front	⇦⇨	16S,RTi,RSi,S	QSA1029S	
20a	Suspension Arm - Front	⇦⇨	Williams	-	

Clio I continued... 03/90-03/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		exc.16S,RTi,RSi,S,Williams	**QSA268S**	
20b	Suspension Arm - Front		16S,RTi,RSi,S	**QSA1028S**	
20b	Suspension Arm - Front		Williams	**-**	
21	Ball Joint - Front			**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
24a	Suspension Arm Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMS2176**	Front
24b[1]	Suspension Arm Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMS2177**	Rear
24b[2]	Suspension Arm Bush - Front		16S,RTi,RSi,S,Williams	**EMS8332**	Rear
26	Stabiliser Bar Bush - Front		To arm	**EMB2031**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front		To arm	**EMB2122**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMB7022**	Outer, Ø 22mm, with mounting bolt
26	Stabiliser Bar Bush - Front		16S,RTi,RSi,S,Williams	**EMB7144**	Outer, Ø 21mm
26[1]	Stabiliser Bar Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMB2614**	Inner, Ø 20mm
26[1]	Stabiliser Bar Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMB2615**	Inner, Ø 23mm, Blue
27	Stabiliser Link Kit - Front		exc.16S,RTi,RSi,S,Williams	**EMBK2413**	Bush Kit Ø 22mm
27	Stabiliser Link Kit - Front		exc.16S,RTi,RSi,S,Williams	**EMBK2414**	Bush Kit Ø 23mm
27[1]	Stabiliser Link Kit - Front		exc.16S,RTi,RSi,S,Williams	**EMBK2250**	Mounting Kit Ø 22mm
27[2]	Stabiliser Bar Bush Kit - Front		exc.16S,RTi,RSi,S,Williams	**EMBK3056**	Inner, Ø 21mm
61	Top Strut Bearing - Front			**QAM112**	
62	Top Strut Mounting - Front exc.Bearing		1.1,1.2,1.4,1.8 MAN	**EMR3195**	Mount
62	Top Strut Mounting - Front exc.Bearing		1.8,1.9D,2.0 16v AUTO	**EMR6007**	Mount
62[1]	Top Strut Mounting - Front exc.Bearing			**EMR5027**	Spring Seat
63	Top Strut Mounting - Front inc.Bearing		1.8,1.9D,2.0 16v AUTO	**EMA6007**	Mount + Bearing
34	Suspension Arm Bush - Rear			**EMB7125**	Trailing Arm
37	Suspension Arm Repair Kit - Rear			**QWB9005**	
93	Subframe Mounting - Rear			**EM4205**	

Clio I 03/94-02/98

B57.., C57.., L57.., 357.., 557.. Female Tie Rod End



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3079S	Female M14x1.5 LH, Ø 12.0mm Cone, L=133mm
1b	Tie Rod End - Outer	⇨		QR3078S	Female M14x1.5 LH, Ø 12.0mm Cone, L=133mm
2	Rack End	⇦⇨		QR9537S	Male M14x1.5 LH, L=245mm
4a	Tie Rod Assembly	⇦		QDL3283S	
4b	Tie Rod Assembly	⇨		QDL3284S	
20a	Suspension Arm - Front	↲	exc.16S,RTi,RSi,S,Williams	QSA269S	
20a	Suspension Arm - Front	↲	16S,RTi,RSi,S	QSA1029S	
20a	Suspension Arm - Front	↲	Williams	-	


Clio I continued... 03/94-02/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		exc.16S,RTi,RSi,S,Williams	**QSA268S**	
20b	Suspension Arm - Front		16S,RTi,RSi,S	**QSA1028S**	
20b	Suspension Arm - Front		Williams	**-**	
21	Ball Joint - Front			**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
24a	Suspension Arm Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMS2176**	Front
24b	Suspension Arm Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMS2177**	Rear
24b²	Suspension Arm Bush - Front		16S,RTi,RSi,S,Williams	**EMS8332**	Rear
26	Stabiliser Bar Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMB2623**	Outer, Ø 22mm, exc.mounting bolt
26	Stabiliser Bar Bush - Front		16S,RTi,RSi,S,Williams	**EMB7144**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMB7022**	Outer, Ø 22mm, with mounting bolt
26¹	Stabiliser Bar Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMB2614**	Inner, Ø 20mm
26¹	Stabiliser Bar Bush - Front		exc.16S,RTi,RSi,S,Williams	**EMB2615**	Inner, Ø 23mm, Blue
27	Stabiliser Link Kit - Front		exc.16S,RTi,RSi,S,Williams	**EMBK2413**	Bush Kit Ø 22mm
27	Stabiliser Link Kit - Front		exc.16S,RTi,RSi,S,Williams	**EMBK2414**	Bush Kit Ø 23mm
27¹	Stabiliser Link Kit - Front		exc.16S,RTi,RSi,S,Williams	**EMBK2250**	Mounting Kit Ø 22mm
27²	Stabiliser Bar Bush Kit - Front		exc.16S,RTi,RSi,S,Williams	**EMBK3056**	Inner, Ø 21mm
61	Top Strut Bearing - Front			**QAM112**	
62	Top Strut Mounting - Front exc.Bearing		1.1,1.2,1.4,1.8 MAN	**EMR3195**	
62	Top Strut Mounting - Front exc.Bearing		1.8,1.9D,2.0 16v AUTO	**EMR6007**	Mount
62¹	Top Strut Mounting - Front exc.Bearing			**EMR5027**	Spring Seat
63	Top Strut Mounting - Front inc.Bearing		1.8,1.9D,2.0 16v AUTO	**EMA6007**	Mount + Bearing
34	Suspension Arm Bush - Rear			**EMB7125**	Trailing Arm
37	Suspension Arm Repair Kit - Rear			**QWB9005**	
93	Subframe Mounting - Rear			**EM4205**	

Clio II

03/98-05/01

BB0.., BB1.., CB0.., CB1.., C61..




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Mfr.SMI,TRW, 03/98-12/99	**QR9067S**	Female M14x1.5
1a	Tie Rod End - Outer	⇦	Mfr.SMI,TRW, 01/00-05/01	**QR3338S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	Mfr.SMI,TRW, 03/98-12/99	**QR9068S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨	Mfr.SMI,TRW, 01/00-05/01	**QR3339S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨	03/98-12/99	**QR9538S**	Male M14x1.5 , L=240mm
2	Rack End	⇦⇨	01/00-06/01	**QR3340S**	Male M14x1.5 , M12x1 Swivel, L=303mm
2	Rack End	⇦⇨	, Mfr.TRW 03/98-12/99	**QR3341S**	Male M14x1.5 , M14 x1.5 Swivel, L=240mm
2	Rack End	⇦⇨	, Mfr.TRW 01/00-05/01	**QR3342S**	Male M14x1.5 , M14 x1.5 Swivel, L=294mm
2	Rack End	⇦⇨	, Mfr.SMI 03/98-12/99	**QR9066S**	Male M14x1.5 , M12x1mm Swivel, L=240mm

Clio II continued... 03/98-05/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨	, Mfr.SMI 01/00-05/01	**QR3343S**	Male M14x1.5 , M12x1 Swivel, L=320mm
4a	Tie Rod Assembly	⇦	, Mfr.SMI 01/00-05/01	**QDL3281S**	
4b	Tie Rod Assembly	⇨	, Mfr.SMI 01/00-05/01	**QDL3282S**	
20a	Suspension Arm - Front		exc.2.0i 16v, exc.H.D.	**QSA1549S**	
20b	Suspension Arm - Front		exc.2.0i 16v, exc.H.D.	**QSA1548S**	
21	Ball Joint - Front			**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
21	Ball Joint - Front			**QSJ1646S**	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front		exc.2.0i 16v,H.D.	**EMS8057**	Front, Rear
24	Suspension Arm Bush - Front		2.0i 16v	**EMS2625**	Front, Rear
24	Suspension Arm Bush - Front		H.D.	**-**	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨	exc.2.0i 16v	**EMB7022**	Outer, Ø 22mm, with mounting bolt
26	Stabiliser Bar Bush - Front	⇦⇨	2.0i 16v	**EMB7072**	Outer, Ø 24mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB2615**	Inner, Ø 23mm, Blue
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB2619**	Inner, Ø 24mm,Yellow
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB2614**	Inner, Ø 22mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB7087**	Inner, Ø 25mm,Green
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3062**	Inner, Outer, Ø 25mm, Ø 22mm Green, with mounting bolt
27[1]	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3061**	Inner, Outer, Ø 25mm, Ø 24mm Green
27[2]	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3060**	Inner, Outer, Ø 24mm, Ø 22mm, with mounting bolt
27[3]	Stabiliser Bar Bush Kit - Front	⇨⇦		**EMBK2659**	Inner, Ø 22mm,23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM112**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.2.0i,3.0i	**EMR6014**	Mount
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5027**	Spring Seat
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.2.0i,3.0i	**EMA6014**	Mount + Bearing
63[1]	Top Strut Mounting - Front inc.Bearing	⇦⇨	2.0i,3.0i	**EMA5045**	Mount
34	Suspension Arm Bush - Rear			**EMB7125**	Trailing Arm
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9005**	
93	Subframe Mounting - Rear			**EM4205**	

Clio II 06/01-

BB0.., BB1.., CB0.., CB1.., C61..




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3338S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		**QR3339S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨	exc.2.0 16v	**QR3343S**	Male M14x1.5 RH, M12x1 Swivel, L=320mm
2a	Rack End	⇦	2.0 16v	**QR3344S**	Male M14x1.5 RH, M14x1.5 Swivel, L=315mm
2b	Rack End	⇨	2.0 16v	**QR3342S**	Male M14x1.5 RH, M14 x1.5 Swivel, L=294mm
4a	Tie Rod Assembly	⇦	exc.2.0 16v	**QDL3281S**	
4b	Tie Rod Assembly	⇨	exc.2.0 16v	**QDL3282S**	
20a	Suspension Arm - Front	⇦	exc.2.0i 16v, exc.H.D.	**QSA1549S**	
20b	Suspension Arm - Front	⇨	exc.2.0i 16v, exc.H.D.	**QSA1548S**	
20b	Suspension Arm - Front	⇨	H.D., exc.2.0i 16v	**-**	
21	Ball Joint - Front	⇦⇨		**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
21	Ball Joint - Front	⇦⇨		**QSJ1646S**	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front	⇦⇨	exc.2.0i 16v	**EMS8057**	Front, Rear
24	Suspension Arm Bush - Front	⇦⇨	2.0i 16v	**EMS2625**	Front, Rear
24	Suspension Arm Bush - Front	⇦⇨	H.D.	**-**	Front, Rear

Clio II continued... 06/01-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨	exc.2.0i 16v	**EMB7022**	Outer, Ø 22mm, with mounting bolt
26	Stabiliser Bar Bush - Front	⇦⇨	2.0i 16v	**EMB7072**	Outer, Ø 24mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB2615**	Inner, Ø 23mm, Blue
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB2619**	Inner, Ø 24mm,Yellow
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB2614**	Inner, Ø 22mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		**EMB7087**	Inner, Ø 25mm,Green
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3062**	Inner, Outer, Ø 25mm, Ø 22mm Green, with mounting bolt
27[1]	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3061**	Inner, Outer, Ø 25mm, Ø 24mm Green
27[2]	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3060**	Inner, Outer, Ø 24mm, Ø 22mm, with mounting bolt
27[3]	Stabiliser Bar Bush Kit - Front	⇨⇦		**EMBK2659**	Inner, Ø 22mm,23mm
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9005**	

Clio III 05/05-

BR0..,CR0..,KR0..




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3338S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		**QR3339S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨		**QR3488S**	Male M14x1.5 RH, M14x1.5 Swivel, L=320mm
20a	Suspension Arm - Front	⇦		**QSA2364S**	
20b	Suspension Arm - Front	⇨		**QSA2365S**	
21	Ball Joint - Front	⇦⇨		**QSJ3330S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8299**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8300**	Rear
25	Stabiliser Link - Front	⇦⇨	exc. 2.0 16v Sport	**QLS3489S**	L=247mm
25	Stabiliser Link - Front	⇦⇨	2.0 16v Sport	**QLS3923S**	
26	Stabiliser Bar Bush - Front	⇦⇨	exc.CR0N, KR0N	**EMB7231**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	CR0N	**EMB7154**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	KR0N	**EMB7279**	

continued...

Clio III continued... 05/05-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
27	Stabiliser Bar Bush Kit - Front	⇦⇨	CR0N	EMBK3064	Outer, Ø 20mm
63a	Top Strut Mounting - Front inc.Bearing	⇦		EMA5046	
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA5047	

Clio IV 11/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3912S	
1b	Tie Rod End - Outer	⇨		QR3913S	
2	Rack End	⇦⇨		QR3914S	
20a	Suspension Arm - Front	⇦		QSA2599S	
20b	Suspension Arm - Front	⇨		QSA2600S	
21	Ball Joint - Front	⇦⇨		QSJ3330S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8299	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8300	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3489S	

Espace I

J11.., S11..

11/84-12/90




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1768S**	Male M14x1.5 RH, Ø 11.8mm Cone, L=98mm
2	Rack End	⇦⇨		**QR4193S**	Female M14x1.5 RH, L=237mm
4	Tie Rod Assembly	⇦⇨		**QDL2172S**	Ø 11.8mm Cone
21	Ball Joint - Front	⇩	11/84-11/87	**QSJ886S**	Ø 14.5mm Cone
21	Ball Joint - Front	⇩	12/87-12/90	**QSJ977S**	Ø 14.5mm Cone
22	Suspension Arm - Front	⇧	12/87-12/90	**-**	
23	Ball Joint - Front	⇧	11/84-11/87	**QSJ887S**	Ø 14.5mm Cone
23	Ball Joint - Front	⇧	12/87-12/90	**QSJ976S**	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇩	11/84-12/87	**-**	Front
24a	Suspension Arm Bush - Front	⇩	01/88-12/90	**EMS8328**	Front
24b	Suspension Arm Bush - Front	⇩	11/84-12/87	**EMS8326**	Rear
24b	Suspension Arm Bush - Front	⇩	12/87-12/90	**-**	Rear
24c	Suspension Arm Bush - Front	⇧	11/84-12/87	**-**	Inner
24c	Suspension Arm Bush - Front	⇧	12/87-12/90	**EMS8329**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 23mm
27	Stabiliser Link Kit - Front	⇦⇨		**-**	Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	

Espace II

J63.., S63..

01/91-10/96




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1768S**	Male M14x1.5 ↻, Ø 11.8mm Cone, L=98mm
2	Rack End	⇦⇨		**QR2203S**	Female M14x1.5 ↻, L=205mm
4	Tie Rod Assembly	⇦⇨		**QDL2181S**	Ø 12mm Cone
21	Ball Joint - Front	⇩⇧		**QSJ977S**	Ø 14.5mm Cone
22	Suspension Arm - Front	⇦⇧		**-**	
23	Ball Joint - Front	⇦⇧		**QSJ976S**	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇧		**EMS8283**	Front
24b	Suspension Arm Bush - Front	⇩⇧		**EMS8284**	Rear
24c	Suspension Arm Bush - Front	⇦⇧		**EMS8327**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨	exc.2.8 V6	**EMB2620**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨	2.8 V6	**EMB2621**	Outer, Ø 23mm
27	Stabiliser Link Kit - Front	⇦⇨	exc.2.8 V6	**EMBK2417**	Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨	2.8 V6	**EMBK2418**	Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
92	Subframe Mounting - Front	⇦⇨		**EMS8516**	Front
92¹	Subframe Mounting - Front	⇦⇨		**EMS8517**	Rear

Espace III

JE0..

11/96-10/02




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9053S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9054S**	Female M14x1.5
2	Rack End	⇦⇨		**QR9539S**	Male M14x1.5
4a	Tie Rod Assembly	⇦		**QDL5252S**	
4b	Tie Rod Assembly	⇨		**QDL5262S**	
20a	Suspension Arm - Front			**QSA1780S**	
20b	Suspension Arm - Front			**QSA1781S**	
21	Ball Joint - Front			**QSJ9357S**	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front			**EMS3026**	Front
24b	Suspension Arm Bush - Front			**EMS8238**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1522S**	L=365mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2620**	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2621**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
92	Subframe Mounting - Front	⇦⇨	1.9DTi,2.0i,2.0i 16v,2.2DTi,2.2DCi,3.0i V6	**EMS8516**	Front
92¹	Subframe Mounting - Front	⇦⇨	1.9DTi,2.0i,2.0i 16v,2.2DTi,2.2DCi,3.0i V6	**EMS8517**	Rear
34	Suspension Arm Bush - Rear	⇦⇨		**-**	Axle

Espace IV


JK0..


11/02-12/12



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3311S	Female M14x1.5 LH, L=210mm Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		QR3312S	Female M14x1.5, L=210mm Ø 12mm Cone
2	Rack End	⇦⊐⇨		QR3487S	Male M14x1.5 LH, M12x1.0 Swivel, L=263mm
20a	Suspension Arm - Front	⇦		QSA2376S	
20b	Suspension Arm - Front	⇨		QSA2377S	
21	Ball Joint - Front	⇦⇨		QSJ3288S	Ø 18.7mm Cone, Ø 10mm Hole
25	Stabiliser Link - Front	⇦⊐⇨		QLS3330S	L=310mm
62¹	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		EMR6108	Spring Seat
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨		EMA5034	
64	Bump Stop - Rear	⇦⊐⇨		-	

Fluence 02/10-






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3881S**	Female M14x1.5 RH, Ø 11.9mm Cone, L=210mm
1b	Tie Rod End - Outer	⇨		**QR3882S**	Female M14x1.5 RH, Ø 11.9mm Cone, L=210mm
2	Rack End	⇦⇨		**QR3664S**	
20a	Suspension Arm - Front			**QSA2543S**	
20b	Suspension Arm - Front			**QSA2544S**	
21	Ball Joint - Front			**QSJ3572S**	
24a	Suspension Arm Bush - Front			**EMS8512**	Front
24b	Suspension Arm Bush - Front			**EMS8513**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3743S**	
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7288**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7290**	Outer, Ø 22mm

Grand Espace I

11/97-10/02


JE0..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9053S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR9054S	Female M14x1.5
2	Rack End	⇦⇨		QR9539S	Male M14x1.5
4a	Tie Rod Assembly	⇦		QDL5252S	
4b	Tie Rod Assembly	⇨		QDL5262S	
20a	Suspension Arm - Front	⇦		QSA1780S	
20b	Suspension Arm - Front	⇨		QSA1781S	
21	Ball Joint - Front	⇦⇨		QSJ9357S	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS3026	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8238	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1522S	L=365mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2620	Outer, Ø 22mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2621	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
92	Subframe Mounting - Front	⇦⇨	1.9DTi,2.0i,2.0i 16v,2.2DTi,2.2DCi,3.0i V6	EMS8516	Front
92¹	Subframe Mounting - Front	⇦⇨	1.9DTi,2.0i,2.0i 16v,2.2DTi,2.2DCi,3.0i V6	EMS8517	Rear
34	Suspension Arm Bush - Rear	⇦⇨		-	Axle

Grand Espace II 11/02-12/12

JK0..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3311S	Female M14x1.5 RH, L=210mm Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		QR3312S	Female M14x1.5, L=210mm Ø 12mm Cone
2	Rack End	⇦⇨		QR3487S	Male M14x1.5 RH, M12x1.0 Swivel, L=263mm
20a	Suspension Arm - Front	⇦		QSA2376S	
20b	Suspension Arm - Front	⇨		QSA2377S	
21	Ball Joint - Front	⇦⇨		QSJ3288S	Ø 18.7mm Cone, Ø 10mm Hole
25	Stabiliser Link - Front	⇦⇨		QLS3330S	L=310mm
64	Bump Stop - Rear	⇦⇨		-	

Kadjar 06/15-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4009S	
1b	Tie Rod End - Outer	⇨		QR4010S	
25	Stabiliser Link - Front	⇦⇨		QLS3774S	

Kangoo I

KC0.., KC1.. exc.4x4

06/97-06/08




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	06/97-02/99	QR2973S	Female M14x1.5 RH, Ø 11.8mm Cone, L=130mm
1a	Tie Rod End - Outer	⇦	03/99-	QR3338S	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	06/97-02/99	QR2972S	Female M14x1.5 RH, Ø 11.8mm Cone, L=130mm
1b	Tie Rod End - Outer	⇨	03/99-	QR3339S	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨	exc.AllRoad	QR5216S	Male M14x1.5 RH, M12x1.0 Swivel, L=284mm
2	Rack End	⇦⇨	exc.AllRoad 06/97-02/99	QR9074S	Male M14x1.5 RH, M14x1.5mm Swivel, L=265mm
2	Rack End	⇦⇨	03/99-	QR3343S	Male M14x1.5 RH, M12x1 Swivel, L=320mm
4a	Tie Rod Assembly	⇦	03/99-	QDL3281S	
4b	Tie Rod Assembly	⇨	03/99-	QDL3282S	
20a	Suspension Arm - Front	⇦	exc.H.D.	QSA1549S	Ball Joint - Ø 12mm Holes
20b	Suspension Arm - Front	⇨	exc.H.D.	QSA1548S	Ball Joint - Ø 12mm Holes
20b	Suspension Arm - Front	⇨	H.D.	-	Ball Joint - Ø 12mm Holes
21	Ball Joint - Front	⇦⇨		QSJ885S	Ø 16mm Cone, Ø 10mm Holes
21	Ball Joint - Front	⇦⇨		QSJ1646S	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front	⇦⇨	exc.H.D.	EMS8057	Front, Rear
24	Suspension Arm Bush - Front	⇦⇨	H.D.	-	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7022	Outer, Ø 22mm, with mounting bolt
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7152	Outer, Ø 23mm, without mounting bolt
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB2615	Inner, Ø 23mm, Blue
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2658	Outer, Ø 22mm,23mm without mounting bolt
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2659	Outer, Ø 22mm,23mm with mounting bolt
27[1]	Stabiliser Bar Bush Kit - Front	⇨⇦		EMBK3056	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⇨		QAM112	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6014	

Kangoo I continued... 06/97-06/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6014	Mount + Bearing
34	Suspension Arm Bush - Rear	⇩		EMB7125	Trailing Arm
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9006	

Kangoo I 11/01-06/08


KC0.., KC1.. 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3338S	Female M14x1.5 ↻, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		QR3339S	Female M14x1.5 ↻, Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨		QR3729S	
24a	Suspension Arm Bush - Front	⇩		EMS8324	Front, Rear
26¹	Stabiliser Bar Bush - Front	⇳		EMB2615	Inner, Ø 23mm, Blue
27¹	Stabiliser Bar Bush Kit - Front	⇳		EMBK3056	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⇨		QAM112	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6014	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6014	Mount + Bearing
34	Suspension Arm Bush - Rear	⇩		EMB7125	Trailing Arm

Kangoo II 07/08-

KW..,



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3662S	Female M14x1.5 , Ø 12.0mm Cone, L=200mm
1b	Tie Rod End - Outer	⇨		QR3663S	Female M14x1.5 , Ø 12.0mm Cone, L=200mm
2	Rack End	⇦⇨		QR3664S	
20a	Suspension Arm - Front			QSA2413S	
20b	Suspension Arm - Front			QSA2414S	
21a	Ball Joint - Front			QSJ3471S	Ø 20.0mm Cone
21b	Ball Joint - Front			QSJ3472S	Ø 20.0mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3331S	L=283mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7228	Outer

Koleos

HY..,

06/08-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3635S**	
1b	Tie Rod End - Outer	⇨		**QR3636S**	
20a	Suspension Arm - Front			**QSA2423S**	L=313mm 'Ø20.0mm Cone
20b	Suspension Arm - Front			**QSA2424S**	L=313mm 'Ø20.0mm Cone
21	Ball Joint - Front			**QSJ3468S**	Ø 20.0mm Cone, 16mm Groove
24a	Suspension Arm Bush - Front			**EMS8467**	Front
24b	Suspension Arm Bush - Front			**EMS8468**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3550S**	L=299mm
25b	Stabiliser Link - Front	⇨		**QLS3551S**	L=299mm
35a	Stabiliser Link - Rear	⇦		**QLS3758S**	
35b	Stabiliser Link - Rear	⇨		**QLS3759S**	

Laguna I

B56.., K56..

09/93-02/01




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2835S**	Female M14x1.5 RH, Ø 12mm Cone, L=177mm
1b	Tie Rod End - Outer	⇨		**QR2837S**	Female M14x1.5 RH, Ø 12mm Cone, L=177mm
2	Rack End	⇦⇨		**QR2836S**	Male M14x1.5 RH, L=283mm
4a	Tie Rod Assembly	⇦		**QDL2977S**	
4b	Tie Rod Assembly	⇨		**QDL2976S**	
20a	Suspension Arm - Front	⇦		**QSA1394S**	
20b	Suspension Arm - Front	⇨		**QSA1393S**	
21	Ball Joint - Front	⇦⇨		**QSJ1338S**	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS3026**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS3025**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1522S**	L=365mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2415**	Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR3192**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR3193**	
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMA3192**	

Laguna I continued... 09/93-02/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA3193	
92	Subframe Mounting - Front	⇦⇨		EMS8516	Front
92[1]	Subframe Mounting - Front	⇦⇨		EMS8517	Rear

Laguna II 03/01-12/07

BG0.., KG0..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3311S	Female M14x1.5 , L=210mm Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		QR3312S	Female M14x1.5, L=210mm Ø 12mm Cone
2	Rack End	⇦⇨		QR5332S	Male M14x1.5 , M12x1mm Swivel, L=216mm
20a	Suspension Arm - Front	↲		QSA2012S	
20b	Suspension Arm - Front	↳		QSA2013S	
21	Ball Joint - Front	⇦⇨		QSJ3288S	Ø 18.7mm Cone, Ø 10mm Hole
24a	Suspension Arm Bush - Front	⇦⇨		EMS8194	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8195	Rear


continued...

Laguna II continued... 03/01-12/07

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3330S	L=310mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7155	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7133	Outer, Ø 21mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3065	Inner, Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		-	Inner, Outer, Ø 21mm
62	Top Strut Mounting - Front inc.Bearing	⇦⇨	03/01-04/05	EMA5032	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	05/05-12/07	-	
62[1]	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6108	Spring Seat
93a	Subframe Mounting - Rear	⇦		EM4202	
93b	Subframe Mounting - Rear	⇨		EM4203	
93b	Subframe Mounting - Rear Kit	⇦⇨		QSK275S	

Laguna III 09/07-

BT0..,DT..,KT..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3640S	Female M14x1.5 RH, Ø 14mm Cone, L=239mm
1b	Tie Rod End - Outer	⇨		QR3641S	Female M14x1.5 RH, Ø 14mm Cone, L=239mm
2	Rack End	⇦⇨		QR3642S	Male M14x1.5 RH, M14x1.5 Swivel, L=207mm
20a	Suspension Arm - Front	↲		QSA2525S	
20b	Suspension Arm - Front	↳		QSA2526S	
21	Ball Joint - Front	⇦⇨		QSJ3557S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8508	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8509	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3614S	L=294mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7247	Outer

Latitude 02/11-

L70..




Latitude continued... 02/11-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3640S	Female M14x1.5 ↻, Ø 14mm Cone, L=239mm
1b	Tie Rod End - Outer	⇨		QR3641S	Female M14x1.5 ↻, Ø 14mm Cone, L=239mm
2	Rack End	⇦⇨		QR4008S	Male M14x1.5 ↻, M14x1.5 Swivel, L=196mm
25	Stabiliser Link - Front	⇦⇨		QLS3614S	
35a	Stabiliser Link - Rear	⇦		QLS3925S	
35b	Stabiliser Link - Rear	⇨		QLS3926S	

Logan 08/04-

BS0.., FS0.., KS0.., LS0.., US0




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3423S	Female M14x1.5 ↻, Ø 12.0mm Cone, L=213mm
1b	Tie Rod End - Outer	⇨		QR3424S	Female M14x1.5 ↻, Ø 12.0mm Cone, L=213mm
2	Rack End	⇦⇨		QR3425S	Male M14x1.5, M12 x 1.0 Swivel, L=210mm,
20a	Suspension Arm - Front	↲		QSA2332S	
20b	Suspension Arm - Front	↳		QSA2333S	
21	Ball Joint - Front	⇦⇨		QSJ3330S	Ø 18mm Cone
24	Suspension Arm Bush - Front	⇦⇨		EMS8502	
26	Stabiliser Bar Bush - Front	⇦⇨	KS0..,LS0..	EMB7245	Outer
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7222	Outer, with mounting bolt
61	Top Strut Bearing - Front	⇦⇨	1.4i,1.6i	QAM112	

Megane I

08/95-02/99

BA.., DA.., EA.., KA.., LA.. exc.Scenic



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2973S**	Female M14x1.5 LH, Ø 11.8mm Cone, L=130mm
1b	Tie Rod End - Outer	⇨		**QR2972S**	Female M14x1.5 LH, Ø 11.8mm Cone, L=130mm
2	Rack End	⇦⇨	Mfr.TRW	**QR9052S**	Male M14x1.5 LH, M14x1.5mm Swivel, L=270mm
2	Rack End	⇦⇨	Mfr.SMI exc.2.0 16v 08/95-09/98	**QR3346S**	Male M14x1.5 LH, M12x1 Swivel, L=277mm
2	Rack End	⇦⇨	Mfr.SMI exc.2.0 16v 10/98-02/99	**QR3331S**	Male M14x1.5 LH, M12x1 Swivel, L=260mm
2	Rack End	⇦⇨	2.0 16v	**QR3349S**	Male M14x1.5 LH, M14 x1.5 Swivel, L=261mm
4a	Tie Rod Assembly	⇦	Mfr.TRW	**QDL5233S**	
4b	Tie Rod Assembly	⇨	Mfr.TRW	**QDL5239S**	
20a	Suspension Arm - Front	↲	exc.1.9DT,1.9DTi,2.0i 16v	**QSA267S**	Pressed Steel, Ø 10mm Holes
20a	Suspension Arm - Front	↲	1.9DT,1.9DTi 08/95-10/97	**QSA9427S**	Forged Steel, Ø 10mm Holes
20a	Suspension Arm - Front	↲	1.9DT,1.9DTi 10/97-02/99	**QSA267S**	Pressed Steel, Ø 10mm Holes
20a	Suspension Arm - Front	↲	2.0i 16v	**QSA1009S**	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front	↳	exc.1.9DT,1.9DTi,2.0i 16v	**QSA266S**	Pressed Steel, Ø 10mm Holes
20b	Suspension Arm - Front	↳	1.9DT,1.9DTi 08/95-10/97	**QSA9426S**	Forged Steel, Ø 10mm Holes
20b	Suspension Arm - Front	↳	1.9DT,1.9DTi 10/97-02/99	**QSA266S**	Pressed Steel, Ø 10mm Holes
20b	Suspension Arm - Front	↳	2.0i 16v	**QSA1004S**	Pressed Steel, Ø 12mm Holes
21	Ball Joint - Front	↲↳	exc.1.9DT,1.9DTi,2.0i 16v	**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes


Megane I continued... 08/95-02/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front		1.9DT,1.9DTi 08/95-10/97	QSJ1506S	Ø 16mm Cone, Forged Steel
21	Ball Joint - Front		1.9DT,1.9DTi 10/97-02/99	QSJ885S	Ø 16mm Cone, Ø 10mm Holes
21	Ball Joint - Front		2.0i 16v	QSJ1646S	Ø 16mm Cone, Ø 12mm Holes, Pressed Steel
24	Suspension Arm Bush - Front		exc.2.0i 16v	EMS2125	Front, Rear
24	Suspension Arm Bush - Front		2.0i 16v	EMS2625	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨	To arm	EMB2122	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7172	Outer, Ø 23.5mm,Orange
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7072	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7225	Outer, Ø 24.5mm,White
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7153	Outer, with mounting bolt
26[1]	Stabiliser Bar Bush - Front	⇨⇦	To body	EMB2615	Inner, Ø 23mm, Blue
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB7170	Inner, Ø 23.5mm,Orange
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB2619	Inner, Ø 24mm,Yellow
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB7171	Inner, Ø 24.5mm,White
27	Stabiliser Link Kit - Front	⇨⇦		-	Inner, Ø 24.5mm,White
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2064	Inner, Outer, Ø 23mm
27[1]	Stabiliser Bar Bush Kit - Front	⇨⇦		EMBK3072	Inner, Ø 23.5mm, Orange
27[2]	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3058	Inner, Outer Ø 24mm
90	Subframe Bush - Front	⇦⇨		EMS8493	Rear, Bush
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2519	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2719	
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9007	

Megane I

03/99-08/02

BA.., DA.., EA.., KA.., LA.. exc.Scenic




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Mfr.TRW,SMI	QR3338S	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	Mfr.TRW,SMI	QR3339S	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨	Mfr.TRW, exc.2.0 IDE F5R	QR3347S	Male M14x1.5 , M14 x1.5 Swivel, L=294mm
2	Rack End	⇦⇨	Mfr.SMI, exc.2.0 IDE F5R	QR3348S	Male M14x1.5 , M12x1.5 Swivel, L=310mm
2a	Rack End	⇦	2.0 IDE F5R	-	
2b	Rack End	⇨	2.0 IDE F5R	-	
4a	Tie Rod Assembly	⇦	Mfr.SMI, exc.2.0 IDE F5R	QDL3285S	
4b	Tie Rod Assembly	⇨	Mfr.SMI, exc.2.0 IDE F5R	QDL3286S	
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2408	Outer, Ø 24mm, with mounting bolt
20a	Suspension Arm - Front		exc.1.9DCi,1.9DT,1.9DTi,2.0i 16v	QSA2032S	Pressed Steel, Ø 10mm Holes
20a	Suspension Arm - Front		1.9DT,1.9DTi	QSA2030S	Pressed Steel, Ø 12mm Holes
20a	Suspension Arm - Front		1.9DCi MAN	QSA2030S	Pressed Steel, Ø 12mm Holes
20a	Suspension Arm - Front		1.9DCi AUTO, 2.0i 16v	QSA2034S	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front		exc.1.9DCi,1.9DT,1.9DTi,2.0i 16v	QSA2033S	Pressed Steel, Ø 10mm Holes
20b	Suspension Arm - Front		1.9DT,1.9DTi	QSA2031S	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front		1.9DCi MAN	QSA2031S	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front		1.9DCi AUTO, 2.0i 16v	QSA2035S	Pressed Steel, Ø 12mm Holes
21	Ball Joint - Front		exc.1.9DCi,1.9DT,1.9DTi,2.0i 16v	QSJ885S	Ø 16mm Cone, Ø 10mm Holes
21¹	Ball Joint - Front		1.9DCi,1.9DT,1.9DTi,2.0i 16v	QSJ1646S	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front		exc.1.9DCi AUTO, 2.0i 16v	EMS2125	Front, Rear
24	Suspension Arm Bush - Front		1.9DCi AUTO, 2.0i 16v	EMS2625	Front, Rear

Megane I continued... 03/99-08/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨	To arm	EMB2122	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7172	Outer, Ø 23.5mm,Orange
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7072	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7225	Outer, Ø 24.5mm,White
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7153	Outer, with mounting bolt
26[1]	Stabiliser Bar Bush - Front	⇨⇦	To body	EMB2615	Inner, Ø 23mm, Blue
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB7170	Inner, Ø 23.5mm,Orange
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB2619	Inner, Ø 24mm,Yellow
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB7171	Inner, Ø 24.5mm,White
27	Stabiliser Link Kit - Front	⇨⇦		-	Inner, Ø 24.5mm,White
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2064	Outer, Ø 23mm
27[1]	Stabiliser Bar Bush Kit - Front	⇨⇦		EMBK3072	Inner, Ø 23.5mm, Orange
27[2]	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3058	Inner, Outer Ø 24mm
90	Subframe Bush - Front	⇦⇨		EMS8493	Rear, Bush
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2519	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2719	

Megane II 09/02-06/09

BM..,CM..,EM..,KM..,LM.. exc.Scenic



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3335S	Female M14x1.5, L=196mm, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR3336S	Female M14x1.5, L=196mm, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR3337S	Male M14x1.5, M14 x1.5 Swivel, L=230mm
20a	Suspension Arm - Front	↲	09/02-01/03	QSA2028S	Ø 16mm


continued...

Megane II continued... 09/02-06/09

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		01/03-	QSA2026S	Ø 18mm
20b	Suspension Arm - Front		09/02-01/03	QSA2029S	Ø 16mm
20b	Suspension Arm - Front		01/03-	QSA2027S	Ø 18mm
21	Ball Joint - Front		09/02-01/03	QSJ3412S	Ø 16mm Cone
21	Ball Joint - Front		01/03-	QSJ3330S	Ø 18mm Cone
24a	Suspension Arm Bush - Front			EMS8299	Front
24b	Suspension Arm Bush - Front			EMS8300	Rear
25	Stabiliser Link - Front		exc.Height Adjustable Susp.	QLS3331S	L=283mm
25	Stabiliser Link - Front		Height Adjustable Susp.	-	
26	Stabiliser Bar Bush - Front		exc.Height Adjustable Susp.	EMB7154	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front		Height Adjustable Susp.	EMB7226	Outer, Ø 18mm
27	Stabiliser Bar Bush Kit - Front		exc.Height Adjustable Susp.	EMBK3064	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front		Height Adjustable Susp.	-	Outer, Ø 18mm
62	Top Strut Mounting - Front inc.Bearing			EMA5033	
62	Top Strut Mounting - Front iexc.Bearing			EMR5033	
62	Top Strut Bearing - Front			QAM165	
92	Subframe Mounting - Front			EMS8518	

Megane III 11/08-

BZ..DZ..,KZ.. exc.Scenic




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR3881S	Female M14x1.5, Ø 11.9mm Cone, L=210mm
1b	Tie Rod End - Outer			QR3882S	Female M14x1.5, Ø 11.9mm Cone, L=210mm
2	Rack End			QR3664S	
20a	Suspension Arm - Front			QSA2543S	
20b	Suspension Arm - Front			QSA2544S	
21	Ball Joint - Front			QSJ3572S	
24a	Suspension Arm Bush - Front			EMS8512	Front
24b	Suspension Arm Bush - Front			EMS8513	Rear
25	Stabiliser Link - Front			QLS3762S	L=275mm
26	Stabiliser Bar Bush - Front			EMB7288	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front			EMB7290	Outer, Ø 22mm

Megane Scenic I

10/96-10/99

FA0.., JA0..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2973S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=130mm
1b	Tie Rod End - Outer	⇨		**QR2972S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=130mm
2	Rack End	⇦⇨	Mfr.TRW	**QR9052S**	Male M14x1.5 RH, M14x1.5mm Swivel, L=270mm
2	Rack End	⇦⇨	Mfr.SMI	**QR3346S**	Male M14x1.5 RH, M12x1 Swivel, L=277mm
4a	Tie Rod Assembly	⇦	Mfr.TRW	**QDL5233S**	
4b	Tie Rod Assembly	⇨	Mfr.TRW	**QDL5239S**	


continued...

Megane Scenic I continued... 10/96-10/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA9427S**	Forged Steel, Ø 10mm Holes
20a[1]	Suspension Arm - Front		exc.2.0i 16v	**QSA2030S**	Pressed Steel, Ø 12mm Holes
20a[1]	Suspension Arm - Front		2.0i 16v	**QSA2034S**	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front			**QSA9426S**	Forged Steel, Ø 10mm Holes
20b[1]	Suspension Arm - Front		exc.2.0i 16v	**QSA2031S**	Pressed Steel, Ø 12mm Holes
20b[1]	Suspension Arm - Front		2.0i 16v	**QSA2035S**	Pressed Steel, Ø 12mm Holes
21	Ball Joint - Front			**QSJ1506S**	Ø 16mm Cone, Forged Steel
21	Ball Joint - Front			**QSJ1646S**	Ø 16mm Cone, Ø 12mm Holes, Pressed Steel
24	Suspension Arm Bush - Front		exc.2.0i 16v	**EMS2125**	Front, Rear
24	Suspension Arm Bush - Front		2.0i 16v	**EMS2625**	Front, Rear
26	Stabiliser Bar Bush - Front		To arm	**EMB2122**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front			**EMB7072**	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front			**EMB7225**	Outer, Ø 24.5mm,White
26	Stabiliser Bar Bush - Front			**EMB7153**	Outer, with mounting bolt
26	Stabiliser Bar Bush - Front			**EMB7172**	Outer, Ø 23.5mm,Orange
26[1]	Stabiliser Bar Bush - Front		To body	**EMB2615**	Inner, Ø 23mm, Blue
26[1]	Stabiliser Bar Bush - Front			**EMB7170**	Inner, Ø 23.5mm,Orange
26[1]	Stabiliser Bar Bush - Front			**EMB2619**	Inner, Ø 24mm,Yellow
26[1]	Stabiliser Bar Bush - Front			**EMB7171**	Inner, Ø 24.5mm,White
26[1]	Stabiliser Bar Bush - Front			**EMB7087**	Inner, Ø 25mm,Green
27	Stabiliser Bar Bush Kit - Front			**EMBK3058**	Inner, Outer, Ø 24mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2064**	Inner, Outer, Ø 23mm
27[1]	Stabiliser Bar Bush Kit - Front			**EMBK3063**	Inner, Outer, Ø 25mm, with mounting bolt
27[2]	Stabiliser Bar Bush Kit - Front			**EMBK3072**	Inner, Outer, Ø 23.5mm, Orange
27[2]	Stabiliser Link Kit - Front			-	Inner, Outer, Ø 24.5mm
27[3]	Stabiliser Link Kit - Front			**EMBK2408**	Inner, Outer, Ø 24mm, with mounting bolt
61	Top Strut Bearing - Front			**QAM111**	
62	Top Strut Mounting - Front exc.Bearing			**EMR2519**	
63	Top Strut Mounting - Front inc.Bearing			**EMA2719**	
37	Suspension Arm Repair Kit - Rear			**QWB9007**	

Modus 08/04-06/08

JP0..




Modus continued... 08/04-06/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3338S	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		QR3339S	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨		QR3488S	Male M14x1.5 RH, M14x1.5 Swivel, L=320mm
20a	Suspension Arm - Front	↲		QSA2364S	
20b	Suspension Arm - Front	↳		QSA2365S	
21	Ball Joint - Front	⇦⇨		QSJ3330S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8299	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8300	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3489S	L=247mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7279	Outer
62a	Top Strut Mounting - Front exc.Bearing	⇦		-	
62b	Top Strut Mounting - Front exc.Bearing	⇨		-	
63a	Top Strut Mounting - Front inc.Bearing	⇦		EMA5046	
63b	Top Strut Mounting - Front inc.Bearing	⇨		EMA5047	

Scenic I 06/99-08/03

FA0.., JA0.., JA1 exc.RX4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Mfr.TRW,SMI	QR3338S	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	Mfr.TRW,SMI	QR3339S	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨	Mfr.TRW	QR3347S	Male M14x1.5 RH, M14 x1.5 Swivel, L=294mm
2	Rack End	⇦⇨	Mfr.SMI	QR3348S	Male M14x1.5 RH, M12x1.5 Swivel, L=310mm
4a	Tie Rod Assembly	⇦	Mfr.SMI	QDL3285S	
4b	Tie Rod Assembly	⇨	Mfr.SMI	QDL3286S	
20a	Suspension Arm - Front	↲	exc.1.9DCi,2.0i 16v	QSA2030S	Pressed Steel, Ø 12mm Holes
20a	Suspension Arm - Front	↲	1.9DCi,2.0i 16v 06/99-12/00	QSA2034S	Pressed Steel, Ø 12mm Holes
20a	Suspension Arm - Front	↲	1.9DCi,2.0i 16v 12/00-08/03	QSA2030S	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front	↳	exc.1.9DCi,2.0i 16v	QSA2031S	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front	↳	1.9DCi,2.0i 16v 06/99-12/00	QSA2035S	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front	↳	1.9DCi,2.0i 16v 12/00-08/03	QSA2031S	Pressed Steel, Ø 12mm Holes


continued...

Scenic I continued... 06/99-08/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front			QSJ1646S	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front		exc.1.9DCi,2.0i 16v	EMS2125	Front, Rear
24	Suspension Arm Bush - Front		1.9DCi,2.0i 16v 06/99-12/00	EMS2625	Front, Rear
24	Suspension Arm Bush - Front		1.9DCi,2.0i 16v 12/00-08/03	EMS2125	Front, Rear
26	Stabiliser Bar Bush - Front		exc.1.4 16v JA0D,JA0W,JA10,JA1H	EMB7225	Outer, Ø 24.5mm,White
26	Stabiliser Bar Bush - Front		1.4 16v JA0D,JA0W,JA10,JA1H	EMB7172	Outer, Ø 23.5mm,Orange
26[1]	Stabiliser Bar Bush - Front		exc.1.4i 16v JA0D,JA0W,JA10,JA1H	EMB7171	Inner, Ø 24.5mm,White
26[1]	Stabiliser Bar Bush - Front		1.4i 16v JA0D,JA0W,JA10,JA1H	EMB7170	Inner, Ø 23.5mm,Orange
27[1]	Stabiliser Bar Bush Kit - Front		1.4i 16v JA0D,JA0W,JA10,JA1H	EMBK3072	Inner, Ø 23.5mm, Orange
61	Top Strut Bearing - Front			QAM111	
62	Top Strut Mounting - Front exc.Bearing			EMR2519	
63	Top Strut Mounting - Front inc.Bearing			EMA2719	

Scenic I 05/00-06/04

FA0.., JA0.., JA1 RX4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer		Mfr.TRW,SMI	QR3338S	Female M14x1.5, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer		Mfr.TRW,SMI	QR3339S	Female M14x1.5, Ø 11.8mm Cone, L=90mm
2	Rack End		Mfr.TRW	QR3347S	Male M14x1.5, M14 x1.5 Swivel, L=294mm
2	Rack End		Mfr.SMI	QR3818S	Male M14x1.5, M12x1 Swivel, L=345mm
21	Ball Joint - Front			QSJ3412S	Ø 16mm Cone
24	Suspension Arm Bush - Front			EMS8324	Front, Rear
25	Stabiliser Link - Front			QLS3532S	L=260mm
26[1]	Stabiliser Bar Bush - Front			EMB2619	Inner, Ø 24mm,Yellow
27[3]	Stabiliser Bar Bush Kit - Front			EMBK3059	Outer Ø 24mm

Scenic II

09/03-


JM0..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3335S	Female M14x1.5, L=196mm, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		QR3336S	Female M14x1.5, L=196mm, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR3337S	Male M14x1.5, M14 x1.5 Swivel, L=230mm
20a	Suspension Arm - Front	⇦		QSA2026S	Ø 18mm
20b	Suspension Arm - Front	⇨		QSA2027S	Ø 18mm
21	Ball Joint - Front	⇦⇨		QSJ3330S	Ø 18mm Cone
25	Stabiliser Link - Front	⇦⇨	exc.Height Adjustable Susp.	QLS3331S	L=283mm
25	Stabiliser Link - Front	⇦⇨	Height Adjustable Susp.	-	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7280	Outer
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7279	Outer
92	Subframe Mounting - Front	⇦⇨		EMS8518	

Scenic III 11/08-

JZ..




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3881S	Female M14x1.5 , Ø 11.9mm Cone, L=210mm
1b	Tie Rod End - Outer	⇨		QR3882S	Female M14x1.5 , Ø 11.9mm Cone, L=210mm
2	Rack End	⇦⇨		QR3664S	
20a	Suspension Arm - Front	↲		QSA2543S	
20b	Suspension Arm - Front	↳		QSA2544S	
21	Ball Joint - Front	⇩⇩		QSJ3572S	
25	Stabiliser Link - Front	⇦⇨		QLS3762S	L=275mm

Safrane

B54..

01/92-04/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2894S**	Female M14x1.5 LH, Ø 12mm Cone, L=190mm
1b	Tie Rod End - Outer	⇨		**QR2895S**	Female M14x1.5 LH, Ø 12mm Cone, L=190mm
2	Rack End	⇦⇨	Mfr.SMI	**QR2896S**	Male M14x1.5 LH, L=310mm
4a	Tie Rod Assembly	⇦	Mfr.Koyo	**-**	
4a	Tie Rod Assembly	⇦	Mfr.SMI	**QDL5232S**	
4b	Tie Rod Assembly	⇨	Mfr.Koyo	**-**	
4b	Tie Rod Assembly	⇨	Mfr.SMI	**QDL5238S**	
20a	Suspension Arm - Front			**QSA1396S**	
20b	Suspension Arm - Front			**QSA1395S**	
21	Ball Joint - Front			**QSJ1338S**	Ø 14.5mm Cone
24a	Suspension Arm Bush - Front			**EMS3028**	Front
24b	Suspension Arm Bush - Front			**EMS3027**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1522S**	L=365mm
61	Top Strut Bearing - Front	⇦⇨		**-**	
61	Top Strut Bearing - Front	⇦⇨	exc.Electronic Susp.	**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.Electronic Susp.	**EMR2521**	
62[1]	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.Electronic Susp.	**-**	Bush
92	Subframe Mounting - Front	⇦⇨		**-**	Front
92[1]	Subframe Mounting - Front	⇦⇨		**-**	Rear
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.Electronic Susp.	**EMR2522**	

Twingo I

C06..

02/93-06/07




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	C060,063,064,067,06J	**QR2840S**	Female M14x1.5 , Ø 11.8mm Cone
1a	Tie Rod End - Outer	⇦	C066,068 02/93-12/99	**QR2840S**	Female M14x1.5 , Ø 11.8mm Cone
1a	Tie Rod End - Outer	⇦	C066,068 12/99-06/07	**QR3338S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1a	Tie Rod End - Outer	⇦	C06C,06D,06G,06H,06K,06W,06Y	**QR3338S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	C060,063,064,067,06J	**QR2839S**	Female M14x1.5 , Ø 11.8mm Cone
1b	Tie Rod End - Outer	⇨	C066,068 02/93-12/99	**QR2839S**	Female M14x1.5 , Ø 11.8mm Cone
1b	Tie Rod End - Outer	⇨	C066,068 12/99-06/07	**QR3339S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	C06C,06D,06G,06H,06K,06W,06Y	**QR3339S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨	02/93-12/99	**QR2841S**	Male M14x1.5 , L=320mm
2	Rack End	⇦⇨	12/99-06/07	**QR3448S**	Male M14x1.5 , M12x1.0 Swivel, L=340mm
4a	Tie Rod Assembly	⇦	C066,068 02/93-12/99, C060,063,064,067,06J		**QDL2781S**
4b	Tie Rod Assembly	⇨	C066,068 02/93-12/99, C060,063,064,067,06J		**QDL2780S**
20a	Suspension Arm - Front			**QSA951S**	
20b	Suspension Arm - Front			**QSA950S**	
21	Ball Joint - Front			**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
24a	Suspension Arm Bush - Front			**EMS3030**	Front
24b	Suspension Arm Bush - Front			**EMS2668**	Rear
25a	Stabiliser Link - Front	⇦	09/00-06/07	**QLS3401S**	L=255mm
25b	Stabiliser Link - Front	⇨	09/00-06/07	**QLS3402S**	L=255mm

Twingo I continued... 02/93-06/07

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1862	Outer
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3073	Outer
61	Top Strut Bearing - Front	⇦⇨		QAM112	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR3195	Mount
62[1]	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR5027	Spring Seat
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6008	

Twingo II 08/07-05/12

CN0..




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3338S	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		QR3339S	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨		QR3690S	
21	Ball Joint - Front	⇩⇧		QSJ3573S	Ø 18mm Cone
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7227	Outer, with mounting bolt

Vel Satis

02/02-05/12

BJ0..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3311S**	Female M14x1.5, L=210mm Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		**QR3312S**	Female M14x1.5, L=210mm Ø 12mm Cone
2	Rack End	⇦⇨		**QR3487S**	Male M14x1.5, M12x1.0 Swivel, L=263mm
24a	Suspension Arm Bush - Front			**EMS3026**	Front
24b	Suspension Arm Bush - Front			**EMS8238**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3330S**	L=310mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	06/05-12/07	**-**	
62¹	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6108**	Spring Seat
35	Stabiliser Link - Rear	⇦⇨		**QLS3928S**	

Wind

E4..

05/10-










KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3338S**	Female M14x1.5 ↻, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		**QR3339S**	Female M14x1.5 ↻, Ø 11.8mm Cone, L=90mm
61	Top Strut Bearing - Front	⇦⇨		**QAM112**	

R4 06/78-12/92

R2106 ch.246452-, R2370 ch.98767-, R391 ch.03754-, R2392 ch.09163-, 210B, 239B




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1707S	Male M14x1.5 , Ø 12.0mm Cone, L=98mm
2	Rack End	⇦⇨		QR4192S	Female M14x1.5 , L=195mm
4	Tie Rod Assembly	⇦⇨		QDL2167S	Ø 11.8mm Cone
14	Steering Column Flexible Coupling			EMD1631	35mm
14¹	Column Joint			EMD1623	9x50mm
20a	Suspension Arm - Front	↲	exc.F6	QSA216S	
20b	Suspension Arm - Front	↳	exc.F6	QSA217S	
21a	Ball Joint - Front	↲		QSJ889S	Ø 12.5mm Cone
21b	Ball Joint - Front	↳		QSJ888S	Ø 12.5mm Cone
22a	Suspension Arm - Front	↰		QSA210S	
22b	Suspension Arm - Front	↱		QSA211S	
23	Ball Joint - Front	↰↱		QSJ651S	Ø 11.5mm Cone
24b	Suspension Arm Bush - Front	↰↱		EMS2211	
26¹	Stabiliser Bar Bush - Front	⇳	To body	EMB2213	Inner
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2070	10x29mm
27	Stabiliser Link Kit - Front	⇦⇨		-	10x51mm
27	Stabiliser Link Kit - Front	⇦⇨		-	12x33mm
34	Suspension Arm Bush - Rear			EMS2030	Torque Rod

R5 Express, Extra

09/85-10/99

F40..






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1768S**	Male M14x1.5 RH, Ø 11.8mm Cone, L=98mm
2	Rack End	⇦⇨		**QR2120S**	Female M14x1.5 RH, L=275mm
4	Tie Rod Assembly	⇦⇨		**QDL2243S**	Ø 11.9mm Cone
14¹	Column Joint			**EMD1624**	9x50mm
20a	Suspension Arm - Front	↲	exc.1.6D	**QSA230S**	
20a	Suspension Arm - Front	↲	1.6D	**QSA927S**	
20b	Suspension Arm - Front	↳	exc.1.6D	**QSA926S**	
20b	Suspension Arm - Front	↳	1.6D	**QSA926S**	
21	Ball Joint - Front	⇩⇩		**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
24	Suspension Arm Bush - Front	⇩⇩		**EMS2186**	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨	To arm	**EMB2031**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨	To arm	**EMB7144**	Outer, Ø 21mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2623**	Outer, Ø 22mm, exc.mounting bolt
26¹	Stabiliser Bar Bush - Front	⇨⇦	To body	**EMB2614**	Inner, Ø 20mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7146**	Inner, Ø 21mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7141**	Inner, Ø 22x39mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7034**	Inner, Ø 22mm
29	Suspension Arm Repair Kit - Front	⇩⇩	1.6D	**-**	Wheel Set

R19 Van 07/88-11/95

S53..




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2901S**	Male M14x1.5 , Ø 11.7mm Cone
1b	Tie Rod End - Outer	⇨		**QR2900S**	Male M14x1.5 , Ø 11.7mm Cone
2	Rack End	⇦⊐⇨	exc.1.8 16v	**QR2671S**	Female M14x1.5 , M12x1.0 Swivel, L=290mm
2	Rack End	⇦⊐⇨	1.8 16v	**QR2631S**	Female M14x1.5 , M12x1.0 Swivel, L=295mm
4a	Tie Rod Assembly	⇦	, exc.1.8 16v	**QDL2173S**	
4b	Tie Rod Assembly	⇨	, exc.1.8 16v	**QDL2174S**	
20a	Suspension Arm - Front	↲	exc.1.8 16v	**QSA267S**	Pressed Steel, Ø 10mm Holes
20a	Suspension Arm - Front	↲	1.8 16v	**QSA1009S**	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front	↳	exc.1.8 16v	**QSA266S**	Pressed Steel, Ø 10mm Holes
20b	Suspension Arm - Front	↳	1.8 16v	**QSA1004S**	Pressed Steel, Ø 12mm Holes
21	Ball Joint - Front	⇃⇂	exc.1.8 16v	**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
21¹	Ball Joint - Front	⇃⇂	1.8 16v	**QSJ1646S**	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front	⇃⇂		**EMS2125**	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⊐⇨	To arm	**EMB2624**	Outer, Ø 19mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	To arm	**EMB2122**	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	To arm	**EMB7072**	Outer, Ø 24mm
26¹	Stabiliser Bar Bush - Front	⇨⇦	To body	**EMB2614**	Inner, Ø 20mm
26¹	Stabiliser Bar Bush - Front	⇨⇦	To body	**EMB2615**	Inner, Ø 23mm, Blue
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2064**	Outer, Ø 23mm
27¹	Stabiliser Bar Bush Kit - Front	⇨⇦	To body, EMB2615 inc.bracket	**EMB7042**	Inner, Ø 21mm
27²	Stabiliser Bar Bush Kit - Front	⇨⇦		**EMBK3056**	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⊐⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		**EMR2519**	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨		**EMA2719**	

Clio I Van

05/90-03/94

S57.. Male Tie Rod End



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2690S**	Male M14x1.5, Ø 11.8mm Cone, L=134mm
1b	Tie Rod End - Outer	⇨		**QR2689S**	Male M14x1.5, Ø 11.8mm Cone, L=134mm
2	Rack End	⇦⇨		**QR3158S**	Female M14x1.5,M12x1.0 Swivel, L=257mm
4a	Tie Rod Assembly	⇦		**QDL2746S**	
4b	Tie Rod Assembly	⇨		**QDL2745S**	
20a	Suspension Arm - Front	⇦		**QSA269S**	
20b	Suspension Arm - Front	⇨		**QSA268S**	
21	Ball Joint - Front	⇦⇨		**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2176**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2177**	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2623**	Outer, Ø 22mm, exc.mounting bolt


continued...

Clio I Van continued... 05/90-03/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⊐⇨		**EMB7022**	Outer, Ø 22mm, with mounting bolt
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2614**	Inner, Ø 20mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2615**	Inner, Ø 23mm, Blue
27	Stabiliser Link Kit - Front	⇦⊐⇨		**EMBK2413**	Bush Kit Ø 22mm
27	Stabiliser Link Kit - Front	⇦⊐⇨		**EMBK2414**	Bush Kit Ø 23mm
27¹	Stabiliser Link Kit - Front	⇦⊐⇨		**EMBK2250**	Mounting Kit Ø 22mm
27²	Stabiliser Bar Bush Kit - Front	⇨⇦		**EMBK3056**	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⊐⇨		**QAM112**	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	1.1,1.2,1.4	**EMR3195**	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	1.9D	**EMR6007**	Mount
62¹	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		**EMR5027**	Spring Seat
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	1.9D	**EMA6007**	Mount + Bearing
34	Suspension Arm Bush - Rear	⇩⇧		**EMB7125**	Trailing Arm
37	Suspension Arm Repair Kit - Rear	⇦⊐⇨		**QWB9005**	
93	Subframe Mounting - Rear	⇩⇧		**EM4205**	

Clio I Van 03/94-02/98

S57.. Female Tie Rod End



Clio I Van continued... 03/94-02/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3079S	Female M14x1.5 LH, Ø 12.0mm Cone, L=133mm
1b	Tie Rod End - Outer	⇨		QR3078S	Female M14x1.5 LH, Ø 12.0mm Cone, L=133mm
2	Rack End	⇦⇨		QR9537S	Male M14x1.5 LH, L=245mm
4a	Tie Rod Assembly	⇦		QDL3283S	
4b	Tie Rod Assembly	⇨		QDL3284S	
20a	Suspension Arm - Front	↲		QSA269S	
20b	Suspension Arm - Front	↳		QSA268S	
21	Ball Joint - Front	⇦⇨		QSJ885S	Ø 16mm Cone, Ø 10mm Holes
24a	Suspension Arm Bush - Front	⇦⇨		EMS2176	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS2177	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2623	Outer, Ø 22mm, exc.mounting bolt
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7022	Outer, Ø 22mm, with mounting bolt
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB2614	Inner, Ø 20mm
26[1]	Stabiliser Bar Bush - Front	⇨⇦		EMB2615	Inner, Ø 23mm, Blue
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2413	Bush Kit Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2414	Bush Kit Ø 23mm
27[1]	Stabiliser Link Kit - Front	⇦⇨		EMBK2250	Mounting Kit Ø 22mm
27[2]	Stabiliser Bar Bush Kit - Front	⇨⇦		EMBK3056	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⇨		QAM112	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	1.1,1.2,1.4	EMR3195	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	1.9D	EMR6007	Mount
62[1]	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR5027	Spring Seat
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.9D	EMA6007	Mount + Bearing
34	Suspension Arm Bush - Rear	⇦⇨		EMB7125	Trailing Arm
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9005	
93	Subframe Mounting - Rear	⇦⇨		EM4205	

Clio II Van

SB0..

03/98-06/01




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Mfr.SMI,TRW, 03/98-12/99	**QR9067S**	Female M14x1.5
1a	Tie Rod End - Outer	⇦	Mfr.SMI,TRW, 01/00-05/01	**QR3338S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	Mfr.SMI,TRW, 03/98-12/99	**QR9068S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨	Mfr.SMI,TRW, 01/00-05/01	**QR3339S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨	03/98-12/99	**QR9538S**	Male M14x1.5 , L=240mm
2	Rack End	⇦⇨	01/00-06/01	**QR3340S**	Male M14x1.5 , M12x1 Swivel, L=303mm
2	Rack End	⇦⇨	, Mfr.TRW 03/98-12/99	**QR3341S**	Male M14x1.5 , M14 x1.5 Swivel, L=240mm
2	Rack End	⇦⇨	, Mfr.TRW 01/00-06/01	**QR3342S**	Male M14x1.5 , M14 x1.5 Swivel, L=294mm
2	Rack End	⇦⇨	, Mfr.SMI 03/98-12/99	**QR9066S**	Male M14x1.5 , M12x1mm Swivel, L=240mm
2	Rack End	⇦⇨	, Mfr.SMI 01/00-06/01	**QR3343S**	Male M14x1.5 , M12x1 Swivel, L=320mm
4a	Tie Rod Assembly	⇦	, Mfr.SMI 01/00-05/01	**QDL3281S**	
4b	Tie Rod Assembly	⇨	, Mfr.SMI 01/00-05/01	**QDL3282S**	
20a	Suspension Arm - Front	↲	exc.H.D.	**QSA1549S**	
20b	Suspension Arm - Front	↳	exc.H.D.	**QSA1548S**	
20b	Suspension Arm - Front	↳	H.D.	**-**	
21	Ball Joint - Front	⇩⇩		**QSJ1646S**	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front	⇩⇩		**EMS8057**	Front, Rear
61	Top Strut Bearing - Front	⇦⇨		**QAM112**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6014**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6014**	Mount + Bearing
34	Suspension Arm Bush - Rear	⇩⇩		**EMB7125**	Trailing Arm
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QWB9005**	

Clio II Van

SB0..

06/01-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3338S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		**QR3339S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨		**QR3343S**	Male M14x1.5 RH, M12x1 Swivel, L=320mm
4a	Tie Rod Assembly	⇦		**QDL3281S**	
4b	Tie Rod Assembly	⇨		**QDL3282S**	
20a	Suspension Arm - Front	⇦	exc.H.D.	**QSA1549S**	
20b	Suspension Arm - Front	⇨	exc.H.D.	**QSA1548S**	
20b	Suspension Arm - Front	⇨	H.D.	**-**	
21	Ball Joint - Front	⇦⇨		**QSJ1646S**	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front	⇦⇨		**EMS8057**	Front, Rear
24	Suspension Arm Bush - Front	⇦⇨	H.D.	**-**	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7022**	Outer, Ø 22mm, with mounting bolt
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2615**	Inner, Ø 23mm, Blue
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2619**	Inner, Ø 24mm,Yellow
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2614**	Inner, Ø 22mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7087**	Inner, Ø 25mm,Green
27¹	Stabiliser Bar Bush Kit - Front	⇨⇦		**-**	Inner, Ø 22mm,25mm,Green
27¹	Stabiliser Bar Bush Kit - Front	⇨⇦		**-**	Inner, Ø 24mm,25mm,Green
27¹	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3060**	Inner, Outer, Ø 24mm, with mounting bolt
27¹	Stabiliser Bar Bush Kit - Front	⇨⇦		**-**	Inner, Ø 22mm,22mm


continued...

Clio II Van continued... 06/01-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
27[1]	Stabiliser Bar Bush Kit - Front	⇔		EMBK2659	Inner, Ø 22mm,23mm
27[2]	Stabiliser Bar Bush Kit - Front	⇔		EMBK3056	Inner, Ø 21mm
27[3]	Stabiliser Bar Bush Kit - Front	⇔		EMBK3061	Inner, Outer, Ø 25mm, Ø 24mm Green
27[4]	Stabiliser Bar Bush Kit - Front	⇔		EMBK3062	Inner, Outer, Ø 25mm, Ø 22mm Green, with mounting bolt
37	Suspension Arm Repair Kit - Rear	⇔		QWB9005	

Kangoo I 06/97-06/08

FC0.. exc.4x4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	06/97-02/99	QR2973S	Female M14x1.5, Ø 11.8mm Cone, L=130mm
1a	Tie Rod End - Outer	⇦	03/99-	QR3338S	Female M14x1.5, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	06/97-02/99	QR2972S	Female M14x1.5, Ø 11.8mm Cone, L=130mm
1b	Tie Rod End - Outer	⇨	03/99-	QR3339S	Female M14x1.5, Ø 11.8mm Cone, L=90mm
2	Rack End	⇔	exc.AllRoad	QR5216S	Male M14x1.5, M12x1.0 Swivel, L=284mm
2	Rack End	⇔	exc.AllRoad 06/97-02/99	QR9074S	Male M14x1.5, M14x1.5mm Swivel, L=265mm
2	Rack End	⇔	03/99-	QR3343S	Male M14x1.5, M12x1 Swivel, L=320mm
4a	Tie Rod Assembly	⇦	03/99-	QDL3281S	
4b	Tie Rod Assembly	⇨	03/99-	QDL3282S	
20a	Suspension Arm - Front		exc.H.D.	QSA1549S	Ball Joint - Ø 12mm Holes
20b	Suspension Arm - Front		exc.H.D.	QSA1548S	Ball Joint - Ø 12mm Holes
20b	Suspension Arm - Front		H.D.	-	Ball Joint - Ø 12mm Holes
21	Ball Joint - Front			QSJ885S	Ø 16mm Cone, Ø 10mm Holes
21	Ball Joint - Front			QSJ1646S	Ø 16mm Cone, Ø 12mm Holes

Kangoo I continued... 06/97-06/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24	Suspension Arm Bush - Front		exc.H.D.	**EMS8057**	Front, Rear
24	Suspension Arm Bush - Front		H.D.	**-**	Front, Rear
26	Stabiliser Bar Bush - Front			**EMB7022**	Outer, Ø 22mm, with mounting bolt
26	Stabiliser Bar Bush - Front			**EMB7152**	Outer, Ø 23mm, without mounting bolt
26[1]	Stabiliser Bar Bush - Front			**EMB2615**	Inner, Ø 23mm, Blue
27	Stabiliser Bar Bush Kit - Front			**EMBK2658**	Outer, Ø 23mm
27	Stabiliser Bar Bush Kit - Front			**EMBK2659**	Outer, Ø 23mm
27[2]	Stabiliser Bar Bush Kit - Front			**EMBK3056**	Inner, Ø 21mm
61	Top Strut Bearing - Front			**QAM112**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6014**	
63	Top Strut Mounting - Front inc.Bearing			**EMA6014**	Mount + Bearing
34	Suspension Arm Bush - Rear			**EMB7125**	Trailing Arm
37	Suspension Arm Repair Kit - Rear			**QWB9006**	

Kangoo I 11/01-06/08


FC0.. 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			**QR3338S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer			**QR3339S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
2	Rack End			**QR3729S**	
24a	Suspension Arm Bush - Front			**EMS8324**	Front, Rear
24b	Suspension Arm Bush - Front			**EMS8324**	Front, Rear
26	Stabiliser Bar Bush - Front			**EMB7152**	Outer, Ø 23mm, without mounting bolt
26[1]	Stabiliser Bar Bush - Front			**EMB2615**	Inner, Ø 23mm,Blue
27	Stabiliser Bar Bush Kit - Front			**EMBK3056**	Inner, Ø 21mm
34	Suspension Arm Bush - Rear			**EMB7125**	Trailing Arm

Kangoo II 07/08-

FW..,



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3662S	Female M14x1.5 , Ø 12.0mm Cone, L=200mm
1b	Tie Rod End - Outer	⇨		QR3663S	Female M14x1.5 , Ø 12.0mm Cone, L=200mm
2	Rack End	⇦⇨		QR3664S	
20a	Suspension Arm - Front			QSA2413S	
20b	Suspension Arm - Front			QSA2414S	
21a	Ball Joint - Front			QSJ3471S	Ø 20.0mm Cone
21b	Ball Joint - Front			QSJ3472S	Ø 20.0mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3331S	L=283mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7228	Outer

Master I P35, T30, T35 07/80-02/98

PC.., PL.., QH.., QJ.., RC.., RF.., RH.., RJ.., RL.., R8




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2061S	Female M16x1.5 , Ø 15.8mm Cone, L=103.5mm
21	Ball Joint - Front			QSJ979S	Ø 21.5mm Cone
23	Ball Joint - Front			QSJ978S	Ø 21.5mm Cone

Master II T28, T33, T35, T39

11/97-02/10

ED.., FD.., HD.., JD.., UD..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5283S	Female M14x1.5 RH, L=223mm, Ø 16.5mm Cone
1b	Tie Rod End - Outer	⇨		QR5284S	Female M14x1.5 RH, L=223mm, Ø 16.5mm Cone
2	Rack End	⇦⇨	11/97-12/07	QR5285S	Male M16x1.5 RH, M14x1.5mm Swivel, L=199mm
2	Rack End	⇦⇨	12/07-02/10	QR3839S	
20a	Suspension Arm - Front		11/97-09/07	QSA1876S	
20a	Suspension Arm - Front		09/07-02/10	QSA2533S	
20b	Suspension Arm - Front		11/97-09/07	QSA1877S	
20b	Suspension Arm - Front		09/07-02/10	QSA2534S	
21	Ball Joint - Front		11/97-09/07	QSJ1921S	Ø 22mm Cone
21	Ball Joint - Front		09/07-02/10	QSJ3504S	
23	Ball Joint - Front			QSJ3272S	Outer, Ø 17mm Cone, M14 x 1.5
23²	Ball Joint - Front		exc.H.D.Susp.	QSJ1875S	Inner, Ø 15mm Cone
23²	Ball Joint - Front		H.D.Susp.	-	Inner
23²	Ball Joint - Front			-	Inner, Coil Spring
24a	Suspension Arm Bush - Front		1.9DCi,1.9DTi,2.2DCi,2.5D,2.5DCi,2.8DTi	EMS8196	Front
24b	Suspension Arm Bush - Front		1.9DCi,1.9DTi,2.2DCi,2.5D,2.5DCi,2.8DTi	EMS8197	Rear
25a	Stabiliser Link - Front	⇦		QLS3267S	L=129mm
25b	Stabiliser Link - Front	⇨		QLS3266S	L=129mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7180	Outer
18	Leaf Spring Bush - Rear	⇦⇨		EMS8494	Rear
36¹	Stabiliser Bar Bush - Rear	⇦⇨		EMB7230	Outer, Ø 26mm

Master III T33, T35 — 02/10-










KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3840S**	Female M18x1.5 , Ø 16.5mm Cone, L=235mm
1b	Tie Rod End - Outer	⇨		**QR3841S**	Female M18x1.5 , Ø 16.5mm Cone, L=235mm
2	Rack End	⇦⇨		**QR3842S**	Male M18x1.5 , M16x1.5 Swivel, L=271mm
20a	Suspension Arm - Front	↲		**QSA2545S**	
20b	Suspension Arm - Front	↳		**QSA2546S**	
21	Ball Joint - Front	↲		**QSJ3574S**	Ø 18.0mm Cone
21	Ball Joint - Front	↳	-08/10	**QSJ3574S**	Ø 18.0mm Cone
21	Ball Joint - Front	↳	09/10-	**QSJ3743S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3772S**	L=330mm
26	Stabiliser Bar Bush - Front	⇦⇨	FWD	**EMB7289**	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨	FWD	**EMB7284**	Outer, Ø 21mm

Megane I Van — 08/95-02/99

SA..



Megane I Van continued... 08/95-02/99




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2973S	Female M14x1.5 RH, Ø 11.8mm Cone, L=130mm
1b	Tie Rod End - Outer	⇨		QR2972S	Female M14x1.5 RH, Ø 11.8mm Cone, L=130mm
2	Rack End	⇦⇨	Mfr.TRW	QR9052S	Male M14x1.5 RH, M14x1.5mm Swivel, L=270mm
2	Rack End	⇦⇨	Mfr.SMI 08/95-09/98	QR3346S	Male M14x1.5 RH, M12x1 Swivel, L=277mm
2	Rack End	⇦⇨	Mfr.SMI 10/98-02/99	QR3331S	Male M14x1.5 RH, M12x1 Swivel, L=260mm
4a	Tie Rod Assembly	⇦	Mfr.TRW	QDL5233S	
4b	Tie Rod Assembly	⇨	Mfr.TRW	QDL5239S	
20a	Suspension Arm - Front			QSA9427S	Forged Steel, Ø 10mm Holes
20b	Suspension Arm - Front			QSA9426S	Forged Steel, Ø 10mm Holes
21	Ball Joint - Front			QSJ1506S	Ø 16mm Cone, Forged Steel
24	Suspension Arm Bush - Front			EMS2125	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨	To arm	EMB2122	Outer, Ø 23mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7172	Outer, Ø 23.5mm,Orange
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7072	Outer, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7225	Outer, Ø 24.5mm,White
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7153	Outer, with mounting bolt
26¹	Stabiliser Bar Bush - Front	⇨⇦	To body	EMB2615	Inner, Ø 23mm,Blue
26¹	Stabiliser Bar Bush - Front	⇨⇦		EMB7170	Inner, Ø 23.5mm,Orange
26¹	Stabiliser Bar Bush - Front	⇨⇦		EMB2619	Inner, Ø 24mm,Yellow
26¹	Stabiliser Bar Bush - Front	⇨⇦		EMB7171	Inner, Ø 24.5mm,White
27	Stabiliser Bar Bush Kit - Front	⇨⇦		EMBK3072	Inner, Ø 23.5mm, Orange
27	Stabiliser Link Kit - Front	⇨⇦		-	Inner, Ø 24.5mm,White
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2064	Ø 23mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2408	Ø 24mm, with mounting bolt
27	Stabiliser Link Kit - Front	⇦⇨		-	Ø 24mm
27	Stabiliser Bar Bush Kit - Front	⇨⇦		EMBK3056	Inner, Ø 21mm
61	Top Strut Bearing - Front	⇦⇨		QAM111	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2519	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2719	
37	Suspension Arm Repair Kit - Rear	⇦⇨		QWB9007	

Megane I Van

KA.., SA..

03/99-07/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Mfr.TRW,SMI	**QR3338S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	Mfr.TRW,SMI	**QR3339S**	Female M14x1.5 RH, Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨	Mfr.TRW	**QR3347S**	Male M14x1.5 RH, M14 x1.5 Swivel, L=294mm
2	Rack End	⇦⇨	Mfr.SMI	**QR3348S**	Male M14x1.5 RH, M12x1.5 Swivel, L=310mm
4a	Tie Rod Assembly	⇦	Mfr.SMI	**QDL3285S**	
4b	Tie Rod Assembly	⇨	Mfr.SMI	**QDL3286S**	
20a	Suspension Arm - Front		exc.1.9DTi	**QSA2032S**	Pressed Steel, Ø 10mm Holes
20a	Suspension Arm - Front		1.9DTi	**QSA2030S**	Pressed Steel, Ø 12mm Holes
20b	Suspension Arm - Front		exc.1.9DTi	**QSA2033S**	Pressed Steel, Ø 10mm Holes
20b	Suspension Arm - Front		1.9DTi	**QSA2031S**	Pressed Steel, Ø 12mm Holes
21	Ball Joint - Front		exc.1.9DTi	**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
21¹	Ball Joint - Front		1.9DTi	**QSJ1646S**	Ø 16mm Cone, Ø 12mm Holes
24	Suspension Arm Bush - Front		exc.1.9DTi AUTO	**EMS2125**	Front, Rear
24	Suspension Arm Bush - Front		1.9DTi AUTO	**EMS2625**	Front, Rear
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7072**	Outer, Ø 24mm
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB7170**	Inner, Ø 23.5mm,Orange
26¹	Stabiliser Bar Bush - Front	⇨⇦		**EMB2619**	Inner, Ø 24mm,Yellow
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2064**	Ø 23mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2408**	Ø 24mm, with mounting bolt
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2519**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2719**	

Megane II Van

08/03-


GM..,SM..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3335S**	Female M14x1.5, L=196mm, Ø 12.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR3336S**	Female M14x1.5, L=196mm, Ø 12.5mm Cone
2	Rack End	⇦⇨		**QR3337S**	Male M14x1.5, M14 x1.5 Swivel, L=230mm
20a	Suspension Arm - Front			**QSA2028S**	Ø 16mm
20b	Suspension Arm - Front			**QSA2029S**	Ø 16mm
21	Ball Joint - Front			**QSJ3412S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS8299**	Front
24b	Suspension Arm Bush - Front			**EMS8300**	Rear
25	Stabiliser Link - Front	⇦⇨	exc.Height Adjustable Susp.	**QLS3331S**	L=283mm
25	Stabiliser Link - Front	⇦⇨	Height Adjustable Susp.	**-**	
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7154**	Outer, Ø 20mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3064**	Outer, Ø 20mm

Trafic P1400, T800, T900, T1000, T1100, T1200, T1300, V1100, V1300, V1400 — 07/80-04/98


PC.., P31.., P32.., TB.., TC.., T1.., T2.., T3.., T4.., T5.., T6.., V3.., V4.., V5..



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1843S	Male M14x1.5 RH, Ø 12mm Cone
2	Rack End	⇦⇨		QR2635S	Female M14x1.5 RH, M12x1.0 Swivel, L=309mm
4	Tie Rod Assembly	⇦⇨		QDL2175S	L=345mm Overall, L=227mm Tube
4	Tie Rod Assembly	⇦⇨		QDL2204S	L=345mm Overall, L=236mm Tube
21	Ball Joint - Front	⇩		QSJ975S	Ø 18mm Cone
24	Suspension Arm Bush - Front	⇩		EMS8138	Inner
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2128	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 22.4mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2129	Outer, Ø 26mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 27.4mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 31.4mm
27	Stabiliser Link Kit - Front	⇦⇨	MAN	EMBK2080	Ø 17mm
27	Stabiliser Link Kit - Front	⇦⇨	MAN	EMBK2081	Ø 22.4mm
27	Stabiliser Link Kit - Front	⇦⇨	MAN	EMBK2082	Ø 26mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2127	

Trafic T900, T1000, T1100, T1400, V1100 — 05/98-03/01

TB.., TC.., TF.., TH.., T55..,T7.., V3.., V4.., V5..




Trafic T900, T1000, T1100, T1400, V1100 continued... 05/98-03/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1843S	Male M14x1.5 RH, Ø 12mm Cone
2	Rack End	⇦⇨		QR2635S	Female M14x1.5 RH, M12x1.0 Swivel, L=309mm
4	Tie Rod Assembly	⇦⇨		QDL2175S	L=345mm Overall, L=227mm Tube
21	Ball Joint - Front	⇩		QSJ975S	Ø 18mm Cone
24	Suspension Arm Bush - Front	⇩		EMS8138	Inner
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2127	

Trafic II 04/01-12/10

EL0A/B/C/D,FL0A/B/C/D,JL0B/C/D



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3311S	Female M14x1.5 RH, L=210mm Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		QR3312S	Female M14x1.5, L=210mm Ø 12mm Cone
2	Rack End	⇦⇨		QR3365S	Male M14x1.5 RH, M12x1 Swivel, L=280mm
20a	Suspension Arm - Front	⇙	04/01-10/06	QSA2220S	Pressed Type
20a[1]	Suspension Arm - Front	⇙	10/06-	QSA2435S	Forged Type
20b	Suspension Arm - Front	⇘	04/01-10/06	QSA2221S	Pressed Type
20b[1]	Suspension Arm - Front	⇘	10/06-	QSA2436S	Forged Type
21	Ball Joint - Front	⇩	04/01-10/06	QSJ3288S	Ø 18.7mm Cone, Ø 10mm Hole
21	Ball Joint - Front	⇩	10/06-	QSJ3489S	Ø 18.7mm Cone, Ø 12mm Hole
24a	Suspension Arm Bush - Front	⇩		EMS8269	Front
24b	Suspension Arm Bush - Front	⇩		EMS8270	Rear


continued...

Trafic II continued... 04/01-12/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		**QLS3330S**	L=310mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.8	**EMB7281**	Outer
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5035**	

Twingo I 07/95-06/07

S06..




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	C060,063,064,067,06J	**QR2840S**	Female M14x1.5 , Ø 11.8mm Cone
1a	Tie Rod End - Outer	⇦	C066,068 07/95-12/99	**QR2840S**	Female M14x1.5 , Ø 11.8mm Cone
1a	Tie Rod End - Outer	⇦	C066,068 12/99-06/07	**QR3338S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1a	Tie Rod End - Outer	⇦	C06C,06D,06G,06H,06K,06W,06Y	**QR3338S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	C060,063,064,067,06J	**QR2839S**	Female M14x1.5 , Ø 11.8mm Cone
1b	Tie Rod End - Outer	⇨	C066,068 07/95-12/99	**QR2839S**	Female M14x1.5 , Ø 11.8mm Cone
1b	Tie Rod End - Outer	⇨	C066,068 12/99-06/07	**QR3339S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	C06C,06D,06G,06H,06K,06W,06Y	**QR3339S**	Female M14x1.5 , Ø 11.8mm Cone, L=90mm
2	Rack End	⇦⇨	07/95-12/99	**QR2841S**	Male M14x1.5 , L=320mm
2	Rack End	⇦⇨	12/99-06/07	**QR3448S**	Male M14x1.5 , M12x1.0 Swivel, L=340mm
4a	Tie Rod Assembly	⇦		**QDL2781S**	
4b	Tie Rod Assembly	⇨		**QDL2780S**	
20a	Suspension Arm - Front			**QSA951S**	
20b	Suspension Arm - Front			**QSA950S**	
21	Ball Joint - Front			**QSJ885S**	Ø 16mm Cone, Ø 10mm Holes
24a	Suspension Arm Bush - Front			**EMS3030**	Front

Twingo I continued... 07/95-06/07

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2668**	Rear
25a	Stabiliser Link - Front	⇦	09/00-06/07	**QLS3401S**	L=255mm
25b	Stabiliser Link - Front	⇨	09/00-06/07	**QLS3402S**	L=255mm
61	Top Strut Bearing - Front	⇦⇨		**QAM112**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR3195**	
62[1]	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5027**	Mount
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6008**	Spring Seat

25, MG ZR — 07/99-04/05

RF




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		**QR3374S**	Female M14x1.5 ,Ø 13.0mm Cone , L=96mm
20a	Suspension Arm - Front		exc.MG ZR X V8	**QSJ1230S**	Ø 19.5mm Cone
20b	Suspension Arm - Front		exc.MG ZR X V8	**QSJ1231S**	Ø 19.5mm Cone
24a	Suspension Arm Bush - Front		exc.MG ZR X V8	**EMS8003**	Inner
25	Stabiliser Link - Front	⇦⊐⇨		**QLS1817S**	L=67mm
61	Top Strut Bearing - Front	⇦⊐⇨		**QAM156**	
34a	Suspension Arm Bush - Rear	⇦⊐⇨		**EMS1855**	Trailing Arm

45, MG ZS — 01/00-04/05

RT




45, MG ZS continued... 01/00-04/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9199S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9370S**	Female M14x1.5
2	Rack End	⇦⇨		**QR3614S**	Male M14x1.5 , M14x1.5 Swivel, L=176mm
20a	Suspension Arm - Front		1.4,1.6, exc.ZS	**QSA1736S**	
20a	Suspension Arm - Front		ZS 1.6	**-**	
20a	Suspension Arm - Front		ZS 1.8,2.0D,2.0i	**-**	
20b	Suspension Arm - Front		1.4,1.6, exc.ZS	**QSA1737S**	
20b	Suspension Arm - Front		ZS 1.6	**-**	
20b	Suspension Arm - Front		ZS 1.8,2.0D,2.0i	**-**	
21	Ball Joint - Front		1.4,1.6	**QSJ9198S**	Ø 14.3mm Cone
21	Ball Joint - Front		1.8,2.0D,2.0i	**QSJ3257S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front			**QSA1740S**	
22b	Suspension Arm - Front			**QSA1741S**	
24a	Suspension Arm Bush - Front			**EMS8005**	Inner
24b	Suspension Arm Bush - Front			**EMS8004**	Outer, 50x40x12mm
24c	Suspension Arm Bush - Front			**EMS8275**	Rear
24d	Suspension Arm Bush - Front			**EMS8276**	Rear
24e	Suspension Arm Bush - Front			**-**	Tie Bar End Bush
24f	Suspension Arm Bush - Front			**EMS8177**	Front, Rear, Link & Bush
24g	Suspension Arm Bush - Front			**EMS8030**	Front, Rear, Bush only
63a	Top Strut Mounting - Front inc.Bearing	⇦		**EMR6049**	Front
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS1855**	Trailing Arm

75, MG ZT exc.ZT260 04/99-04/05


RJ



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5300S**	Female M14x1.5mm, M10x1.25mm Ball Pin, L=219.5mm
1b	Tie Rod End - Outer	⇨		**QR5301S**	Female M14x1.5mm, M10x1.25mm Ball Pin, L=219.5mm
20a	Suspension Arm - Front			**QSA1891S**	
20b	Suspension Arm - Front			**QSA1892S**	
24a	Suspension Arm Bush - Front			**EMS8221**	Rear, with Housing
24b	Suspension Arm Bush - Front			**EMS8222**	Rear, with Housing
25	Stabiliser Link - Front	⇦⇨		**QLS3245S**	L=335mm
61	Top Strut Bearing - Front	⇦⇨		**QAM156**	
35a	Stabiliser Link - Rear	⇦		**QLS3295S**	L=107mm
35b	Stabiliser Link - Rear	⇨		**QLS3296S**	L=107mm


100
XP

04/90-04/99




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.GTA,GTi, 155R Tyres	**QR2381S**	Female M12x1.25 , Ø 12mm Cone
1	Tie Rod End - Outer	⇦⇨	GTA,GTi, 185R Tyres	**QR2382S**	Female M12x1.25 , Ø 12mm Cone, L=70mm
20a	Suspension Arm - Front	↲	exc.GTA,GTi, 155R Tyres	**QSA1551S**	
20a	Suspension Arm - Front	↲	GTA,GTi, 185R Tyres	**QSA2062S**	
20b	Suspension Arm - Front	↳	exc.GTA,GTi, 155R Tyres	**QSA1550S**	
20b	Suspension Arm - Front	↳	GTA,GTi, 185R Tyres	**QSA2063S**	
21	Ball Joint - Front	⇦⇨	exc.GTA,GTi, 155R Tyres	**QSJ1147S**	Ø 17mm Cone
21a	Ball Joint - Front	↲	GTA,GTi, 185R Tyres	**QSJ1146S**	Ø 17mm Cone
21b	Ball Joint - Front	↳	GTA,GTi, 185R Tyres	**QSJ1148S**	Ø 17mm Cone
23	Ball Joint - Front	⇦⇨		**QSJ1060S**	Male M34x1.5 , Ø 13mm Cone
23¹	Knuckle Joint - Front	⇦⇨		**QSJ836S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1854**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS1853**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3037S**	
29	Suspension Arm Repair Kit - Front	⇦⇨		**QSK213S**	Wheel Set
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QSK228S**	
93a	Subframe Mounting - Rear	↲		**-**	Modified Type
93b	Subframe Mounting - Rear	↳		**-**	Modified Type

200 01/90-09/97
XW



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2574S	Female M14x1.5 RH, Ø 12.9mm Cone, L=92mm
2	Rack End	⇦⇨		QR5258S	Male M14x1.5 RH, M14x1.5 Swivel, L=320mm
20a	Suspension Arm - Front	↲		QSJ1230S	Ø 19.5mm Cone
20b	Suspension Arm - Front	↳		QSJ1231S	Ø 19.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8003	Inner
25	Stabiliser Link - Front	⇦⇨		QLS1817S	L=67mm
34a	Suspension Arm Bush - Rear	⇦⇨		EMS1855	Trailing Arm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6049	

200 01/96-06/99
RF




200 continued... 01/96-06/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2574S	Female M14x1.5 RH, Ø 12.9mm Cone, L=92mm
2	Rack End	⇦⇨		QR5258S	Male M14x1.5 RH, M14x1.5 Swivel, L=320mm
20a	Suspension Arm - Front	↲		QSJ1230S	Ø 19.5mm Cone
20b	Suspension Arm - Front	↳		QSJ1231S	Ø 19.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8003	Inner
25	Stabiliser Link - Front	⇦⇨		QLS1817S	L=67mm
61	Top Strut Bearing - Front	⇦⇨		QAM156	
34a	Suspension Arm Bush - Rear	⇦⇨		EMS1855	Trailing Arm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6049	

400 01/90-02/96

XW




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2574S	Female M14x1.5 RH, Ø 12.9mm Cone, L=92mm
2	Rack End	⇦⇨		QR5258S	Male M14x1.5 RH, M14x1.5 Swivel, L=320mm
20a	Suspension Arm - Front	↲		QSJ1230S	Ø 19.5mm Cone
20b	Suspension Arm - Front	↳		QSJ1231S	Ø 19.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8003	Inner
25	Stabiliser Link - Front	⇦⇨		QLS1817S	L=67mm
34a	Suspension Arm Bush - Rear	⇦⇨		EMS1855	Trailing Arm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6049	

400

RT exc.Tourer

05/95-06/99




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9199S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9370S**	Female M14x1.5
2	Rack End	⇦⇨		**QR3614S**	Male M14x1.5 , M14x1.5 Swivel, L=176mm
20a	Suspension Arm - Front		1.4i,1.6i	**QSA1736S**	
20b	Suspension Arm - Front		1.4i,1.6i	**QSA1737S**	
21	Ball Joint - Front		1.4i,1.6i	**QSJ9198S**	Ø 14.3mm Cone
21	Ball Joint - Front		1.8i, 2.0i, 2.0D	**QSJ3257S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front		-ch.AD074465	**QSA1541S**	
22a	Suspension Arm - Front		ch.AD074466-	**QSA1740S**	
22b	Suspension Arm - Front		-ch.AD074465	**QSA1540S**	
22b	Suspension Arm - Front		ch.AD074466-	**QSA1741S**	
24a	Suspension Arm Bush - Front			**EMS8005**	Inner
24b	Suspension Arm Bush - Front			**EMS8004**	Outer, 50x40x12mm

400 continued... 05/95-06/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24c	Suspension Arm Bush - Front			**EMS8275**	Rear
24d	Suspension Arm Bush - Front			**EMS8276**	Rear
24e	Suspension Arm Bush - Front			**-**	Tie Bar End Bush
24f	Suspension Arm Bush - Front			**EMS8177**	Front, Rear, Link & Bush
24g	Suspension Arm Bush - Front			**EMS8030**	Front, Rear, Bush only
62	Top Strut Mounting - Front exc.Bearing			**EMR6049**	
63a	Top Strut Mounting - Front inc.Bearing			**EMR6049**	
34a	Suspension Arm Bush - Rear			**EMS1855**	Trailing Arm
65	Top Strut Mounting - Rear exc.Bearing			**EMR6049**	

400 Tourer 03/96-12/99


XW



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR2574S**	Female M14x1.5 RH, Ø 12.9mm Cone, L=92mm
2	Rack End			**QR5258S**	Male M14x1.5 RH, M14x1.5 Swivel, L=320mm
20a	Suspension Arm - Front			**QSJ1230S**	Ø 19.5mm Cone
20b	Suspension Arm - Front			**QSJ1231S**	Ø 19.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8003**	Inner
25	Stabiliser Link - Front			**QLS1817S**	L=67mm
34a	Suspension Arm Bush - Rear			**EMS1855**	Trailing Arm
65	Top Strut Mounting - Rear exc.Bearing			**EMR6049**	

600
RH


09/93-06/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2867S**	Female M14x1.5 LH, Ø 13mm Cone, L=218mm
1b	Tie Rod End - Outer	⇨		**QR2869S**	Female M14x1.5 LH, Ø 13mm Cone
2	Rack End	⇦⇨		**QR2868S**	Male M14x1.5 LH, M12 x1.25 Swivel, L=160mm
20a	Suspension Arm - Front	↲		**QSA1726S**	
20b	Suspension Arm - Front	↳		**QSA1727S**	
21	Ball Joint - Front	⇩⇩		**QSJ1351S**	Ø 16mm Cone, M12x1.25
22a	Suspension Arm - Front	↰		**QSA1539S**	
22b	Suspension Arm - Front	↱		**QSA1538S**	
23	Ball Joint - Front	⇧⇧		**QSJ3282S**	Ø 14mm Cone, M10x1.25
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8095**	Inner
24b	Suspension Arm Bush - Front	⇩⇩		**EMS8027**	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.AM246796 09/93-05/96	**EMB7010**	Outer, Ø 25mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.BM246797- 06/96-06/99	**-**	Outer
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6049**	
32a	Suspension Arm - Rear	↰		**QSJ1850S**	M10x1.25mm Ball Pin, L=300mm
32b	Suspension Arm - Rear	↱		**QSJ1851S**	M10x1.25mm Ball Pin, L=300mm
34	Suspension Arm Bush - Rear	⇧⇧		**EMS8316**	Inner
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6050**	

800
XS


07/86-10/91



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-vin.297485	**QR2224S**	Female M12x1.25 , Ø 13.8mm Cone, L=197mm
1b	Tie Rod End - Outer	⇨	-vin.297485	**QR2225S**	Female M12x1.25 , Ø 13.8mm Cone, L=197mm
21	Ball Joint - Front		-vin.297485	**QSJ1057S**	Ø 18mm Cone
23	Ball Joint - Front		-vin.297485	**QSJ1151S**	Ø 12.5mm Cone
25	Stabiliser Link - Front	⇦⇨	-vin.276671	**QLS1955S**	L=48mm
25	Stabiliser Link - Front	⇦⇨	vin.276672-297485	**QLS1818S**	L=48mm
27²	Stabiliser Link Bush - Front	⇦⇨		**EMS2824**	Fitted to QLS1818S

800 — 10/91-10/98


RS



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	vin.RS100318-	QR2224S	Female M12x1.25 , Ø 13.8mm Cone, L=197mm
1b	Tie Rod End - Outer	⇨	vin.RS100318-	QR2225S	Female M12x1.25 , Ø 13.8mm Cone, L=197mm
21	Ball Joint - Front		vin.RS100318-	QSJ1057S	Ø 18mm Cone
23	Ball Joint - Front		vin.RS100318-	QSJ1151S	Ø 12.5mm Cone
25	Stabiliser Link - Front	⇦⇨	vin.RS100318-	QLS1818S	L=48mm
27²	Stabiliser Link Bush - Front	⇦⇨		EMS2824	Fitted to QLS1818S

Cityrover (Rover) — 06/03-04/05


T47



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3625S	
21	Ball Joint - Front			QSJ3417S	Ø 17.0mm Cone

Metro
XF,XP


04/90-12/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.GTA,GTi, 155R Tyres	**QR2381S**	Female M12x1.25 , Ø 12mm Cone
1	Tie Rod End - Outer	⇦⇨	GTA,GTi, 185R Tyres	**QR2382S**	Female M12x1.25 , Ø 12mm Cone, L=70mm
20a	Suspension Arm - Front	↲	exc.GTA,GTi, 155R Tyres	**QSA1551S**	
20a	Suspension Arm - Front	↲	GTA,GTi, 185R Tyres	**QSA2062S**	
20b	Suspension Arm - Front	↳	exc.GTA,GTi, 155R Tyres	**QSA1550S**	
20b	Suspension Arm - Front	↳	GTA,GTi, 185R Tyres	**QSA2063S**	
21	Ball Joint - Front	⇩⇩	exc.GTA,GTi, 155R Tyres	**QSJ1147S**	Ø 17mm Cone
21a	Ball Joint - Front	↲	GTA,GTi, 185R Tyres	**QSJ1146S**	Ø 17mm Cone
21b	Ball Joint - Front	↳	GTA,GTi, 185R Tyres	**QSJ1148S**	Ø 17mm Cone
23	Ball Joint - Front	⇦⇨		**QSJ1060S**	Male M34x1.5 , Ø 13mm Cone
23¹	Knuckle Joint - Front	⇦⇨		**QSJ836S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		**EMS1854**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS1853**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3037S**	
29	Suspension Arm Repair Kit - Front	⇦⇨		**QSK213S**	Wheel Set
37	Suspension Arm Repair Kit - Rear	⇦⇨		**QSK228S**	
93a	Subframe Mounting - Rear	↲		**-**	Modified Type
93b	Subframe Mounting - Rear	↳		**-**	Modified Type

MGF, MGTF (MG) 04/95-04/05

RD




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR5302S**	Female M12x1.25mm, M10x1.mm Ball Pin, L=68.5mm, Ø 11.8mm Cone
20a	Suspension Arm - Front	↲		**QSA1893S**	
20b	Suspension Arm - Front	↳		**QSA1894S**	
21a	Ball Joint - Front	↲		**QSJ1893S**	Ø 17mm Cone

MGF, MGTF (MG) continued... 04/95-04/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21b	Ball Joint - Front			**QSJ1894S**	Ø 17mm Cone
22a	Suspension Arm - Front		exc.MGTF	**QSA1942S**	
22b	Suspension Arm - Front		exc.MGTF	**QSA1943S**	
23	Ball Joint - Front		exc.MGTF	**QSJ1060S**	Male M34x1.5, Ø 13mm Cone
24a	Suspension Arm Bush - Front			**EMS1854**	Front
24b	Suspension Arm Bush - Front			**EMS1853**	Rear
25a	Stabiliser Link - Front			**QLS3246S**	L=64mm
25b	Stabiliser Link - Front			**QLS3247S**	L=64mm
29	Suspension Arm Repair Kit - Front		exc.MGTF	**QSK213S**	Wheel Set
96	Shock Absorber Buffer - Front			**EM4041**	
30	Suspension Arm - Rear		exc.MGTF	**-**	
30[1]	Track Rod Assembly - Rear		exc.MGTF	**QDL3291S**	Cone Ø 13.0mm, L=292mm
35	Stabiliser Link - Rear		exc.MGTF	**QLS3291S**	L=48mm
35a	Stabiliser Link - Rear		MGTF	**QLS3655S**	L=71mm
35b	Stabiliser Link - Rear		MGTF	**QLS3656S**	L=71mm

Mini (Austin) 10/89-10/00

XA,XB,XN ch.010001-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR1823S**	Female 1/2x20 UNF, Ø 11.8mm Cone
21/23	Ball Joint Repair Kit - Front			**QSK209S**	Wheel Set
23	Knuckle Joint - Front			**QSJ177S**	Ø 12.5mm Cone
24	Suspension Arm Bush - Front			**Y857**	
29	Suspension Arm Repair Kit - Front			**QSK213S**	Wheel Set
92	Subframe Mounting - Front		01/74-10/00	**EM1445**	Front
33	Knuckle Joint - Rear			**QSJ177S**	Ø 12.5mm Cone
37	Suspension Arm Repair Kit - Rear			**QSK153S**	

Montego (Austin) 04/84-03/95

XE



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1838S	Female M12x1.25 RH, Ø 12.7mm Cone
21a	Ball Joint - Front	↲		QSJ1020S	Ø 17mm Cone
21b	Ball Joint - Front	↳		QSJ1019S	Ø 17mm Cone

RV8 (MG) 04/93-05/96

BR



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front	⇩⇩		QSJ1057S	Ø 18mm Cone
23	Ball Joint - Front	⇧⇧		QSJ527S	Ø 17.5mm Cone

Maestro Van (Austin) 03/84-11/94


XC 500/700



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1838S	Female M12x1.25 , Ø 12.7mm Cone
21a	Ball Joint - Front		ch.242415-	QSJ1020S	Ø 17mm Cone
21b	Ball Joint - Front		ch.242415-	QSJ1019S	Ø 17mm Cone

Metro Van (Austin) 04/90-12/94

XF,XP 310, City



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2381S	Female M12x1.25 , Ø 12mm Cone
20a	Suspension Arm - Front			QSA1551S	

continued...


Metro Van (Austin) continued... 04/90-12/94

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front			**QSA1550S**	
21	Ball Joint - Front			**QSJ1147S**	Ø 17mm Cone
23	Ball Joint - Front			**QSJ1060S**	Male M34x1.5, Ø 13mm Cone
23[1]	Knuckle Joint - Front			**QSJ836S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS1854**	Front
24b	Suspension Arm Bush - Front			**EMS1853**	Rear
25	Stabiliser Link - Front			**QLS3037S**	
29	Suspension Arm Repair Kit - Front			**QSK213S**	Wheel Set
37	Suspension Arm Repair Kit - Rear			**QSK228S**	

9-3 I

D3D,S,D5D,S,D7D,S

03/98-07/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2383S**	Female M16x2.0 , Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		**QR2384S**	Female M16x2.0 , Ø 13mm Cone, L=66mm
2a	Rack End	⇦		**QR2335S**	Female M16x2.0
2b	Rack End	⇨		**QR2334S**	Female M16x2.0
3	Tie Rod Connector	⇦⇨		**QR2774S**	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		**QDL2771S**	
4b	Tie Rod Assembly	⇨		**QDL2772S**	
20a	Suspension Arm - Front			**QSJ3260S**	Front of Wheel, M12 Ball Pin, Ø 13.2mm Cone, L=383mm
20b	Suspension Arm - Front			**QSJ3261S**	Front of Wheel, M12 Ball Pin, Ø 13.2mm Cone, L=383mm
20a¹	Suspension Arm - Front			**QSJ3266S**	Rear of Wheel
20b¹	Suspension Arm - Front			**QSJ3267S**	Rear of Wheel
24a	Suspension Arm Bush - Front			**EMS8093**	Inner, Front of Wheel
24b	Suspension Arm Bush - Front			**EMS8092**	Inner, Rear of Wheel
24c	Suspension Arm Bush - Front			**EMS1961**	Inner,Sleeve Rear of Wheel
25	Stabiliser Link - Front	⇦⇨		**QLS3298S**	L=89mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6099**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS4042**	Axle

9-3 II

C75,C79,E75,E79

07/03-04/12




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3296S**	Female M14x1.5, Ø 13mm Cone, L=136mm,
1b	Tie Rod End - Outer	⇨		**QR3297S**	Female M14x1.5, Ø 13mm Cone, L=136mm,
2	Rack End	⇦⇨	mtr.B207,D223L, 07/03-Model Year 2006	**QR3298S**	Male M14x1.5 , M18x1.5 Swivel, L=305mm,
2	Rack End	⇦⇨	mtr.B207,D223L, Model Year 2007-	**-**	
2	Rack End	⇦⇨	mtr.B284,Z19DT,Z19DTH,Z18XE	**QR3567S**	Male M14x1.5 , M18x1.5 Swivel, L=304mm
20a	Suspension Arm - Front			**QSA2000S**	
20b	Suspension Arm - Front			**QSA2001S**	
24a	Suspension Arm Bush - Front			**EMS8207**	Front
24b	Suspension Arm Bush - Front			**EMS8208**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3311S**	L=356mm
26	Stabiliser Bar Bush - Front	⇦⇨	07/03-MY05	**EMB7149**	Outer, Ø 24.0mm
26	Stabiliser Bar Bush - Front	⇦⇨	07/03-MY05	**EMB7150**	Outer, Ø 25.2mm
26	Stabiliser Bar Bush - Front	⇦⇨	MY06-	**-**	Outer, Upper, Ø 24mm
26	Stabiliser Bar Bush - Front	⇦⇨	MY06-	**-**	Outer, Lower, Ø 24mm
32	Suspension Arm - Rear			**QSJ3331S**	L=379mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8335**	Front, Control Arm
34b	Suspension Arm Bush - Rear			**EMS8336**	Outer, Hub
34c	Suspension Arm Bush - Rear		Fitted to QSJ3331S	**EMS8346**	Outer, Rose Joint
35	Stabiliser Link - Rear	⇦⇨		**QLS3541S**	L=86mm
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.Cabrio	**EMB7151**	Outer, Ø 17.0mm

9-3 II continued... 07/03-04/12

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.Cabrio	EMB7175	Outer, Ø 18.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.Cabrio	EMB7176	Outer, Ø 19.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨	Cabrio	EMB7176	Outer, Ø 19.0mm

9-5 06/97-08/01

D4S,D5S



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9540S	Female M14x1.5
2	Rack End	⇦⇨		QR9541S	Male M14x1.5 , M16x1.5 Swivel, L=362mm
20a	Suspension Arm - Front			QSA2324S	
20b	Suspension Arm - Front			QSA2325S	
21	Ball Joint - Front			QSJ9542S	Ø 18mm Cone


continued...

9-5 continued... 06/97-08/01


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS2698**	Front
24b	Suspension Arm Bush - Front			**EMS8100**	Rear
25	Stabiliser Link - Front			**QLS3200S**	L=245mm
62	Top Strut Mounting - Front exc.Bearing		-ch.29999999	**EMR6101**	
62	Top Strut Mounting - Front exc.Bearing		ch.20000001-	**EMR6102**	
34a	Suspension Arm Bush - Rear			**EMS8128**	Front, Control Arm
34b	Suspension Arm Bush - Rear			**EMS1962**	Rear, Control Arm x2
34c	Suspension Arm Bush - Rear			**EMS8308**	Inner
35	Stabiliser Link - Rear			**QLS3541S**	L=86mm
91	Subframe Bush - Rear			**EM4032**	Front x2
91	Subframe Bush - Rear			**EM4033**	Rear x2

9-5 08/01-

D4S,D5S



9-5 continued... 08/01-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3296S**	Female M14x1.5, Ø 13mm Cone, L=136mm,
1b	Tie Rod End - Outer	⇨		**QR3297S**	Female M14x1.5, Ø 13mm Cone, L=136mm,
2	Rack End	⇦⇨		**QR3528S**	Male M14x2.0, M16x1.5 Swivel, L=301mm
20a	Suspension Arm - Front			**QSA2324S**	
20b	Suspension Arm - Front			**QSA2325S**	
21	Ball Joint - Front			**QSJ3385S**	Ø 20.0mm Cone
24a	Suspension Arm Bush - Front			**EMS2698**	Front
24b	Suspension Arm Bush - Front			**-**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3200S**	L=245mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	-ch.29999999	**EMR6101**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	ch.20000001-	**EMR6102**	
34a	Suspension Arm Bush - Rear			**EMS8128**	Front, Control Arm
34b	Suspension Arm Bush - Rear			**EMS1962**	Rear, Control Arm x2
34c	Suspension Arm Bush - Rear			**EMS8308**	Inner
35	Stabiliser Link - Rear	⇦⇨		**QLS3541S**	L=86mm
91	Subframe Bush - Rear	⇦⇨		**EM4032**	Front x2
91	Subframe Bush - Rear	⇦⇨		**EM4033**	Rear x2

900 I — 06/78-10/93


AC,AG,AM



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	06/78-10/89	**QR1676S**	Female M14x2.0 , Ø 13.1mm Cone, L=73mm
1	Tie Rod End - Outer	⇦⇨	11/89-10/93	**QR2768S**	Female M14x2.0 , Ø 13.1mm Cone
21	Ball Joint - Front			**QSJ1004S**	Ø 17.5mm Cone
23	Ball Joint - Front			**QSJ1004S**	Ø 17.5mm Cone
24a	Suspension Arm Bush - Front			**EMS1938**	
34d	Suspension Arm Bush - Rear	⇦		**EMS2552**	Cross Bar Bush
34e	Suspension Arm Bush - Rear	⇨		**EMS2551**	Cross Bar Bush

900 II — 11/93-05/98

D3,D5,DV




900 II continued... 11/93-05/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2383S**	Female M16x2.0 RH, Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		**QR2384S**	Female M16x2.0 LH, Ø 13mm Cone, L=66mm
2a	Rack End	⇦		**QR2335S**	Female M16x2.0 LH
2b	Rack End	⇨		**QR2334S**	Female M16x2.0 RH
3	Tie Rod Connector	⇦⇨		**QR2774S**	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		**QDL2771S**	
4b	Tie Rod Assembly	⇨		**QDL2772S**	
20a	Suspension Arm - Front	↲	-ch.S2012271	**QSJ3258S**	Front of Wheel
20a	Suspension Arm - Front	↲	ch.S2012272-	**QSJ3260S**	Front of Wheel, M12 Ball Pin, Ø 13.2mm Cone, L=383mm
20b	Suspension Arm - Front	↳	-ch.S2012271	**QSJ3259S**	Front of Wheel
20b	Suspension Arm - Front	↳	ch.S2012272-	**QSJ3261S**	Front of Wheel, M12 Ball Pin, Ø 13.2mm Cone, L=383mm
20a[1]	Suspension Arm - Front	↲	ch.S2012272,S7014773-	**QSJ3266S**	Rear of Wheel
20b[1]	Suspension Arm - Front	↳	ch.S2012272,S7014773-	**QSJ3267S**	Rear of Wheel
24	Suspension Arm Bush - Front	⇃⇂	-ch.S2012271,S7014772	**EMS8408**	Inner, Rear of Wheel
24	Suspension Arm Bush - Front	⇃⇂	ch.S2012272,S7014773-	**EMS8092**	Inner, Rear of Wheel
25	Stabiliser Link - Front	⇦⇨	-ch.S2012271,S7014772	**QLS3297S**	
25	Stabiliser Link - Front	⇦⇨	ch.S2012272,S7014773-	**QLS3298S**	L=89mm
27[2]	Stabiliser Link Bush - Front	⇦⇨		**EMB2557**	

9000 10/84-10/98

C4D,C5D,C5S,CT4,CT5



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2366S**	Female M14x1.5 RH, Ø 13mm Cone, L=125mm
2	Rack End	⇦⇨		**QR2650S**	Male M14x1.5 RH, Female M14x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲		**QSA9000S**	


continued...

9000 continued... 10/84-10/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front	⇩		QSA9010S	
21	Ball Joint - Front	⇩⇩		QSJ1328S	Ø 20mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8366	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8104	Front, Sleeve
24c	Suspension Arm Bush - Front	⇩⇩		EMS2666	Rear
25	Stabiliser Link - Front	⇦⇨		QLS2556S	L=111mm
27²	Stabiliser Link Bush - Front	⇦⇨		EMB2557	

Alhambra 04/96-03/10

7V8,7V9




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2989S	Female M14x1.5 LH, Ø 14.5mm Cone, L=220mm
1b	Tie Rod End - Outer	⇨		QR2988S	Female M14x1.5 LH, Ø 14.5mm Cone, L=220mm
2	Rack End	⇦⇨		QR3266S	Male M14x1.5 LH,M14x1.5mm Swivel, L=205mm
4a	Tie Rod Assembly	⇦		QDL3039S	
4b	Tie Rod Assembly	⇨		QDL3038S	

Alhambra continued... 04/96-03/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA1516S**	
20b	Suspension Arm - Front			**QSA1515S**	
21	Ball Joint - Front			**QSJ1517S**	Ø 18.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8045**	Front
24b	Suspension Arm Bush - Front			**EMS8046**	Rear
25	Stabiliser Link - Front			**QLS1613S**	L=205mm
26	Stabiliser Bar Bush - Front			**EMB7064**	Outer
61	Top Strut Bearing - Front			**QAM120**	
62	Top Strut Mounting - Front exc.Bearing			**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1891**	
34	Suspension Arm Bush - Rear			**EMS8045**	Trailing Arm
36	Stabiliser Bar Bush - Rear			**EMB7119**	Outer, Ø 26.6mm
36¹	Stabiliser Bar Bush - Rear			**EMB7118**	Inner
93	Subframe Mounting - Rear		exc.4Motion	**EM4096**	
93¹	Subframe Mounting - Rear		exc.4Motion	**EM4448**	Centre

Alhambra 06/10-

710,711



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			**QR5324S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer			**QR5325S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
2	Rack End			**QR5323S**	Male M16x1.5, M16x1.5 Swivel, L=310mm


continued...

Alhambra continued... 06/10-


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		-01/12	**QSA2252S**	
20b	Suspension Arm - Front		-01/12	**QSA2253S**	
21a	Ball Joint - Front			**QSJ2117S**	
21b	Ball Joint - Front			**QSJ2118S**	
24a	Suspension Arm Bush - Front			**EMS8228**	Front
24b	Suspension Arm Bush - Front			**EMS8356**	Rear
25	Stabiliser Link - Front			**QLS3328S**	
30a	Suspension Arm - Rear			**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear			**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear			**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear			**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear			**EMS8433**	Rear, Outer
35	Stabiliser Link - Rear			**QLS3329S**	L=100mm
36	Stabiliser Bar Bush - Rear			**EMB7207**	Outer

Altea 03/04-

5P



Altea continued... 03/04-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 ↻, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲	exc.Diesel	**QSA2016S**	Cast Type
20a	Suspension Arm - Front	↲	Diesel	**QSA2018S**	Sheet Steel Type
20b	Suspension Arm - Front	↳	exc.Diesel	**QSA2017S**	Cast Type
20b	Suspension Arm - Front	↳	Diesel	**QSA2019S**	Sheet Steel Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	↲↳		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7264**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	↲		**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	↳		**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear	↰↱		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6091**	

Arosa

02/97-02/98

6H1 ch.W000001-W055365




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, ch.W000001-W027754, 02/97-09/97	**QR2767S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, ch.W027755-W055365, 09/97-02/98	**QR3250S**	Female M14x1.5, Ø 12.7mm Cone, L=97mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, ch.W000001-W027754, 02/97-09/97	**QR2069S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, ch.W027755-W055365, 09/97-02/98	**QR3251S**	Female M14x1.5, Ø 12.7mm Cone, L=97mm
2	Rack End	⇦⇨		**QR2937S**	Male M14x1.5, L=318mm
2	Rack End	⇦⇨	, ch.W000001-W027754, 02/97-09/97, exc.1.4 16v,1.4TDi	**QR2938S**	Male M14x1.5, M14x1.5 Swivel L=325mm
2	Rack End	⇦⇨	, ch.W000001-W027754, 09/97-02/98, exc.1.4 16v,1.4TDi	**-**	
2	Rack End	⇦⇨	, 1.4 16v,1.4TDi	**-**	
4a	Tie Rod Assembly	⇦		**QDL3018S**	
4a	Tie Rod Assembly	⇦	, ch.W000001-W027754, 02/97-09/97, exc.1.4 16v,1.4TDi	**QDL3244S**	
4a	Tie Rod Assembly	⇦	, 1.4 16v,1.4TDi	**QDL3203S**	
4b	Tie Rod Assembly	⇨		**QDL3019S**	
4b	Tie Rod Assembly	⇨	, ch.W000001-W027754, 02/97-09/97, exc.1.4 16v,1.4TDi	**QDL3245S**	
4b	Tie Rod Assembly	⇨	, 1.4 16v,1.4TDi	**QDL3204S**	
20	Suspension Arm - Front			**QSA1452S**	Not Complete
20a	Suspension Arm - Front		exc.1.4 16v,1.4TDi	**QSA1770S**	Complete
20b	Suspension Arm - Front		exc.1.4 16v,1.4TDi	**QSA1777S**	Complete

Arosa continued... 02/97-02/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21a	Ball Joint - Front		exc.1.4 16v,1.4TDi	QSJ1414S	Ø 15mm Cone
21a	Ball Joint - Front		1.4 16v,1.4TDi	QSJ1413S	Ø 15mm Cone
21b	Ball Joint - Front		exc.1.4 16v,1.4TDi	QSJ1413S	Ø 15mm Cone
21b	Ball Joint - Front		1.4 16v,1.4TDi	QSJ1414S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS2663	Front
24b	Suspension Arm Bush - Front			EMS2651	Rear
25	Stabiliser Link - Front			QLS3060S	Ø 18mm Bar, L=92mm
25	Stabiliser Link - Front			QLS3280S	Ø 20mm, L=80mm
26	Stabiliser Bar Bush - Front			EMB7255	Outer, Ø 18mm

Arosa 02/98-06/04

6H1 ch.W055366-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR2767S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer			QR3250S	Female M14x1.5, Ø 12.7mm Cone, L=97mm
1b	Tie Rod End - Outer			QR2069S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer			QR3251S	Female M14x1.5, Ø 12.7mm Cone, L=97mm
2	Rack End			QR9259S	Male M14x1.5
2	Rack End		, exc.1.4 16v,1.4TDi	QR9374S	Male M14x1.5
4a	Tie Rod Assembly			QDL3205S	

continued...

Arosa continued... 02/98-06/04


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4a	Tie Rod Assembly	⇦	, exc.1.4 16v,1.4TDi	**QDL3203S**	
4b	Tie Rod Assembly	⇨		**QDL3206S**	
4b	Tie Rod Assembly	⇨	, exc.1.4 16v,1.4TDi	**QDL3204S**	
20	Suspension Arm - Front			**QSA1715S**	Not Complete
20a	Suspension Arm - Front		exc.1.4 16v,1.4TDi	**QSA1015S**	Complete
20b	Suspension Arm - Front		exc.1.4 16v,1.4TDi	**QSA1014S**	Complete
21a	Ball Joint - Front		exc.1.4 16v,1.4TDi	**QSJ1414S**	Ø 15mm Cone
21a	Ball Joint - Front		1.4 16v,1.4TDi	**QSJ1413S**	Ø 15mm Cone
21b	Ball Joint - Front		exc.1.4 16v,1.4TDi	**QSJ1413S**	Ø 15mm Cone
21b	Ball Joint - Front		1.4 16v,1.4TDi	**QSJ1414S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front			**EMS2663**	Front
24b	Suspension Arm Bush - Front			**EMS2651**	Rear
25	Stabiliser Link - Front			**QLS3060S**	Ø 18mm Bar, L=92mm
25	Stabiliser Link - Front			**QLS3280S**	Ø 20mm, L=80mm
26	Stabiliser Bar Bush - Front			**EMB7255**	Outer, Ø 18mm
61	Top Strut Bearing - Front			**QAM120**	
62	Top Strut Mounting - Front exc.Bearing			**EMR2501**	
63	Top Strut Mounting - Front inc.Bearing			**EMA2501**	

Cordoba I 02/93-09/95

6K2 -ch.TR.081919



Cordoba I continued... 02/93-09/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5 , Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		QR5058S	Male M14x1.5 , L=365mm
2	Rack End	⇦⇨	, 02/93-09/93	QR2603S	Male M14x1.5 ,M14x1.5 Swivel, L=355mm
2	Rack End	⇦⇨	, 10/93-09/95	-	
4a	Tie Rod Assembly	⇦		QDL2079S	M22x1.5 , Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, 02/93-09/93	QDL2247S	Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, 10/93-09/95	QDL5271S	
4b	Tie Rod Assembly	⇨		QDL5019S	
4b	Tie Rod Assembly	⇨	, 02/93-09/93	QDL2248S	Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, 10/93-09/95	QDL5272S	
20	Suspension Arm - Front			QSA9650S	Not Complete
20a	Suspension Arm - Front		exc.France	QSA1446S	Complete


continued...

Cordoba I continued... 02/93-09/95


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		exc.France	**QSA1447S**	Complete
21	Ball Joint - Front			**QSJ1141S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front		02/93-09/93	**QLS3066S**	Ø 21.5mm Bar, L=94mm
25	Stabiliser Link - Front		10/93-09/95	**QLS3611S**	Ø 23mm Bar, L=94mm
26	Stabiliser Bar Bush - Front		-ch.6K-V-143401,1.4 54/60PS,1.6 75PS, 1.9TDi 110PS	**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front		ch.6K-V-143401-,1.4 54/60PS,1.6 75PS, 1.9TDi 110PS	**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front		-ch.6K.X430579	**EMBK2086**	Ø 18mm
27	Stabiliser Link Kit - Front		ch.6K.X430580-	**-**	
61	Top Strut Bearing - Front		02/93-07/94	**QAM125**	
61	Top Strut Bearing - Front		08/94-09/95	**QAM120**	
62	Top Strut Mounting - Front exc.Bearing			**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1797**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1891**	
92	Subframe Mounting - Front			**EM1886**	4 per Vehicle
65	Top Strut Mounting - Rear exc.Bearing			**EMR6038**	

Cordoba II 10/95-06/99

6K2 ch.TR.081920-X.399999



Cordoba II continued... 10/95-06/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦		QR3201S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR3202S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
2	Rack End	⇦⇨		QR5058S	Male M14x1.5, L=365mm
2	Rack End	⇦⇨	, exc.1.8 16v, 2.0i 16v	QR2938S	Male M14x1.5, M14x1.5 Swivel L=325mm
2	Rack End	⇦⇨	, 1.8 16v, 2.0i 16v	-	
4a	Tie Rod Assembly	⇦		QDL2079S	M22x1.5, Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, exc.1.8 16v, 2.0i 16v	QDL9272S	
4a	Tie Rod Assembly	⇦	, 1.8 16v, 2.0i 16v	QDL3248S	
4b	Tie Rod Assembly	⇨		QDL5019S	
4b	Tie Rod Assembly	⇨	, exc.1.8 16v, 2.0i 16v	QDL9273S	
4b	Tie Rod Assembly	⇨	, 1.8 16v, 2.0i 16v	QDL3249S	
20	Suspension Arm - Front			QSA9650S	Not Complete
20a	Suspension Arm - Front		exc.France	QSA1446S	Complete
20b	Suspension Arm - Front		exc.France	QSA1447S	Complete
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front


continued...

Cordoba II continued... 10/95-06/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front			QLS3611S	Ø 23mm Bar, L=94mm
26	Stabiliser Bar Bush - Front		-ch.6K.V143400	EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front		ch.6K-V-143401-,1.4 54/60PS,1.6 75PS, 1.9TDi 110PS	EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front		-ch.6K.V143400	EMBK2086	Ø 18mm
27	Stabiliser Link Kit - Front		ch.6K.V143401-	-	
62	Top Strut Mounting - Front exc.Bearing		exc. 4x4	EMR1891	
62	Top Strut Mounting - Front exc.Bearing		4x4 -ch.X.290000	EMR1891	
62	Top Strut Mounting - Front exc.Bearing		4x4 -ch.X.290000, Heavy duty mount	EMR6108	
62	Top Strut Mounting - Front exc.Bearing		4x4 ch.X.290001-	EMR6084	
65	Top Strut Mounting - Rear exc.Bearing			EMR6038	

Cordoba II 07/99-02/02

6K2 ch.X.400000-




Cordoba II continued... 07/99-02/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, exc.Sports Susp. -ch.1.180000	**QR3201S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, exc.Sports Susp. ch.1.180001-	**QR3394S**	Female M14x1.5, Ø 12.8mm Cone, L=94mm
1a	Tie Rod End - Outer	⇦	, Sports Susp. -ch.1.180000	**QR2767S**	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, Sports Susp. ch.1.180001-	**QR3394S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, exc.Sports Susp. -ch.1.180000	**QR3202S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, exc.Sports Susp. ch.1.180001-	**QR3395S**	Female M14x1.5, Ø 12.8mm Cone, L=94mm
1b	Tie Rod End - Outer	⇨	, Sports Susp. -ch.1.180000	**QR2069S**	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, Sports Susp. ch.1.180001-	**QR3395S**	Female M14x1.5
2	Rack End	⇦⇨		**QR5058S**	Male M14x1.5, L=365mm
2	Rack End	⇦⇨	, exc.1.8 16v, 2.0i 16v	**QR2938S**	Male M14x1.5, M14x1.5 Swivel L=325mm
2	Rack End	⇦⇨	, 1.8 16v, 2.0i 16v	**-**	
4a	Tie Rod Assembly	⇦		**QDL2079S**	M22x1.5, Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, exc.1.8 16v, 2.0i 16v	**QDL9272S**	
4a	Tie Rod Assembly	⇦	, 1.8 16v, 2.0i 16v	**QDL3248S**	
4b	Tie Rod Assembly	⇨		**QDL5019S**	
4b	Tie Rod Assembly	⇨	, exc.1.8 16v, 2.0i 16v	**QDL9273S**	
4b	Tie Rod Assembly	⇨	, 1.8 16v, 2.0i 16v	**QDL3249S**	
20	Suspension Arm - Front			**QSA9650S**	Not Complete
20a	Suspension Arm - Front		exc.France	**QSA1446S**	Complete
20b	Suspension Arm - Front		exc.France	**QSA1447S**	Complete
21	Ball Joint - Front			**QSJ1141S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		**QLS3611S**	Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.0,1.4 60PS,1.6 75PS	**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	1.0,1.4 60PS -ch.6K.X430579	**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	1.6 75PS -ch.6K-X-430579	**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	1.6 75PS ch.6K-X-430580-	**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front	⇦⇨	-ch.6K.X430579	**EMBK2086**	Ø 18mm
27	Stabiliser Link Kit - Front	⇦⇨	ch.6K.X430580-	**-**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6084**	

Cordoba III

6L2

03/02-04/11




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3276S**	Female M14x1.5 , Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3277S**	Female M14x1.5 , Ø 13.3mm Cone, L=95mm
2	Rack End	⇦⇨		**QR3278S**	Male M14x1.5,M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	, mfr.TRW	**-**	
2	Rack End	⇦⇨	, mfr.SMI	**QR3615S**	Male M14x1.5 , M16x1.5 Swivel, L=321mm
4a	Tie Rod Assembly	⇦		**QDL3269S**	Female M14x1.5 , Cone Ø 13.3mm, L=325mm
4a	Tie Rod Assembly	⇦	, mfr.TRW	**QDL5296S**	
4a	Tie Rod Assembly	⇦	, mfr.SMI	**QDL5297S**	
4b	Tie Rod Assembly	⇨		**QDL3270S**	Female M14x1.5 , Cone Ø 13.3mm, L=325mm
4b	Tie Rod Assembly	⇨	, mfr.TRW	**QDL5298S**	
4b	Tie Rod Assembly	⇨	, mfr.SMI	**QDL5299S**	
20a	Suspension Arm - Front	↲		**QSA1950S**	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front	↳		**QSA1951S**	With Ball Joint, exc.Rear Bush
21a	Ball Joint - Front	↲		**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3269S**	Ø 15mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8209**	Front
24b	Suspension Arm Bush - Front	↲↳	Std.	**EMS8210**	Rear
24b¹	Suspension Arm Bush - Front	↲↳	H.D.	**EMS8480**	Rear
24c	Suspension Arm Bush - Front	↲		**QSJ3682S**	Control Arm Bush Console Bracket
24d	Suspension Arm Bush - Front	↳		**QSJ3683S**	Control Arm Bush Console Bracket
25	Stabiliser Link - Front	⇦⇨		**QLS3299S**	L=274mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.6L-3-164393-	**EMB7254**	Outer
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6084**	

Exeo

3K

12/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3334S	Male M14x1.5 , Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR2954S	Female M14x1.5 , M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨		-	


continued...

Exeo continued... 12/08-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
10	Suspension Repair Kit - Front (Complete)			**QSJ5010K**	QR3334S (2x), QSJ1919S (2x), QSJ3461S, QSJ3462S, QSJ3407S, QSJ3408S, QSJ3409S, QSJ3410S, QLS3272S, QLS3273S
20	Suspension Arm - Front			**QSJ1919S**	Front of Wheel, Ø 16.3mm Cone
20a[1]	Suspension Arm - Front			**QSJ3461S**	Rear of Wheel
20b[1]	Suspension Arm - Front			**QSJ3462S**	Rear of Wheel
22a	Suspension Arm - Front			**QSJ3407S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front			**QSJ3408S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front			**QSJ3409S**	Rear of Wheel, Ø 16mm Cone L=250mm
22b[1]	Suspension Arm - Front			**QSJ3410S**	Rear of Wheel, Ø 16mm Cone L=250mm
24a	Suspension Arm Bush - Front		Fitted to 20a & 20b	**EMS8501**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1919S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1919S	**EMS8231**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ3407S & QSJ3408S & QSJ3409S & QSJ3410S	**-**	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3272S**	L=93mm
25b	Stabiliser Link - Front	⇨		**QLS3273S**	L=93mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7209**	Outer, Ø 29mm
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3086**	Outer, Ø 29.0mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6092**	
30	Suspension Arm - Rear	⇦⇨		**QDL3268S**	Centre,Track Control Arm, L=337mm
32a	Suspension Arm - Rear			**QSJ3721S**	
32b	Suspension Arm - Rear			**QSJ3722S**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS4047**	Axle
35	Stabiliser Link - Rear	⇦⇨		**QLS3506S**	L=90.5mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6144**	

Ibiza I 04/84-01/93

021A




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	07/86-01/93	**QR1837S**	Female M12x1.5 LH, Ø 12mm Cone, L=118mm
2	Rack End	⇦⇨	04/84-06/86	**QR2321S**	Male M14x1.5 LH, Female M14x1.5 Swivel, L=280mm
2	Rack End	⇦⇨	07/86-01/93	**QR2322S**	Male M12x1.5 LH, L=280mm
20	Suspension Arm - Front		04/84-06/86	**QSJ1061S**	Ø M12x1.5, Ø 13mm Cone
20	Suspension Arm - Front		07/86-12/87	**QSJ1130S**	Ø 15mm Cone
20	Suspension Arm - Front		01/88-01/93	**QSJ1232S**	Ø 17mm Cone

Ibiza II

6K1 -ch.TR.081919

02/93-09/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5, Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		**QR5058S**	Male M14x1.5, L=365mm
2	Rack End	⇦⇨	, 02/93-09/93	**QR2603S**	Male M14x1.5 ,M14x1.5 Swivel, L=355mm
2	Rack End	⇦⇨	, 10/93-09/95	**-**	
4a	Tie Rod Assembly	⇦		**QDL2079S**	M22x1.5, Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, 02/93-09/93	**QDL2247S**	Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, 10/93-09/95	**QDL5271S**	
4b	Tie Rod Assembly	⇨		**QDL5019S**	
4b	Tie Rod Assembly	⇨	, 02/93-09/93	**QDL2248S**	Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, 10/93-09/95	**QDL5272S**	

continued...

Ibiza II continued... 02/93-09/95


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20	Suspension Arm - Front			**QSA9650S**	Not Complete
20a	Suspension Arm - Front		exc.France	**QSA1446S**	Complete
20b	Suspension Arm - Front		exc.France	**QSA1447S**	Complete
21	Ball Joint - Front			**QSJ1141S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front		02/93-09/93	**QLS3066S**	Ø 21.5mm Bar, L=94mm
25	Stabiliser Link - Front		10/93-09/95	**QLS3611S**	Ø 23mm Bar, L=94mm
26	Stabiliser Bar Bush - Front			**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
27	Stabiliser Link Kit - Front		-ch.6K.X430579	**EMBK2086**	Ø 18mm
27	Stabiliser Link Kit - Front		ch.6K.X430580-	-	
65	Top Strut Mounting - Rear exc.Bearing			**EMR6038**	

Ibiza III 10/95-06/99

6K1 ch.TR.081920-X.399999



Ibiza III continued... 10/95-06/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦		QR3201S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR3202S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
2	Rack End	⇦⇨		QR5058S	Male M14x1.5, L=365mm
2	Rack End	⇦⇨	, exc.1.8 16v, 2.0i 16v	QR2938S	Male M14x1.5, M14x1.5 Swivel L=325mm
2	Rack End	⇦⇨	, 1.8 16v, 2.0i 16v	-	
4a	Tie Rod Assembly	⇦		QDL2079S	M22x1.5, Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, exc.1.8 16v, 2.0i 16v	QDL9272S	
4a	Tie Rod Assembly	⇦	, 1.8 16v, 2.0i 16v	QDL3248S	
4b	Tie Rod Assembly	⇨		QDL5019S	
4b	Tie Rod Assembly	⇨	, exc.1.8 16v, 2.0i 16v	QDL9273S	
4b	Tie Rod Assembly	⇨	, 1.8 16v, 2.0i 16v	QDL3249S	
20	Suspension Arm - Front			QSA9650S	Not Complete
20a	Suspension Arm - Front		exc.France	QSA1446S	Complete
20b	Suspension Arm - Front		exc.France	QSA1447S	Complete
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve


continued...

Ibiza III continued... 10/95-06/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⊐⇨		QLS3611S	Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	-ch.6K-V-143401, exc.1.4 54/60PS,1.6 75PS, 1.9TDi 110PS	EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⊐⇨	ch.6K-V-143401-, exc.1.4 54/60PS,1.6 75PS, 1.9TDi 110PS	EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
26	Stabiliser Bar Bush - Front	⇦⊐⇨	1.4 54/60PS,1.6 75PS	EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⊐⇨	1.9TDi 110PS	EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front	⇦⊐⇨	-ch.6K.V143400	EMBK2086	Ø 18mm
27	Stabiliser Link Kit - Front	⇦⊐⇨	ch.6K.V143401-	-	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	exc.Vario	EMR1891	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	Vario -ch.X.290000	EMR1891	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	Vario ch.X.290001-	EMR6084	
65	Top Strut Mounting - Rear exc.Bearing	⇦⊐⇨		EMR6038	

Ibiza III 07/99-02/02

6K2 ch.X.400000-



Ibiza III continued... 07/99-02/02







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, exc.Sports Susp. -ch.1.180000	QR3201S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, exc.Sports Susp. ch.1.180001-	QR3394S	Female M14x1.5, Ø 12.8mm Cone, L=94mm
1a	Tie Rod End - Outer	⇦	, Sports Susp. -ch.1.180000	QR2767S	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, Sports Susp. ch.1.180001-	QR3394S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, exc.Sports Susp. -ch.1.180000	QR3202S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, exc.Sports Susp. ch.1.180001-	QR3395S	Female M14x1.5, Ø 12.8mm Cone, L=94mm
1b	Tie Rod End - Outer	⇨	, Sports Susp. -ch.1.180000	QR2069S	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, Sports Susp. ch.1.180001-	QR3395S	Female M14x1.5
2	Rack End	⇦⇨		QR5058S	Male M14x1.5, L=365mm
2	Rack End	⇦⇨	, exc.1.8 16v, 2.0i 16v	QR2938S	Male M14x1.5, M14x1.5 Swivel L=325mm
2	Rack End	⇦⇨	, 1.8 16v, 2.0i 16v	-	
4a	Tie Rod Assembly	⇦		QDL2079S	M22x1.5, Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, exc.1.8 16v, 2.0i 16v	QDL9272S	
4a	Tie Rod Assembly	⇦	, 1.8 16v, 2.0i 16v	QDL3248S	
4b	Tie Rod Assembly	⇨		QDL5019S	
4b	Tie Rod Assembly	⇨	, exc.1.8 16v, 2.0i 16v	QDL9273S	
4b	Tie Rod Assembly	⇨	, 1.8 16v, 2.0i 16v	QDL3249S	
20	Suspension Arm - Front	⇦⇨		QSA9650S	Not Complete
20a	Suspension Arm - Front	⇦	exc.France	QSA1446S	Complete
20b	Suspension Arm - Front	⇨	exc.France	QSA1447S	Complete
21	Ball Joint - Front	⇦⇨		QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS1997	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS1850	Rear
24c	Suspension Arm Bush - Front	⇦⇨		TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3611S	Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.1.0,1.4 60PS,1.6 75PS	EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	1.0,1.4 60PS -ch.6K.X430579	EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	1.6 75PS -ch.6K-X-430579	EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	1.6 75PS ch.6K-X-430580-	EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front	⇦⇨	-ch.6K.X430579	EMBK2086	Ø 18mm
27	Stabiliser Link Kit - Front	⇦⇨	ch.6K.X430580-	-	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6084	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	

Ibiza IV

6L1

03/02-02/08




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3276S**	Female M14x1.5 , Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3277S**	Female M14x1.5 , Ø 13.3mm Cone, L=95mm
2	Rack End	⇦⇨		**QR3278S**	Male M14x1.5,M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	TRW	**-**	
2	Rack End	⇦⇨	, mfr.SMI	**QR3615S**	
4a	Tie Rod Assembly	⇦		**QDL3269S**	Female M14x1.5 , Cone Ø 13.3mm, L=325mm
4a	Tie Rod Assembly	⇦	, mfr.TRW	**QDL5296S**	
4a	Tie Rod Assembly	⇦	, mfr.SMI	**QDL5297S**	
4b	Tie Rod Assembly	⇨		**QDL3270S**	Female M14x1.5 , Cone Ø 13.3mm, L=325mm
4b	Tie Rod Assembly	⇨	, mfr.TRW	**QDL5298S**	
4b	Tie Rod Assembly	⇨	, mfr.SMI	**QDL5299S**	
20a	Suspension Arm - Front	↲	exc.Cupra	**QSA1950S**	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front	↳	exc.Cupra	**QSA1951S**	With Ball Joint, exc.Rear Bush
20	Suspension Arm - Front	↲↳	Cupra	**-**	
21a	Ball Joint - Front	↲		**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3269S**	Ø 15mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8209**	Front
24b	Suspension Arm Bush - Front	↲↳	Std.	**EMS8210**	Rear
24b¹	Suspension Arm Bush - Front	↲↳	H.D.	**EMS8480**	Rear
24c	Suspension Arm Bush - Front	↲		**QSJ3682S**	Control Arm Bush Console Bracket
24d	Suspension Arm Bush - Front	↳		**QSJ3683S**	Control Arm Bush Console Bracket
25	Stabiliser Link - Front	⇦⇨		**QLS3299S**	L=274mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.6L-3-164393-	**EMB7254**	Outer
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6084**	

Ibiza V

6J1

03/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3276S**	Female M14x1.5 RH, Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3277S**	Female M14x1.5 RH, Ø 13.3mm Cone, L=95mm
2	Rack End	⇦⇨		**QR3820S**	
20a	Suspension Arm - Front	⇦	PR- G17/G18/G19/G20	**QSA2570S**	
20b	Suspension Arm - Front	⇨	PR- G17/G18/G19/G20	**QSA2571S**	
20a	Suspension Arm - Front	⇦	PR- G21/G24	**QSA2579S**	
20b	Suspension Arm - Front	⇨	PR- G21/G24	**QSA2580S**	
21a	Ball Joint - Front	⇦		**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	⇨		**QSJ3269S**	Ø 15mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1997**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2659**	Rear
25	Stabiliser Link - Front	⇦⇨	03/08-11/10	**QLS3299S**	L=274mm
25	Stabiliser Link - Front	⇦⇨	11/10-	**-**	
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7254**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7246**	Outer, Ø 18mm
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2334**	
34	Suspension Arm Bush - Rear	⇦⇨	03/08-04/09	**EMS8521**	Axle, 69mm Dia
34	Suspension Arm Bush - Rear	⇦⇨	03/08-04/09	**EMS4045**	Axle, 72mm Dia
34	Suspension Arm Bush - Rear	⇦⇨	04/09-	**-**	Axle
34	Suspension Arm Bush - Rear	⇦⇨	03/08-07/10	**-**	Axle
34	Suspension Arm Bush - Rear	⇦⇨	07/10-	**-**	Axle
38	Subframe Repair Kit - Rear	⇦⇨	03/08-04/09	**QSK233S**	Axle Set
38	Subframe Repair Kit - Rear	⇦⇨	04/09-	**-**	Axle Set

continued...

Ibiza V continued... 03/08-


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
38	Subframe Repair Kit - Rear	⇦⊐⇨	03/08-07/10	-	Axle Set
38	Subframe Repair Kit - Rear	⇦⊐⇨	07/10-	-	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⊏⇨		EMR6011	

Leon I 09/99-07/05

1M1 exc.Cupra R



Leon I continued... 09/99-07/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3259S**	Female M14x1.5 ↻, Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3260S**	Female M14x1.5 ↻, Ø 13.2mm Cone, L=95mm
2	Rack End	⇦⇨		**QR5306S**	Male M14x1.5 ↻, M16x1.5mm Swivel, L=340mm
4a	Tie Rod Assembly	⇦		**QDL3257S**	
4b	Tie Rod Assembly	⇨		**QDL3258S**	
20	Suspension Arm - Front			**QSA1672S**	Not Complete

continued...


Leon I continued... 09/99-07/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			**QSA1533S**	Complete
20b	Suspension Arm - Front			**QSA1532S**	Complete
21a	Ball Joint - Front			**QSJ1604S**	Ø 15mm Cone
21b	Ball Joint - Front			**QSJ1603S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS2659**	Rear
25	Stabiliser Link - Front	⇦⇨	2x4 -ch.1M-1035001	**QLS3054S**	Ø 21mm Bar, L=105mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨	2x4 -ch.1M-1035001	**QLS3250S**	Ø 23mm, L=105mm, Metal
25[2]	Stabiliser Link - Front	⇦⇨	2x4 ch.1M-1035001-	**QLS3492S**	L=107.5mm
25a	Stabiliser Link - Front	⇦	4x4	**QLS3332S**	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front	⇨	4x4	**QLS3333S**	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 18mm Bar, Ø 16mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 20mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7041**	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7100**	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3079**	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2664**	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2334**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2334**	
34	Suspension Arm Bush - Rear	⇦⇨	exc.Cupra R	**EMS8521**	Axle, 69mm Dia
34	Suspension Arm Bush - Rear	⇦⇨	exc.Cupra R	**EMS4045**	Axle, 72mm Dia
38	Subframe Repair Kit - Rear	⇦⇨	exc.Cupra R	**QSK233S**	Axle Set

Leon I

1M1 Cupra R

04/02-07/05




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9976S	Female M16x1.5, Ø 13.1mm Cone, M12 Swivel
1b	Tie Rod End - Outer	⇨		QR9977S	Female M16x1.5, Ø 13.1mm Cone, M12 Swivel
2	Rack End	⇦⇨	exc.Sports Susp. 18'' Wheels	QR3452S	Male M16x1.5, M16x1.5 Swivel, L=355mm
2	Rack End	⇦⇨	Sports Susp. 18'' Wheels	QR3794S	Male M16x1.5 ,M16x1.5 Swivel L=333mm
21	Ball Joint - Front			QSJ3343S	M12x1.5mm Ball Pin, Ø 15.5mm Cone
24a	Suspension Arm Bush - Front			-	Front
24b	Suspension Arm Bush - Front			EMS8227	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7100	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2664	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
34	Suspension Arm Bush - Rear	⇦⇨		EMS8424	Front,Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		QLS3327S	L=182mm

Leon II

08/05-12/13

1P1



Leon II continued... 08/05-12/13

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 ↻, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲		**QSA2018S**	Sheet Steel Type
20a[1]	Suspension Arm - Front	↲		**QSA2016S**	Cast Type
20b	Suspension Arm - Front	↳		**QSA2019S**	Sheet Steel Type
20b[1]	Suspension Arm - Front	↳		**QSA2017S**	Cast Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	↲↳		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	↲		**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	↳		**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear	↰↱		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6091**	

Leon III 12/12-


5F1



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 ↻, M16x1.5 Swivel, L=310mm
21a	Ball Joint - Front	↲	PR- 1ZE,1ZF	**QSJ3295S**	
21a	Ball Joint - Front	↲	PR- 1ZA	**QSJ2117S**	
21b	Ball Joint - Front	↳	PR- 1ZE,1ZF	**QSJ3296S**	
21b	Ball Joint - Front	↳	PR- 1ZA	**QSJ2118S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	

Malaga 06/85-07/92


023A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	07/86-07/92	QR1837S	Female M12x1.5 ↻, Ø 12mm Cone, L=118mm
2	Rack End	⇦⇨	06/85-06/86	QR2321S	Male M14x1.5 ↻, Female M14x1.5 Swivel, L=280mm
2	Rack End	⇦⇨	07/86-07/92	QR2322S	Male M12x1.5 ↻, L=280mm
20	Suspension Arm - Front	⇩⇧	06/85-06/86	QSJ1061S	Ø M12x1.5, Ø 13mm Cone
20	Suspension Arm - Front	⇩⇧	07/86-12/87	QSJ1130S	Ø 15mm Cone
20	Suspension Arm - Front	⇩⇧	01/88-07/92	QSJ1232S	Ø 17mm Cone

Marbella 07/86-04/95

028A




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1793S	Female M14x1.0 ↻, Ø 12mm Cone
1	Tie Rod End - Outer	⇦⇨		QR1836S	Female M12x1.5 ↻, Ø 12mm Cone
2	Rack End	⇦⇨		QR2025S	Male M12x1.5 ↻,Female M14x1.5 Swivel, L=195mm
20	Suspension Arm - Front	⇩⇧		QSJ1018S	Ø 12mm Cone
21	Ball Joint & Housing - Front	⇩⇧		QSJ839AS	Ø 12.5mm Cone
21¹	Ball Joint - Front	⇩⇧		QSJ839S	Ø 12.5mm Cone
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2689	Outer, Ø 15mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2688	Outer, Ø 17mm

Mii

KF1

10/11-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3915S**	
1b	Tie Rod End - Outer	⇨		**QR3916S**	
2	Rack End	⇦⇨		**QR3917S**	
20a	Suspension Arm - Front	↲		**QSA2601S**	
20b	Suspension Arm - Front	↳		**QSA2602S**	
21a	Ball Joint - Front	↲		**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3269S**	Ø 15mm Cone, M12x1.5
25	Stabiliser Link - Front	⇦⇨		**QLS3299S**	

Toledo

05/91-11/95

1L2 exc.2.0 16v



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5 , Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		QR5058S	Male M14x1.5 , L=365mm
2	Rack End	⇦⇨	, 05/91-11/93	QR2603S	Male M14x1.5 ,M14x1.5 Swivel, L=355mm
2	Rack End	⇦⇨	, 11/93-11/95	-	
4a	Tie Rod Assembly	⇦		QDL2079S	M22x1.5 , Ø 12.7mm Cone


Toledo continued... 05/91-11/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4a	Tie Rod Assembly	⇦	, 05/91-11/93	**QDL2247S**	Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, 11/93-11/95	**QDL5271S**	
4b	Tie Rod Assembly	⇨		**QDL5019S**	
4b	Tie Rod Assembly	⇨	, 05/91-11/93	**QDL2248S**	Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, 11/93-11/95	**QDL5272S**	
20	Suspension Arm - Front			**QSA9650S**	Not Complete
20a	Suspension Arm - Front		exc.France	**QSA1446S**	Complete
20b	Suspension Arm - Front		exc.France	**QSA1447S**	Complete
21	Ball Joint - Front			**QSJ1141S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	05/91-03/94	**QLS3066S**	Ø 21.5mm Bar, L=94mm
25	Stabiliser Link - Front	⇦⇨	03/94-11/95	**QLS3611S**	Ø 23mm Bar, L=94mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2086**	Ø 18mm
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS2434**	Axle
38	Subframe Repair Kit - Rear	⇦⇨		**QSK230S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6038**	

Toledo

11/95-10/98

1L,1L2 exc.2.0 16v




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3201S**	Female M14x1.5 , Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR3202S**	Female M14x1.5 , Ø 12.7mm Cone, L=74mm
2	Rack End	⇦⇨		**QR2938S**	Male M14x1.5 , M14x1.5 Swivel L=325mm
4a	Tie Rod Assembly	⇦		**QDL9272S**	
4b	Tie Rod Assembly	⇨		**QDL9273S**	
20	Suspension Arm - Front			**QSA9650S**	Not Complete
20a	Suspension Arm - Front		exc.France	**QSA1446S**	Complete
20b	Suspension Arm - Front		exc.France	**QSA1447S**	Complete
21	Ball Joint - Front			**QSJ1141S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve

Toledo continued... 11/95-10/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3611S	Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨	11/95-04/97 -ch.1L-VR025500	EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	04/97-10/98 ch.1L-VR025501-	EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2086	Ø 18mm
34	Suspension Arm Bush - Rear	⇦⇨		EMS2434	Axle
38	Subframe Repair Kit - Rear	⇦⇨		QSK230S	Axle Set

Toledo 09/94-10/98

1L,1L2 2.0 16v



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	09/94-12/96	QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	12/96-10/98	QR3201S	Female M14x1.5 , Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	09/94-12/96	QR2069S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	12/96-10/98	QR3202S	Female M14x1.5 , Ø 12.7mm Cone, L=74mm
2	Rack End	⇦⇨	09/94-12/96	QR6000S	Male M14x1.5 , M14x1.5mm Swivel, L=389mm
2	Rack End	⇦⇨	12/96-10/98	-	
4a	Tie Rod Assembly	⇦	09/94-12/96	QDL2755S	Male M14x1.5 , Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	12/96-10/98	-	
4b	Tie Rod Assembly	⇨	09/94-12/96	QDL2753S	Male M14x1.5 , Ø 12.7mm Cone

continued...

Toledo continued... 09/94-10/98


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4b	Tie Rod Assembly	⇨	12/96-10/98	-	
20a	Suspension Arm - Front	↲		**QSA1702S**	Complete
20a	Suspension Arm - Front	↲		**QSA1668S**	Not Complete
20b	Suspension Arm - Front	↳		**QSA1703S**	Complete
20b	Suspension Arm - Front	↳		**QSA1667S**	Not Complete
21	Ball Joint - Front	⇊		**QSJ1269S**	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front	⇊		**EMS1997**	Front
24b	Suspension Arm Bush - Front	⇊		**EMS1850**	Rear
24c	Suspension Arm Bush - Front	⇊		**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		**QLS1627S**	L=55mm
26	Stabiliser Bar Bush - Front	⇦⇨	09/94-04/97 -ch.1L-VR025500	**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	04/97-10/98 ch.1L-VR025501-	**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2086**	Ø 18mm
34	Suspension Arm Bush - Rear	⇦⇨		**EMS2423**	Axle
38	Subframe Repair Kit - Rear	⇦⇨		**QSK231S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6038**	

Toledo 11/98-06/04

1M2



Toledo continued... 11/98-06/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3259S	Female M14x1.5 RH, Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		QR3260S	Female M14x1.5 RH, Ø 13.2mm Cone, L=95mm
2	Rack End	⇦⇨		QR5306S	Male M14x1.5 RH, M16x1.5mm Swivel, L=340mm
4a	Tie Rod Assembly	⇦		QDL3257S	
4b	Tie Rod Assembly	⇨		QDL3258S	
20	Suspension Arm - Front	⇦⇨		QSA1672S	Not Complete
20a	Suspension Arm - Front	⇦		QSA1533S	Complete
20b	Suspension Arm - Front	⇨		QSA1532S	Complete
21a	Ball Joint - Front	⇦		QSJ1604S	Ø 15mm Cone
21b	Ball Joint - Front	⇨		QSJ1603S	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS1997	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS2659	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.1M-1035001	QLS3054S	Ø 21mm Bar, L=105mm, Plastic
25¹	Stabiliser Link - Front	⇦⇨	-ch.1M-1035001	QLS3250S	Ø 23mm, L=105mm, Metal
25²	Stabiliser Link - Front	⇦⇨	ch.1M-1035001-	QLS3492S	L=107.5mm


continued...

Toledo continued... 11/98-06/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⊐⇨		-	Outer, Ø 18mm Bar, Ø 16mm Bush
26	Stabiliser Bar Bush - Front	⇦⊐⇨		-	Outer, Ø 20mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⊐⇨		**EMB7041**	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⊐⇨		**EMB7100**	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⊐⇨		**EMBK3079**	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⊐⇨		**EMBK2664**	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
34	Suspension Arm Bush - Rear	⇦⊐⇨	exc.Cupra R	**EMS8521**	Axle, 69mm Dia
34	Suspension Arm Bush - Rear	⇦⊐⇨	exc.Cupra R	**EMS4045**	Axle, 72mm Dia
38	Subframe Repair Kit - Rear	⇦⊐⇨	exc.Cupra R	**QSK233S**	Axle Set


Toledo 07/04-04/10

5P2



Toledo continued...

07/04-04/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲		**QSA2016S**	Cast Type
20a[1]	Suspension Arm - Front	↲		**QSA2018S**	Sheet Steel Type
20b	Suspension Arm - Front	↳		**QSA2017S**	Cast Type
20b[1]	Suspension Arm - Front	↳		**QSA2019S**	Sheet Steel Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	⇦⇨		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7264**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	↲		**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	↳		**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear	⇦⇨		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6091**	

Inca

6K9

11/95-06/03



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, 11/95-12/00	**QR3201S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, 12/00-06/03	**QR3394S**	Female M14x1.5, Ø 12.8mm Cone, L=94mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, 11/95-12/00	**QR3202S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, 12/00-06/03	**QR3395S**	Female M14x1.5, Ø 12.8mm Cone, L=94mm
20	Suspension Arm - Front			**QSA9650S**	Not Complete

Inca continued... 11/95-06/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		exc.France	**QSA1446S**	Complete
20b	Suspension Arm - Front		exc.France	**QSA1447S**	Complete
21	Ball Joint - Front			**QSJ1141S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front			**QLS3611S**	Ø 20mm
26	Stabiliser Bar Bush - Front			**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front			**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front			**EMBK2086**	Ø 18mm
61	Top Strut Bearing - Front			**QAM120**	
62	Top Strut Mounting - Front exc.Bearing			**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1891**	
92	Subframe Mounting - Front			**EM1886**	4 per Vehicle
65	Top Strut Mounting - Rear exc.Bearing			**EMR6038**	

Terra 10/86-10/95

028A



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR1836S**	Female M12x1.5, Ø 12mm Cone
2	Rack End			**QR2025S**	Male M12x1.5 ,Female M14x1.5 Swivel, L=195mm
20	Suspension Arm - Front			**QSJ1018S**	Ø 12mm Cone
21	Ball Joint - Front			**QSJ839S**	Ø 12.5mm Cone
21	Ball Joint & Housing - Front			**QSJ839AS**	Ø 12.5mm Cone

Citigo 10/11-






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3915S	
1b	Tie Rod End - Outer	⇨		QR3916S	
2	Rack End	⇦⇨		QR3917S	
20a	Suspension Arm - Front	↲		QSA2601S	
20b	Suspension Arm - Front	↳		QSA2602S	
21a	Ball Joint - Front	↲		QSJ3268S	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳		QSJ3269S	Ø 15mm Cone, M12x1.5
25	Stabiliser Link - Front	⇦⇨		QLS3299S	

Fabia I 12/99-12/07

6Y2



Fabia I continued... 12/99-12/07



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3276S	Female M14x1.5, Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		QR3277S	Female M14x1.5, Ø 13.3mm Cone, L=95mm
2	Rack End	⇦⇨		QR3278S	Male M14x1.5,M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	, TRW	-	
2	Rack End	⇦⇨	, SMI	QR3615S	Male M14x1.5, M16x1.5 Swivel, L=321mm
4a	Tie Rod Assembly	⇦		QDL3269S	Female M14x1.5, Cone Ø 13.3mm, L=325mm
4a	Tie Rod Assembly	⇦	, mfr.TRW, -ch.6Y.3736552	QDL5300S	
4a	Tie Rod Assembly	⇦	, mfr.TRW, ch.6Y.3736553-	QDL5296S	
4a	Tie Rod Assembly	⇦	, mfr.SMI	QDL5297S	
4b	Tie Rod Assembly	⇨		QDL3270S	Female M14x1.5, Cone Ø 13.3mm, L=325mm
4b	Tie Rod Assembly	⇨	, mfr.TRW, -ch.6Y.3736552	QDL5301S	
4b	Tie Rod Assembly	⇨	, mfr.TRW, ch.6Y.3736553-	QDL5298S	
4b	Tie Rod Assembly	⇨	, mfr.SMI	QDL5299S	
20a	Suspension Arm - Front		-ch.6Y.4999999, , exc.1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	QSA1951S	With Ball Joint, exc.Rear Bush
20a	Suspension Arm - Front		-ch.6Y.4999999, , exc.1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	QSA1950S	With Ball Joint, exc.Rear Bush
20a	Suspension Arm - Front		-ch.6Y.4999999, 1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	QSA1950S	With Ball Joint, exc.Rear Bush
20a	Suspension Arm - Front		ch.6Y.5000001-,	QSA1951S	With Ball Joint, exc.Rear Bush
20a	Suspension Arm - Front		ch.6Y.5000001-,	QSA1950S	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front		-ch.6Y.4999999, , exc.1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	QSA1950S	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front		-ch.6Y.4999999, , exc.1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	QSA1951S	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front		-ch.6Y.4999999, 1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	QSA1951S	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front		ch.6Y.5000001-,	QSA1950S	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front		ch.6Y.5000001-,	QSA1951S	With Ball Joint, exc.Rear Bush

continued...


Fabia I continued... 12/99-12/07

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21a	Ball Joint - Front		-ch.6Y.4999999, , exc.1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	**QSJ3269S**	Ø 15mm Cone, M12x1.5
21a	Ball Joint - Front		-ch.6Y.4999999, , exc.1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	**QSJ3268S**	Ø 15mm Cone, M12x1.5
21a	Ball Joint - Front		-ch.6Y.4999999, 1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	**QSJ3268S**	Ø 15mm Cone, M12x1.5
21a	Ball Joint - Front		ch.6Y.5000001-,	**QSJ3269S**	Ø 15mm Cone, M12x1.5
21a	Ball Joint - Front		ch.6Y.5000001-,	**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front		-ch.6Y.4999999, , exc.1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front		-ch.6Y.4999999, , exc.1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	**QSJ3269S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front		-ch.6Y.4999999, 1.2 54/64PS eng.BMD/BME, 1.4 75PS eng.BKY	**QSJ3269S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front		ch.6Y.5000001-,	**QSJ3269S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front		ch.6Y.5000001-,	**QSJ3268S**	Ø 15mm Cone, M12x1.5
24a	Suspension Arm Bush - Front			**EMS8209**	Front
24b	Suspension Arm Bush - Front		Std.	**EMS8210**	Rear
24b[1]	Suspension Arm Bush - Front		H.D.	**EMS8480**	Rear
24c	Suspension Arm Bush - Front			**QSJ3682S**	Control Arm Bush Console Bracket
24d	Suspension Arm Bush - Front			**QSJ3683S**	Control Arm Bush Console Bracket
25	Stabiliser Link - Front			**QLS3299S**	L=274mm
26	Stabiliser Bar Bush - Front			**EMB7254**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front			**EMB7246**	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front			**EMB7249**	Outer, Ø 21mm
61	Top Strut Bearing - Front			**QAM158**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6084**	
65	Top Strut Mounting - Rear exc.Bearing			**EMR6011**	

Fabia II

542


12/06-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3276S**	Female M14x1.5 ↻, Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3277S**	Female M14x1.5 ↻, Ø 13.3mm Cone, L=95mm
4a	Tie Rod Assembly	⇦		**QDL5296S**	
4b	Tie Rod Assembly	⇨		**QDL5298S**	
20a	Suspension Arm - Front			**-**	
20b	Suspension Arm - Front			**-**	
21a	Ball Joint - Front			**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front			**QSJ3269S**	Ø 15mm Cone, M12x1.5
25	Stabiliser Link - Front	⇦⇨		**QLS3299S**	L=274mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7254**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7246**	Outer, Ø 18mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6084**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8521**	Axle, 69mm Dia
34	Suspension Arm Bush - Rear	⇦⇨		**EMS4045**	Axle, 72mm Dia
38	Subframe Repair Kit - Rear	⇦⇨		**QSK233S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6011**	

Favorit,Favorit Foreman,Forman 10/88-09/95

135,136




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2647S	Female M12x1.0 RH, Ø 12.6mm Cone, L=80mm
2	Rack End	⇦⇨		QR5083S	Male M12x1.0 RH, L=335mm
20a	Suspension Arm - Front	↲	10/88-11/93	QSA9251S	
20a	Suspension Arm - Front	↲	12/93-09/95	QSA1555S	
20b	Suspension Arm - Front	↳	10/88-11/93	QSA9252S	
20b	Suspension Arm - Front	↳	12/93-09/95	QSA1554S	
21	Ball Joint - Front	⇦⇨		QSJ1305S	Ø 17mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8062	Front
24b	Suspension Arm Bush - Front	⇦⇨	10/88-11/93	EMS8055	Rear
24b[1]	Suspension Arm Bush - Front	⇦⇨	12/93-09/95	EMS8048	Rear
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5043	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	

Felicia

6U1

10/94-11/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2647S**	Female M12x1.0 , Ø 12.6mm Cone, L=80mm
2	Rack End	⇦⇨		**QR3316S**	Male M12x1.0 , M14 Swivel, L=357mm
2	Rack End	⇦⇨		**QR3317S**	Male M12x1.0 , M14 Swivel, L=338mm
20a	Suspension Arm - Front	⇦	10/94-07/95	**QSA1557S**	exc.Stabiliser Link Mounting Hole
20a¹	Suspension Arm - Front	⇦	07/95-11/00	**QSA1928S**	Stabiliser Link Mounting Hole
20b	Suspension Arm - Front	⇨	10/94-07/95	**QSA1556S**	exc.Stabiliser Link Mounting Hole
20b¹	Suspension Arm - Front	⇨	07/95-11/00	**QSA1929S**	Stabiliser Link Mounting Hole
21	Ball Joint - Front	⇦⇨		**QSJ1305S**	Ø 17mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8062**	Front
24b	Suspension Arm Bush - Front	⇦		**EMS8211**	Rear
24c	Suspension Arm Bush - Front	⇨		**EMS8212**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3280S**	Ø 20mm, L=80mm
61	Top Strut Bearing - Front	⇦⇨		**QAM167**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6038**	

Octavia I

1U2,1U5

10/96-12/10



Octavia I continued... 10/96-12/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-ch.1U.W061000, 10/96-11/97	QR3041S	Female M14x1.5 RH, Ø 13.3mm Cone, L=75mm
1a	Tie Rod End - Outer	⇦	ch.1U.W061001-, 11/97-	QR3259S	Female M14x1.5 RH, Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨	-ch.1U.W061000, 10/96-11/97	QR3040S	Female M14x1.5 RH, Ø 13.3mm Cone, L=75mm
1b	Tie Rod End - Outer	⇨	ch.1U.W061001-, 11/97-	QR3260S	Female M14x1.5 RH, Ø 13.2mm Cone, L=95mm
2	Rack End	⇦⇨	-ch.1U.W061000, 10/96-11/97	QR5218S	Male M14x1.5 RH, M18x1.5 Swivel, L=358mm
2	Rack End	⇦⇨	ch.1U.W061001-, 11/97-	QR5306S	Male M14x1.5 RH, M16x1.5mm Swivel, L=340mm
4a	Tie Rod Assembly	⇦	-ch.1U.W061000, 10/96-11/97	QDL3047S	
4a	Tie Rod Assembly	⇦	ch.1U.W061001-, 11/97-	QDL3257S	
4b	Tie Rod Assembly	⇨	-ch.1U.W061000, 10/96-11/97	QDL3045S	
4b	Tie Rod Assembly	⇨	ch.1U.W061001-, 11/97-	QDL3258S	
20	Suspension Arm - Front			QSA1672S	Not Complete
20a	Suspension Arm - Front			QSA1533S	Complete
20b	Suspension Arm - Front			QSA1532S	Complete
21a	Ball Joint - Front			QSJ1604S	Ø 15mm Cone
21b	Ball Joint - Front			QSJ1603S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS2659	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.10.X2100000	QLS3054S	Ø 21mm Bar, L=105mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨	ch.10.X2100000-	QLS3250S	Ø 23mm, L=105mm, Metal
25a	Stabiliser Link - Front	⇦	ch.8L-X140002-, 07/99-06/03	QLS3332S	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front	⇨	ch.8L-X140002-, 07/99-06/03	QLS3333S	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7122	Outer, Ø 19mm Bar, Ø 17mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7041	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7100	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3079	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2664	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
61	Top Strut Bearing - Front	⇦⇨		QAM120	
34a	Suspension Arm Bush - Rear	⇦⇨	4x4	EMS8424	Front,Trailing Arm
34b	Suspension Arm Bush - Rear	⇦⇨	exc.4x4	EMS8521	Axle, 69mm Dia
34b	Suspension Arm Bush - Rear	⇦⇨	exc.4x4	EMS4045	Axle, 72mm Dia
35	Stabiliser Link - Rear	⇦⇨	4x4	QLS3542S	L=196mm
38	Subframe Repair Kit - Rear	⇦⇨	exc.4x4	QSK233S	Axle Set

Octavia II

1Z2,1Z5

06/04-06/13




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm

Octavia II continued... 06/04-06/13

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		exc.Automatic Headlamp Levelling	**QSA2018S**	Sheet Steel Type
20a[1]	Suspension Arm - Front		Automatic Headlamp Levelling	**QSA2016S**	Cast Type
20b	Suspension Arm - Front		exc.Automatic Headlamp Levelling	**QSA2019S**	Sheet Steel Type
20b[1]	Suspension Arm - Front		Automatic Headlamp Levelling	**QSA2017S**	Cast Type
21a	Ball Joint - Front			**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front			**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front			**EMS8228**	Front
24b	Suspension Arm Bush - Front			**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front			**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front			**EMS8480**	Rear, Bush
25	Stabiliser Link - Front			**QLS3328S**	L=337mm
26	Stabiliser Bar Bush - Front			**EMB7264**	Outer, Ø 23mm
61	Top Strut Bearing - Front			**QAM158**	
62	Top Strut Mounting - Front exc.Bearing			**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing			**EMA5048**	
30a	Suspension Arm - Rear			**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear			**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear			**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear			**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear			**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear			**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear			**QLS3329S**	L=100mm
36	Stabiliser Bar Bush - Rear		PR-OBC	**EMB7208**	Outer
36	Stabiliser Bar Bush - Rear		PR-OBE	**EMB7207**	Outer
36	Stabiliser Bar Bush - Rear		PR-OBF	**EMB7213**	Outer

Octavia III 11/12-


5E3,5E5



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			**QR5324S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer			**QR5325S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
2	Rack End			**QR5323S**	Male M16x1.5, M16x1.5 Swivel, L=310mm
21a	Ball Joint - Front			**QSJ3295S**	
21b	Ball Joint - Front			**QSJ3296S**	
25	Stabiliser Link - Front			**QLS3328S**	L=337mm

Rapid 10/11-

NA2




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3276S**	Female M14x1.5 RH, Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3277S**	Female M14x1.5 RH, Ø 13.3mm Cone, L=95mm
2	Rack End	⇦⊐⇨		**QR3820S**	
25	Stabiliser Link - Front	⇦⊐⇨		**QLS3299S**	
26	Stabiliser Bar Bush - Front	⇦⊐⇨		**EMB7254**	Outer
34	Suspension Arm Bush - Rear	⇦⊐⇨		**EMS4045**	Axle, 72mm Dia

Roomster 06/06-

5J7



Roomster continued... 06/06-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3276S**	Female M14x1.5 RH, Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3277S**	Female M14x1.5 RH, Ø 13.3mm Cone, L=95mm
4a	Tie Rod Assembly	⇦	Mfr.TRW	**QDL5296S**	
4b	Tie Rod Assembly	⇨	Mfr.TRW	**QDL5298S**	
20a	Suspension Arm - Front	⇦		**QSA1950S**	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front	⇨		**QSA1951S**	With Ball Joint, exc.Rear Bush
21a	Ball Joint - Front	⇦		**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	⇨		**QSJ3269S**	Ø 15mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8209**	Front
24b	Suspension Arm Bush - Front	⇦⇨	Std.	**EMS8210**	Rear
24b1	Suspension Arm Bush - Front	⇦⇨	H.D.	**EMS8480**	Rear
24c	Suspension Arm Bush - Front	⇦		**QSJ3682S**	Control Arm Bush Console Bracket
24d	Suspension Arm Bush - Front	⇨		**QSJ3683S**	Control Arm Bush Console Bracket
25	Stabiliser Link - Front	⇦⇨	-ch.5J.9B600824, 5J.95032968	**QLS3299S**	L=274mm
25	Stabiliser Link - Front	⇦⇨	ch.5J.9B600825, 5J.95032969-	**-**	
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6084**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8521**	Axle, 69mm Dia
34	Suspension Arm Bush - Rear	⇦⇨		**EMS4045**	Axle, 72mm Dia
38	Subframe Repair Kit - Rear	⇦⇨		**QSK233S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6011**	

Superb I

3U4

12/01-04/08



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	-ch.3U.6A300290, 3U.69116637, -04/06	QR9973S	Male M14x1.5
1	Tie Rod End - Outer	⇦⇨	ch.3U.6A300291-, 3U.69116638-, 3U.7B299922-, 04/06-	QR3334S	Male M14x1.5, Ø 17.5mm Cone L=180mm
2	Rack End	⇦⇨		QR2954S	Female M14x1.5, M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨	-ch.3U.6A300290, 3U.69116637, -04/06	QDL3276S	Male M14x1.5
4	Tie Rod Assembly	⇦⇨	ch.3U.6A300291-, 3U.69116638-, 3U.7B299922-, 04/06-	-	Male M14x1.5
10	Suspension Repair Kit - Front (Complete)		-ch.3U.3021397	QSJ5003K	QR9973S (2x), QSJ1588S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		ch.3U.3021398-ch.3U.6A300290, 3U.69116637,-04/06	QSJ5004K	QR9973S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S


Superb I continued... 12/01-04/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
10	Suspension Repair Kit - Front (Complete)		ch.3U.6A300291-, 3U.69116638-, 3U.7B299922- 04/06-	**QSJ5006K**	QR3334S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
20	Suspension Arm - Front	⇦⇨	-ch.3U.3021397	**QSJ1588S**	Front of Wheel, Ø 20.6mm Cone L=365mm
20	Suspension Arm - Front	⇦⇨	ch.3U.3021398-	**QSJ3241S**	Front of Wheel, Ø 16mm Cone, M12x1.5
20a[1]	Suspension Arm - Front	⇦		**QSJ1584S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front	⇨		**QSJ1583S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front	⇦		**QSJ1680S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front	⇨		**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front	⇦		**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front	⇨		**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
24a	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1588S & QSJ3241S	**EMS2691**	Outer, Front of Wheel
24b	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1588S & QSJ3241S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24d	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1680S & QSJ1681S	**EMS2694**	Inner, Front of Wheel
24e	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3237S**	L=90mm
25b	Stabiliser Link - Front	⇨		**QLS3238S**	L=90mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.8T,1.9TDi,2.0i	**EMB7043**	Outer, Ø 27mm Bar, Ø 25mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	2.5TDi,2.8i	**EMB7044**	Outer, Ø 29mm Bar, Ø 27mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3087**	Ø 25mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3085**	Ø 27mm Bush
34a	Suspension Arm Bush - Rear	⇦		**EMS8405**	Axle
34b	Suspension Arm Bush - Rear	⇨		**EMS8406**	Axle
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6096**	

Superb II

3T4

05/08-




Superb II continued... 05/08-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front			**QSA2016S**	exc. Ball Joint, Cast Iron
20b	Suspension Arm - Front			**QSA2017S**	exc. Ball Joint, Cast Iron
20a[1]	Suspension Arm - Front		-07/10	**QSA2693S**	With Ball Joint, Sheet Steel
20b[1]	Suspension Arm - Front		-07/10	**QSA2694S**	With Ball Joint, Sheet Steel
20a[2]	Suspension Arm - Front		07/10-	**QSA2691S**	With Ball Joint, Sheet Steel
20b[2]	Suspension Arm - Front		07/10-	**QSA2692S**	With Ball Joint, Sheet Steel
21a	Ball Joint - Front			**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front			**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front			**EMS8228**	Front
24b	Suspension Arm Bush - Front			**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front			**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front			**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7264**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear			**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear			**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear			**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨	PR-OBC	**EMB7208**	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨	PR-OBE	**EMB7207**	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨	PR-OBG	**EMB7213**	Outer

Yeti 05/09-

5L




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲	-07/10	**QSA2693S**	With Ball Joint

Yeti continued... 05/09-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		-07/10	**QSA2694S**	With Ball Joint
20a[1]	Suspension Arm - Front		07/10-	**QSA2691S**	
20b[1]	Suspension Arm - Front		07/10-	**QSA2692S**	
21a	Ball Joint - Front			**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front			**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front			**EMS8228**	Front
24b	Suspension Arm Bush - Front			**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front			**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front			**EMS8480**	Rear, Bush
25	Stabiliser Link - Front			**QLS3328S**	L=337mm
26	Stabiliser Bar Bush - Front			**EMB7264**	Outer, Ø 23mm
61	Top Strut Bearing - Front			**QAM158**	
61	Top Strut Mounting - Front exc.Bearing			**EMR5048**	
61	Top Strut Mounting - Front inc.Bearing			**EMA5048**	
30a	Suspension Arm - Rear		05/09-24/05/09	**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear		05/09-24/05/09	**QSJ3397S**	Front, Straight Control Arm, L=298mm
30	Suspension Arm - Rear		25/05/09-	**QSJ3500S**	Front, Straight Control Arm
32	Suspension Arm - Rear			**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear			**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear			**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear			**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear			**QLS3329S**	L=100mm
93	Subframe Mounting - Rear			**-**	Front
93[1]	Subframe Mounting - Rear			**-**	Rear

Felicia Pick-Up 10/94-11/00


6U1



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2647S	Female M12x1.0 RH, Ø 12.6mm Cone, L=80mm
2	Rack End	⇦⇨		QR3316S	Male M12x1.0 RH, M14 Swivel, L=357mm
2	Rack End	⇦⇨		QR3317S	Male M12x1.0 RH, M14 Swivel, L=338mm
20a	Suspension Arm - Front		10/94-07/95	QSA1557S	exc.Stabiliser Link Mounting Hole
20a¹	Suspension Arm - Front		07/95-11/00	QSA1928S	Stabiliser Link Mounting Hole
20b	Suspension Arm - Front		10/94-07/95	QSA1556S	exc.Stabiliser Link Mounting Hole
20b¹	Suspension Arm - Front		07/95-11/00	QSA1929S	Stabiliser Link Mounting Hole
21	Ball Joint - Front			QSJ1305S	Ø 17mm Cone
24a	Suspension Arm Bush - Front			EMS8062	Front
24b	Suspension Arm Bush - Front		10/94-07-95	EMS8048	Rear
24b	Suspension Arm Bush - Front		07/95-11/00	EMS8285	Rear
25	Stabiliser Link - Front	⇦⇨		-	
61	Top Strut Bearing - Front	⇦⇨		QAM167	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	

Korando 06/97-

K



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR5243S	Female M14x1.5mm, M14x1.5mm Ball Pin, L=83mm
2	Rack End	⇦⇨		QR3732S	
21	Ball Joint - Front	⇩		QSJ1800S	M16x1.5mm Ball Pin
23	Ball Joint - Front	⇧		QSJ1799S	M16x1.5mm Ball Pin
25	Stabiliser Link - Front	⇦⇨		QLS1830S	L=172mm
35	Stabiliser Link - Rear	⇦⇨		QLS1830S	L=172mm

Korando 05/02-


GAB



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3766S	
1b	Tie Rod End - Outer	⇨		QR3767S	
23	Ball Joint - Front	⇧		QSJ1799S	M16x1.5mm Ball Pin
25a	Stabiliser Link - Front	⇦		QLS3705S	
25b	Stabiliser Link - Front	⇨		QLS3706S	

Musso 07/94-

J




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊏⇨		QR5243S	Female M14x1.5mm, M14x1.5mm Ball Pin, L=83mm
2	Rack End	⇦⊏⇨		QR3732S	
21	Ball Joint - Front	⇦⊏⇨		QSJ1800S	M16x1.5mm Ball Pin
23	Ball Joint - Front	⇦⊏⇨		QSJ1799S	M16x1.5mm Ball Pin
25	Stabiliser Link - Front	⇦⊏⇨		QLS1830S	L=172mm
35	Stabiliser Link - Rear	⇦⊏⇨		QLS1830S	L=172mm

Forester

S10SF


10/97-05/02



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3371S**	Female M14x1.5 ,M12x1.25 Swivel, L=139mm
2	Rack End	⇦⇨		**QR3489S**	Male M14x1.5 , M14x1.5 Swivel, L=305mm
21	Ball Joint - Front			**QSJ9324S**	Ø 16mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS3367S**	L=66mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5021**	
65a	Top Strut Mounting - Rear exc.Bearing	⇦		**EMR6055**	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		**EMR6054**	

Forester 06/02-05/08

S11SG



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR3371S	Female M14x1.5 ,M12x1.25 Swivel, L=139mm
2	Rack End	⇦⊐⇨		QR3489S	Male M14x1.5 , M14x1.5 Swivel, L=305mm
21	Ball Joint - Front	⇦⇨		QSJ9324S	Ø 16mm Cone
25	Stabiliser Link - Front	⇦⊐⇨		QLS3639S	L=60mm
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨		EMA5021	
35	Stabiliser Link - Rear	⇦⊐⇨		QLS3613S	L=70mm
65a	Top Strut Mounting - Rear exc.Bearing	⇦		EMR6055	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		EMR6054	

Forester 06/08-03/14

S12SH




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⊐⇨		QR3847S	Male M14x1.5 ,M16x1.5 Swivel, L=318mm

Impreza

GC3,GC4,GC5,GC6,GC8,GF8

04/93-09/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3371S**	Female M14x1.5 ,M12x1.25 Swivel, L=139mm
1a	Tie Rod End - Outer	⇦		**QR9543S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨		**QR9544S**	Female M14x1.5
2	Rack End	⇦⇨		**QR3489S**	Male M14x1.5 , M14x1.5 Swivel, L=305mm
20a	Suspension Arm - Front		exc.Turbo	**QSA1952S**	
20a	Suspension Arm - Front		Turbo	**QSA1954S**	
20b	Suspension Arm - Front		exc.Turbo	**QSA1953S**	
20b	Suspension Arm - Front		Turbo	**QSA1955S**	
21	Ball Joint - Front			**QSJ9324S**	Ø 16mm Cone
24b	Suspension Arm Bush - Front		01/94-09/00 exc.Turbo	**EMS8421**	Rear
24c	Suspension Arm Bush - Front		01/94-09/00 exc.Turbo	**EMS8422**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3367S**	L=66mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5021**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3366S**	L=100mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6053**	

Impreza

G11GD ⛽4,⛽5,WRX


10/00-08/07



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2a	Rack End	⇦		**QR3604S**	Male M14x1.5 ↻, M14x1.5 Swivel, L=318mm
2b	Rack End	⇨		**QR3605S**	Male M14x1.5 ↻, M14x1.5 Swivel, L=321mm
20a	Suspension Arm - Front	⇦	exc.Turbo,WRX	**-**	
20a	Suspension Arm - Front	⇦	Turbo,WRX	**QSA2328S**	
20b	Suspension Arm - Front	⇨	exc.Turbo,WRX	**-**	
20b	Suspension Arm - Front	⇨	Turbo,WRX	**QSA2329S**	
21	Ball Joint - Front	⇦⇨		**QSJ9324S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇦		**EMS8421**	Rear
24b	Suspension Arm Bush - Front	⇨		**EMS8422**	Rear
25	Stabiliser Link - Front	⇦⇨	Saloon	**-**	
25	Stabiliser Link - Front	⇦⇨	Estate	**QLS3367S**	L=66mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5021**	
65a	Top Strut Mounting - Rear exc.Bearing	⇦		**EMR6055**	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		**EMR6054**	

Impreza
G12GH,GR

09/07-10/12



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3371S	Female M14x1.5 ,M12x1.25 Swivel, L=139mm
2	Rack End	⇦⇨		QR3847S	Male M14x1.5 ,M16x1.5 Swivel, L=318mm
21	Ball Joint - Front			QSJ9324S	Ø 16mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3639S	L=60mm

Justy
HSJ56,HSN56

07/95-11/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2904S	Female M12x1.25 , Ø 12.5mm Cone, L=70mm

Justy

HY51,HY81

12/03-08/07



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2904S	Female M12x1.25 , Ø 12.5mm Cone, L=70mm
2	Rack End	⇦⇨		-	
2	Rack End	⇦⇨		QR3493S	Male M12x1.25 , M17x1.0 Swivel, L=302mm
20a	Suspension Arm - Front			QSA1921S	
20b	Suspension Arm - Front			QSA1920S	
24a	Suspension Arm Bush - Front			EMS8087	Front
24b	Suspension Arm Bush - Front			EMS8068	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3275S	L=76mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6058	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6075	

Justy
AL276


09/07-08/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		**QR3774S**	Male M12x1.25 ↻, L=257mm, M14x1.5 Swivel
25a	Stabiliser Link - Front	⇦		**QLS3709S**	L=49mm
25b	Stabiliser Link - Front	⇨		**QLS3710S**	L=49mm

Legacy
B10BC,B10BF,B10BJ 4x4

05/89-12/93




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9543S**	Female M14x1.5 ↻
1b	Tie Rod End - Outer	⇨		**QR9544S**	Female M14x1.5 ↻
2	Rack End	⇦⇨		**QR3489S**	Male M14x1.5 ↻, M14x1.5 Swivel, L=305mm
21	Ball Joint - Front	⇦⇨		**QSJ9324S**	Ø 16mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS3367S**	L=66mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5021**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	01/92-12/93	**EMR6053**	

Legacy

B11BD,B11BG 4x4

01/94-09/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3371S**	Female M14x1.5 ↻,M12x1.25 Swivel, L=139mm
2	Rack End	⇦⇨		**QR3489S**	Male M14x1.5 ↻, M14x1.5 Swivel, L=305mm
21	Ball Joint - Front	⇦⇨		**QSJ9324S**	Ø 16mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS3367S**	L=66mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5021**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3366S**	L=100mm
65a	Top Strut Mounting - Rear exc.Bearing	⇦		**EMR6055**	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		**EMR6054**	

Legacy

10/98-08/03

B12BE5A,B12BE5C,B12BE9A 4x4




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3371S	Female M14x1.5 ,M12x1.25 Swivel, L=139mm
2	Rack End	⇦⇨		QR3489S	Male M14x1.5 , M14x1.5 Swivel, L=305mm
21	Ball Joint - Front			QSJ9324S	Ø 16mm Cone
26	Stabiliser Bar Bush - Front	⇦⇨	10/98-08/03 exc.Active Susp.	-	Outer
26	Stabiliser Bar Bush - Front	⇦⇨	10/98-08/03 Active Susp	-	Outer
35	Stabiliser Link - Rear	⇦⇨		QLS3800S	

Alto 01/86-10/93
SB308



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2084S	Male M12x1.25 , Ø 12.7mm Cone
2	Rack End	⇦⇨		QR2085S	Male M12x1.25 ,Female M14x1.5 Swivel, L=225mm
20	Suspension Arm - Front			QSJ2100S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS8038	Inner
24b	Suspension Arm Bush - Front			EMS8286	Outer, 2 required

Alto 11/93-03/02
SH410



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2084S	Male M12x1.25 , Ø 12.7mm Cone
20	Suspension Arm - Front			QSJ2100S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS8038	Inner
24b	Suspension Arm Bush - Front			EMS8286	Outer, 2 required

Alto 03/02-
RF410



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3780S	

Alto 01/09-12/15
GF



Alto continued... 01/09-12/15



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3436S	
2	Rack End	⇦⇨		QR3825S	
25	Stabiliser Link - Front	⇦⇨		QLS3749S	
20a	Suspension Arm - Front	↲		QSA2721S	
20b	Suspension Arm - Front	↳		QSA2722S	

Baleno 03/95-04/99

SY413,SY416,SY419



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2904S	Female M12x1.25, Ø 12.5mm Cone, L=70mm
2	Rack End	⇦⇨		QR3608S	Male M12x1.25, M14x1.5 Swivel, L=320mm
20a	Suspension Arm - Front	↲		QSA1956S	
20b	Suspension Arm - Front	↳		QSA1957S	

Cappucino 01/94-12/96


SX306



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2904S	Female M12x1.25, Ø 12.5mm Cone, L=70mm

Grand Vitara — 08/98-04/05


TD32W, TD51W 2.0 TD, 2.5i V6



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	3 exc.Soft Top, 5	QR3490S	Female M14x1.5, Ø 12.5mm Cone, L=175mm
1b	Tie Rod End - Outer	⇨	3 exc.Soft Top, 5	QR3491S	Female M14x1.5, Ø 12.5mm Cone, L=175mm
2	Rack End	⇦⇨		QR3492S	Male M14x1.5, M16x1.0 Swivel, L=245mm
20a	Suspension Arm - Front			QSA2398S	
20b	Suspension Arm - Front			QSA2399S	
25	Stabiliser Link - Front	⇦⇨	3 exc.Soft Top, 5	QLS3493S	L=90mm
25	Stabiliser Link - Front	⇦⇨	3 Soft Top	QLS3494S	

Grand Vitara — 05/05-04/15

JA,JB,SQ



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3643S	Female M14x1.5, Ø 12.5mm Cone, L=176mm
1b	Tie Rod End - Outer	⇨		QR3644S	Female M14x1.5, Ø 12.5mm Cone, L=176mm

Grand Vitara continued... 05/05-04/15

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3645S	Male M14x1.5, M16x1.0 Swivel, L=227mm
20a	Suspension Arm - Front			QSA2587S	
20b	Suspension Arm - Front			QSA2588S	
25	Stabiliser Link - Front	⇦⇨		QLS3594S	L=89mm

Ignis 07/00-09/03

RG413



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2904S	Female M12x1.25, Ø 12.5mm Cone, L=70mm
2	Rack End	⇦⇨		QR3810S	

Ignis 10/03-


RM413,RM415



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3623S	Male M12x1.25, M14x1.5 Swivel, L=260mm

Jimny 11/98-

SJB,SN413,SN415 1.3i,1.5D 4WD



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3606S	Male M16x1.5, Ø 12.6mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		QR3607S	Male M16x1.5, Ø 12.6mm Cone, L=85mm
25	Stabiliser Link - Front	⇦⇨		QLS3565S	L=94mm

Liana 10/01-08/07


RH413,RH416



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR2904S	Female M12x1.25 RH, Ø 12.5mm Cone, L=70mm
2	Rack End	⇦⊐⇨		QR3786S	Male M12x1.25 RH, M14x1.5 Swivel, L=324mm

Splash 04/08-09/15


TSMEF,TSMEX



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR3436S	Female M12x1.25 RH Ø 12.8mm Cone, L=71mm
2	Rack End	⇦⊐⇨		QR3437S	Male M12x1.25 RH, L=324mm, M18 x 1.5 Swivel
25	Stabiliser Link - Front	⇦⊐⇨		QLS3426S	L=300mm

Swift 03/89-10/96

SF310,SF413,SF416 Built in Japan




Swift continued... 03/89-10/96



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2904S	Female M12x1.25 RH, Ø 12.5mm Cone, L=70mm
2	Rack End	⇦⇨		QR9311S	Male M12x1.25 RH
20a	Suspension Arm - Front	↲		QSA1921S	
20b	Suspension Arm - Front	↳		QSA1920S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8087	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8068	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3275S	L=76mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6058	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6075	

Swift 11/96-12/03

SF3102,SF4132 Built in Hungary



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2904S	Female M12x1.25 RH, Ø 12.5mm Cone, L=70mm
2	Rack End	⇦⇨		-	
2	Rack End	⇦⇨		QR3493S	Male M12x1.25 RH, M17x1.0 Swivel, L=302mm
20a	Suspension Arm - Front	↲		QSA1921S	
20b	Suspension Arm - Front	↳		QSA1920S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8087	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8068	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3275S	L=76mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6058	

continued...


Swift continued... 11/96-12/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6075	

Swift 02/05-12/11

SG413,SG415






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3436S	Female M12x1.25 Ø 12.8mm Cone, L=71mm
2	Rack End	⇦⇨		QR3437S	Male M12x1.25, L=324mm, M18 x 1.5 Swivel
20a	Suspension Arm - Front			QSA2228S	
20b	Suspension Arm - Front			QSA2229S	
21	Ball Joint - Front			QSJ3328S	Ø 16mm Groove
24a	Suspension Arm Bush - Front			EMS8362	Front
24b	Suspension Arm Bush - Front			EMS8363	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3426S	L=300mm

Swift 10/10-


FZ,NZ



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4013S	
1b	Tie Rod End - Outer	⇨		QR4014S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8440	Front
25	Stabiliser Link - Front	⇦⇨		QLS3650S	

SX4 10/05-09/15


RW415,RW416,RW419



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3711S	Female M14x1.5 6, Ø 13.0mm Cone, L=84mm
2a	Rack End	⇦		QR3741S	
2b	Rack End	⇨		QR3742S	
20a	Suspension Arm - Front	⇦		QSA2439S	
20b	Suspension Arm - Front	⇨		QSA2440S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8440	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8441	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3650S	L=270mm

Vitara — 08/88-08/03

SE416,SE419,SF416,SV419D,SV420,SV620



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨	1.6i	QR9312S	Male M16x1.5 RH, Ø 12.7mm Cone
1	Side Rod End - Outer	⇦⇨	2.0i	QR5317S	Male M16x1.5 RH
2	Side Rod End - Inner	⇦⇨		QR9313S	Male M16x1.5 LH, Ø 12.7mm Cone
21	Ball Joint - Front	⇩⇩	1.6i	QSJ9316S	Ø 18mm Cone
21a	Ball Joint - Front	⇩	2.0i	-	
21b	Ball Joint - Front	⇩	2.0i	-	
24	Suspension Arm Bush - Front	⇩⇩		-	64x41x14mm
24	Suspension Arm Bush - Front	⇩⇩		EMS8161	64x45x12mm
25	Stabiliser Link - Front	⇦⇨		QLS3493S	L=90mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6060	

Wagon R — 05/98-01/00


SR410 1.0



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2904S	Female M12x1.25 RH, Ø 12.5mm Cone, L=70mm
2	Rack End	⇦⇨		QR3810S	
20	Suspension Arm - Front	⇩⇩		QSJ3239S	Ø 15mm Cone, L=290mm

Wagon R
RB413 1.3


02/00-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3320S**	Female M12x1.25 , Ø 12.5mm Cone, L=74mm
2	Rack End	⇦⇨		**QR3623S**	Male M12x1.25 , M14x1.5 Swivel, L=260mm
20	Suspension Arm - Front		-ch.140196	**QSJ3239S**	Ø 15mm Cone, L=290mm
20	Suspension Arm - Front		ch.140197-	**QSJ3240S**	Ø 15mm Cone, L=295mm
24a	Suspension Arm Bush - Front			**EMS8271**	Inner
24b	Suspension Arm Bush - Front			**EMS8272**	Outer, x2

X-90
SZ416

11/95-10/97




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9312S**	Male M16x1.5 , Ø 12.7mm Cone
21	Ball Joint - Front			**QSJ9316S**	Ø 18mm Cone
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6060**	

Carry


FD

02/99-09/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3612S**	Female M12x1.25, 12.5mm Cone, L=176mm
1b	Tie Rod End - Outer	⇨		**QR3613S**	Female M12x1.25, 12.5mm Cone, L=176mm
2	Rack End	⇦⇨		**QR3855S**	Male M12x1.25, Female M14x1.5 Swivel, L=237mm
20a	Suspension Arm - Front	↲		**QSJ3558S**	
20b	Suspension Arm - Front	↳		**QSJ3559S**	
21	Ball Joint - Front	↲↳		**QSJ3560S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3565S**	L=94mm


Express 11/81-03/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2064S**	Female M16x1.5 RH, Ø 14.5mm Cone, L=79.5mm
2	Rack End	⇦⇨		**QR2118S**	Male M16x1.5 RH,M16x1.5 Swivel, L=295mm
4	Tie Rod Assembly	⇦⇨		**QDL2152S**	
20a	Suspension Arm - Front		exc.1800kg, -ch.0244300, 11/81-09/85	**QSJ1280S**	
20a	Suspension Arm - Front		exc.1800kg, ch.0244301-, 09/85-03/94	**QSJ1282S**	
20a	Suspension Arm - Front		1800kg, 11/81-03/94	**QSJ1284S**	
20b	Suspension Arm - Front		exc.1800kg, -ch.0244300, 11/81-09/85	**QSJ1279S**	
20b	Suspension Arm - Front		exc.1800kg, ch.0244301-, 09/85-03/94	**QSJ1281S**	
20b	Suspension Arm - Front		1800kg, 11/81-03/94	**QSJ1283S**	
21	Ball Joint - Front		-ch.0244300, 11/81-09/85	**QSJ985S**	Ø 16mm Cone, Ø M14x1.5
21	Ball Joint - Front		ch.0244301-, 10/85-03/94	**QSJ1033S**	Ø M16x1.5, Ø 17.1mm Cone

FX4 — 05/85-12/92


Taxi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR2385S	Male M18x1.5 LH, Ø 15.7mm Cone
1b	Side Rod End - Outer	⇨		QR2386S	Male M18x1.5 RH, Ø 15.7mm Cone
2a	Side Rod End - Inner	⇦		QR2386S	Male M18x1.5 RH, Ø 15.7mm Cone
2b	Side Rod End - Inner	⇨		QR2385S	Male M18x1.5 LH, Ø 15.7mm Cone
5a	Centre Rod End	⇦		QR2385S	Male M18x1.5 LH, Ø 15.7mm Cone
5b	Centre Rod End	⇨		QR2386S	Male M18x1.5 RH, Ø 15.7mm Cone

Fairway,Fairway Driver — 06/89-12/98

Taxi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR2385S	Male M18x1.5 LH, Ø 15.7mm Cone
1b	Side Rod End - Outer	⇨		QR2386S	Male M18x1.5 RH, Ø 15.7mm Cone
2a	Side Rod End - Inner	⇦		QR2386S	Male M18x1.5 RH, Ø 15.7mm Cone
2b	Side Rod End - Inner	⇨		QR2385S	Male M18x1.5 LH, Ø 15.7mm Cone
5a	Centre Rod End	⇦		QR2385S	Male M18x1.5 LH, Ø 15.7mm Cone
5b	Centre Rod End	⇨		QR2386S	Male M18x1.5 RH, Ø 15.7mm Cone
21	Ball Joint - Front			QSJ1898S	Ø 47.7mm, Ø 20mm Cone, M18x1.5 RH
23	Ball Joint - Front		Push Fit	QSJ1897S	Ø 37.9mm, Ø 14.8mm Cone, M12x2 RH
23¹	Ball Joint - Front		Screw Fit	QSJ2096S	Male M40x1.5 RH, Ø 15.9mm Cone, M14x1.5
24	Suspension Arm Bush - Front			EMS1958	x2

TX1
Taxi

03/99-09/02





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21a	Ball Joint - Front			**QSJ2098S**	Ø 20mm Cone, M18x1.5
21b	Ball Joint - Front			**QSJ2097S**	Ø 20mm Cone, M18x1.5
23	Ball Joint - Front		Screw Fit	**QSJ2096S**	Male M40x1.5, Ø 15.9mm Cone, M14x1.5

4-Runner
KZN130,VZN130

01/90-11/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2597S	Male M17x1.5 ↺, Ø 14.8mm Cone
2	Side Rod End - Inner	⇦⇨		QR9185S	Male M17x1.5 ↻, Ø 14.8mm Cone
21	Ball Joint - Front	⇩⇩		QSJ1912S	Ø 20mm Cone
23	Ball Joint - Front	⇧⇧		QSJ9189S	Ø 17.1mm Cone

4-Runner
RZN180,VZN180


11/95-06/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		-	
1b	Side Rod End - Outer	⇨		QR2597S	Male M17x1.5 ↺, Ø 14.8mm Cone

Auris
E15

01/07-06/13



Auris continued... 01/07-06/13



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3657S	Female M15x1.5 ↻, Ø 13.6mm Cone, L=186mm
1b	Tie Rod End - Outer	⇨		QR3658S	Female M15x1.5 ↻, Ø 13.6mm Cone, L=186mm
20a	Suspension Arm - Front	↲	exc.ADE57 Model, 2.2 D4D 180PS	QSA2471S	
20b	Suspension Arm - Front	↳	exc.ADE57 Model, 2.2 D4D 180PS	QSA2472S	
21	Ball Joint - Front	⇩⇩		QSJ3457S	Ø 17.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8427	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8428	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3610S	L=360mm
35	Stabiliser Link - Rear	⇦⇨		QLS3727S	

Auris 10/12-


E18



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3657S	
1b	Tie Rod End - Outer	⇨		QR3658S	
20a	Suspension Arm - Front	↲		QSA2471S	
20b	Suspension Arm - Front	↳		QSA2472S	
21	Ball Joint - Front	⇩⇩		QSJ3457S	Ø 17.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8427	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8428	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3610S	L=360mm
35	Stabiliser Link - Rear	⇦⇨		QLS3727S	

Avensis 10/97-02/03

AT220,AZT220,AT221,CDT220,CDT221,CT220,ST220,ZZT220,ZZT221




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9546S	Female M14x1.5
1b	Tie Rod End - Outer	⇨		QR9547S	Female M14x1.5
2	Rack End	⇦⇨		QR3378S	Male M14x1.5, M16x1.5 Swivel, L=237mm
20a	Suspension Arm - Front		MAN	QSA1958S	
20a	Suspension Arm - Front		AUTO	QSA1960S	
20b	Suspension Arm - Front		MAN	QSA1959S	
20b	Suspension Arm - Front		AUTO	QSA1961S	
21	Ball Joint - Front			QSJ1520S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS8385	Front
24b	Suspension Arm Bush - Front			EMS8160	Rear
25	Stabiliser Link - Front	⇦⇨	Lower LH & RH (Fits To Wishbone)	QLS3794S	Lower LH & RH (Fits To Wishbone), L=151mm
25a	Stabiliser Link - Front	⇦		QLS1846S	L=71mm
25b	Stabiliser Link - Front	⇨		QLS1847S	L=72mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7135	Outer
62	Top Strut Mounting - Front inc.Bearing	⇦⇨	10/97-09/00	EMA6078	
35	Stabiliser Link - Rear	⇦⇨		QLS3320S	L=142mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7098	Outer
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	10/97-09/00	EMR6033	

Avensis continued... 10/97-02/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	09/00-02/03	-	

Avensis 03/03-02/09


AZT250,AZT251,CDT250,ZZT250,ZZT251



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.1.6i,1.8i	QR3494S	Female M16x1.5 RH, Ø 12.5mm Cone, L=148mm
1	Tie Rod End - Outer	⇦⇨	1.6i,1.8i	QR3495S	Female M15x1.5 RH, Ø 12.5mm Cone, L=84mm
2	Rack End	⇦⇨	exc.1.6i,1.8i	QR3809S	
2	Rack End	⇦⇨	1.6i,1.8i	QR3695S	
20a	Suspension Arm - Front	⇦		QSA2298S	
20b	Suspension Arm - Front	⇨		QSA2299S	
21	Ball Joint - Front	⇦⇨		QSJ3371S	Ø 14.8mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8469	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8470	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3384S	L=285mm
35a	Stabiliser Link - Rear	⇦		QLS3407S	L=100mm
35b	Stabiliser Link - Rear	⇨		QLS3408S	L=100mm

Avensis 02/09-

T27




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3947S	
1b	Tie Rod End - Outer	⇨		QR3948S	
2	Rack End	⇦⇨		QR3949S	
20a	Suspension Arm - Front	↲		QSA2621S	
20b	Suspension Arm - Front	↳		QSA2622S	
21	Ball Joint - Front	⇦⇨		QSJ3653S	
25	Stabiliser Link - Front	⇦⇨		QLS3830S	
35	Stabiliser Link - Rear	⇦⇨		QLS3727S	

Avensis Verso 05/01-

ACM20, CLM20




Avensis Verso continued... 05/01-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3701S	Female M16x1.5 , Ø 16.7mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨		QR3702S	Female M16x1.5 , Ø 16.7mm Cone, L=90mm
2	Rack End	⇦⇨		QR3705S	Male M16x1.5 , L=307mm, M14x1.5 Swivel
20a	Suspension Arm - Front			QSA2499S	
20b	Suspension Arm - Front			QSA2500S	
21	Ball Joint - Front			QSJ3671S	
25	Stabiliser Link - Front	⇦⇨		QLS3496S	L=280mm

Aygo 05/05-04/15

KGB,WNB



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3573S	Female M12x1.25 , 12.6mm Cone, L=163mm
1b	Tie Rod End - Outer	⇨		QR3574S	Female M12x1.25 , 12.6mm Cone, L=163mm
2	Rack End	⇦⇨		QR3575S	
20a	Suspension Arm - Front			QSA2360S	
20b	Suspension Arm - Front			QSA2361S	
21	Ball Joint - Front			QSJ3270S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			EMS8371	Front
24b	Suspension Arm Bush - Front			EMS8372	Rear

continued...

Aygo continued... 05/05-04/15

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⊐⇨		QLS3543S	L=92mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB7277	Outer

Aygo 05/14-


PAB,KGB



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3573S	Female M12x1.25 RH, 12.6mm Cone, L=163mm
1b	Tie Rod End - Outer	⇨		QR3574S	Female M12x1.25 RH, 12.6mm Cone, L=163mm
21	Ball Joint - Front	⇦⇨		QSJ3270S	Ø 16.5mm Cone
25	Stabiliser Link - Front	⇦⊐⇨		QLS3543S	L=92mm

Camry 11/86-05/91

CV20,SV20,SV21,SV25,VZV21




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR2324S	Female M14x1.5 RH, Ø 12.5mm Cone
21	Ball Joint - Front	⇦⇨		QSJ1138S	Ø 16mm Cone
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨		EMA5010	
35	Stabiliser Link - Rear	⇦⊐⇨	ABS	QLS1848S	L=105mm
35	Stabiliser Link - Rear	⇦⊐⇨	exc.ABS	QLS1842S	L=104mm, Cone M10x1.25

Camry

SXV10-VCV10

06/91-07/96




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9548S**	Female M15x1.5
2	Rack End	⇦⇨		**QR9549S**	Male M15x1.5 , L=350mm
21	Ball Joint - Front			**QSJ9187S**	Ø 18.2mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS1843S**	L=60mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7135**	Outer
61	Top Strut Bearing - Front	⇦⇨	01/95-07/96	**QAM148**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	06/91-01/95	**EMR6063**	
35	Stabiliser Link - Rear	⇦⇨		**QLS1848S**	L=105mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	06/91-07/96	**EMR6039**	

Camry

MCV20,SXV20


08/96-07/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9548S**	Female M15x1.5
2	Rack End	⇦⇨		**QR9549S**	Male M15x1.5 , L=350mm
20a	Suspension Arm - Front	↲		**QSA2300S**	
20b	Suspension Arm - Front	↳		**QSA2301S**	
25a	Stabiliser Link - Front	⇦		**QLS3370S**	L=285mm
25b	Stabiliser Link - Front	⇨		**QLS3372S**	L=285mm
61	Top Strut Bearing - Front	⇦⇨		**QAM148**	
62a	Top Strut Mounting - Front exc.Bearing	⇦		**EMR6062**	
62b	Top Strut Mounting - Front exc.Bearing	⇨		**EMR6061**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3410S**	L=192mm

Camry
ACV30,31,MCV30

08/01-10/06



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3496S	Female M15x1.5 RH, Ø 12.5mm Cone, L=190mm
1b	Tie Rod End - Outer	⇨		QR3497S	Female M15x1.5 RH, Ø 12.5mm Cone, L=190mm
2	Tie Rod End - Inner	⇦⇨		QR3624S	Male M15x1.5 RH, L=254mm, M14x1.5 Swivel
20a	Suspension Arm - Front			QSA2314S	
20b	Suspension Arm - Front			QSA2315S	
21a	Ball Joint - Front			QSJ3372S	Ø 17.5mm Cone
21b	Ball Joint - Front			QSJ3373S	Ø 17.5mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3383S	L=260mm
35	Stabiliser Link - Rear	⇦⇨		QLS3409S	L=236mm

Camry
XV4


01/06-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3795S	

Carina II — 12/87-03/92


AT171,CT171,ST171



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2585S	Female M15x1.5 , Ø 12.7mm Cone
1b	Tie Rod End - Outer	⇨		QR2586S	Female M15x1.5 , Ø 12.7mm Cone
2	Rack End	⇦⇨		QR2587S	Male M15x1.5
35	Stabiliser Link - Rear	⇦⇨		QLS1848S	L=105mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6033	

Carina E — 02/92-12/96

AT190,AT191,CT190,ST191 Made in Japan




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.2.0 GTi	QR2933S	Female M15x1.5 , Ø 12.7mm Cone
1a	Tie Rod End - Outer	⇦	2.0 GTi	-	

Carina E continued... 02/92-12/96

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1b	Tie Rod End - Outer	⇨	exc.2.0 GTi	**QR9164S**	Female M15x1.5, Ø 12.7mm Cone
1b	Tie Rod End - Outer	⇨	2.0 GTi	**-**	
2	Rack End	⇦⇨	exc.2.0 GTi	**QR9163S**	Male M15x1.5, M14x1.5mm Swivel, L=256mm
20a	Suspension Arm - Front	↲	Exposed Rear Bush Housing	**QSA1962S**	
20a	Suspension Arm - Front	↲	Enclosed Rear Bush Housing	**QSA2010S**	
20b	Suspension Arm - Front	↳	Exposed Rear Bush Housing	**QSA1963S**	
20b	Suspension Arm - Front	↳	Enclosed Rear Bush Housing	**QSA2011S**	
21	Ball Joint - Front	⇃⇂		**QSJ1520S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇃⇂		**EMS8307**	Front
24b	Suspension Arm Bush - Front	⇃⇂		**EMS8160**	Rear
25a	Stabiliser Link - Front	⇦		**QLS1846S**	L=71mm
25b	Stabiliser Link - Front	⇨		**QLS1847S**	L=72mm
35	Stabiliser Link - Rear	⇦⇨		**QLS1842S**	L=104mm, Cone M10x1.25
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	02/92-05/93	**EMR6033**	

Carina E 12/92-09/97

AT190,AT191,CT190,ST191 Made in UK



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.Mfr.ZF, 12/92-10/95	**QR2933S**	Female M15x1.5, Ø 12.7mm Cone
1a	Tie Rod End - Outer	⇦	Mfr.ZF, 05/95-09/97	**QR9546S**	Female M14x1.5
1b	Tie Rod End - Outer	⇨	exc.Mfr.ZF, 12/92-10/95	**QR9164S**	Female M15x1.5, Ø 12.7mm Cone
1b	Tie Rod End - Outer	⇨	Mfr.ZF, 05/95-09/97	**QR9547S**	Female M14x1.5
2	Rack End	⇦⇨	exc.Mfr.ZF, 12/92-10/95	**QR9163S**	Male M15x1.5, M14x1.5mm Swivel, L=256mm
2	Rack End	⇦⇨	Mfr.ZF, 05/95-09/97	**QR3378S**	Male M14x1.5, M16x1.5 Swivel, L=237mm
20a	Suspension Arm - Front	↲		**QSA1962S**	

continued...

Carina E continued... 12/92-09/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front			**QSA1963S**	
21	Ball Joint - Front			**QSJ1520S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front			**EMS8307**	Front
24b	Suspension Arm Bush - Front			**EMS8160**	Rear
25a	Stabiliser Link - Front	⇦		**QLS1846S**	L=71mm
25b	Stabiliser Link - Front	⇨		**QLS1847S**	L=72mm
35	Stabiliser Link - Rear	⇦⇨		**QLS1842S**	L=104mm, Cone M10x1.25
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	12/92-05/93	**EMR6033**	

Celica 10/87-10/91

ST165 GT4








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2324S**	Female M14x1.5 LH, Ø 12.5mm Cone
2	Rack End	⇦⇨		**QR2583S**	Male M14x1.5 LH, L=340mm
25	Stabiliser Link - Front	⇦⇨		**QLS1841S**	L=70mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5011**	
35	Stabiliser Link - Rear	⇦⇨		**QLS1842S**	L=104mm, Cone M10x1.25

Celica 09/89-10/93

AT180,ST182,ST184 GT




Celica continued... 09/89-10/93



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2324S	Female M14x1.5 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR5279S	Male M14x1.5 RH, M14x1.5mm Swivel, L=357mm
21	Ball Joint - Front			QSJ1807S	M14x1.5mm Ball Pin
25	Stabiliser Link - Front	⇦⇨		QLS1841S	L=70mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5011	
35	Stabiliser Link - Rear	⇦⇨		QLS1842S	L=104mm, Cone M10x1.25

Celica 09/89-10/93

ST185 GT4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2324S	Female M14x1.5 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR5279S	Male M14x1.5 RH, M14x1.5mm Swivel, L=357mm
21	Ball Joint - Front			QSJ1807S	M14x1.5mm Ball Pin


continued...

Celica continued... 09/89-10/93

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⊐⇨		QLS3540S	L=57mm
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨		EMA5011	
35	Stabiliser Link - Rear	⇦⊐⇨		QLS1842S	L=104mm, Cone M10x1.25

Celica 11/93-08/99


AT200,ST202,ST204 GT,ST



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR2324S	Female M14x1.5 , Ø 12.5mm Cone
2	Rack End	⇦⊐⇨		QR3750S	
21	Ball Joint - Front			QSJ1520S	Ø 15mm Cone
25	Stabiliser Link - Front	⇦⊐⇨		QLS1843S	L=60mm
61	Top Strut Bearing - Front	⇦⊐⇨	01/95-08/99	QAM148	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		EMR6036	
35	Stabiliser Link - Rear	⇦⊐⇨		QLS1842S	L=104mm, Cone M10x1.25

Celica 02/94-08/97

ST205 GT4



Celica continued... 02/94-08/97






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR3750S	
21	Ball Joint - Front			QSJ1520S	Ø 15mm Cone
61	Top Strut Bearing - Front	⇦⇨	01/95-08/97	QAM148	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6036	
35	Stabiliser Link - Rear	⇦⇨		QLS1842S	L=104mm, Cone M10x1.25

Celica 09/99-09/05

ZZT230,ZZT231 1.8 VVTi








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3498S	Female M14x1.5 , Ø 14.9mm Cone, L=130mm
1b	Tie Rod End - Outer	⇨		QR3499S	Female M14x1.5 , Ø 14.9mm Cone, L=130mm
2	Rack End	⇦⇨		QR3500S	Male M14x1.5 , M14x1.5 Swivel, L=287mm
20a	Suspension Arm - Front			QSA2302S	
20b	Suspension Arm - Front			QSA2303S	
21	Ball Joint - Front			QSJ1809S	Ø 15.3mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3498S	L=285mm
35	Stabiliser Link - Rear	⇦⇨		QLS3497S	L=110mm

Corolla

AE92,AE95,CE90,EE90

05/87-05/92




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2324S	Female M14x1.5 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR5091S	Male M14x1.5 RH, L=340mm
2	Rack End	⇦⇨		QR2327S	Male M14x1.5 RH, L=330mm
21a	Ball Joint - Front			QSJ1134S	Ø 15.6mm Cone
21b	Ball Joint - Front			QSJ1135S	Ø 15.6mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS1841S	L=70mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.GTi	EMA5020	
35	Stabiliser Link - Rear	⇦⇨		QLS1842S	L=104mm, Cone M10x1.25
65a	Top Strut Mounting - Rear exc.Bearing	⇦	exc.GTi	EMR6044	
65b	Top Strut Mounting - Rear exc.Bearing	⇨	exc.GTi	EMR6045	

Corolla

05/92-04/97


AE101,AE102,CE100,EE100,EE101



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2324S**	Female M14x1.5 , Ø 12.5mm Cone
2	Rack End	⇦⇨		**QR2843S**	Male M14x1.5 , L=350mm
2	Rack End	⇦⇨		**QR2842S**	Male M14x1.5
20a	Suspension Arm - Front		05/92-05/95	**QSA1964S**	
20a	Suspension Arm - Front		05/95-04/97	**QSA1966S**	
20b	Suspension Arm - Front		05/92-05/95	**QSA1965S**	
20b	Suspension Arm - Front		05/95-04/97	**QSA1967S**	
21	Ball Joint - Front			**QSJ1520S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front		05/92-05/95	**-**	Front
24a	Suspension Arm Bush - Front		05/95-04/97	**EMS8380**	Front
24b	Suspension Arm Bush - Front		05/92-05/95	**EMS8181**	Rear
24c	Suspension Arm Bush - Front		05/92-05/95	**EMS8180**	Rear
24d	Suspension Arm Bush - Front		05/95-04/97	**EMS8381**	Rear
25	Stabiliser Link - Front	⇦⇨	05/92-12/93	**QLS3540S**	L=57mm
25	Stabiliser Link - Front	⇦⇨	01/94-04/97	**QLS1843S**	L=60mm
35	Stabiliser Link - Rear	⇦⇨		**QLS1842S**	L=104mm, Cone M10x1.25
65a	Top Strut Mounting - Rear exc.Bearing	⇦		**EMR6044**	
65b	Top Strut Mounting - Rear exc.Bearing	⇨		**EMR6045**	

Corolla 05/97-10/01

AE110,AE111,CDE110,CE110,EE111,WZE110,ZZE111,ZZE112




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2324S	Female M14x1.5 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR2842S	Male M14x1.5 RH
20a	Suspension Arm - Front	⇦		QSA1966S	
20b	Suspension Arm - Front	⇨		QSA1967S	
21	Ball Joint - Front	⇦⇨		QSJ1809S	Ø 18mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS1843S	L=60mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5020	
35	Stabiliser Link - Rear	⇦⇨		QLS3368S	L=103mm
65a	Top Strut Mounting - Rear exc.Bearing	⇦	exc.Rough Road, G6	EMR6044	
65a	Top Strut Mounting - Rear exc.Bearing	⇦	Rough Road, G6	-	
65b	Top Strut Mounting - Rear exc.Bearing	⇨	exc.Rough Road, G6	EMR6045	
65b	Top Strut Mounting - Rear exc.Bearing	⇨	Rough Road, G6	-	

Corolla 11/01-

CDE120,ZZE120,ZZE121,ZZE123



Corolla continued... 11/01-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3502S	Female M14x1.5 RH, Ø 12.6mm Cone, L=163mm
1b	Tie Rod End - Outer	⇨		QR3503S	Female M14x1.5 RH, Ø 12.6mm Cone, L=163mm
2	Rack End	⇦⇨		QR3501S	Male M14x1.5 RH, M14x1.5 Swivel, L=290mm
20a	Suspension Arm - Front	↲		QSA2304S	
20b	Suspension Arm - Front	↳		QSA2305S	
21	Ball Joint - Front	⇦⇨		QSJ3444S	Ø 15.0mm Cone, 56mm Pcd
24a	Suspension Arm Bush - Front	⇦⇨		EMS8415	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8416	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3498S	L=285mm

Corolla Verso 09/01-02/04

CDE120,ZZE121,ZZE122





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3502S	Female M14x1.5 RH, Ø 12.6mm Cone, L=163mm
1b	Tie Rod End - Outer	⇨		QR3503S	Female M14x1.5 RH, Ø 12.6mm Cone, L=163mm
2	Rack End	⇦⇨		QR3501S	Male M14x1.5 RH, M14x1.5 Swivel, L=290mm
20a	Suspension Arm - Front	↲		QSA2304S	
20b	Suspension Arm - Front	↳		QSA2305S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8415	Front


continued...

Corolla Verso continued... 09/01-02/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			**EMS8416**	Rear
21	Ball Joint - Front			**QSJ3444S**	Ø 15.0mm Cone, 56mm Pcd
25	Stabiliser Link - Front			**QLS3384S**	L=285mm

Corolla Verso 03/04-


AUR10,CUR10,ZNR10,ZNR11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR3789S**	Female M16x1.5, Ø 12.6mm Cone, L=148mm
20a	Suspension Arm - Front			**QSA2515S**	
20b	Suspension Arm - Front			**QSA2516S**	

iQ 01/09-

AJ1



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			**QR3819S**	
21	Ball Joint - Front			**QSJ3270S**	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			**-**	Front
24b	Suspension Arm Bush - Front			**EMS8507**	Rear
25	Stabiliser Link - Front			**QLS3748S**	

Landcruiser 01/90-01/95

LJ70 SWB



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR9176S	Male M23x1.5 , Ø 14.7mm Cone
1b	Side Rod End - Outer	⇨		-	
5a	Relay Rod End	⇦		-	
5b	Relay Rod End	⇨		QR9178S	Male M21x1.5 , Ø 14.7mm Cone

Landcruiser 05/93-03/96

KZJ70 SWB



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		-	
1a	Side Rod End - Outer	⇦		QR9176S	Male M23x1.5 , Ø 14.7mm Cone
1b	Side Rod End - Outer	⇨		QR9176S	Male M23x1.5 , Ø 14.7mm Cone
1b	Side Rod End - Outer	⇨		-	

Landcruiser 01/90-12/97

HDJ80,FZJ80 LWB




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR9176S	Male M23x1.5 , Ø 14.7mm Cone
1b	Side Rod End - Outer	⇨		QR9176S	Male M23x1.5 , Ø 14.7mm Cone
5a	Relay Rod End	⇦		QR9178S	Male M21x1.5 , Ø 14.7mm Cone
5a	Relay Rod End	⇦		QR9178S	Male M21x1.5 , Ø 14.7mm Cone
5b	Relay Rod End	⇨		QR9179S	Male M21x1.5 , Ø 14.7mm Cone
5b	Relay Rod End	⇨		QD2816S	Male M21x1.5

Landcruiser

08/96-08/02

KZJ9.., VZJ9.. Colorado




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3509S**	Male M20x1.5 ↻,Ø 14.5mm Cone , L=200mm
1b	Tie Rod End - Outer	⇨		**QR3510S**	Male M20x1.5 ↻,Ø 14.5mm Cone , L=200mm
2	Rack End	⇦⇨		**QR3511S**	Female M20x1.5 ↻, M18x1.5 Swivel, L=145mm
20a	Suspension Arm - Front	↲		**QSA2578S**	
20b	Suspension Arm - Front	↳		**QSA2577S**	
21a	Ball Joint - Front	↲		**QSJ3378S**	Ø 17.5mm Cone
21b	Ball Joint - Front	↳		**QSJ3379S**	Ø 17.5mm Cone
23	Ball Joint - Front	⇦⇧		**QSJ3377S**	Ø 16.1mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS3723S**	L=192mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3320S**	L=142mm

Landcruiser

01/98-

HDJ100,UZJ100 Amazon



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3506S**	Female M20x1.5 RH, Ø 18.3mm Cone, L=175mm
1b	Tie Rod End - Outer	⇨		**QR3507S**	Female M20x1.5 RH, Ø 18.3mm Cone, L=175mm
2	Rack End	⇦⇨		**QR3508S**	Male M20x1.5 RH, M18x1.5 Swivel, L=214mm
20a	Suspension Arm - Front			**QSA2310S**	
20b	Suspension Arm - Front			**QSA2311S**	
22a	Suspension Arm - Front			**QSA2308S**	
22b	Suspension Arm - Front			**QSA2309S**	
21	Ball Joint - Front			**QSJ3615S**	
23	Ball Joint - Front			**QSJ3616S**	
25a	Stabiliser Link - Front	⇦		**QLS3666S**	
25b	Stabiliser Link - Front	⇨		**QLS3667S**	

Landcruiser 09/02-

KDJ,GRJ,ZVJ 120,300,Prado











KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3609S	Female M15x1.5 RH, Ø 15.2mm Cone, L=141mm
2	Rack End	⇦⇨		QR3646S	Male M15x1.5 RH, M22x1.5 Swivel, L=277mm
20a	Suspension Arm - Front	⇦		QSA2509S	
20b	Suspension Arm - Front	⇨		QSA2510S	
22a	Suspension Arm - Front	⇦		QSA2507S	
22b	Suspension Arm - Front	⇨		QSA2508S	
25a	Stabiliser Link - Front	⇦		QLS3583S	L=140mm
25b	Stabiliser Link - Front	⇨		QLS3584S	L=140mm
35	Stabiliser Link - Rear	⇦⇨		QLS3582S	L=175mm

Landcruiser
VDJ200,UZJ200


01/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4075S	
1b	Tie Rod End - Outer	⇨		QR4076S	
23	Ball Joint - Front	⇦⇨		QSJ3616S	

MR2
SW20,SW21


11/89-09/99



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3512S	Female M14x1.5 LH, Ø 12.4mm Cone, L=150mm
1b	Tie Rod End - Outer	⇨		QR3513S	Female M14x1.5 LH, Ø 12.4mm Cone, L=150mm
2	Rack End	⇦⇨		QR3514S	Male M14x1.5 LH, M12x1.25 Swivel, L=303mm
21	Ball Joint - Front	⇦⇨		QSJ952S	Ø 14.5mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3690S	
35	Stabiliser Link - Rear	⇦⇨		QLS3691S	

MR2 — 10/99-09/05


ZZW30



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR9165S	Female M12x1.25 ↻, Ø 12.7mm Cone
2	Rack End	⇦⊐⇨		QR3587S	Male M12x1.25 ↻, M14x1.5 Swivel, L=360mm
25	Stabiliser Link - Front	⇦⊐⇨		QLS3501S	L=106mm
35	Stabiliser Link - Rear	⇦⊐⇨		QLS3692S	

Paseo — 03/96-12/99


EL54



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨	03/96-02/98	QR9165S	Female M12x1.25 ↻, Ø 12.7mm Cone
2	Rack End	⇦⊐⇨		QR9161S	Male M12x1.25 ↻, M12x1.5mm Swivel, L=287mm
21a	Ball Joint - Front	↲		QSJ9166S	Ø 13.5mm Cone
21b	Ball Joint - Front	↳		QSJ9167S	Ø 13.5mm Cone
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨		EMA5012	
65	Top Strut Mounting - Rear exc.Bearing	⇦⊐⇨		EMR6034	

Picnic
SXM,CXM10


08/96-04/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2933S**	Female M15x1.5 RH, Ø 12.7mm Cone
1b	Tie Rod End - Outer	⇨		**QR9164S**	Female M15x1.5 RH, Ø 12.7mm Cone
2	Rack End	⇦⇨		**QR9163S**	Male M15x1.5 RH, M14x1.5mm Swivel, L=256mm
21	Ball Joint - Front			**QSJ1520S**	Ø 15mm Cone
20a	Suspension Arm - Front			**QSA2312S**	
20b	Suspension Arm - Front			**QSA2313S**	

Previa
TCR10,TCR11,TCR20,TCR21


05/90-01/00



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5257S**	Female M14x1.5mm, M12x1.25mm Ball Pin, L=207mm
1b	Tie Rod End - Outer	⇨		**QR5256S**	Female M14x1.5mm, M12x1.25mm Ball Pin, L=207mm
2	Rack End	⇦⇨		**QR3518S**	Male M14x1.5 RH, M14x1.5 Swivel, L=231mm
21	Ball Joint - Front			**QSJ1808S**	Ø 18.2mm Cone
25a	Stabiliser Link - Front	⇦		**QLS3502S**	L=255mm
25b	Stabiliser Link - Front	⇨		**QLS3503S**	L=255mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5010**	

Previa 02/00-09/05

ACR30,CLR30



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3515S	Female M16x1.5 , Ø 12.4mm Cone, L=193mm
1b	Tie Rod End - Outer	⇨		QR3516S	Female M16x1.5 , Ø 12.4mm Cone, L=193mm
2	Rack End	⇦⇨		QR3517S	Male M14x1.5 , M15x1.5 Swivel, L=250mm
20a	Suspension Arm - Front	⇦		QSA2314S	
20b	Suspension Arm - Front	⇨		QSA2315S	
21a	Ball Joint - Front	⇦		QSJ3372S	Ø 17.5mm Cone
21b	Ball Joint - Front	⇨		QSJ3373S	Ø 17.5mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3383S	L=260mm

Prius 05/00-07/03


NHW11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3502S	Female M14x1.5 , Ø 12.6mm Cone, L=163mm
1b	Tie Rod End - Outer	⇨		QR3503S	Female M14x1.5 , Ø 12.6mm Cone, L=163mm
21	Ball Joint - Front	⇩		QSJ1809S	Ø 18mm Cone
25	Stabiliser Link - Front	⇦⇨		QLS3384S	L=285mm

Prius 08/03-03/09


NHW20,NHW30



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3739S	
1b	Tie Rod End - Outer	⇨		QR3740S	
2	Rack End	⇦⇨		QR3738S	
21	Ball Joint - Front	⇩		QSJ3514S	
25	Stabiliser Link - Front	⇦⇨		QLS3384S	L=285mm

Prius 04/09-

ZVW30,ZVW35




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR4079S	
1b	Tie Rod End - Outer	⇨		QR4080S	
2	Rack End	⇦⇨		QR3738S	
25	Stabiliser Link - Front	⇦⇨		QLS3610S	

RAV 4

SXA10,SXA11

04/94-04/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2324S	Female M14x1.5 RH, Ø 12.5mm Cone
2	Rack End	⇦⇨		QR2842S	Male M14x1.5 RH
20a	Suspension Arm - Front	↲	3	QSA1968S	
20a	Suspension Arm - Front	↲	5	QSA1970S	
20b	Suspension Arm - Front	↳	3	QSA1969S	
20b	Suspension Arm - Front	↳	5	QSA1971S	
21	Ball Joint - Front	⇩⇩		-	
25	Stabiliser Link - Front	⇦⇨	3	QLS1843S	L=60mm
25	Stabiliser Link - Front	⇦⇨	5	QLS3321S	L=64mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5013	

RAV 4

05/00-10/05

ACA20,ACA21,CLA20,CLA21,ZCA20,ZCA21



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3405S**	Female M16x1.5 RH, Ø 12.7mm Cone, L=158mm
1b	Tie Rod End - Outer	⇨		**QR3406S**	Female M16x1.5 RH, Ø 12.7mm Cone, L=158mm
2	Rack End	⇦⇨	05/00-03	**QR3407S**	Male M15x1.5 RH, M14x1.5 Swivel, L=240mm
2	Rack End	⇦⇨	2003-10/05	**QR3408S**	Male M15x1.5 RH L=298mm
20a	Suspension Arm - Front	↲		**QSA2103S**	Not Complete
20b	Suspension Arm - Front	↳		**QSA2104S**	Not Complete
21	Ball Joint - Front	⇩⇩		**QSJ1809S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8277**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS8278**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3396S**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5013**	
35a	Stabiliser Link - Rear	⇦		**QLS3397S**	L=100mm
35b	Stabiliser Link - Rear	⇨		**QLS3398S**	L=100mm

RAV 4 — 11/05-

ACA30,ALA30







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3678S	
1b	Tie Rod End - Outer	⇨		QR3679S	
2	Rack End	⇦⇨		QR3886S	L=243mm
20a	Suspension Arm - Front	↲		QSA2513S	
20b	Suspension Arm - Front	↳		QSA2514S	
21	Ball Joint - Front	⇩⇩		QSJ3473S	
25	Stabiliser Link - Front	⇦⇨		QLS3648S	L=360mm
35	Stabiliser Link - Rear	⇦⇨		QLS3630S	L=136mm

Starlet — 12/89-12/95

EP80,EP81,NP80








Starlet continued... 12/89-12/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9165S	Female M12x1.25 RH, Ø 12.7mm Cone
2	Rack End	⇦⇨		QR9161S	Male M12x1.25 RH, M12x1.5mm Swivel, L=287mm
21a	Ball Joint - Front	↲		QSJ9166S	Ø 13.5mm Cone
21b	Ball Joint - Front	↳		QSJ9167S	Ø 13.5mm Cone
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5012	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	12/89-05/94	-	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	05/94-12/95	EMR6034	

Starlet 01/96-07/99


EP91



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9165S	Female M12x1.25 RH, Ø 12.7mm Cone
2	Rack End	⇦⇨		QR9161S	Male M12x1.25 RH, M12x1.5mm Swivel, L=287mm
2	Rack End	⇦⇨		-	
21a	Ball Joint - Front	↲		QSJ9166S	Ø 13.5mm Cone
21b	Ball Joint - Front	↳		QSJ9167S	Ø 13.5mm Cone
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5012	

Supra 05/93-07/97

JZA80 3.0 Twin Turbo




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35b	Stabiliser Link - Rear	⇨		QLS3694S	

Yaris I

01/99-10/05

NCP10,SCP10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5289S**	Female M12x1.25mm, M12x1.25mm Ball Pin, L=170mm
1b	Tie Rod End - Outer	⇨		**QR5290S**	Female M12x1.25mm, M12x1.25mm Ball Pin, L=170mm
2	Rack End	⇦⇨		**QR3279S**	Male M12x1.25, M14x1.5 Swivel, L=240mm
2	Rack End	⇦⇨		**QR3280S**	Male M12x1.25, M14x1.5 Swivel, L=257mm
20a	Suspension Arm - Front		01/99-01/03	**QSA1972S**	
20b	Suspension Arm - Front		01/99-01/03	**QSA1973S**	
21	Ball Joint - Front			**QSJ3270S**	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8043**	Front Ø 12.0mm I.D.
24b	Suspension Arm Bush - Front			**EMS8044**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3437S**	L=97mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7267**	Outer

Yaris II

09/05-

KSP90,NCP90,SCP90,SCP93



Yaris II continued... 09/05-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3655S	Female M14x1.25 RH, Ø 12.6mm Cone, L=173mm
1b	Tie Rod End - Outer	⇨		QR3656S	Female M14x1.25 RH, Ø 12.6mm Cone, L=173mm
2	Rack End	⇦⇨		QR3710S	
20a	Suspension Arm - Front	↲		QSA2437S	
20b	Suspension Arm - Front	↳		QSA2438S	
21	Ball Joint - Front	⇦⇨		QSJ3270S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8431	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8432	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3609S	L=360mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7272	Outer

Yaris III 12/10-

KSP130,NCP130,SCP130





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc. 16'' Wheels	QR3655S	Female M14x1.25 RH, Ø 12.6mm Cone, L=173mm
1b	Tie Rod End - Outer	⇨	exc. 16'' Wheels	QR3656S	Female M14x1.25 RH, Ø 12.6mm Cone, L=173mm
20a	Suspension Arm - Front	↲		QSA2437S	
20b	Suspension Arm - Front	↳		QSA2438S	
21	Ball Joint - Front	⇦⇨		QSJ3270S	


continued...

Yaris III continued... 12/10-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front	⇩⇩		EMS8431	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8432	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3609S	
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7272	Outer

Yaris Verso 08/99-09/05


NCP20



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5289S	Female M12x1.25mm, M12x1.25mm Ball Pin, L=170mm
1b	Tie Rod End - Outer	⇨		QR5290S	Female M12x1.25mm, M12x1.25mm Ball Pin, L=170mm
25	Stabiliser Link - Front	⇦⇨		QLS3437S	L=97mm

Hiace 08/89-07/95


LH102,LH112,RZH112,RZH113



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9368S	Female M17x1.5 RH, Ø 15mm Cone
2	Rack End	⇦⇨		QR9171S	Male M17x1.5 RH
21	Ball Joint - Front	⇩		QSJ1240S	Ø 17.8mm Cone
23	Ball Joint - Front	⇧		QSJ9181S	Ø 17.2mm Cone

Hiace 08/95-07/01

LXH12,LXH22,RCH12,RCH22



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3504S	Female M15x1.5 RH, Ø 14.6mm Cone, L=125mm
2	Rack End	⇦⇨		QR3505S	Male M15x1.5 RH, M14x1.5 Swivel, L=290mm
21	Ball Joint - Front	⇩		QSJ1240S	Ø 17.8mm Cone
20a	Suspension Arm - Front	↲		QSJ3374S	L=256mm
20b	Suspension Arm - Front	↳		QSJ3375S	L=256mm
22a	Suspension Arm - Front	↰		QSA2306S	
22b	Suspension Arm - Front	↱		QSA2307S	
25a	Stabiliser Link - Front	⇦		QLS3431S	L=75mm
25b	Stabiliser Link - Front	⇨		QLS3432S	L=75mm

Hilux 08/88-07/97

LN85,LN90,LN110,YN85,YN90 2x4, Independent Suspension



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2597S	Male M17x1.5 LH, Ø 14.8mm Cone
2	Side Rod End - Inner	⇦⇨		QR2598S	Male M17x1.5 RH, Ø 14.5mm Cone, L=185mm
21	Ball Joint - Front	⇩⇩		QSJ9188S	Ø 18.2mm Cone
23	Ball Joint - Front	⇧⇧		QSJ9189S	Ø 17.1mm Cone

Hilux 08/97-07/05


KDN145,KDN150,LN145,LN150,LN170,LN172 2x4, Independent Suspension



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2597S	Male M17x1.5 LH, Ø 14.8mm Cone
2	Side Rod End - Inner	⇦⇨		QR2598S	Male M17x1.5 RH, Ø 14.5mm Cone, L=185mm
23	Ball Joint - Front	⇧⇧		QSJ3376S	

Hilux 08/05-

KUN15 2x4, Independent Suspension



Hilux continued... 08/05-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3854S	Female M15 x 1.5, Ø 13.5mm Cone, L=85mm
2	Rack End	⇦⇨		QR3853S	Male M15x1.5 RH, M14x1.5 Swivel, L=310mm
21	Ball Joint - Front	⇩		QSJ3567S	
23	Ball Joint - Front	⇧		QSJ3568S	
25	Stabiliser Link - Front	⇦⇨		QLS3779S	L=171mm

Hilux 08/88-07/97

LN105,LN108,LN110,RN106,RN110,YN106,YN110 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a¹	Side Rod End - Outer	⇦	01/90-07/97, Independent Susp.	QR5255S	Male M21x1.5 RH
1b¹	Side Rod End - Outer	⇨	01/90-07/97, Independent Susp.	QR5254S	Male M21x1.5 LH

Hilux 08/97-07/05


LN165,LN170,LN172,KDN170,KDN190,RZN168,RZN173 4x4, Independent Suspension



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2597S	Male M17x1.5 LH, Ø 14.8mm Cone
2	Side Rod End - Inner	⇦⇨		QR9185S	Male M17x1.5 RH, Ø 14.8mm Cone
21	Ball Joint - Front	⇩		QSJ1912S	Ø 20mm Cone
23	Ball Joint - Front	⇧		QSJ9189S	Ø 17.1mm Cone

Hilux 08/05-


KUN25,KUN26 4x4, Independent Suspension



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3837S	
2	Rack End	⇦⇨		QR3853S	Male M15x1.5, M14x1.5 Swivel, L=310mm
21	Ball Joint - Front			QSJ3567S	
23	Ball Joint - Front			QSJ3568S	
25a	Stabiliser Link - Front	⇦		QLS3756S	
25b	Stabiliser Link - Front	⇨		QLS3757S	


Liteace 10/85-01/95

CM35,CM36,CR27,KM30,KM31,KM36,KR21,YR22,YR29 Van



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨	, 08/88-01/95	-	
21	Ball Joint - Front			QSJ1243S	Ø 16.8mm Cone
23	Ball Joint - Front			QSJ967S	Ø 15.5mm Cone


Adam 10/12-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3556S	Female M14x1.5 , Ø 12mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		QR3557S	Female M14x1.5 , Ø 12mm Cone, L=113mm
2	Rack End	⇦⇨		QR4016S	
20a	Suspension Arm - Front	↲		QSA2326S	
20b	Suspension Arm - Front	↳		QSA2327S	
21	Ball Joint - Front	⇩⇩		QSJ3393S	
25	Stabiliser Link - Front	⇦⇨		QLS3934S	
24a	Suspension Arm Bush - Front	⇩⇩		EMS8348	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8349	Rear

Agila 03/00-04/08


HAF68



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	-ch.1G.075421	QR3320S	Female M12x1.25 , Ø 12.5mm Cone, L=74mm
1	Tie Rod End - Outer	⇦⇨	ch.1G.075422-	QR3321S	Female M12x1.25 , Ø 13.0mm Cone, L=70mm
2	Rack End	⇦⇨		QR3623S	Male M12x1.25 , M14x1.5 Swivel, L=260mm
20	Suspension Arm - Front	⇩⇩	-ch.1G.075421	QSJ3239S	Ø 15mm Cone, L=290mm
20	Suspension Arm - Front	⇩⇩	ch.1G.075422-	QSJ3240S	Ø 15mm Cone, L=295mm
24a	Suspension Arm Bush - Front	⇩⇩		EMS8271	Inner
24b	Suspension Arm Bush - Front	⇩⇩		EMS8272	Outer, x2


Agila 05/08-

FXB22S,FXB32S,FXB52S



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR3436S	Female M12x1.25 Ø 12.8mm Cone, L=71mm
2	Rack End	⇦⊐⇨		QR3437S	Male M12x1.25, L=324mm, M18 x 1.5 Swivel
25	Stabiliser Link - Front	⇦⊐⇨		QLS3426S	L=300mm

Ampera 11/11-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR3681S	
2	Rack End	⇦⊐⇨		QR3866S	
25	Stabiliser Link - Front	⇦⊐⇨		QLS3634S	

Antara


L07

08/06-03/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3665S**	Female M14x1.5 RH, Ø 12.3mm Cone, L=75mm
2	Rack End	⇦⇨		**QR3828S**	
20a	Suspension Arm - Front	↲		**QSA2494S**	
20b	Suspension Arm - Front	↳		**QSA2495S**	
21	Ball Joint - Front	⇦⇨		**QSJ3463S**	Ø 15.1mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8450**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8451**	Rear
24c	Suspension Arm Bush - Front	↳		**EMS8452**	Rear
25a	Stabiliser Link - Front	⇦	-ch.80999999	**QLS3617S**	L=286mm
25a	Stabiliser Link - Front	⇦	ch.9B000001-	**-**	
25b	Stabiliser Link - Front	⇨	-ch.80999999	**QLS3618S**	L=286mm
25b	Stabiliser Link - Front	⇨	ch.9B000001-	**-**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3726S**	

Astra II 09/84-08/91




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR1829S	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
1b	Tie Rod End - Outer	⇨		QR1828S	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
2a	Rack End	⇦		QR2770S	Female M16x1.5 , L=430mm
2b	Rack End	⇨		QR2769S	Female M16x1.5 , L=430mm
3	Tie Rod Connector	⇦⇨		QR2773S	Male M16x1.5, L=98mm
20a	Suspension Arm - Front		exc.Diesel	QSA1470S	
20b	Suspension Arm - Front		exc.Diesel	QSA1469S	
21	Ball Joint - Front			QSJ877S	Ø 13.5mm Cone
24a	Suspension Arm Bush - Front			EMS2634	Front
24b	Suspension Arm Bush - Front		exc.Diesel	EMS1987	Rear
24b	Suspension Arm Bush - Front		Diesel	-	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1699S	Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB1983	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨		EMBK2085	Ø 18mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.2,1.3,1.4,1.6 mtr.16SV,E16NZ,C16LZ, C16NZ	EMA1564	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.5TD,1.6 mtr.16S,1.6D,1.7D,TD,1.8,2.0	EMA1565	
34	Suspension Arm Bush - Rear	⇨⇦		EMS1869	Inner, Trailing Arm

Astra III

exc.GSi,GT,Sport,SRi

09/91-02/98



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2383S**	Female M16x2.0 RH, Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		**QR2384S**	Female M16x2.0 LH, Ø 13mm Cone, L=66mm
2a	Rack End	⇦		**QR2335S**	Female M16x2.0 LH
2b	Rack End	⇨		**QR2334S**	Female M16x2.0 RH
3	Tie Rod Connector	⇦⇨		**QR2774S**	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		**QDL2771S**	
4b	Tie Rod Assembly	⇨		**QDL2772S**	
20a	Suspension Arm - Front	⇦		**QSA1427S**	
20b	Suspension Arm - Front	⇨		**QSA1426S**	
21	Ball Joint - Front	⇦⇨		**QSJ874S**	Ø 16mm Thick, Ø 13.4mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	-ch.P2603822, P8146889	**EMS1864**	Front
24a	Suspension Arm Bush - Front	⇦⇨	ch.P2603823-R2587415/R5111734, P8146890-R8145949	**EMS8126**	Front
24a	Suspension Arm Bush - Front	⇦⇨	ch.R2587416-,R5111735-,R8145950-	**EMS8118**	Front
24b	Suspension Arm Bush - Front	⇦⇨	-ch.P2603822, P8146889	**EMS1865**	Rear
24b	Suspension Arm Bush - Front	⇦⇨	ch.P2603823,P8146890-	**EMS1960**	Rear
24c	Suspension Arm Bush - Front	⇦⇨		**EMS1961**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226,R2588488	**QLS1956S**	Ø 18mm
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226,R2588488	**QLS1957S**	Ø 22mm
25	Stabiliser Link - Front	⇦⇨	ch.R2595227,R2588489-	**QLS3198S**	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2644**	Outer, Ø 18mm


continued...

Astra III continued... 09/91-02/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2643	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM134	Ø 14.6x92.8x12.13mm with Shield
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1892	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1892	
34	Suspension Arm Bush - Rear			EMS3085	Axle

Astra III 09/91-02/98

GSi,GT,Sport,SRi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2383S	Female M16x2.0 , Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		QR2384S	Female M16x2.0 , Ø 13mm Cone, L=66mm
2a	Rack End	⇦		QR2335S	Female M16x2.0
2b	Rack End	⇨		QR2334S	Female M16x2.0
3	Tie Rod Connector	⇦⇨		QR2774S	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		QDL2771S	
4b	Tie Rod Assembly	⇨		QDL2772S	
20a	Suspension Arm - Front			QSA1427S	
20b	Suspension Arm - Front			QSA1426S	
21	Ball Joint - Front			QSJ874S	Ø 16mm Thick, Ø 13.4mm Cone
24a	Suspension Arm Bush - Front		-ch.P2603822,P8146889	EMS1864	Front


Astra III continued... 09/91-02/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front		ch.P2603823-R2587415/R5111734, P8146890-R8145949	**EMS8126**	Front
24a	Suspension Arm Bush - Front		ch.R2587416-,R5111735-,R8145950-	**EMS8118**	Front
24b	Suspension Arm Bush - Front		-ch.P2603822,P8146889	**EMS1865**	Rear
24b	Suspension Arm Bush - Front		ch.P2603823-, P8146890-	**EMS1960**	Rear
24c	Suspension Arm Bush - Front			**EMS1961**	Rear, Sleeve
25	Stabiliser Link - Front		-ch.R2595226,R2588488	**QLS1956S**	Ø 18mm
25	Stabiliser Link - Front		-ch.R2595226,R2588488	**QLS1957S**	Ø 22mm
25	Stabiliser Link - Front		ch.R2595227,R2588489-	**QLS3198S**	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front			**EMB2644**	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front			**EMB2643**	Outer, Ø 22mm
61	Top Strut Bearing - Front			**QAM134**	Ø 14.6x92.8x12.13mm with Shield
62	Top Strut Mounting - Front exc.Bearing			**EMR1892**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1892**	
34	Suspension Arm Bush - Rear			**EMS3085**	Axle

Astra IV

exc.Coupé

02/98-05/05




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3196S**	Female M14x1.5 , Ø 13.5mm Cone, L=135mm
2	Rack End	⇦⇨	Mfr.TRW, exc.OPC	**QR5318S**	Male M14x1.5 , M18x1.5mm Swivel, L=292mm
2	Rack End	⇦⇨	Mfr.Delphi, exc.OPC	**QR5215S**	Male M14x1.5 , M18x1.5 Swivel, L=302mm
2	Rack End	⇦⇨	Mfr.TRW, OPC	**-**	Male M14x1.5
4	Tie Rod Assembly	⇦⇨	Mfr.TRW, exc.OPC	**QDL3197S**	
4	Tie Rod Assembly	⇦⇨	Mfr.Delphi, exc.OPC	**QDL3194S**	
20a	Suspension Arm - Front	↲		**QSA1662S**	
20b	Suspension Arm - Front	↳		**QSA1661S**	
21	Ball Joint - Front	⇩⇩		**QSJ1518S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		**EMS2698**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS2699**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3239S**	L=300mm, Plastic
25¹	Stabiliser Link - Front	⇦⇨		**QLS3399S**	L=300mm, Metal
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.X2999999,5999999,6999999,8999999 exc.Estate,Convertible	**EMB7110**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.X2999999,5999999,6999999,8999999- exc.Estate,Convertible	**EMB7112**	Outer, Ø 20mm

Astra IV continued... 02/98-05/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨	Estate, Convertible	-	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM157	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1842	with bulge ring, H=44
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1841	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear	⇦⇨	exc.2.0 Turbo,Convertible,OPC	EMS4127	Axle
34	Suspension Arm Bush - Rear	⇦⇨	2.0 Turbo,Convertible,OPC	EMS8296	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7131	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7132	Outer, Ø 18mm

Astra IV 02/98-05/05

Coupé




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3196S	Female M14x1.5 , Ø 13.5mm Cone, L=135mm
2	Rack End	⇦⇨	Mfr.TRW	QR5318S	Male M14x1.5 , M18x1.5mm Swivel, L=292mm
2	Rack End	⇦⇨	Mfr.Delphi	QR5215S	Male M14x1.5 , M18x1.5 Swivel, L=302mm
4	Tie Rod Assembly	⇦⇨	Mfr.TRW	QDL3197S	
4	Tie Rod Assembly	⇦⇨	Mfr.Delphi	QDL3194S	
20a	Suspension Arm - Front	↲		QSA1662S	
20b	Suspension Arm - Front	↳		QSA1661S	

continued...

Astra IV continued... 02/98-05/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front	⇦⇨		**QSJ1518S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2698**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2699**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3239S**	L=300mm, Plastic
25¹	Stabiliser Link - Front	⇦⇨		**QLS3399S**	L=300mm, Metal
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.X2999999/ -5999999/ -6999999/ -8999999	**EMB7110**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.X2999999-/ 5999999-/ 6999999-/ 8999999-	**EMB7112**	Outer, Ø 20mm
61	Top Strut Bearing - Front	⇦⇨		**QAM157**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1842**	with bulge ring, H=44
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1841**	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8296**	Axle

Astra V 03/04-12/13



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	TRW, ZF	**QR3389S**	Female M14x1.5, Ø 13.5mm Cone, L=141mm
1b	Tie Rod End - Outer	⇨	TRW, ZF	**QR3390S**	Female M14x1.5, Ø 13.5mm Cone, L=141mm
2	Rack End	⇦⇨	TRW	**QR3412S**	Male M14x1.5, M18x1.5 Swivel, L=300mm
2	Rack End	⇦⇨	ZF, exc.Sport Susp.	**QR3413S**	Male M14x1.5, M16x1.5 Swivel, L=293mm
2	Rack End	⇦⇨	ZF, Sport Susp. exc.18'',19'' Wheels	**QR3566S**	Male M14x1.5, M16x1.5 Swivel, L=292mm
2	Rack End	⇦⇨	ZF, Sport Susp. 18'',19'' Wheels	-	
20a	Suspension Arm - Front	⇦		**QSA2077S**	
20b	Suspension Arm - Front	⇨		**QSA2078S**	
21	Ball Joint - Front	⇦⇨		**QSJ1518S**	Ø 18mm Cone


Astra V continued... 03/04-12/13

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS2698**	Front
24b	Suspension Arm Bush - Front			**EMS8306**	Rear
25	Stabiliser Link - Front	⇦⇨	exc.IDS	**QLS3239S**	L=300mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨	exc.IDS	**QLS3399S**	L=300mm, Metal
25[2]	Stabiliser Link - Front	⇦⇨	IDS	**QLS3400S**	L=300mm
26	Stabiliser Bar Bush - Front			**EMB7270**	Outer

Astra VI

exc GTC

09/09-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR3681S	
2	Rack End	⇦⊐⇨	, Std.Susp	QR3959S	
2	Rack End	⇦⊐⇨	, Sport Susp	QR3982S	
2	Rack End	⇦⊐⇨	EPAS, Std.Susp	QR3866S	
2	Rack End	⇦⊐⇨	EPAS, Sport Susp.	QR3867S	Male M16x1.5 , M16x1.5 Swivel, L=304mm
20a	Suspension Arm - Front		exc BiTurbo	QSA2637S	
20b	Suspension Arm - Front		exc BiTurbo	QSA2638S	
25	Stabiliser Link - Front	⇦⊐⇨	exc.Flexride Susp.	QLS3634S	
25[1]	Stabiliser Link - Front	⇦⊐⇨	Flexride Susp.	QLS3747S	


Astra VI GTC 10/11-






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3962S	
1b	Tie Rod End - Outer	⇨		QR3963S	
2	Rack End	⇦⇨		QR3960S	
2	Rack End	⇦⇨	EPAS	QR3961S	
20	Suspension Arm - Front		exc OPC,VXR	QSA2639S	
25a	Stabiliser Link - Front	⇦		QLS3833S	
25b	Stabiliser Link - Front	⇨		QLS3834S	

Belmont 01/86-08/91



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR1829S**	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
1b	Tie Rod End - Outer	⇨		**QR1828S**	Female M16x1.5 , Ø 12.9mm Cone, L=65.8mm
2a	Rack End	⇦		**QR2770S**	Female M16x1.5 , L=430mm
2b	Rack End	⇨		**QR2769S**	Female M16x1.5 , L=430mm
3	Tie Rod Connector	⇦⇨		**QR2773S**	Male M16x1.5, L=98mm
20a	Suspension Arm - Front			**QSA1470S**	
20b	Suspension Arm - Front			**QSA1469S**	
21	Ball Joint - Front			**QSJ877S**	Ø 13.5mm Cone
24a	Suspension Arm Bush - Front			**EMS2634**	Front
24b	Suspension Arm Bush - Front		exc.Diesel	**EMS1987**	Rear
24b	Suspension Arm Bush - Front		Diesel	**-**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1699S**	Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1983**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2085**	Ø 18mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.3,	**EMA1564**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.6 mtr.16S,1.6D,1.7D,1.8	**EMA1565**	
34	Suspension Arm Bush - Rear	⇨⇦		**EMS1869**	Inner, Trailing Arm

Calibra 09/90-05/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2383S	Female M16x2.0 , Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		QR2384S	Female M16x2.0 , Ø 13mm Cone, L=66mm
2a	Rack End	⇦		QR2335S	Female M16x2.0
2b	Rack End	⇨		QR2334S	Female M16x2.0
3	Tie Rod Connector	⇦⇨		QR2774S	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		QDL2771S	
4b	Tie Rod Assembly	⇨		QDL2772S	
20a	Suspension Arm - Front		exc.V6	QSA1427S	
20b	Suspension Arm - Front		exc.V6	QSA1426S	
21	Ball Joint - Front		exc.V6 -ch.T1/-T9	QSJ874S	Ø 16mm Thick, Ø 13.4mm Cone
21	Ball Joint - Front		exc.V6 ch.T1-/T9-	-	
21	Ball Joint - Front		V6	-	
24a	Suspension Arm Bush - Front		mtr.C20NE, -ch.R9003127	EMS1864	Front
24a	Suspension Arm Bush - Front		mtr.C20NE, ch.R9003128-	EMS8126	Front
24a	Suspension Arm Bush - Front		exc.mtr.C20NE	EMS8126	Front
24b	Suspension Arm Bush - Front		mtr.C20NE, -ch.R9003127	EMS1865	Rear
24b	Suspension Arm Bush - Front		mtr.C20NE, ch.R9003128-	EMS1960	Rear
24b	Suspension Arm Bush - Front		ch.R9003128-	EMS1960	Rear
24c	Suspension Arm Bush - Front			EMS1961	Rear, Sleeve

continued...

Calibra continued... 09/90-05/98


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨	-ch.R9003127	QLS1957S	Ø 22mm
25	Stabiliser Link - Front	⇦⇨	ch.R9003128-	QLS3198S	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2643	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM123	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	exc.2.5 mtr.C25XE,X25XE	EMR1923	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	2.5 mtr.C25XE,X25XE	-	
34	Suspension Arm Bush - Rear	⇦⇨		EMS8127	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7105	Outer, Ø 15.0mm
36²	Stabiliser Link Bush - Rear	⇦⇨		EMB7023	

Carlton II 09/86-05/94



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR2329S	Male M14x1.5 , Ø 13.2mm Cone
1b	Side Rod End - Outer	⇨		QR2328S	Male M14x1.5 , Ø 13.2mm Cone
2a	Side Rod End - Inner	⇦		QR2331S	Male M14x1.5 , Ø 13.2mm Cone, L=92mm
2b	Side Rod End - Inner	⇨		QR2330S	Male M14x1.5 , Ø 13.2mm Cone, L=92mm
4a	Side Rod Assembly	⇦		QDL2143S	Ø 13.2mm Cone
4b	Side Rod Assembly	⇨		QDL2142S	Ø 13.2mm Cone
20a	Suspension Arm - Front	↲	exc.Lotus	QSA7005S	
20b	Suspension Arm - Front	↳	exc.Lotus	QSA7004S	
21a	Ball Joint - Front	↲		QSJ1056S	Ø 18mm Cone
21b	Ball Joint - Front	↳		QSJ1055S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS2645	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS2647	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1607S	L=230mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2637	Outer
61	Top Strut Bearing - Front	⇦⇨		QAM152	

Cavalier III 09/88-08/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2383S	Female M16x2.0 , Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		QR2384S	Female M16x2.0 , Ø 13mm Cone, L=66mm
2a	Rack End	⇦		QR2335S	Female M16x2.0
2b	Rack End	⇨		QR2334S	Female M16x2.0
3	Tie Rod Connector	⇦⇨		QR2774S	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		QDL2771S	
4b	Tie Rod Assembly	⇨		QDL2772S	
20a	Suspension Arm - Front			QSA1427S	
20b	Suspension Arm - Front			QSA1426S	
21	Ball Joint - Front			QSJ874S	Ø 16mm Thick, Ø 13.4mm Cone
24a	Suspension Arm Bush - Front		-ch.R1049314,R5112256,R7540515	EMS1864	Front
24a	Suspension Arm Bush - Front		ch.R1049315,R5112257,R7540516-	EMS8118	Front
24b	Suspension Arm Bush - Front		-ch.R1049314,R5112256,R7540515	EMS1865	Rear
24b	Suspension Arm Bush - Front		ch.R1049315,R5112257,R7540516-	EMS1960	Rear
24c	Suspension Arm Bush - Front			EMS1961	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	-ch.R1049314,R5112256,R7540515	QLS1956S	Ø 18mm
25	Stabiliser Link - Front	⇦⇨	-ch.R1049314,R5112256,R7540515	QLS1957S	Ø 22mm
25	Stabiliser Link - Front	⇦⇨	ch.R1049315,R5112257,R7540516-	QLS3198S	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2644	Outer, Ø 18mm
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2643	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM123	


continued...

Cavalier III continued... 09/88-08/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	exc.2.5	EMR1923	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	2.5	-	
34	Suspension Arm Bush - Rear		exc.4x4	EMS3085	Axle
34	Suspension Arm Bush - Rear		4x4	EMS8127	Axle - Inner

Corsa I 04/93-05/97

-ch.V3023597, -V4166925, -V6066279




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR1841S	Female M12x1.5 , Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⊐⇨		QR2832S	Male M12x1.5 , Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⊐⇨		QR2833S	Male M12x1.5 , M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			QSJ1421S	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			QSJ1420S	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			QSJ1354S	Ø 15mm Cone
24	Suspension Arm Bush - Front			EMS1985	Inner
26	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB2635	Outer, Ø 21.5mm
26²	Stabiliser Bar Bush - Front	⇦⊐⇨		EMB1984	Tie Bar Front Bush
61	Top Strut Bearing - Front	⇦⊐⇨		QAM122	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		EMR2287	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨		EMA2287	
34	Suspension Arm Bush - Rear			EMS8298	Front
36	Stabiliser Bar Bush - Rear	⇦⊐⇨		EMB7107	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨		EMB7106	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨		EMB7131	Outer, Ø 17mm

Corsa I


05/97-08/00

ch.V3023598-, V4166926-, V6066280-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3240S**	Female M12x1.5 , Ø 10.7mm Cone, L=77mm
2	Rack End	⇦⇨	, Electric	**QR2832S**	Male M12x1.5 , Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⇨	exc.Electric	**QR2833S**	Male M12x1.5 , M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			**QSJ1658S**	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			**QSJ1657S**	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			**QSJ1664S**	Ø 15mm Cone
24	Suspension Arm Bush - Front			**EMS1985**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2635**	Outer, Ø 21.5mm
61	Top Strut Bearing - Front	⇦⇨		**QAM122**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2287**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2287**	
34	Suspension Arm Bush - Rear			**EMS8298**	Front
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7107**	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7106**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7131**	Outer, Ø 17mm

Corsa II 09/00-07/06




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1841S	Female M12x1.5 , Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨	-ch.33999999/ -34999999/ -36999999	QR3281S	Male M12x1.5,Female M14x1.5 Swivel, L=314mm
2	Rack End	⇦⇨	ch.43000001-/ 4400001-/ 4600001-	QR3838S	
20a	Suspension Arm - Front	↲	exc.Sport Susp., Bad Roads	QSA1974S	
20a	Suspension Arm - Front	↲	Sport Susp., Bad Roads -ch.14999999/-16999999	QSA1974S	
20a	Suspension Arm - Front	↲	Sport Susp., Bad Roads ch.24000001/26000001-	-	
20b	Suspension Arm - Front	↳	exc.Sport Susp., Bad Roads	QSA1975S	
20b	Suspension Arm - Front	↳	Sport Susp., Bad Roads -ch.14999999/-16999999	QSA1975S	
20b	Suspension Arm - Front	↳	Sport Susp., Bad Roads ch.24000001/26000001-	-	
21	Ball Joint - Front	⇦⇨		QSJ3271S	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	exc.Sport Susp., Bad Roads	EMS8078	Front, Bush & Bracket
24a	Suspension Arm Bush - Front	⇦⇨	Sport Susp., Bad Roads -ch.14999999/-16999999	EMS8078	Front, Bush & Bracket
24a	Suspension Arm Bush - Front	⇦⇨	Sport Susp., Bad Roads ch.24000001/26000001-	-	Front, Bush & Bracket
24a	Suspension Arm Bush - Front	⇦⇨	exc.Sport Susp., Bad Roads	EMS8492	Front, Bush only
24b	Suspension Arm Bush - Front	⇦⇨		EMS8079	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3200S	L=245mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7113	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7110	Outer, Ø 16mm
61	Top Strut Bearing - Front	⇦⇨		QAM157	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1841	exc.bulge ring, H=42

Corsa II continued... 09/00-07/06

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34	Suspension Arm Bush - Rear	⇦⇨		EMS8334	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7131	Outer, Ø 17mm

Corsa III 08/06-12/11

L08,L68




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3556S	Female M14x1.5 , Ø 12mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		QR3557S	Female M14x1.5 , Ø 12mm Cone, L=113mm
2	Rack End	⇦⇨		QR3550S	Male M14x1.5 , M14x1.5 Swivel, L=305mm
20a	Suspension Arm - Front			QSA2326S	Complete
20b	Suspension Arm - Front			QSA2327S	Complete
21	Ball Joint - Front			QSJ3393S	Ø 16mm Cone, 65mm Pcd,Ø 13mm Groove
24a	Suspension Arm Bush - Front			EMS8348	Front
24b	Suspension Arm Bush - Front			EMS8349	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.94999999,96999999	QLS3527S	L=301mm
62	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5052	

Corsa IV 08/14-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3556S	Female M14x1.5 , Ø 12mm Cone, L=113mm
1b	Tie Rod End - Outer	⇨		QR3557S	Female M14x1.5 , Ø 12mm Cone, L=113mm
20a	Suspension Arm - Front			QSA2326S	
20b	Suspension Arm - Front			QSA2327S	
21	Ball Joint - Front			QSJ3393S	
24a	Suspension Arm Bush - Front			EMS8348	Front
24b	Suspension Arm Bush - Front			EMS8349	Rear

Frontera I 08/91-08/98




Frontera I continued... 08/91-08/98




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2781S	Female M14x1.5 RH, Ø 16mm Cone
2	Side Rod End - Inner	⇦⇨		QR2780S	Female M14x1.5 LH, Ø 16mm Cone
7	Idler Arm Assembly			QDL5281S	
21	Ball Joint - Front	⇩		QSJ1306S	Ø 21mm Cone
23	Ball Joint - Front	⇦⇨	-ch.SV720102, 08/91-07/95	QSJ1307S	Ø 17.5mm Cone
23¹	Ball Joint - Front	⇦⇨	ch.SV720103-, 08/95-08/98	QSJ9381S	Ø 19mm Cone
24c	Suspension Arm Bush - Front	⇦⇨		EMS8011	
25	Stabiliser Link - Front	⇦⇨	-ch.SV720102, 08/91-07/95	-	
25a	Stabiliser Link - Front	⇦	ch.SV720103-, 08/95-08/98	QLS3359S	L=152mm
25b	Stabiliser Link - Front	⇨	ch.SV720103-, 08/95-08/98	QLS3360S	L=152mm
18	Shackle Pin Bush - Rear	⇩		-	Front, 2 per Vehicle
18¹	Shackle Pin Bush - Rear	⇩		EMS8013	Rear, 8 per Vehicle
35	Stabiliser Link - Rear	⇦⇨		QLS3361S	L=205mm

Frontera II 09/98-10/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3521S	Female M14x1.5 RH, Ø 16mm Cone, L=75mm
2	Rack End	⇦⇨		QR3522S	Male M14x1.5 RH, M14x1.5 Swivel, L=331mm
21	Ball Joint - Front	⇩		QSJ1306S	Ø 21mm Cone
23	Ball Joint - Front	⇦⇨		QSJ9381S	Ø 19mm Cone
25a	Stabiliser Link - Front	⇦		QLS3359S	L=152mm
25b	Stabiliser Link - Front	⇨		QLS3360S	L=152mm

Insignia 08/08-12/14




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	exc.OPC/VXR	QR3681S	
1a	Tie Rod End - Outer	⇦	OPC/VXR	-	
1b	Tie Rod End - Outer	⇨	OPC/VXR	-	
2	Rack End	⇦⇨	exc.OPC/VXR	QR3682S	
2	Rack End	⇦⇨	OPC/VXR	-	
20a	Suspension Arm - Front		exc.Lowered Susp. & exc.Bad Roads	QSA2425S	Non Removable Ball Joint
20a	Suspension Arm - Front		Lowered Susp. & exc.Bad Roads	-	Non Removable Ball Joint
20b	Suspension Arm - Front		exc.Lowered Susp. & exc.Bad Roads	QSA2426S	Non Removable Ball Joint
20b	Suspension Arm - Front		Lowered Susp. & exc.Bad Roads	-	Non Removable Ball Joint
24a	Suspension Arm Bush - Front			-	Front
24b	Suspension Arm Bush - Front		exc.Lowered Susp. & exc.Bad Roads	-	Rear
24b	Suspension Arm Bush - Front		Lowered Susp. & exc.Bad Roads	-	Rear
25	Stabiliser Link - Front	⇦⇨	exc.Flexride Susp.	QLS3634S	
25[1]	Stabiliser Link - Front	⇦⇨	Flexride Susp.	QLS3747S	
35	Stabiliser Link - Rear	⇦⇨	exc.4x4	QLS3635S	
35[1]	Stabiliser Link - Rear	⇦⇨	4x4	QLS3857S	with all bushes

Meriva

E75

04/03-05/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3391S	Female M14x1.5 ↻, L=70mm
2	Rack End	⇦⇨	exc.EPAS	QR3392S	Male M14x1.5 ↻, M14x1.5 Swivel, L=332mm
2	Rack End	⇦⇨	EPAS	QR3393S	Male M14x1.5 ↻, M14x1.5 Swivel, L=334mm
20a	Suspension Arm - Front	↲	exc.OPC,VXR	QSA2101S	
20a	Suspension Arm - Front	↲	OPC,VXR	-	
20b	Suspension Arm - Front	↳	exc.OPC,VXR	QSA2102S	
20b	Suspension Arm - Front	↳	OPC,VXR	-	
21a	Ball Joint - Front	↲		QSJ3304S	Ø 16mm Cone
21b	Ball Joint - Front	↳		QSJ3305S	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8078	Front, Bush & Bracket
24a[1]	Suspension Arm Bush - Front	⇩⇩		EMS8492	Front, Bush only
24a[1]	Suspension Arm Bush - Front	⇩⇩		-	Front, 2 Bush Kit
24b	Suspension Arm Bush - Front	⇩⇩		EMS8079	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3200S	L=245mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7114	Outer
61	Top Strut Bearing - Front	⇦⇨		QAM157	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1842	with bulge ring, H=44
34	Suspension Arm Bush - Rear	⇦⇨	-ch.44999999	EMS8296	Axle

Meriva 01/10-

S10





KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦		QR3389S	
1	Tie Rod End - Outer	⇨		QR3390S	
2	Rack End	⇦⇨	exc Active Steering	QR3945S	
2	Rack End	⇦⇨	Active Steering	QR3946S	
20a	Suspension Arm - Front			QSA2077S	
20b	Suspension Arm - Front			QSA2078S	
24a	Suspension Arm Bush - Front			EMS2698	Front
24b	Suspension Arm Bush - Front			EMS8306	Rear
21	Ball Joint - Front			QSJ1518S	
26	Stabiliser Bar Bush - Front			EMB7270	Outer

Mokka 06/12-




Mokka continued... 06/12-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	Hydraulic Power Steering	QR3665S	
1	Tie Rod End - Outer	⇦⇨	Electric Power Steering	QR4017S	
2	Rack End	⇦⇨	Electric Power Steering	QR3972S	
20a	Suspension Arm - Front			QSA2723S	
20b	Suspension Arm - Front		exc.Xenon Headlights	QSA2724S	
20b[1]	Suspension Arm - Front		Xenon Headlights	QSA2725S	

Monterey 08/91-08/00




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2780S	Female M14x1.5 LH, Ø 16mm Cone
2	Side Rod End - Inner	⇦⇨		QR2781S	Female M14x1.5 RH, Ø 16mm Cone

continued...

Monterey continued... 08/91-08/00


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front			QSJ1306S	Ø 21mm Cone
23	Ball Joint - Front			QSJ9381S	Ø 19mm Cone
24c	Suspension Arm Bush - Front		09/91-08/98	EMS8011	
25a	Stabiliser Link - Front	⇦		QLS3359S	L=152mm
25b	Stabiliser Link - Front	⇨		QLS3360S	L=152mm
35	Stabiliser Link - Rear	⇦⊐⇨		QLS3361S	L=205mm

Nova 09/82-03/93



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		QR1841S	Female M12x1.5 , Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⊐⇨		QR2136S	Male M12x1.5 ,Female M14x1.5 Swivel, L=293mm
20a	Suspension Arm - Front			QSJ1419S	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			QSJ1418S	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			QSJ1354S	Ø 15mm Cone
24	Suspension Arm Bush - Front			EMS2109	Inner
26	Stabiliser Bar Bush - Front	⇦⊐⇨	exc.mtr.E16SE, Diesel	-	Outer, Ø 16.5mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	exc.mtr.E16SE, Diesel	EMB2107	Outer, Ø 17.5mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	mtr.E16SE, Diesel	EMB2636	Outer, Ø 19.5mm
27	Stabiliser Link Kit - Front	⇦⊐⇨		EMBK2084	Ø 17.5mm
61	Top Strut Bearing - Front	⇦⊐⇨		QAM122	
34	Suspension Arm Bush - Rear			EMS8298	Front
65	Top Strut Mounting - Rear exc.Bearing	⇦⊐⇨		EMR2108	

Omega 04/94-08/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		**QR3028S**	Male M14x1.5 , Ø 15mm Cone
1b	Side Rod End - Outer	⇨		**QR3027S**	Male M14x1.5 , Ø 15mm Cone
2a	Side Rod End - Inner	⇦		**QR3025S**	Male M14x1.5 , Ø 15mm Cone

continued...

Omega continued... 04/94-08/03


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2b	Side Rod End - Inner	⇨		**QR3026S**	Male M14x1.5 , Ø 15mm Cone
4a	Side Rod Assembly	⇦	-ch.X1999999, 04/94-08/99	**QDL3030S**	
4a	Side Rod Assembly	⇦	-ch.Y1000001, 09/99-08/03	**QDL5288S**	
4b	Side Rod Assembly	⇨	-ch.X1999999, 04/94-08/99	**QDL3029S**	
4b	Side Rod Assembly	⇨	-ch.Y1000001, 09/99-08/03	**QDL5289S**	
5	Centre Rod Assembly		exc.Lowered Susp.	**QDL3031S**	
20a	Suspension Arm - Front			**QSA1648S**	
20b	Suspension Arm - Front			**QSA1649S**	
21	Ball Joint - Front			**QSJ1518S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front			**EMS8033**	Front
24b	Suspension Arm Bush - Front			**EMS1988**	Rear
25	Stabiliser Link - Front			**QLS1607S**	L=230mm
26	Stabiliser Bar Bush - Front			**EMB7026**	Outer
61	Top Strut Bearing - Front			**QAM152**	
34a	Suspension Arm Bush - Rear			**EMS8291**	Inner
34b	Suspension Arm Bush - Rear			**EMS8127**	Outer
35a	Stabiliser Link - Rear	⇦		**QLS3300S**	L=180mm
35b	Stabiliser Link - Rear	⇨		**QLS3301S**	L=180mm
36	Stabiliser Bar Bush - Rear			**EMB7105**	Outer, Ø 15.0mm
36¹	Stabiliser Link Bush - Rear			**EMB7120**	Upper
36²	Stabiliser Link Bush - Rear			**EMB7023**	
91	Subframe Bush - Rear			**EMS8294**	Front
91¹	Subframe Bush - Rear			**-**	Centre
91²	Subframe Bush - Rear			**EMS8292**	Rear

Senator II 07/86-06/93



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Side Rod End - Outer	⇦		QR2329S	Male M14x1.5 , Ø 13.2mm Cone
1b	Side Rod End - Outer	⇨		QR2328S	Male M14x1.5 , Ø 13.2mm Cone
2a	Side Rod End - Inner	⇦		QR2331S	Male M14x1.5 , Ø 13.2mm Cone, L=92mm
2b	Side Rod End - Inner	⇨		QR2330S	Male M14x1.5 , Ø 13.2mm Cone, L=92mm
4a	Side Rod Assembly	⇦		QDL2143S	Ø 13.2mm Cone
4b	Side Rod Assembly	⇨		QDL2142S	Ø 13.2mm Cone
20a	Suspension Arm - Front			QSA7005S	
20b	Suspension Arm - Front			QSA7004S	
21a	Ball Joint - Front			QSJ1056S	Ø 18mm Cone
21b	Ball Joint - Front			QSJ1055S	Ø 18mm Cone
24a	Suspension Arm Bush - Front			EMS2645	Front
24b	Suspension Arm Bush - Front			EMS2647	Rear
25	Stabiliser Link - Front	⇦⇨		QLS1607S	L=230mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2637	Outer
61	Top Strut Bearing - Front	⇦⇨		QAM152	
34	Suspension Arm Bush - Rear	⇦⇨	-ch.L5.155.054/ -L1.019.854	EMS8127	Inner, Outer
34	Suspension Arm Bush - Rear	⇦⇨	ch.L5.155.055-/ L1.019.855-	EMS8291	Inner, Outer

Signum 02/03-10/08



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3296S	Female M14x1.5, Ø 13mm Cone, L=136mm,
1b	Tie Rod End - Outer	⇨		QR3297S	Female M14x1.5, Ø 13mm Cone, L=136mm,
2	Rack End	⇦⇨	16/17" Wheels	QR3567S	Male M14x1.5, M18x1.5 Swivel, L=304mm
2	Rack End	⇦⇨	18" Wheels	-	
20a	Suspension Arm - Front		exc.OPC,VXR	QSA2000S	
20a	Suspension Arm - Front		OPC,VXR	-	
20b	Suspension Arm - Front		exc.OPC,VXR	QSA2001S	
20b	Suspension Arm - Front		OPC,VXR	-	
24a	Suspension Arm Bush - Front			EMS8207	Front
24b	Suspension Arm Bush - Front			EMS8208	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.61127658 exc.IDS+	QLS3311S	L=356mm
25	Stabiliser Link - Front	⇦⇨	ch.61127659- exc.IDS+	-	
25	Stabiliser Link - Front	⇦⇨	-ch.31999999 IDS+	QLS3311S	L=356mm
25	Stabiliser Link - Front	⇦⇨	ch.41000001- IDS+	QLS3730S	
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.51999999	EMB7149	Outer, Ø 24.0mm
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.51999999	EMB7150	Outer, Ø 25.2mm
26	Stabiliser Bar Bush - Front		ch.61000001-	EMB7270	Outer
32	Suspension Arm - Rear		-ch.51999999	QSJ3331S	L=379mm
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8335	Front, Control Arm
34b	Suspension Arm Bush - Rear			EMS8336	Outer, Hub
34c	Suspension Arm Bush - Rear		Fitted to QSJ3331S	EMS8346	Outer, Rose Joint

Signum continued... 02/03-10/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35	Stabiliser Link - Rear	⇦⇨		QLS3541S	L=86mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7174	Outer, Ø 16.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7151	Outer, Ø 17.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7175	Outer, Ø 18.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7176	Outer, Ø 19.0mm

Sintra 11/96-09/99


DU03



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
61	Top Strut Bearing - Front	⇦⇨		QAM150	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6047	
62	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA6047	

Tigra I 08/94-05/97

-ch.V3023597,V4166925,V6066279



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1841S	Female M12x1.5 , Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨		QR2832S	Male M12x1.5 , Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⇨		QR2833S	Male M12x1.5 , M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			QSJ1421S	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			QSJ1420S	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			QSJ1354S	Ø 15mm Cone
24	Suspension Arm Bush - Front			EMS1985	Inner
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2635	Outer, Ø 21.5mm
26²	Stabiliser Bar Bush - Front	⇦⇨		EMB1984	Tie Bar Front Bush
61	Top Strut Bearing - Front	⇦⇨		QAM122	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2287	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2287	


continued...

Tigra I continued... 08/94-05/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34	Suspension Arm Bush - Rear			EMS8298	Front
36	Stabiliser Bar Bush - Rear			EMB7107	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear			EMB7106	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear			EMB7131	Outer, Ø 17mm

Tigra I 05/97-12/00


ch.V3023598,V4166926,V6066280-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR3240S	Female M12x1.5, Ø 10.7mm Cone, L=77mm
2	Rack End			QR2832S	Male M12x1.5, Female M14 x1.5 Swivel, L=325mm
2	Rack End			QR2833S	Male M12x1.5, M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			QSJ1658S	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			QSJ1657S	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			QSJ1664S	Ø 15mm Cone
24	Suspension Arm Bush - Front			EMS1985	Inner
26	Stabiliser Bar Bush - Front			EMB2635	Outer, Ø 21.5mm
61	Top Strut Bearing - Front			QAM122	
62	Top Strut Mounting - Front exc.Bearing			EMR2287	
63	Top Strut Mounting - Front inc.Bearing			EMA2287	
34	Suspension Arm Bush - Rear			EMS8298	Front
36	Stabiliser Bar Bush - Rear			EMB7107	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear			EMB7106	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear			EMB7131	Outer, Ø 17mm


Tigra II

07/04-06/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1841S**	Female M12x1.5 ↻, Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨		**QR3675S**	
21	Ball Joint - Front	⇦⇨		**QSJ3271S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**-**	Front, Bush & Bracket
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8079**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3200S**	L=245mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7112**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7110**	Outer, Ø 16mm
61	Top Strut Bearing - Front	⇦⇨		**QAM157**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1841**	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8334**	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7131**	Outer, Ø 17mm

Vectra I 08/95-03/02




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⊐⇨		**QR3167S**	Female M14x1.5 RH, Ø 13.3mm Cone, L=75mm
2	Rack End	⇦⊐⇨	Mfr.ZF	**QR2928S**	Male M14x1.5 RH, M16 Swivel, L=360mm
2	Rack End	⇦⊐⇨	Mfr.Saginaw	**QR2985S**	Male M14x1.5 RH, L=365mm, M14 Swivel
20a	Suspension Arm - Front	↲		**QSA1660S**	
20b	Suspension Arm - Front	↳		**QSA1659S**	
21	Ball Joint - Front	⇦⊐⇨		**QSJ1518S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇦⊐⇨		**EMS2698**	Front
24b	Suspension Arm Bush - Front	⇦⊐⇨		**EMS2699**	Rear
25	Stabiliser Link - Front	⇦⊐⇨		**QLS3200S**	L=245mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	-ch.W1999999,W5999999,W7999999	**EMB7110**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	ch.X1000001,X7000001,YL.000001-	**EMB7166**	Outer, Ø 17mm
61	Top Strut Bearing - Front	⇦⊐⇨		**QAM157**	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	1,6i,1,8i,1.7D,mtr.20NEJ	**EMR1841**	exc.bulge ring, H=42
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨	2.0i 16v mtr.C20SEL,X20XEV,2,2i,2,5i,2,6i, 2.0D, 2,2D	**EMR1842**	with bulge ring, H=44

Vectra I continued... 08/95-03/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
34a	Suspension Arm Bush - Rear			**EMS8128**	Front, Control Arm
34b	Suspension Arm Bush - Rear			**EMS1962**	Rear, Control Arm x2
34c	Suspension Arm Bush - Rear			**EMS8308**	Inner
36	Stabiliser Bar Bush - Rear	⇦⇨	1.6 -ch.W1999999/ -W5999999/ -W7999999	**EMB7105**	Outer, Ø 15.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨	1.6 ch.X1000001-/ X7000001-/ YL.000001-	**EMB7121**	Outer, Ø 16.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨	1.8,2.0,2.0TD -ch.W1999999/ -W5999999/ -W7999999	**EMB7121**	Outer, Ø 16.0mm
36	Stabiliser Bar Bush - Rear	⇦⇨	2.2 exc.Sports Susp.	**EMB7121**	Outer, Ø 16.0mm
91	Subframe Bush - Rear	⇦⇨		**EM4032**	Front x2
91	Subframe Bush - Rear	⇦⇨		**EM4033**	Rear x2

Vectra II 04/02-12/09




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3296S**	Female M14x1.5, Ø 13mm Cone, L=136mm,
1b	Tie Rod End - Outer	⇨		**QR3297S**	Female M14x1.5, Ø 13mm Cone, L=136mm,
2	Rack End	⇦⇨	exc.Sport Susp.	**QR3298S**	Male M14x1.5, M18x1.5 Swivel, L=305mm,
2	Rack End	⇦⇨	Sport Susp. -ch.31032140/38040655	**QR3298S**	Male M14x1.5, M18x1.5 Swivel, L=305mm,
2	Rack End	⇦⇨	Sport Susp. ch.31032141-/38040656-, 16/17'' Wheels	**QR3567S**	Male M14x1.5, M18x1.5 Swivel, L=304mm
2	Rack End	⇦⇨	Sport Susp. ch.31032141-/38040656-, 18'' Wheels	**QR3791S**	Male M14x1.5, M18x1.5 Swivel L=305mm

continued...

Vectra II continued... 04/02-12/09

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		exc.OPC,VXR	**QSA2000S**	
20a	Suspension Arm - Front		OPC,VXR	**-**	
20b	Suspension Arm - Front		exc.OPC,VXR	**QSA2001S**	
20b	Suspension Arm - Front		OPC,VXR	**-**	
24a	Suspension Arm Bush - Front			**EMS8207**	Front
24b	Suspension Arm Bush - Front			**EMS8208**	Rear
25	Stabiliser Link - Front		exc.IDS+	**QLS3311S**	L=356mm
25	Stabiliser Link - Front		IDS+	**QLS3730S**	
26	Stabiliser Bar Bush - Front		-ch.51999999/-58999999	**EMB7149**	Outer, Ø 24.0mm
26	Stabiliser Bar Bush - Front		-ch.51999999/-58999999	**EMB7150**	Outer, Ø 25.2mm
26	Stabiliser Bar Bush - Front		ch.-61000001-	**EMB7270**	Outer
32	Suspension Arm - Rear			**QSJ3331S**	L=379mm
34a	Suspension Arm Bush - Rear			**EMS8335**	Front, Control Arm
34b	Suspension Arm Bush - Rear			**EMS8336**	Outer, Hub
34c	Suspension Arm Bush - Rear		Fitted to QSJ3331S	**EMS8346**	Outer, Rose Joint
35	Stabiliser Link - Rear			**QLS3541S**	L=86mm
36	Stabiliser Bar Bush - Rear			**EMB7174**	Outer, Ø 16.0mm
36	Stabiliser Bar Bush - Rear			**EMB7151**	Outer, Ø 17.0mm
36	Stabiliser Bar Bush - Rear			**EMB7175**	Outer, Ø 18.0mm
36	Stabiliser Bar Bush - Rear			**EMB7176**	Outer, Ø 19.0mm

Zafira I 05/99-07/05




Zafira I continued... 05/99-07/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3196S	Female M14x1.5, Ø 13.5mm Cone, L=135mm
2	Rack End	⇦⇨	Mfr.TRW, exc.OPC	QR5318S	Male M14x1.5, M18x1.5mm Swivel, L=292mm
2	Rack End	⇦⇨	Mfr.TRW, OPC	-	
2	Rack End	⇦⇨	Mfr.Delphi	QR5215S	Male M14x1.5, M18x1.5 Swivel, L=302mm
4	Tie Rod Assembly	⇦⇨	Mfr.TRW, exc.OPC	QDL3197S	
4	Tie Rod Assembly	⇦⇨	Mfr.Delphi, exc.OPC	QDL3194S	
20a	Suspension Arm - Front			QSA1662S	
20b	Suspension Arm - Front			QSA1661S	
21	Ball Joint - Front			QSJ1518S	Ø 18mm Cone
24a	Suspension Arm Bush - Front			EMS2698	Front
24b	Suspension Arm Bush - Front			EMS2699	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3239S	L=300mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨		QLS3399S	L=300mm, Metal
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.Y2.168.371	EMS8295	Outer, ID=21mm
26	Stabiliser Bar Bush - Front	⇦⇨	ch.Y2.168.372-	-	Outer, ID=21mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7248	Outer, ID= 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM157	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1842	with bulge ring, H=44
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1841	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear	⇦⇨		EMS8296	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7131	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7132	Outer, Ø 18mm


Zafira II 07/05-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a¹	Tie Rod End - Outer	⇦	Mfr.TRW, ZF	QR3389S	Female M14x1.5 RH, Ø 13.5mm Cone, L=141mm
1b¹	Tie Rod End - Outer	⇨	Mfr.TRW, ZF	QR3390S	Female M14x1.5 RH, Ø 13.5mm Cone, L=141mm
2	Rack End	⇦⇨	Mfr.TRW, -ch.72095156/-7G066981	QR3545S	Male M14x1.5 RH, M18x1.5 Swivel L=294mm,
2	Rack End	⇦⇨	Mfr.TRW, ch.72095157-/7G066982-	-	
2	Rack End	⇦⇨	Mfr.ZF exc.18'' Wheels	QR3566S	Male M14x1.5 RH, M16x1.5 Swivel, L=292mm
2	Rack End	⇦⇨	Mfr.ZF 18'' Wheels	-	
20a	Suspension Arm - Front	↲		QSA2077S	
20b	Suspension Arm - Front	↳		QSA2078S	
21	Ball Joint - Front	⇩⇩		QSJ1518S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS2698	Front
24b	Suspension Arm Bush - Front	⇩⇩		EMS8306	Rear
25	Stabiliser Link - Front	⇦⇨	exc.IDS	QLS3239S	L=300mm, Plastic
25¹	Stabiliser Link - Front	⇦⇨	exc.IDS	QLS3399S	L=300mm, Metal
25²	Stabiliser Link - Front	⇦⇨	IDS	QLS3400S	L=300mm
26	Stabiliser Bar Bush - Front		ch.-61000001-	EMB7270	Outer

Zafira III


10/11-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3681S	
2	Rack End	⇦⇨		QR4018S	
25	Stabiliser Link - Front	⇦⇨	exc.Flexride Susp.	QLS3634S	
25¹	Stabiliser Link - Front	⇦⇨	Flexride Susp.	QLS3747S	

Arena 09/98-04/01


THB, TF,TB



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1843S	Male M14x1.5 , Ø 12mm Cone
2	Rack End	⇦⇨		QR2635S	Female M14x1.5 , M12x1.0 Swivel, L=309mm
4	Tie Rod Assembly	⇦⇨		QDL2175S	L=345mm Overall, L=227mm Tube
21	Ball Joint - Front	⇩⇧		QSJ975S	Ø 18mm Cone
24	Suspension Arm Bush - Front	⇩⇧		EMS8138	Front, Rear
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2127	

Astra II, Astramax 09/84-05/92

Van



Astra II, Astramax continued... 09/84-05/92








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR1829S**	Female M16x1.5 RH, Ø 12.9mm Cone, L=65.8mm
1b	Tie Rod End - Outer	⇨		**QR1828S**	Female M16x1.5 LH, Ø 12.9mm Cone, L=65.8mm
2a	Rack End	⇦		**QR2770S**	Female M16x1.5 RH, L=430mm
2b	Rack End	⇨		**QR2769S**	Female M16x1.5 LH, L=430mm
3	Tie Rod Connector	⇦⇨		**QR2773S**	Male M16x1.5, L=98mm
20a	Suspension Arm - Front	↲	exc.Diesel	**QSA1470S**	
20b	Suspension Arm - Front	↳	exc.Diesel	**QSA1469S**	
21	Ball Joint - Front	⇦⇨		**QSJ877S**	Ø 13.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2634**	Front
24b	Suspension Arm Bush - Front	⇦⇨	exc.Diesel	**EMS1987**	Rear
24b	Suspension Arm Bush - Front	⇦⇨	Diesel	**-**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1699S**	Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB1983**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer, Ø 22mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2085**	Ø 18mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1,2,1.3,1,4,1.6 mtr.16SV,16SE,16NZ,C16LZ, C16NZ	**EMA1564**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	mtr.16S,1,8,2,0D	**EMA1565**	
34	Suspension Arm Bush - Rear	⇨⇦		**EMS1869**	Inner, Trailing Arm

Astra III, Astramax 09/91-02/98

Van




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2383S**	Female M16x2.0 RH, Ø 13mm Cone, L=66mm
1b	Tie Rod End - Outer	⇨		**QR2384S**	Female M16x2.0 LH, Ø 13mm Cone, L=66mm
2a	Rack End	⇦		**QR2335S**	Female M16x2.0 LH
2b	Rack End	⇨		**QR2334S**	Female M16x2.0 RH
3	Tie Rod Connector	⇦⇨		**QR2774S**	Male M16x2.0, Male M16x2.0, L=105mm
4a	Tie Rod Assembly	⇦		**QDL2771S**	
4b	Tie Rod Assembly	⇨		**QDL2772S**	
20a	Suspension Arm - Front	⇦		**QSA1427S**	
20b	Suspension Arm - Front	⇨		**QSA1426S**	
21	Ball Joint - Front	⇦⇨		**QSJ874S**	Ø 16mm Thick, Ø 13.4mm Cone
24a	Suspension Arm Bush - Front	⇦⇨	-ch.P2603822,P8146889	**EMS1864**	Front
24a	Suspension Arm Bush - Front	⇦⇨	ch.P2603823-R2587415/R5111734, P8146890-R8145949	**EMS8126**	Front
24a	Suspension Arm Bush - Front	⇦⇨	ch.R2587416-,R5111735-,R8145950-	**EMS8118**	Front
24b	Suspension Arm Bush - Front	⇦⇨	-ch.P2603822,P8146889	**EMS1865**	Rear
24b	Suspension Arm Bush - Front	⇦⇨	ch.P2603823,P8146890-	**EMS1960**	Rear
24c	Suspension Arm Bush - Front	⇦⇨		**EMS1961**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226,R2588488	**QLS1956S**	Ø 18mm
25	Stabiliser Link - Front	⇦⇨	-ch.R2595226,R2588488	**QLS1957S**	Ø 22mm
25	Stabiliser Link - Front	⇦⇨	ch.R2595227,R2588489-	**QLS3198S**	Ø 20mm, with ball pin
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2644**	Outer, Ø 18mm

Astra III, Astramax continued... 09/91-02/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨		-	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB2643	Outer, Ø 22mm
61	Top Strut Bearing - Front	⇦⇨		QAM134	Ø 14.6x92.8x12.13mm with Shield
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1892	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1892	
34	Suspension Arm Bush - Rear			EMS3085	Axle

Astra IV 02/98-05/05

Van



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3196S	Female M14x1.5 ↻, Ø 13.5mm Cone, L=135mm
2	Rack End	⇦⇨	Mfr.TRW	QR5318S	Male M14x1.5 ↻, M18x1.5mm Swivel, L=292mm
2	Rack End	⇦⇨	Mfr.Delphi	QR5215S	Male M14x1.5 ↻, M18x1.5 Swivel, L=302mm
4	Tie Rod Assembly	⇦⇨	Mfr.TRW	QDL3197S	
4	Tie Rod Assembly	⇦⇨	Mfr.Delphi	QDL3194S	
20a	Suspension Arm - Front			QSA1662S	
20b	Suspension Arm - Front			QSA1661S	
21	Ball Joint - Front			QSJ1518S	Ø 18mm Cone
24a	Suspension Arm Bush - Front			EMS2698	Front
24b	Suspension Arm Bush - Front			EMS2699	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3239S	L=300mm, Plastic


continued...

Astra IV continued... 02/98-05/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⊐⇨		**QLS3399S**	L=300mm, Metal
26	Stabiliser Bar Bush - Front	⇦⊐⇨	-ch.X2999999/ -5999999/ -6999999/ -8999999	**EMB7110**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⊐⇨	ch.X2999999-/ 5999999-/ 6999999-/ 8999999-	**EMB7112**	Outer, Ø 20mm
61	Top Strut Bearing - Front	⇦⊐⇨		**QAM157**	
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		**EMR1842**	with bulge ring, H=44
62	Top Strut Mounting - Front exc.Bearing	⇦⊐⇨		**EMR1841**	exc.bulge ring, H=42
34	Suspension Arm Bush - Rear	⇦⊐⇨	-ch.X2999999/ -5999999/ -6999999/ -8999999	**EMS4127**	Axle
34	Suspension Arm Bush - Rear	⇦⊐⇨	ch.X2999999-/ 5999999-/ 6999999-/ 8999999-	**EMS8296**	Axle
36	Stabiliser Bar Bush - Rear	⇦⊐⇨		**EMB7131**	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear	⇦⊐⇨		**EMB7132**	Outer, Ø 18mm

Astra V 03/04-12/13

Van




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	TRW, ZF	**QR3389S**	Female M14x1.5 , Ø 13.5mm Cone, L=141mm
1b	Tie Rod End - Outer	⇨	TRW, ZF	**QR3390S**	Female M14x1.5 , Ø 13.5mm Cone, L=141mm
2	Rack End	⇦⊐⇨	TRW	**QR3412S**	Male M14x1.5 , M18x1.5 Swivel, L=300mm
2	Rack End	⇦⊐⇨	ZF	**QR3413S**	Male M14x1.5 , M16x1.5 Swivel, L=293mm
20a	Suspension Arm - Front	↲		**QSA2077S**	
20b	Suspension Arm - Front	↳		**QSA2078S**	
21	Ball Joint - Front	⇩⇩		**QSJ1518S**	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		**EMS2698**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS8306**	Rear
25	Stabiliser Link - Front	⇦⊐⇨	exc.IDS	**QLS3239S**	L=300mm, Plastic
25	Stabiliser Link - Front	⇦⊐⇨	exc.IDS	**QLS3399S**	L=300mm, Metal
25	Stabiliser Link - Front	⇦⊐⇨	IDS	**QLS3400S**	L=300mm

Brava

TFR,TFS Pick-Up

10/88-07/01




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2781S	Female M14x1.5 RH, Ø 16mm Cone
2	Side Rod End - Inner	⇦⇨		QR2780S	Female M14x1.5 LH, Ø 16mm Cone
7	Idler Arm Assembly			QDL5281S	
21	Ball Joint - Front		TFR 2x4	QSJ1321S	Ø 20.5mm Cone
21¹	Ball Joint - Front		TFS 4x4	QSJ1306S	Ø 21mm Cone
23	Ball Joint - Front			QSJ1307S	Ø 17.5mm Cone
24c	Suspension Arm Bush - Front			EMS8011	Inner
18	Shackle Pin Bush - Rear			-	Front, 2 per vehicle
18¹	Shackle Pin Bush - Rear			EMS8013	Rear, 8 per vehicle

Corsa, Combo

04/93-05/97

Van, -ch.V3023597, -V4166925, -V6066279




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1841S**	Female M12x1.5 LH, Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨		**QR2832S**	Male M12x1.5 LH, Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⇨		**QR2833S**	Male M12x1.5 LH, M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			**QSJ1421S**	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			**QSJ1420S**	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			**QSJ1354S**	Ø 15mm Cone
24	Suspension Arm Bush - Front			**EMS1985**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2635**	Outer, Ø 21.5mm
26²	Stabiliser Bar Bush - Front	⇦⇨		**EMB1984**	Tie Bar Front Bush
61	Top Strut Bearing - Front	⇦⇨		**QAM122**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2287**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2287**	
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7107**	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7106**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7131**	Outer, Ø 17mm

Corsa, Combo

05/97-10/01


Van, ch.V3023598-, V4166926-, V6066280-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3240S**	Female M12x1.5 , Ø 10.7mm Cone, L=77mm
2	Rack End	⇦⇨	, Electric	**QR2832S**	Male M12x1.5 , Female M14 x1.5 Swivel, L=325mm
2	Rack End	⇦⇨	exc.Electric	**QR2833S**	Male M12x1.5 , M14 x1.5 Swivel, L=295mm
20a	Suspension Arm - Front			**QSJ1658S**	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front			**QSJ1657S**	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front			**QSJ1664S**	Ø 15mm Cone
24	Suspension Arm Bush - Front			**EMS1985**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB2635**	Outer, Ø 21.5mm
61	Top Strut Bearing - Front	⇦⇨		**QAM122**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2287**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2287**	
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7107**	Outer, Ø 12mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7106**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7131**	Outer, Ø 17mm


Corsa, Combo 10/01-06/12

Van




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1841S	Female M12x1.5 , Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨	-ch.33999999/ -34999999/ -36999999	QR3281S	Male M12x1.5,Female M14x1.5 Swivel, L=314mm
2	Rack End	⇦⇨	ch.43000001-/ 4400001-/ 4600001-	QR3838S	
20a	Suspension Arm - Front			QSA1974S	
20b	Suspension Arm - Front			QSA1975S	
21	Ball Joint - Front			QSJ3271S	Ø 16mm Cone
24a	Suspension Arm Bush - Front			EMS8078	Front, Bush & Bracket
24a	Suspension Arm Bush - Front			EMS8492	Front, Bush only
24b	Suspension Arm Bush - Front			EMS8079	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3200S	L=245mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.0,1.2	EMB7113	Outer, Ø 17mm
26	Stabiliser Bar Bush - Front	⇦⇨	1.4,1.8,1.7TD	EMB7110	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨	Combo	-	Outer
61	Top Strut Bearing - Front	⇦⇨		QAM157	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	Corsa	EMR1841	exc.bulge ring, H=42
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	Combo	EMR1842	with bulge ring, H=44
34	Suspension Arm Bush - Rear	⇦⇨	Combo	EMS8296	Axle
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7131	Outer, Ø 17mm

Midi 09/84-12/98



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front		2x4	QSJ1319S	Ø 20.8mm Cone
21	Ball Joint - Front		2x4	-	
23	Ball Joint - Front			QSJ1206S	Ø 17.8mm Cone

Movano I 11/98-07/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5283S	Female M14x1.5 RH, L=223mm, Ø 16.5mm Cone
1b	Tie Rod End - Outer	⇨		QR5284S	Female M14x1.5 RH, L=223mm, Ø 16.5mm Cone
2	Rack End	⇦⇨	-ch.B810866(ED)/-BB57431(FD)/ -B785825(HD)-B794913(JD)-B825494(DU)	QR5285S	Male M16x1.5 RH, M14x1.5mm Swivel, L=199mm
2	Rack End	⇦⇨	ch.B810867-(ED)/BB57432-(FD)/ B785826-(HD)B794914-(JD)B825495-(DU)	QR3839S	
20a	Suspension Arm - Front		-ch.B809445(ED)/-BB35302(FD)/ -J023002(FD)-B784590(HD)-B794053(JD)-B822152(UD)	QSA1876S	

continued...

Movano I continued... 11/98-07/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		ch.B809446-(ED)/BB35303-(FD)/ J023003-(FD)B784591-(HD)B794054-(JD) B822153-(UD)	**QSA2533S**	
20b	Suspension Arm - Front		-ch.B809445(ED)/-BB35302(FD)/ -J023002(FD)-B784590(HD)-B794053(JD)-B822152(UD)	**QSA1877S**	
20b	Suspension Arm - Front		ch.B809446-(ED)/BB35303-(FD)/ J023003-(FD)B784591-(HD)B794054-(JD) B822153-(UD)	**QSA2534S**	
21	Ball Joint - Front		-ch.B267690(ED)/-B401627(FD)/ -J000136(FD)-B267650(HD)-B270544(JD)-B280115(UD)	**QSJ1921S**	Ø 22mm Cone
21	Ball Joint - Front		ch.B267691-B809445(ED)/B401628 -BB35302(FD)/J000137-J023002(FD) B267651-B784590(HD)/B270545-B794053(JD)/B280116-B822152(UD)	-	
21	Ball Joint - Front		ch.B809446-(ED)/BB35303-(FD)/ J023003-(FD)/B784591-(HD)/B794054-(JD)/ B822153-(UD)	**QSJ3504S**	
23	Ball Joint - Front			**QSJ3272S**	Outer, Ø 17mm Cone, M14 x 1.5
23²	Ball Joint - Front		exc.H.D.Susp.	**QSJ1875S**	Inner, Ø 15mm Cone
23²	Ball Joint - Front		H.D.Susp.	-	Inner
23²	Ball Joint - Front			-	Inner, Coil Spring
24a	Suspension Arm Bush - Front			**EMS8196**	Front
24b	Suspension Arm Bush - Front			**EMS8197**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3267S**	L=129mm
25b	Stabiliser Link - Front	⇨		**QLS3266S**	L=129mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7180**	Outer
18	Leaf Spring Bush - Rear	⇦⇨		**EMS8494**	Rear
36¹	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7230**	Outer, Ø 26mm

Movano II 07/10-










KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3840S**	Female M18x1.5 , Ø 16.5mm Cone, L=235mm

Movano II continued... 07/10-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1b	Tie Rod End - Outer	⇨		**QR3841S**	Female M18x1.5 ↻, Ø 16.5mm Cone, L=235mm
2	Rack End	⇦⇨		**QR3842S**	Male M18x1.5 ↻, M16x1.5 Swivel, L=271mm
20a	Suspension Arm - Front	↲		**QSA2545S**	
20b	Suspension Arm - Front	↳		**QSA2546S**	
21	Ball Joint - Front	↲		**QSJ3574S**	Ø 18.0mm Cone
21	Ball Joint - Front	↳	-08/10	**QSJ3574S**	Ø 18.0mm Cone
21	Ball Joint - Front	↳	09/10-	**QSJ3743S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3772S**	L=330mm
36	Stabiliser Bar Bush - Rear	⇦⇨	FWD	**EMB7284**	Outer, Ø 21mm

Nova 11/90-04/93

Van




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1841S**	Female M12x1.5 ↻, Ø 10.8mm Cone, L=72mm
2	Rack End	⇦⇨		**QR2136S**	Male M12x1.5 ↻,Female M14x1.5 Swivel, L=293mm
20a	Suspension Arm - Front	↲		**QSJ1419S**	Less Ball Joint, Ø 15mm Cone
20b	Suspension Arm - Front	↳		**QSJ1418S**	Less Ball Joint, Ø 15mm Cone
21	Ball Joint - Front	⇊		**QSJ1354S**	Ø 15mm Cone
24	Suspension Arm Bush - Front	⇊		**EMS2109**	Inner
26	Stabiliser Bar Bush - Front	⇦⇨	exc.mtr.E16SE, Diesel	**-**	Outer, Ø 16.5mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.mtr.E16SE, Diesel	**EMB2107**	Outer, Ø 17.5mm
26	Stabiliser Bar Bush - Front	⇦⇨	mtr.E16SE, Diesel	**EMB2636**	Outer, Ø 19.5mm
27	Stabiliser Link Kit - Front	⇦⇨		**EMBK2084**	Ø 17.5mm
61	Top Strut Bearing - Front	⇦⇨		**QAM122**	
34	Suspension Arm Bush - Rear	⇊		**EMS8298**	Front
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR2108**	

Vivaro

E7A/B,F7A/B,J7A/B


09/00-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3311S**	Female M14x1.5 ↻, L=210mm Ø 12mm Cone
1b	Tie Rod End - Outer	⇨		**QR3312S**	Female M14x1.5, L=210mm Ø 12mm Cone
2	Rack End	⇦⇨		**QR3365S**	Male M14x1.5 ↻, M12x1 Swivel, L=280mm
20a	Suspension Arm - Front	↲	-ch.6V699999/-6Y999999	**QSA2220S**	Pressed Type
20a¹	Suspension Arm - Front	↲	ch.7V600001-7V620920/7Y00001-7Y721556	**QSA2435S**	Forged Type
20a¹	Suspension Arm - Front	↲	ch.7V620921-/7Y721557-	**-**	
20b	Suspension Arm - Front	↳	-ch.6V699999/-6Y999999	**QSA2221S**	Pressed Type
20b¹	Suspension Arm - Front	↳	ch.7V600001-7V620920/7Y00001-7Y721556	**QSA2436S**	Forged Type
20b¹	Suspension Arm - Front	↳	ch.7V620921-/7Y721557-	**-**	
21	Ball Joint - Front	↲↳	-ch.7V621197/-7Y721612	**QSJ3288S**	Ø 18.7mm Cone, Ø 10mm Hole
21	Ball Joint - Front	↲↳	ch.7V621198-/7Y721613-	**QSJ3489S**	Ø 18.7mm Cone, Ø 12mm Hole
24a	Suspension Arm Bush - Front	↲↳		**EMS8269**	Front
24b	Suspension Arm Bush - Front	↲↳		**EMS8270**	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.7V622141	**QLS3330S**	L=310mm
25	Stabiliser Link - Front	⇦⇨	ch.7V622142-	**-**	
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7281**	Outer

New Beetle,Beetle Cabrio 01/98-04/11

1C1,9C1,1Y7 exc.RSi



New Beetle,Beetle Cabrio continued... 01/98-04/11




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3259S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3260S**	Female M14x1.5 RH, Ø 13.2mm Cone, L=95mm
2	Rack End	⇦⇨		**QR5306S**	Male M14x1.5 RH, M16x1.5mm Swivel, L=340mm
4a	Tie Rod Assembly	⇦		**QDL3257S**	
4b	Tie Rod Assembly	⇨		**QDL3258S**	
20	Suspension Arm - Front	⇦⇨		**QSA1672S**	Not Complete
20a	Suspension Arm - Front	⇦		**QSA1533S**	Complete
20b	Suspension Arm - Front	⇨		**QSA1532S**	Complete
21a	Ball Joint - Front	⇦		**QSJ1604S**	Ø 15mm Cone
21b	Ball Joint - Front	⇨		**QSJ1603S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1997**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2659**	Rear
25	Stabiliser Link - Front	⇦⇨	-ch.9C.X999000/ -ch.1C.X499000	**QLS3054S**	Ø 21mm Bar, L=105mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨	ch.9C.X999001-9C.1636000/ ch.1C.X499001-1C1451000	**QLS3250S**	Ø 23mm, L=105mm, Metal
25[2]	Stabiliser Link - Front	⇦⇨	ch.9C.1636001-/ ch.1C1451001-	**QLS3492S**	L=107.5mm
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.9C.X999000/ -ch.1C.X499000	**EMB7041**	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.9C.X999001-/ ch.1C.X499001-	**EMB7100**	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3079**	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2664**	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2334**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2334**	
92	Subframe Mounting - Front	⇦⇨		**EM4106**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS8521**	Axle, 69mm Dia
34	Suspension Arm Bush - Rear	⇦⇨		**EMS4045**	Axle, 72mm Dia
35	Stabiliser Link - Rear	⇦⇨		**QLS3327S**	L=182mm
38	Subframe Repair Kit - Rear	⇦⇨		**QSK233S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	-ch.1C.1-405000/-ch.9C.1-603000	**EMR6011**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	ch.1C.1-405001-/ ch.9C.1-603001-	**EMR6011**	

New Beetle

1C9 RSi

07/00-05/01



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR9976S**	Female M16x1.5 ↻, Ø 13.1mm Cone, M12 Swivel
1b	Tie Rod End - Outer	⇨		**QR9977S**	Female M16x1.5 ↻, Ø 13.1mm Cone, M12 Swivel
2	Rack End	⇦⇨		**QR3452S**	Male M16x1.5 ↻, M16x1.5 Swivel, L=355mm
20a	Suspension Arm - Front			**QSA2024S**	
20b	Suspension Arm - Front			**QSA2025S**	
24a	Suspension Arm Bush - Front			**EMS8226**	Front
24b	Suspension Arm Bush - Front			**EMS8227**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3332S**	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front	⇨		**QLS3333S**	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7100**	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK2664**	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2334**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2334**	

continued...

New Beetle continued... 07/00-05/01


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
92	Subframe Mounting - Front			EM4106	
34	Suspension Arm Bush - Rear			EMS8424	Front,Trailing Arm
35	Stabiliser Link - Rear			QLS3327S	L=182mm

Bora 08/98-05/05

1J2



Bora continued... 08/98-05/05




Bora continued... 08/98-05/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.V6 4Motion	QR3259S	Female M14x1.5, Ø 13.2mm Cone, L=95mm
1a	Tie Rod End - Outer	⇦	V6 4Motion	-	
1b	Tie Rod End - Outer	⇨	exc.V6 4Motion	QR3260S	Female M14x1.5, Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨	V6 4Motion	-	
2	Rack End	⇦⇨		QR5306S	Male M14x1.5, M16x1.5mm Swivel, L=340mm
4a	Tie Rod Assembly	⇦	exc.V6 4Motion	QDL3257S	
4a	Tie Rod Assembly	⇦	V6 4Motion	-	
4b	Tie Rod Assembly	⇨	exc.V6 4Motion	QDL3258S	
4b	Tie Rod Assembly	⇨	V6 4Motion	-	
20	Suspension Arm - Front	⇦⇨		QSA1672S	Not Complete
20a	Suspension Arm - Front	⇦		QSA1533S	Complete
20b	Suspension Arm - Front	⇨		QSA1532S	Complete
21a	Ball Joint - Front	⇦		QSJ1604S	Ø 15mm Cone
21b	Ball Joint - Front	⇨		QSJ1603S	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS1997	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS2659	Rear
25	Stabiliser Link - Front	⇦⇨	exc.4Motion, -ch.1J.X999000, 08/98-04/99	QLS3054S	Ø 21mm Bar, L=105mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨	exc.4Motion, ch.1J.Y000001-, 05/99-	QLS3250S	Ø 23mm, L=105mm, Metal
25[1]	Stabiliser Link - Front	⇦⇨	4Motion, -ch.1J.X999000, 08/98-04/99	QLS3250S	Ø 23mm, L=105mm, Metal
25a	Stabiliser Link - Front	⇦	4Motion, ch.1J.Y000001-, 05/99-	QLS3332S	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front	⇨	4Motion, ch.1J.Y000001-, 05/99-	QLS3333S	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7041	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7100	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3079	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2664	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2334	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2334	
92	Subframe Mounting - Front	⇦⇨		EM4106	
34	Suspension Arm Bush - Rear	⇦⇨	exc.4Motion	EMS8521	Axle, 69mm Dia
34	Suspension Arm Bush - Rear	⇦⇨	exc.4Motion	EMS4045	Axle, 72mm Dia
34	Suspension Arm Bush - Rear	⇦⇨	4Motion	EMS8424	Front,Trailing Arm
35	Stabiliser Link - Rear	⇦⇨	exc.H.D.Susp.	QLS3327S	L=182mm
35	Stabiliser Link - Rear	⇦⇨	H.D.Susp.	QLS3542S	L=196mm
38	Subframe Repair Kit - Rear	⇦⇨	exc.4Motion	QSK233S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Std.Susp. exc.4Motion	EMR6011	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Sport Susp. exc.4Motion -ch.1J.Y530000	EMR6011	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Sport Susp. exc.4Motion ch.1J.Y530001-	EMR6011	

Corrado

53i exc.VR6

09/88-05/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5 , Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		**QR2603S**	Male M14x1.5 ,M14x1.5 Swivel, L=355mm
4a	Tie Rod Assembly	⇦		**QDL2247S**	Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨		**QDL2248S**	Ø 12.7mm Cone
20	Suspension Arm - Front			**QSA9650S**	Not Complete


continued...

Corrado continued... 09/88-05/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA1446S	Complete
20b	Suspension Arm - Front			QSA1447S	Complete
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front			QLS3611S	Ø 23mm Bar, L=94mm
26	Stabiliser Bar Bush - Front			EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
61	Top Strut Bearing - Front		ch.50.S000052-	QAM120	
62	Top Strut Mounting - Front exc.Bearing		ch.50.S000052-	EMR1891	
63	Top Strut Mounting - Front inc.Bearing		-ch.50.S000051	EMA1796	
63	Top Strut Mounting - Front inc.Bearing		ch.50.S000052-	EMA1891	
92	Subframe Mounting - Front			EM1886	4 per Vehicle
65	Top Strut Mounting - Rear exc.Bearing			EMR6038	

Corrado 08/91-05/95

53i VR6




Corrado continued... 08/91-05/95

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5 , Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨	, Mfr.ZF	QR6001S	Male M14x1.5 , M14x1.5mm Swivel, L=365mm
2	Rack End	⇦⇨	, Mfr.TRW	QR6000S	Male M14x1.5 , M14x1.5mm Swivel, L=389mm
4a	Tie Rod Assembly	⇦	, Mfr.ZF	QDL2878S	Male M14x1.5 , Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, Mfr.TRW	QDL2755S	Male M14x1.5 , Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.ZF	QDL2879S	Male M14x1.5 , Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.TRW	QDL2753S	Male M14x1.5 , Ø 12.7mm Cone
20a	Suspension Arm - Front			QSA1702S	Complete
20a	Suspension Arm - Front			QSA1668S	Not Complete
20b	Suspension Arm - Front			QSA1703S	Complete
20b	Suspension Arm - Front			QSA1667S	Not Complete
21	Ball Joint - Front			QSJ1269S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front			QLS1627S	L=55mm
26	Stabiliser Bar Bush - Front			EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
61	Top Strut Bearing - Front			QAM120	
62	Top Strut Mounting - Front exc.Bearing			EMR1891	
63	Top Strut Mounting - Front inc.Bearing			EMA1891	
92	Subframe Mounting - Front			EM1886	4 per Vehicle
65	Top Strut Mounting - Rear exc.Bearing			EMR6038	

Eos

1K7

05/06-09/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲		**QSA2016S**	Cast Type
20b	Suspension Arm - Front	↳		**QSA2017S**	Cast Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	⇦⇨		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7264**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	


Eos continued... 05/06-09/11

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear			**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear			**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear			**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm

Fox

5Z1

10/03-07/12




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3276S**	Female M14x1.5 , Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3277S**	Female M14x1.5 , Ø 13.3mm Cone, L=95mm
2	Rack End	⇦⇨		**QR3278S**	Male M14x1.5,M14x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	, mfr.TRW	**-**	
2	Rack End	⇦⇨	, mfr.SMI	**QR3615S**	Male M14x1.5 , M16x1.5 Swivel, L=321mm
4a	Tie Rod Assembly	⇦		**QDL3269S**	Female M14x1.5 , Cone Ø 13.3mm, L=325mm
4a	Tie Rod Assembly	⇦	, mfr.TRW	**QDL5296S**	
4a	Tie Rod Assembly	⇦	, mfr.SMI	**QDL5297S**	
4b	Tie Rod Assembly	⇨		**QDL3270S**	Female M14x1.5 , Cone Ø 13.3mm, L=325mm
4b	Tie Rod Assembly	⇨	, mfr.TRW	**QDL5298S**	
4b	Tie Rod Assembly	⇨	, mfr.SMI	**QDL5299S**	
20a	Suspension Arm - Front	↲		**QSA1950S**	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front	↳		**QSA1951S**	With Ball Joint, exc.Rear Bush
21a	Ball Joint - Front	↲		**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3269S**	Ø 15mm Cone, M12x1.5

Fox continued... 10/03-07/12

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			EMS8209	Front
24b	Suspension Arm Bush - Front		Std.	EMS8210	Rear
24b¹	Suspension Arm Bush - Front		H.D.	EMS8480	Rear
24c	Suspension Arm Bush - Front			QSJ3682S	Control Arm Bush Console Bracket
24d	Suspension Arm Bush - Front			QSJ3683S	Control Arm Bush Console Bracket
25	Stabiliser Link - Front			QLS3299S	L=274mm
61	Top Strut Bearing - Front			QAM158	
62	Top Strut Mounting - Front exc.Bearing		PRG25 ch.5Z.70040001/5Z.74068001-	EMR6084	
34	Suspension Arm Bush - Rear			EMS8521	Axle, 69mm Dia
34	Suspension Arm Bush - Rear			EMS4045	Axle, 72mm Dia
38	Subframe Repair Kit - Rear			QSK233S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing			EMR6011	

Golf I Cabrio 02/79-08/93

155




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer			QR1785S	Female M14x1.5 L, Ø 12.6mm Cone, L=79mm
2	Rack End			QR4082S	Male M14x1.5 L, M14x1.5 Swivel, L=340mm
4	Tie Rod Assembly			QDL2699S	
4¹	Tie Rod Assembly			QDL2244S	Ø 12.5mm Cone
20	Suspension Arm - Front			QSA9630S	exc.France, Not Complete
20	Suspension Arm - Front			QSA411S	France Only, Complete
21	Ball Joint - Front			QSJ793S	Ø 17mm Cone
24a	Suspension Arm Bush - Front			EMS1643	Front
24b	Suspension Arm Bush - Front			EMS1893	Rear
26	Stabiliser Bar Bush - Front			EMB7037	Outer
26¹	Stabiliser Bar Bush - Front			EMB1996	Inner
63	Top Strut Mounting - Front inc.Bearing			EMA1621	Upper Mounting & Bearing

Golf II

19,1G

08/87-07/91




Golf II continued... 08/87-07/91



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5, Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		QR5058S	Male M14x1.5, L=365mm
2	Rack End	⇦⇨	, Mfr.TRW	QR2603S	Male M14x1.5 ,M14x1.5 Swivel, L=355mm
4a	Tie Rod Assembly	⇦		QDL2079S	M22x1.5, Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, Mfr.TRW	QDL2247S	'Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, Mfr.ZF	QDL2880S	
4b	Tie Rod Assembly	⇨		QDL5019S	
4b	Tie Rod Assembly	⇨	, Mfr.TRW	QDL2248S	'Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.ZF	QDL2881S	
20	Suspension Arm - Front			QSA9650S	Not Complete
20a	Suspension Arm - Front		exc.France	QSA1446S	Complete
20b	Suspension Arm - Front		exc.France	QSA1447S	Complete
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨	exc.G60	QLS3066S	Ø 21.5mm Bar, L=94mm
25	Stabiliser Link - Front	⇦⇨	G60	QLS3611S	Ø 23mm Bar, L=94mm
26	Stabiliser Bar Bush - Front	⇦⇨	exc.G60	EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	G60	EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
27	Stabiliser Link Kit - Front	⇦⇨	exc.G60	EMBK2086	Outer, Ø 18mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	exc.G60	EMA1797	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	G60	EMA1796	
92	Subframe Mounting - Front			EM1886	4 per Vehicle
34	Suspension Arm Bush - Rear	⇦⇨	exc.Syncro	EMS2434	Axle
38	Subframe Repair Kit - Rear	⇦⇨	exc.Syncro	QSK230S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	

Golf III exc.GTi,VR6,16v,TDi 110PS 08/91-07/98

1H1, exc.Variant,Syncro,Cabrio,'20 Jahre GTi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5, Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		**QR2752S**	Male M14x1.5, Female M22 x1.5 Swivel L=393mm
2	Rack End	⇦⇨	, Mfr.TRW	**QR6000S**	Male M14x1.5, M14x1.5mm Swivel, L=389mm
2	Rack End	⇦⇨	, Mfr.ZF	**QR6001S**	Male M14x1.5, M14x1.5mm Swivel, L=365mm
4a	Tie Rod Assembly	⇦		**QDL2752S**	Female M22x1.5, Ø 12.6mm Cone
4a¹	Tie Rod Assembly	⇦	, Mfr.TRW	**QDL2755S**	Male M14x1.5, Ø 12.7mm Cone
4a¹	Tie Rod Assembly	⇦	, Mfr.ZF	**QDL2878S**	Male M14x1.5, Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨		**QDL2754S**	Female M22x1.5, Ø 12.6mm Cone


Golf III exc.GTi,VR6,16v,TDi 110PS continued... 08/91-07/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4b[1]	Tie Rod Assembly	⇨	, Mfr.TRW	QDL2753S	Male M14x1.5 , Ø 12.7mm Cone
4b[1]	Tie Rod Assembly	⇨	, Mfr.ZF	QDL2879S	Male M14x1.5 , Ø 12.7mm Cone
20	Suspension Arm - Front			QSA1519S	Not Complete
20	Suspension Arm - Front			QSA934S	Complete, Ball Joint supplied loose
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3066S	Ø 21.5mm Bar, L=94mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
61	Top Strut Bearing - Front	⇦⇨		QAM120	Fits EMR1891
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	2.0i -ch.1H.SW062538/-SB019475	EMR1891	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	ch.1H.SW062539-/SB019476-	EMR1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.4i,1.6i,1.8i 75PS -ch.1H.SW062538/-SB019475	EMA1797	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.8i 90PS,1.9D,1.9TD -ch.1H.SW062538/-SB019475	EMA1796	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	2.0i -ch.1H.SW062538/-SB019475	EMA1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	ch.1H.SW062539-/SB019476-	EMA1891	
92	Subframe Mounting - Front		08/91-08/92, -ch.1H.PW080000/ -1H.PB010000	EM1886	4 per Vehicle
92	Subframe Mounting - Front		08/92-07/98, ch.1H.PW080001-/ 1H.PB010001-	EM3068	4 per Vehicle
34	Suspension Arm Bush - Rear	⇦⇨		EMS2423	Axle
38	Subframe Repair Kit - Rear	⇦⇨		QSK231S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	

Golf III GTi,VR6,16v

08/91-07/98

1H1, exc.Variant,Syncro,Cabrio



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5 LH, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5 LH, Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨	, Mfr.TRW	**QR6000S**	Male M14x1.5 LH, M14x1.5mm Swivel, L=389mm
2	Rack End	⇦⇨	, Mfr.ZF	**QR6001S**	Male M14x1.5 LH, M14x1.5mm Swivel, L=365mm
4a	Tie Rod Assembly	⇦	, Mfr.TRW	**QDL2755S**	Male M14x1.5 LH, Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, Mfr.ZF	**QDL2878S**	Male M14x1.5 LH, Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.TRW	**QDL2753S**	Male M14x1.5 LH, Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.ZF	**QDL2879S**	Male M14x1.5 LH, Ø 12.7mm Cone
20a	Suspension Arm - Front			**QSA1668S**	Not Complete
20a	Suspension Arm - Front			**QSA1702S**	Complete
20b	Suspension Arm - Front			**QSA1667S**	Not Complete
20b	Suspension Arm - Front			**QSA1703S**	Complete
21	Ball Joint - Front			**QSJ1269S**	Ø 16.5mm Cone


Golf III GTi,VR6,16v continued... 08/91-07/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front			**QLS1627S**	L=55mm
26	Stabiliser Bar Bush - Front			**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
61	Top Strut Bearing - Front			**QAM120**	
62	Top Strut Mounting - Front exc.Bearing			**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing			**EMA1891**	
92	Subframe Mounting - Front		08/91-08/92, -ch.1H.PW080000/ -1H.PB010000	**EM1886**	4 per Vehicle
92	Subframe Mounting - Front		08/92-07/98, ch.1H.PW080001-/ 1H.PB010001-	**EM3068**	4 per Vehicle
34	Suspension Arm Bush - Rear			**EMS2423**	Axle
38	Subframe Repair Kit - Rear			**QSK231S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing			**EMR6038**	

Golf III TDi 110PS

02/96-09/97

1H1, exc.Variant,Syncro,Cabrio,'20 Jahre GTi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5 LH, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5 LH, Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨	Mfr.TRW	QR6000S	Male M14x1.5 LH, M14x1.5mm Swivel, L=389mm
2	Rack End	⇦⇨	Mfr.ZF	QR6001S	Male M14x1.5 LH, M14x1.5mm Swivel, L=365mm
4a	Tie Rod Assembly	⇦	Mfr.TRW	QDL2755S	Male M14x1.5 LH, Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	Mfr.ZF	QDL2878S	Male M14x1.5 LH, Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	Mfr.TRW	QDL2753S	Male M14x1.5 LH, Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	Mfr.ZF	QDL2879S	Male M14x1.5 LH, Ø 12.7mm Cone
20	Suspension Arm - Front			QSA1519S	Not Complete
20	Suspension Arm - Front			QSA934S	Complete
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear


Golf III TDi 110PS continued... 02/96-09/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front			QLS3066S	Ø 21.5mm Bar, L=94mm
26	Stabiliser Bar Bush - Front			EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
61	Top Strut Bearing - Front		ch.1H.SW062539-/SB019476-	QAM120	
62	Top Strut Mounting - Front exc.Bearing		ch.1H.SW062539-/SB019476-	EMR1891	
63	Top Strut Mounting - Front inc.Bearing		-ch.1H.SW062538/-SB019475	EMA1796	
63	Top Strut Mounting - Front inc.Bearing		ch.1H.SW062539-/SB019476-	EMA1891	
92	Subframe Mounting - Front			EM3068	4 per Vehicle
34	Suspension Arm Bush - Rear			EMS2423	Axle
38	Subframe Repair Kit - Rear			QSK231S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing			EMR6038	

Golf III '20 Jahre GTi' TDi 110PS

02/96-09/97

1H1, exc.Variant,Syncro,Cabrio




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5 LH, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5 LH, Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨	, Mfr.TRW	**QR6000S**	Male M14x1.5 LH, M14x1.5mm Swivel, L=389mm
2	Rack End	⇦⇨	, Mfr.ZF	**QR6001S**	Male M14x1.5 LH, M14x1.5mm Swivel, L=365mm
4a	Tie Rod Assembly	⇦	, Mfr.TRW	**QDL2755S**	Male M14x1.5 LH, Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, Mfr.ZF	**QDL2878S**	Male M14x1.5 LH, Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.TRW	**QDL2753S**	Male M14x1.5 LH, Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.ZF	**QDL2879S**	Male M14x1.5 LH, Ø 12.7mm Cone
20a	Suspension Arm - Front			**QSA1668S**	Not Complete
20a	Suspension Arm - Front			**QSA1702S**	Complete
20b	Suspension Arm - Front			**QSA1667S**	Not Complete
20b	Suspension Arm - Front			**QSA1703S**	Complete
21	Ball Joint - Front			**QSJ1269S**	Ø 16.5mm Cone

Golf III '20 Jahre GTi' TDi 110PS continued... 02/96-09/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		**QLS1627S**	L=55mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
61	Top Strut Bearing - Front	⇦⇨	ch.1H.SW062539/-SB019476-	**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	ch.1H.SW062539/-SB019476-	**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	-ch.1H.SW062538/-SB019475	**EMA1796**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	ch.1H.SW062539/-SB019476-	**EMA1891**	
92	Subframe Mounting - Front			**EM3068**	4 per Vehicle
34	Suspension Arm Bush - Rear	⇦⇨		**EMS2423**	Axle
38	Subframe Repair Kit - Rear	⇦⇨		**QSK231S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6038**	

Golf III Variant 08/91-05/99

1H5 exc.Syncro



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, Mfr.TRW, -ch.1H.R458663, 08/91-03/94	QR2767S	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, Mfr.TRW, ch.1H.R458664-, 03/94-05/99	QR3201S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, Mfr.ZF, exc.TDi 110PS	QR2767S	Female M14x1.5, Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, Mfr.ZF, TDi 110PS	QR3201S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, Mfr.TRW, -ch.1H.R458663, 08/91-03/94	QR2069S	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, Mfr.TRW, ch.1H.R458664-, 03/94-05/99	QR3202S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, Mfr.ZF, exc.TDi 110PS	QR2069S	Female M14x1.5, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, Mfr.ZF, TDi 110PS	QR3202S	Female M14x1.5, Ø 12.7mm Cone, L=74mm


Golf III Variant continued... 08/91-05/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		QR2752S	Male M14x1.5, Female M22 x1.5 Swivel L=393mm
2	Rack End	⇦⇨	, Mfr.TRW	QR6000S	Male M14x1.5, M14x1.5mm Swivel, L=389mm
2	Rack End	⇦⇨	, Mfr.ZF	QR6001S	Male M14x1.5, M14x1.5mm Swivel, L=365mm
4a	Tie Rod Assembly	⇦		QDL2752S	Female M22x1.5, Ø 12.6mm Cone
4a[1]	Tie Rod Assembly	⇦	, Mfr.TRW, -ch.1H.R458663, 08/91-03/94	QDL2755S	Male M14x1.5, Ø 12.7mm Cone
4a[1]	Tie Rod Assembly	⇦	, Mfr.TRW, ch.1H.R458664-, 03/94-05/99	QDL2876S	
4a[1]	Tie Rod Assembly	⇦	, Mfr.ZF, exc.TDi 110PS	QDL2878S	Male M14x1.5, Ø 12.7mm Cone
4a[1]	Tie Rod Assembly	⇦	, Mfr.ZF, TDi 110PS	QDL3242S	
4b	Tie Rod Assembly	⇨		QDL2754S	Female M22x1.5, Ø 12.6mm Cone
4b[1]	Tie Rod Assembly	⇨	, Mfr.TRW, -ch.1H.R458663, 08/91-03/94	QDL2753S	Male M14x1.5, Ø 12.7mm Cone
4b[1]	Tie Rod Assembly	⇨	, Mfr.TRW, ch.1H.R458664-, 03/94-05/99	QDL2877S	
4b[1]	Tie Rod Assembly	⇨	, Mfr.ZF, exc.TDi 110PS	QDL2879S	Male M14x1.5, Ø 12.7mm Cone
4b[1]	Tie Rod Assembly	⇨	, Mfr.ZF,TDi 110PS	QDL3243S	
20	Suspension Arm - Front			QSA1519S	Not Complete
20	Suspension Arm - Front			QSA934S	Complete, Ball Joint supplied loose
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3066S	Ø 21.5mm Bar, L=94mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	2.0i -ch.1H.SW062538/-SB019475	EMR1891	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	ch.1H.SW062539-/SB019476-	EMR1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.4i,1.6i,1.8i 75PS -ch.1H.SW062538/-SB019475	EMA1797	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	1.8i 90PS,1.9D,1.9TD -ch.1H.SW062538/-SB019475	EMA1796	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	2.0i -ch.1H.SW062538/-SB019475	EMA1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	ch.1H.SW062539-/SB019476-	EMA1891	
92	Subframe Mounting - Front		08/91-08/92, -ch.1H.PW080000/ -1H.PB010000	EM1886	4 per Vehicle
92	Subframe Mounting - Front		08/92-07/98, ch.1H.PW080001-/ 1H.PB010001-	EM3068	4 per Vehicle
34	Suspension Arm Bush - Rear	⇦⇨		EMS4107	Axle
38	Subframe Repair Kit - Rear	⇦⇨		QSK232S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	

Golf III Syncro

01/93-05/99

1H1,1H5 exc.VR6




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5 LH, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5 LH, Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		QR6000S	Male M14x1.5 LH, M14x1.5mm Swivel, L=389mm
4a	Tie Rod Assembly	⇦		QDL2755S	Male M14x1.5 LH, Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨		QDL2753S	Male M14x1.5 LH, Ø 12.7mm Cone
20	Suspension Arm - Front	⇦⇨		QSA1519S	Not Complete
20	Suspension Arm - Front	⇦⇨		QSA934S	Complete, Ball Joint supplied loose
21	Ball Joint - Front	⇦⇨		QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS1997	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS1850	Rear
24c	Suspension Arm Bush - Front	⇦⇨		TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3066S	Ø 21.5mm Bar, L=94mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
61	Top Strut Bearing - Front	⇦⇨	ch.1H.SW062539-	QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	ch.1H.SW062539-	EMR1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	-ch.1H.SW062538	EMA1796	

Golf III Syncro continued... 01/93-05/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	ch.1H.SW062539-	EMA1891	
92	Subframe Mounting - Front			EM3068	4 per Vehicle
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	

Golf III Syncro 11/94-05/99

1H1,1H5 VR6



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	, exc.Estate	QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, Estate	QR3201S	Female M14x1.5 , Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, exc.Estate	QR2069S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, Estate	QR3202S	Female M14x1.5 , Ø 12.7mm Cone, L=74mm
2	Rack End	⇦⇨	exc.Estate	QR6000S	Male M14x1.5 , M14x1.5mm Swivel, L=389mm
4a	Tie Rod Assembly	⇦	exc.Estate	QDL2755S	Male M14x1.5 , Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, Estate	-	
4b	Tie Rod Assembly	⇨	exc.Estate	QDL2753S	Male M14x1.5 , Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Estate	-	


continued...

Golf III Syncro continued... 11/94-05/99

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front			QSA1668S	Not Complete
20a	Suspension Arm - Front			QSA1702S	Complete
20b	Suspension Arm - Front			QSA1667S	Not Complete
20b	Suspension Arm - Front			QSA1703S	Complete
21	Ball Joint - Front			QSJ1269S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front			QLS1627S	L=55mm
26	Stabiliser Bar Bush - Front			EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
61	Top Strut Bearing - Front		ch.1H.SW062539-	QAM120	
62	Top Strut Mounting - Front exc.Bearing		ch.1H.SW062539-	EMR1891	
63	Top Strut Mounting - Front inc.Bearing		-ch.1H.SW062538	EMA1796	
63	Top Strut Mounting - Front inc.Bearing		ch.1H.SW062539-	EMA1891	
92	Subframe Mounting - Front			EM3068	4 per Vehicle
65	Top Strut Mounting - Rear exc.Bearing			EMR6038	

Golf III Cabrio 09/93-06/02

1E7



Golf III Cabrio continued... 09/93-06/02



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	, -ch.1E.R030000, 09/93-07/94	QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, ch.1E.S000001-, 08/94-06/02	QR3201S	Female M14x1.5 , Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, -ch.1E.R030000, 09/93-07/94	QR2069S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, ch.1E.S000001-, 08/94-06/02	QR3202S	Female M14x1.5 , Ø 12.7mm Cone, L=74mm
2	Rack End	⇦⇨	, Mfr.TRW	QR6000S	Male M14x1.5 , M14x1.5mm Swivel, L=389mm
2	Rack End	⇦⇨	, Mfr.ZF	QR6001S	Male M14x1.5 , M14x1.5mm Swivel, L=365mm
4a	Tie Rod Assembly	⇦	, Mfr.TRW, -ch.1E.R030000, 09/93-07/94	QDL2755S	Male M14x1.5 , Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, Mfr.TRW, ch.1E.S000001-, 08/94-06/02	QDL2876S	
4a	Tie Rod Assembly	⇦	, Mfr.ZF, -ch.1E.R030000, 09/93-07/94	QDL2878S	Male M14x1.5 , Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, Mfr.ZF, ch.1E.S000001-, 08/94-06/02	QDL3242S	
4b	Tie Rod Assembly	⇨	, Mfr.TRW, -ch.1E.R030000, 09/93-07/94	QDL2753S	Male M14x1.5 , Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.TRW, ch.1E.S000001-, 08/94-06/02	QDL2877S	
4b	Tie Rod Assembly	⇨	, Mfr.ZF, -ch.1E.R030000, 09/93-07/94	QDL2879S	Male M14x1.5 , Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.ZF, ch.1E.S000001-, 08/94-06/02	QDL3243S	
20	Suspension Arm - Front			QSA1519S	Not Complete
20	Suspension Arm - Front			QSA934S	Complete
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3066S	Ø 21.5mm Bar, L=94mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1891	
92	Subframe Mounting - Front			EM3068	4 per Vehicle
34	Suspension Arm Bush - Rear	⇦⇨		EMS2423	Axle
38	Subframe Repair Kit - Rear	⇦⇨		QSK231S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	


Golf IV

10/97-10/03


1J1 exc.VR6,R32



Golf IV continued... 10/97-10/03



Golf IV continued... 10/97-10/03




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	10/97-12/97	QR3041S	Female M14x1.5 , Ø 13.3mm Cone, L=75mm
1a	Tie Rod End - Outer	⇦	01/98-10/03	QR3259S	Female M14x1.5 , Ø 13.2mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨	10/97-12/97	QR3040S	Female M14x1.5 , Ø 13.3mm Cone, L=75mm
1b	Tie Rod End - Outer	⇨	01/98-10/03	QR3260S	Female M14x1.5 , Ø 13.2mm Cone, L=95mm
2	Rack End	⇦⇨	10/97-12/97	QR5218S	Male M14x1.5 , M18x1.5 Swivel, L=358mm
2	Rack End	⇦⇨	01/98-10/03	QR5306S	Male M14x1.5 , M16x1.5mm Swivel, L=340mm
4a	Tie Rod Assembly	⇦	10/97-12/97	QDL3047S	
4a	Tie Rod Assembly	⇦	01/98-10/03	QDL3257S	
4b	Tie Rod Assembly	⇨	10/97-12/97	QDL3045S	
4b	Tie Rod Assembly	⇨	01/98-10/03	QDL3258S	
20	Suspension Arm - Front			QSA1672S	Not Complete
20a	Suspension Arm - Front			QSA1533S	Complete
20b	Suspension Arm - Front			QSA1532S	Complete
21a	Ball Joint - Front			QSJ1604S	Ø 15mm Cone
21b	Ball Joint - Front			QSJ1603S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS2659	Rear
25	Stabiliser Link - Front	⇦⇨	exc.4Motion, -ch.1J.X800000, 10/97-04/99	QLS3054S	Ø 21mm Bar, L=105mm, Plastic
25[1]	Stabiliser Link - Front	⇦⇨	exc.4Motion, ch.1J.X800001-1J.1480000, 05/99-05/00	QLS3250S	Ø 23mm, L=105mm, Metal
25[2]	Stabiliser Link - Front	⇦⇨	exc.4Motion, ch.1J.1480001-, 06/00-10/03	QLS3492S	L=107.5mm
25	Stabiliser Link - Front	⇦⇨	4Motion, -ch.1J.X999000, 10/97-04/99	QLS3250S	Ø 23mm, L=105mm, Metal
25a	Stabiliser Link - Front	⇦	4Motion, ch.1J.Y000001-, 05/99-10/03	QLS3332S	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front	⇨	4Motion, ch.1J.Y000001-, 05/99-10/03	QLS3333S	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7041	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7100	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3079	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2664	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2334	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2334	
92	Subframe Mounting - Front			EM4106	
34a	Suspension Arm Bush - Rear	⇦⇨	4Motion	EMS8424	Front,Trailing Arm
34b	Suspension Arm Bush - Rear	⇦⇨	exc.4Motion	EMS8521	Axle, 69mm Dia
34b	Suspension Arm Bush - Rear	⇦⇨	exc.4Motion	EMS4045	Axle, 72mm Dia
35	Stabiliser Link - Rear	⇦⇨	exc.H.D.Susp.	QLS3327S	L=182mm
35	Stabiliser Link - Rear	⇦⇨	H.D.Susp.	QLS3542S	L=196mm
38	Subframe Repair Kit - Rear	⇦⇨	exc.4Motion	QSK233S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Std.Susp. exc.4Motion	EMR6011	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Sport Susp. exc.4Motion -ch.1J.Y500000	EMR6011	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	Sport Susp. exc.4Motion ch.1J.Y500001-	EMR6011	

Golf IV

1J1 VR6

01/99-10/03



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20	Suspension Arm - Front	⇦⇨		**QSA1672S**	Not Complete
20a	Suspension Arm - Front	⇦		**QSA1533S**	Complete
20b	Suspension Arm - Front	⇨		**QSA1532S**	Complete
21a	Ball Joint - Front	⇦		**QSJ1604S**	Ø 15mm Cone
21b	Ball Joint - Front	⇨		**QSJ1603S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1997**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2659**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3332S**	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front	⇨		**QLS3333S**	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.1J.X800000, 01/99-04/99	**EMB7100**	Outer, Ø 23mm Bar, Ø 21mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.1J.Y000001- 05/99-10/03	**EMB7122**	Outer, Ø 19mm Bar, Ø 17mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.1J.Y000001- 05/99-10/03	**-**	Outer, Ø 20mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.1J.Y000001- 05/99-10/03	**EMB7041**	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.1J.Y000001- 05/99-10/03	**EMB7100**	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3079**	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨	-ch.1J.X800000, 01/99-04/99	**EMBK2664**	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
34	Suspension Arm Bush - Rear	⇦⇨	4Motion	**EMS8424**	Front,Trailing Arm
35	Stabiliser Link - Rear	⇦⇨	exc.H.D.Susp.	**QLS3327S**	L=182mm


continued...

Golf IV continued... 01/99-10/03

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
35	Stabiliser Link - Rear	⇦⇨	H.D.Susp.	QLS3542S	L=196mm
38	Subframe Repair Kit - Rear	⇦⇨		QSK233S	Axle Set

Golf IV 06/02-10/03

1J1 R32




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR9976S	Female M16x1.5 RH, Ø 13.1mm Cone, M12 Swivel
1b	Tie Rod End - Outer	⇨		QR9977S	Female M16x1.5 RH, Ø 13.1mm Cone, M12 Swivel
2	Rack End	⇦⇨	exc.Sports Susp. 18" Wheels	QR3452S	Male M16x1.5 RH, M16x1.5 Swivel, L=355mm
2	Rack End	⇦⇨	Sports Susp. 18" Wheels	QR3794S	Male M16x1.5 RH,M16x1.5 Swivel L=333mm
20a	Suspension Arm - Front	↲		QSA2024S	
20b	Suspension Arm - Front	↳		QSA2025S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8226	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8227	Rear
25a	Stabiliser Link - Front	⇦		QLS3332S	Ø 19mm Bar, L=336mm
25b	Stabiliser Link - Front	⇨		QLS3333S	Ø 19mm Bar, L=336mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7041	Outer, Ø 21mm Bar, Ø 19mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7100	Outer, Ø 23mm Bar, Ø 21mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK3079	Outer, Ø 21mm Bar, Ø 19mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		EMBK2664	Outer, Ø 23mm Bar, Ø 21mm Bush Complete with Brackets
34	Suspension Arm Bush - Rear	⇦⇨	4Motion	EMS8424	Front,Trailing Arm
35	Stabiliser Link - Rear	⇦⇨	exc.H.D.Susp.	QLS3327S	L=182mm
35	Stabiliser Link - Rear	⇦⇨	H.D.Susp.	QLS3542S	L=196mm

Golf V

1K1 -ch.1K9.200000

10/03-09/08




Golf V continued... 10/03-09/08

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲	exc.Automatic Headlamp Levelling	**QSA2018S**	Sheet Steel Type
20a[1]	Suspension Arm - Front	↲	Automatic Headlamp Levelling	**QSA2016S**	Cast Type
20b	Suspension Arm - Front	↳	exc.Automatic Headlamp Levelling	**QSA2019S**	Sheet Steel Type
20b[1]	Suspension Arm - Front	↳	Automatic Headlamp Levelling	**QSA2017S**	Cast Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	↲↳		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	↲		**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	↳		**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear	↰↱		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.4Motion,Rough Road,Variant	**EMR6091**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	4Motion	**-**	

Golf VI

1K9 ch.1K9.400001-

10/08-




Golf VI continued... 10/08-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5324S	Female M16x1.5, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		QR5325S	Female M16x1.5, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		QR5323S	Male M16x1.5, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front		-11/08	QSA2018S	Sheet Steel Type, Without Ball Joint
20a[1]	Suspension Arm - Front		-11/08	QSA2016S	Cast Type, Without Ball Joint
20a[1]	Suspension Arm - Front		12/08-	QSA2693S	Sheet Steel Type, With Ball Joint
20b	Suspension Arm - Front		-11/08	QSA2019S	Sheet Steel Type, Without Ball Joint
20b[1]	Suspension Arm - Front		-11/08	QSA2017S	Cast Type, Without Ball Joint
20b[1]	Suspension Arm - Front		12/08-	QSA2694S	Sheet Steel Type, With Ball Joint
21a	Ball Joint - Front			QSJ3295S	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front			QSJ3296S	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front			EMS8228	Front
24b	Suspension Arm Bush - Front			EMS8229	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front			EMS8230	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front			EMS8480	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		QLS3328S	L=337mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7213	Outer
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7264	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		QAM158	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR5048	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5048	
30a	Suspension Arm - Rear		-ch.1K9.425000, exc.4-Motion Models	QSJ3396S	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear		-ch.1K9.425000, exc.4-Motion Models	QSJ3397S	Front, Straight Control Arm, L=298mm
30	Suspension Arm - Rear		ch.1K9.425001-, 4-Motion Models	QSJ3500S	Front, Straight Control Arm
32	Suspension Arm - Rear			QSJ3439S	Front, Curved Control Arm, L=305mm
35	Stabiliser Link - Rear	⇦⇨		QLS3329S	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		EMB7208	Outer
36	Stabiliser Bar Bush - Front	⇦⇨		EMB7207	Outer
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.H.D.Susp.	EMR6091	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	H.D.Susp., -ch.1K9587500	-	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	H.D.Susp., ch.1K9587501-	-	
93	Subframe Mounting - Rear	⇦⇨		-	Front
93[1]	Subframe Mounting - Rear	⇦⇨		-	Rear

Golf VII

5G1


11/12-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 LH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH/LH, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲		**QSA2018S**	Cast Type, Without Ball Joint
20a¹	Suspension Arm - Front	↲		**QSA2693S**	Sheet Steel Type, With Ball Joint
20b	Suspension Arm - Front	↳		**QSA2019S**	Cast Type, Without Ball Joint
20b¹	Suspension Arm - Front	↳		**QSA2694S**	Sheet Steel Type, With Ball Joint
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	⇩⇩		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	⇩⇩		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
26	Stabiliser Bar Bush - Front	⇦⇨		**-**	Outer

Golf Plus 10/04-

5M1




Golf Plus continued... 10/04-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲	exc.Automatic Headlamp Levelling	**QSA2018S**	Sheet Steel Type
20a[1]	Suspension Arm - Front	↲	Automatic Headlamp Levelling	**QSA2016S**	Cast Type
20b	Suspension Arm - Front	↳	exc.Automatic Headlamp Levelling	**QSA2019S**	Sheet Steel Type
20b[1]	Suspension Arm - Front	↳	Automatic Headlamp Levelling	**QSA2017S**	Cast Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	↲↳		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7264**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	↲		**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	↳		**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear	↰↱		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.Rough Road	**EMR6091**	

Jetta II

08/87-07/91

165,167,168,1G2




Jetta II continued... 08/87-07/91

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5 , Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		QR5058S	Male M14x1.5 , L=365mm
2	Rack End	⇦⇨	, Mfr.TRW	QR2603S	Male M14x1.5 ,M14x1.5 Swivel, L=355mm
4a	Tie Rod Assembly	⇦		QDL2079S	M22x1.5 , Ø 12.7mm Cone
4a[1]	Tie Rod Assembly	⇦	Mfr.TRW	QDL2247S	Ø 12.7mm Cone
4a[1]	Tie Rod Assembly	⇦	Mfr.ZF	QDL2880S	
4b	Tie Rod Assembly	⇨		QDL5019S	
4b[1]	Tie Rod Assembly	⇨	Mfr.TRW	QDL2248S	Ø 12.7mm Cone
4b[1]	Tie Rod Assembly	⇨	Mfr.ZF	QDL2881S	
20	Suspension Arm - Front			QSA9650S	Not Complete
20a	Suspension Arm - Front		exc.France	QSA1446S	Complete
20b	Suspension Arm - Front		exc.France	QSA1447S	Complete
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3066S	Ø 21.5mm Bar, L=94mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1797	
92	Subframe Mounting - Front			EM1886	4 per Vehicle
34	Suspension Arm Bush - Rear	⇦⇨		EMS2434	Axle
38	Subframe Repair Kit - Rear	⇦⇨		QSK230S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	


Jetta III

1K2

08/05-10/10



Jetta III continued... 08/05-10/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲	exc.Automatic Headlamp Levelling	**QSA2018S**	Sheet Steel Type
20a[1]	Suspension Arm - Front	↲	Automatic Headlamp Levelling	**QSA2016S**	Cast Type
20b	Suspension Arm - Front	↳	exc.Automatic Headlamp Levelling	**QSA2019S**	Sheet Steel Type
20b[1]	Suspension Arm - Front	↳	Automatic Headlamp Levelling	**QSA2017S**	Cast Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	⇊		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	⇊		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	↲	-ch.1K.9091375	**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	↳	-ch.1K.9091375	**QSJ3397S**	Front, Straight Control Arm, L=298mm
30c	Suspension Arm - Rear	⇊	ch.1K.9091375-	**QSJ3500S**	Front, Straight Control Arm
32	Suspension Arm - Rear	⇈		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7208**	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7207**	Outer, Ø 19mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	-ch.1K.7027308	**-**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	ch.1K.7027309-	**EMR6091**	

Jetta IV

162,163

04/10-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	⇦		**QSA2689S**	Not Complete
20b	Suspension Arm - Front	⇨		**QSA2690S**	Not Complete
21a	Ball Joint - Front	⇦		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	⇨		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8228**	Front
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
30	Suspension Arm - Rear	⇦⇨		**QSJ3500S**	Front, Straight Control Arm
32	Suspension Arm - Rear	⇦⇨		**QSJ3439S**	Front, Curved Control Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7208**	Outer, Ø 17mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7207**	Outer, Ø 19mm

Lupo

04/98-07/05

6X1,6E1 exc.3L 1.2 TDi,1.4 FSi,1.6 16v



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦		QR3250S	Female M14x1.5, Ø 12.7mm Cone, L=97mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR3251S	Female M14x1.5, Ø 12.7mm Cone, L=97mm
2	Rack End	⇦⇨		QR9259S	Male M14x1.5
2	Rack End	⇦⇨		QR9374S	Male M14x1.5
4a	Tie Rod Assembly	⇦		QDL3205S	
4a¹	Tie Rod Assembly	⇦		QDL3203S	
4b	Tie Rod Assembly	⇨		QDL3206S	
4b¹	Tie Rod Assembly	⇨		QDL3204S	
20	Suspension Arm - Front			QSA1715S	Not Complete
20a	Suspension Arm - Front		Ø 239mm Brake Disc	QSA1015S	Complete
20a	Suspension Arm - Front		Ø 256mm Brake Disc	QSA1014S	Complete
20b	Suspension Arm - Front		Ø 239mm Brake Disc	QSA1014S	Complete
20b	Suspension Arm - Front		Ø 256mm Brake Disc	QSA1015S	Complete

continued...

Lupo continued... 04/98-07/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21a	Ball Joint - Front		Ø 239mm Brake Disc	QSJ1414S	Ø 15mm Cone
21a	Ball Joint - Front		Ø 256mm Brake Disc	QSJ1413S	Ø 15mm Cone
21b	Ball Joint - Front		Ø 239mm Brake Disc	QSJ1413S	Ø 15mm Cone
21b	Ball Joint - Front		Ø 256mm Brake Disc	QSJ1414S	Ø 15mm Cone
24a	Suspension Arm Bush - Front			EMS2663	Front
24b	Suspension Arm Bush - Front			EMS2651	Rear
25	Stabiliser Link - Front			QLS3060S	Ø 18mm Bar, L=92mm
25	Stabiliser Link - Front			QLS3280S	Ø 20mm, L=80mm
26	Stabiliser Bar Bush - Front			EMB7255	Outer, Ø 18mm
61	Top Strut Bearing - Front			QAM120	
62	Top Strut Mounting - Front exc.Bearing			EMR2501	
63	Top Strut Mounting - Front inc.Bearing			EMA2501	

Lupo 06/99-07/05


6X1,6E1 3L 1.2 Tdi



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24a	Suspension Arm Bush - Front			-	Front
24b	Suspension Arm Bush - Front			EMS2651	Rear

Lupo 09/00-07/05

6E1 1.4 FSi




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3250S	Female M14x1.5 LH, Ø 12.7mm Cone, L=97mm
1b	Tie Rod End - Outer	⇨		QR3251S	Female M14x1.5 LH, Ø 12.7mm Cone, L=97mm
2	Rack End	⇦⇨		QR9374S	Male M14x1.5 LH
4a	Tie Rod Assembly	⇦		QDL3203S	
4b	Tie Rod Assembly	⇨		QDL3204S	
24a	Suspension Arm Bush - Front			EMS2663	Front

Lupo continued... 09/00-07/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front			EMS2651	Rear
25	Stabiliser Link - Front			QLS3611S	Ø 20mm
26	Stabiliser Bar Bush - Front			EMB7255	Outer, Ø 18mm
61	Top Strut Bearing - Front			QAM120	
62	Top Strut Mounting - Front exc.Bearing			EMR2501	
63	Top Strut Mounting - Front inc.Bearing			EMA2501	

Lupo 04/01-07/05

6E1 1.6 16v




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR3250S	Female M14x1.5, Ø 12.7mm Cone, L=97mm
1b	Tie Rod End - Outer			QR3251S	Female M14x1.5, Ø 12.7mm Cone, L=97mm
2	Rack End			QR9374S	Male M14x1.5
20	Suspension Arm - Front			QSA1715S	Not Complete
20a	Suspension Arm - Front			-	Complete
20b	Suspension Arm - Front			-	Complete
24a	Suspension Arm Bush - Front			EMS2663	Front
24b	Suspension Arm Bush - Front			EMS2651	Rear
25	Stabiliser Link - Front			QLS3060S	Ø 18mm Bar, L=92mm
25	Stabiliser Link - Front			QLS3280S	Ø 20mm, L=80mm
26	Stabiliser Bar Bush - Front			EMB7255	Outer, Ø 18mm
61	Top Strut Bearing - Front			QAM120	
62	Top Strut Mounting - Front exc.Bearing			EMR2501	
63	Top Strut Mounting - Front inc.Bearing			EMA2501	

Passat III

04/88-09/93

35i, -ch.31P.999999 exc.VR6



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		QR2069S	Female M14x1.5 , Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		QR5209S	Male M14x1.5 , Female M22x1.5 Swivel, L=388mm
2	Rack End	⇦⇨	, Mfr.TRW	QR5222S	Male M14x1.5 , M14x1.5 Swivel, L=375mm
4a¹	Tie Rod Assembly	⇦	Mfr.TRW	QDL2728S	


Passat III continued... 04/88-09/93

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4a[1]	Tie Rod Assembly	⇦	Mfr.ZF	QDL2882S	
4b	Tie Rod Assembly	⇨		QDL2605S	
4b[1]	Tie Rod Assembly	⇨	Mfr.TRW	QDL2729S	
4b[1]	Tie Rod Assembly	⇨	Mfr.ZF	QDL2883S	
20	Suspension Arm - Front			QSA1673S	Not Complete
20a	Suspension Arm - Front			QSA1450S	Complete
20b	Suspension Arm - Front			QSA1451S	Complete
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front			QLS3268S	Ø 22mm bar, 18mm bush, L=80mm
25	Stabiliser Link - Front			QLS3249S	Ø 24mm bar, 20mm bush
26a	Stabiliser Bar Bush - Front	⇦		EMB7101	Outer, Ø 22mm Bar
26a	Stabiliser Bar Bush - Front	⇦		EMB7102	Outer, Ø 24mm Bar
26b	Stabiliser Bar Bush - Front	⇨		EMB7103	Outer, Ø 22mm Bar
26b	Stabiliser Bar Bush - Front	⇨		EMB7027	Outer, Ø 24mm Bar
61	Top Strut Bearing - Front		ch.31.P026436-	QAM120	
62	Top Strut Mounting - Front exc.Bearing		ch.31.P026436-	EMR1891	
63	Top Strut Mounting - Front inc.Bearing		-ch.31.P026435	EMA1796	
63	Top Strut Mounting - Front inc.Bearing		ch.31.P026436-	EMA1891	
34	Suspension Arm Bush - Rear		exc.Syncro	EMS2420	Axle
38	Subframe Repair Kit - Rear		exc.Syncro	QSK235S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing			EMR6041	

Passat III

04/88-02/92

35i, -ch.31N.255989 VR6




Passat III continued... 04/88-02/92

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	, Mfr.TRW	QR3209S	Female M14x1.5 , Ø 14mm Cone, L=75mm
1a	Tie Rod End - Outer	⇦	, Mfr.ZF	QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, Mfr.ZF	QR2069S	Female M14x1.5 , Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨	Mfr.TRW	QR5319S	Male M14x1.5 , M14x1.5mm Swivel, L=374mm
4	Tie Rod Assembly	⇦⇨	Mfr.TRW	QDL3017S	
4a	Tie Rod Assembly	⇦	, Mfr.ZF	QDL2882S	
4b	Tie Rod Assembly	⇨	, Mfr.ZF	QDL2883S	
20	Suspension Arm - Front			QSA1673S	Not Complete
20a	Suspension Arm - Front			QSA1450S	Complete
20b	Suspension Arm - Front			QSA1451S	Complete
21	Ball Joint - Front			QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front			EMS1997	Front
24b	Suspension Arm Bush - Front			EMS1850	Rear
24c	Suspension Arm Bush - Front			TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3268S	Ø 22mm bar, 18mm bush, L=80mm
25	Stabiliser Link - Front	⇦⇨		QLS3249S	Ø 24mm bar, 20mm bush
26a	Stabiliser Bar Bush - Front	⇦		EMB7101	Outer, Ø 22mm Bar
26a	Stabiliser Bar Bush - Front	⇦		EMB7102	Outer, Ø 24mm Bar
26b	Stabiliser Bar Bush - Front	⇨		EMB7103	Outer, Ø 22mm Bar
26b	Stabiliser Bar Bush - Front	⇨		EMB7027	Outer, Ø 24mm Bar
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1891	
34	Suspension Arm Bush - Rear	⇦⇨	exc.Syncro	EMS2420	Axle
38	Subframe Repair Kit - Rear	⇦⇨	exc.Syncro	QSK235S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6041	

Passat III

02/92-09/93

35i, ch.31N.255990-31P.999999 VR6




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3209S	Female M14x1.5 LH, Ø 14mm Cone, L=75mm
2	Rack End	⇦⇨	Mfr.TRW	QR5319S	Male M14x1.5 LH, M14x1.5mm Swivel, L=374mm
4	Tie Rod Assembly	⇦⇨	Mfr.TRW	QDL3017S	
4	Tie Rod Assembly	⇦⇨	Mfr.ZF	QDL3022S	
20a	Suspension Arm - Front	⇦		-	Complete
20b	Suspension Arm - Front	⇨		-	Complete
21	Ball Joint - Front	⇦⇨		QSJ1269S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS1997	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS1850	Rear
24c	Suspension Arm Bush - Front	⇦⇨		TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3268S	Ø 22mm bar, 18mm bush, L=80mm
25	Stabiliser Link - Front	⇦⇨		QLS3249S	Ø 24mm bar, 20mm bush
26a	Stabiliser Bar Bush - Front	⇦		EMB7101	Outer, Ø 22mm Bar
26a	Stabiliser Bar Bush - Front	⇦		EMB7102	Outer, Ø 24mm Bar
26b	Stabiliser Bar Bush - Front	⇨		EMB7103	Outer, Ø 22mm Bar
26b	Stabiliser Bar Bush - Front	⇨		EMB7027	Outer, Ø 24mm Bar
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1891	
34	Suspension Arm Bush - Rear	⇦⇨	exc.Syncro	EMS2420	Axle
38	Subframe Repair Kit - Rear	⇦⇨	exc.Syncro	QSK235S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6041	

Passat III

10/93-05/97

3A2,3A5 exc.VR6,2.0 16v,TDi 110PS



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	Mfr.TRW	**QR3201S**	Female M14x1.5 ↻, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	Mfr.TRW	**QR3202S**	Female M14x1.5 ↻, Ø 12.7mm Cone, L=74mm
2	Rack End	⇦⇨	Mfr.TRW	**QR5222S**	Male M14x1.5 ↻, M14x1.5 Swivel, L=375mm

continued...


Passat III continued... 10/93-05/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
4a	Tie Rod Assembly	⇦	Mfr.TRW	**QDL3210S**	
4b	Tie Rod Assembly	⇨	Mfr.TRW	**QDL3211S**	
20	Suspension Arm - Front	⇦⇨		**QSA1673S**	Not Complete
20a	Suspension Arm - Front	⇦		**QSA1450S**	Complete
20b	Suspension Arm - Front	⇨		**QSA1451S**	Complete
21	Ball Joint - Front	⇦⇨		**QSJ1141S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1997**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS1850**	Rear
24c	Suspension Arm Bush - Front	⇦⇨		**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		**QLS3249S**	Ø 24mm bar, 20mm bush
26a	Stabiliser Bar Bush - Front	⇦		**EMB7102**	Outer, Ø 24mm Bar
26b	Stabiliser Bar Bush - Front	⇨		**EMB7027**	Outer, Ø 24mm Bar
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1891**	
92	Subframe Mounting - Front	⇦⇨		**EM1886**	4 per Vehicle
34	Suspension Arm Bush - Rear	⇦⇨	exc.Syncro	**EMS2420**	Axle
38	Subframe Repair Kit - Rear	⇦⇨	exc.Syncro	**QSK235S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6041**	

Passat III

10/93-05/97

3A2,3A5 VR6,2.0 16v,TDi 110PS




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR3209S	Female M14x1.5 ↻, Ø 14mm Cone, L=75mm
2	Rack End	⇦⇨	Mfr.TRW	QR5319S	Male M14x1.5 ↻, M14x1.5mm Swivel, L=374mm
4	Tie Rod Assembly	⇦⇨	Mfr.TRW	QDL3017S	
4	Tie Rod Assembly	⇦⇨	Mfr.ZF	QDL3022S	
21	Ball Joint - Front	⇦⇨		QSJ1269S	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS1997	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS1850	Rear
24c	Suspension Arm Bush - Front	⇦⇨		TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3249S	Ø 24mm bar, 20mm bush
26a	Stabiliser Bar Bush - Front	⇦		EMB7102	Outer, Ø 24mm Bar
26b	Stabiliser Bar Bush - Front	⇨		EMB7027	Outer, Ø 24mm Bar
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1891	
34	Suspension Arm Bush - Rear	⇦⇨	exc.Syncro	EMS2420	Axle
38	Subframe Repair Kit - Rear	⇦⇨	exc.Syncro	QSK235S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6041	

Passat IV

3B2,3B5

10/96-08/00




Passat IV continued... 10/96-08/00

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR9973S**	Male M14x1.5
2	Rack End	⇦⇨		**QR2954S**	Female M14x1.5, M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨		**QDL3276S**	Male M14x1.5
10	Suspension Repair Kit - Front (Complete)		03/97-08/00 ch.3B.VE083009-/ 3B.VP102594-	**QSJ5003K**	QR9973S (2x), QSJ1588S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
20	Suspension Arm - Front	⇦⇨		**QSJ1588S**	Front of Wheel, Ø 20.6mm Cone L=365mm
20a[1]	Suspension Arm - Front	⇦		**QSJ1584S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front	⇨		**QSJ1583S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front	⇦		**QSJ1680S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front	⇨		**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front	⇦	10/96-03/97 -ch.3B.VE083008/ -3B.VP102593	**QSJ1704S**	Rear of Wheel, Ø 16mm Cone
22a[1]	Suspension Arm - Front	⇦	03/97-08/00 ch.3B.VE083009-/ 3B.VP102594-	**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front	⇨	10/96-03/97 -ch.3B.VE083008/ -3B.VP102593	**QSJ1705S**	Rear of Wheel, Ø 16mm Cone
22b[1]	Suspension Arm - Front	⇨	03/97-08/00 ch.3B.VE083009-/ 3B.VP102594-	**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
24a	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1588S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1588S	**EMS2691**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1680S & QSJ1681S	**EMS2694**	Inner, Front of Wheel
24e	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1704S & QSJ1705S	**EMS2694**	Inner, Rear of Wheel
24f	Suspension Arm Bush - Front	⇦⇨	Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
25a	Stabiliser Link - Front	⇦		**QLS3237S**	L=90mm
25b	Stabiliser Link - Front	⇨		**QLS3238S**	L=90mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7043**	Outer, Ø 27mm Bar, Ø 25mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7044**	Outer, Ø 29mm Bar, Ø 27mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3087**	Outer, Ø 25mm Bush
27	Stabiliser Bar Bush Kit - Front	⇦⇨		**EMBK3085**	Outer, Ø 27mm Bush
92	Subframe Mounting - Front	⇦⇨	exc.1.8i,1.9TDi	**EM4604**	Front
34a	Suspension Arm Bush - Rear	⇦	exc.4Motion	**EMS8405**	Axle
34b	Suspension Arm Bush - Rear	⇨	exc.4Motion	**EMS8406**	Axle
35	Stabiliser Link - Rear	⇦⇨	4Motion	**QLS3439S**	Metal
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6022**	

Passat V

3B3,3B6

09/00-03/05



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9973S	Male M14x1.5
2	Rack End	⇦⇨		QR2954S	Female M14x1.5 , M16x1.5mm Swivel L=144mm
4	Tie Rod Assembly	⇦⇨		QDL3276S	Male M14x1.5
10	Suspension Repair Kit - Front (Complete)		exc.mtr.BDN,BDP -ch.3B3072000	QSJ5003K	QR9973S (2x), QSJ1588S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		exc.mtr.BDN,BDP ch.3B3072001-	QSJ5004K	QR9973S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S


Passat V continued... 09/00-03/05

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
10	Suspension Repair Kit - Front (Complete)		mtr.BDN,BDP -ch.3B3450000	**QSJ5003K**	QR9973S (2x), QSJ1588S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
10	Suspension Repair Kit - Front (Complete)		mtr.BDN,BDP ch.3B3450001-	**QSJ5004K**	QR9973S (2x), QSJ3241S (2x), QSJ1584S, QSJ1583S, QSJ1680S, QSJ1681S, QSJ1910S, QSJ1911S, QLS3237S, QLS3238S
20	Suspension Arm - Front		exc.mtr.BDN,BDP -ch.3B3072000	**QSJ1588S**	Front of Wheel, Ø 20.6mm Cone L=365mm
20	Suspension Arm - Front		exc.mtr.BDN,BDP ch.3B3072001-	**QSJ3241S**	Front of Wheel, Ø 16mm Cone, M12x1.5
20	Suspension Arm - Front		mtr.BDN,BDP -ch.3B3450000	**QSJ1588S**	Front of Wheel, Ø 20.6mm Cone L=365mm
20	Suspension Arm - Front		mtr.BDN,BDP ch.3B3450001-	**QSJ3241S**	Front of Wheel, Ø 16mm Cone, M12x1.5
20a[1]	Suspension Arm - Front			**QSJ1584S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
20b[1]	Suspension Arm - Front			**QSJ1583S**	Rear of Wheel, Ø 15.6mm Cone, L=386mm
22a	Suspension Arm - Front			**QSJ1680S**	Front of Wheel, Ø 16mm Cone L=270mm
22b	Suspension Arm - Front			**QSJ1681S**	Front of Wheel, Ø 16mm Cone L=270mm
22a[1]	Suspension Arm - Front			**QSJ1910S**	Rear of Wheel, M16 Ball Pin, L=250mm
22b[1]	Suspension Arm - Front			**QSJ1911S**	Rear of Wheel, M16 Ball Pin, L=250mm
24a	Suspension Arm Bush - Front		Fitted to QSJ1583S & QSJ1584S	**EMS8236**	Inner, Rear of Wheel
24b	Suspension Arm Bush - Front		Fitted to QSJ1588S & QSJ3241S	**EMS2692**	Inner, Front of Wheel
24c	Suspension Arm Bush - Front		Fitted to QSJ1588S & QSJ3241S	**EMS2691**	Outer, Front of Wheel
24d	Suspension Arm Bush - Front		Fitted to QSJ1680S & QSJ1681S, Std.Susp.	**EMS2694**	Inner, Front of Wheel
24e	Suspension Arm Bush - Front		Fitted to QSJ1910S & QSJ1911S	**EMS2694**	Inner, Rear of Wheel
25a	Stabiliser Link - Front			**QLS3237S**	L=90mm
25b	Stabiliser Link - Front			**QLS3238S**	L=90mm
26	Stabiliser Bar Bush - Front			**EMB7043**	Outer, Ø 27mm Bar, Ø 25mm Bush
26	Stabiliser Bar Bush - Front			**EMB7044**	Outer, Ø 29mm Bar, Ø 27mm Bush
27	Stabiliser Bar Bush Kit - Front			**EMBK3087**	Outer, Ø 25mm Bush
27	Stabiliser Bar Bush Kit - Front			**EMBK3085**	Outer, Ø 27mm Bush
34a	Suspension Arm Bush - Rear		exc.4Motion	**EMS8405**	Axle
34b	Suspension Arm Bush - Rear		exc.4Motion	**EMS8406**	Axle
35	Stabiliser Link - Rear		4Motion	**QLS3439S**	Metal
65	Top Strut Mounting - Rear exc.Bearing		exc.4Motion, Saloon, -ch.3B.1300000	**EMR6022**	
65	Top Strut Mounting - Rear exc.Bearing		exc.4Motion, Saloon, ch.3B.1300001-	**EMR6096**	
65	Top Strut Mounting - Rear exc.Bearing		exc.4Motion, Avant	**EMR6096**	

Passat VI

3C2,3C5 inc.4Motion

04/05-07/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm
20[1]	Suspension Arm - Front			**QSA2402S**	exc. Ball Joint
20a	Suspension Arm - Front			**QSA2252S**	With Ball Joint
20b	Suspension Arm - Front			**QSA2253S**	With Ball Joint
21a	Ball Joint - Front			**QSJ2117S**	Ø 16.0mm Cone
21b	Ball Joint - Front			**QSJ2118S**	Ø 16.0mm Cone
24a	Suspension Arm Bush - Front			**EMS8228**	Front
24b	Suspension Arm Bush - Front			**EMS8356**	Rear

Passat VI continued... 04/05-07/10

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3328S	L=337mm
34a	Suspension Arm Bush - Rear	⇦⇨		EMS8448	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		EMS8433	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		EMS8434	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		QLS3329S	L=100mm

Passat CC 06/08-05/12

357 inc.4Motion



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5324S	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		QR5325S	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
20	Suspension Arm - Front	⇩		QSA2402S	exc. Ball Joint
21a	Ball Joint - Front	↲		QSJ2117S	Ø 16.0mm Cone
21b	Ball Joint - Front	↳		QSJ2118S	Ø 16.0mm Cone
24a	Suspension Arm Bush - Front	⇩		EMS8228	Front
24b	Suspension Arm Bush - Front	⇩		EMS8356	Rear


continued...

Passat CC continued... 06/08-05/12

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	↲		**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	↳		**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear	↰↱		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨	exc.4Motion	**EMB7207**	Outer
36	Stabiliser Bar Bush - Rear	⇦⇨	4Motion	**EMB7213**	Outer

Passat VII 06/10-07/15

362,365 inc.4Motion




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 ↻, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲	-01/12	**QSA2252S**	With Ball Joint, Cast Aluminium
20b	Suspension Arm - Front	↳	-01/12	**QSA2253S**	With Ball Joint, Cast Aluminium
20a	Suspension Arm - Front	↲		**QSA2623S**	With Ball Joint, Sheet Metal
20b	Suspension Arm - Front	↳		**QSA2624S**	With Ball Joint, Sheet Metal
21a	Ball Joint - Front	↲		**QSJ2117S**	
21b	Ball Joint - Front	↳		**QSJ2118S**	
24a	Suspension Arm Bush - Front	↲↳		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲↳	exc Heavy Duty	**EMS8356**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm

Passat VIII

3G2

08/14-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR4021S**	
21a	Ball Joint - Front	↲		**QSJ2117S**	
21b	Ball Joint - Front	↳		**QSJ2118S**	
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm

Phaeton

3D


05/02-03/11



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3714S**	Male M16x1.5
2	Rack End	⇦⇨		**QR3611S**	Female M14x1.5 , M16x1.5 Swivel, L=147mm
20	Suspension Arm - Front			**QSJ3442S**	Front of Wheel, L=461mm, Ø 20.8mm Cone
20a¹	Suspension Arm - Front			**QSJ3440S**	Rear of Wheel, L=392mm, Ø 18.4mm Cone
20b¹	Suspension Arm - Front			**QSJ3441S**	Rear of Wheel, L=392mm, Ø 18.4mm Cone
22a	Suspension Arm - Front			**QSJ3447S**	Front of Wheel, L=300mm, Ø 18.0mm Cone
22b	Suspension Arm - Front			**QSJ3448S**	Front of Wheel, L=300mm, Ø 18.0mm Cone
22a¹	Suspension Arm - Front			**QSJ3445S**	Rear of Wheel, L=257mm, Ø 18.0mm Cone
22b¹	Suspension Arm - Front			**QSJ3446S**	Rear of Wheel, L=257mm, Ø 18.0mm Cone
25	Stabiliser Link - Front	⇦⇨		**QLS3599S**	L=110mm
30a	Suspension Arm - Rear			**QSJ3691S**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3654S**	

Polo III exc.GTi,Classic,Variant 09/94-08/99

6N ch.#1 -ch.6N.W078256,WY156681 -6N.WY172198, 6N ch.#2 ch.6N.W078257,WY156682- 6N.WY172199-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, -ch.#1, 09/94-09/97	**QR2767S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	, ch.#2-, 10/97-08/99	**QR3250S**	Female M14x1.5, Ø 12.7mm Cone, L=97mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, -ch.#1, 09/94-09/97	**QR2069S**	Female M14x1.5, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	, ch.#2-, 10/97-08/99	**QR3251S**	Female M14x1.5, Ø 12.7mm Cone, L=97mm
2	Rack End	⇦⇨		**QR2937S**	Male M14x1.5, L=318mm


continued...

Polo III exc.GTi,Classic,Variant continued... 09/94-08/99


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨	, -ch.#1, 09/94-09/97	**QR2938S**	Male M14x1.5 , M14x1.5 Swivel L=325mm
4a	Tie Rod Assembly	⇦		**QDL3018S**	
4a¹	Tie Rod Assembly	⇦	, -ch.#1, 09/94-09/97	**QDL3244S**	
4a¹	Tie Rod Assembly	⇦	, ch.6N.XY281179-, 03/99-08/99, 1.4i 16v	**QDL3018S**	
4b	Tie Rod Assembly	⇨		**QDL3019S**	
4b¹	Tie Rod Assembly	⇨	, -ch.#1, 09/94-09/97	**QDL3245S**	
4b¹	Tie Rod Assembly	⇨	, ch.6N.XY281179-, 03/99-08/99, 1.4i 16v	**QDL3019S**	
20	Suspension Arm - Front	⇦⇨		**QSA1452S**	Not Complete
20a	Suspension Arm - Front	⇦	13"/15" Wheels	**QSA1770S**	Complete
20a	Suspension Arm - Front	⇦	14" Wheels	**QSA1777S**	Complete
20b	Suspension Arm - Front	⇨	13"/15" Wheels	**QSA1777S**	Complete
20b	Suspension Arm - Front	⇨	14" Wheels	**QSA1770S**	Complete
21a	Ball Joint - Front	⇦	13"/15" Wheels	**QSJ1414S**	Ø 15mm Cone
21a	Ball Joint - Front	⇦	14" Wheels	**QSJ1413S**	Ø 15mm Cone
21b	Ball Joint - Front	⇨	13"/15" Wheels	**QSJ1413S**	Ø 15mm Cone
21b	Ball Joint - Front	⇨	14" Wheels	**QSJ1414S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS2663**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2651**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3060S**	Ø 18mm Bar, L=92mm
25	Stabiliser Link - Front	⇦⇨		**QLS3280S**	Ø 20mm, L=80mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7255**	Outer, Ø 18mm
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2501**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA2501**	
34	Suspension Arm Bush - Rear	⇦⇨		**EMS4082**	Axle
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6038**	

Polo III GTi 09/94-08/99

6N



Polo III GTi continued... 09/94-08/99




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3250S	Female M14x1.5 ↻, Ø 12.7mm Cone, L=97mm
1b	Tie Rod End - Outer	⇨		QR3251S	Female M14x1.5 ↻, Ø 12.7mm Cone, L=97mm
4a	Tie Rod Assembly	⇦		QDL3018S	
4b	Tie Rod Assembly	⇨		QDL3019S	
20	Suspension Arm - Front	⇦⇨		QSA1452S	Not Complete
20a	Suspension Arm - Front	⇦		QSA1770S	Complete
20b	Suspension Arm - Front	⇨		QSA1777S	Complete
21a	Ball Joint - Front	⇦		QSJ1414S	Ø 15mm Cone
21b	Ball Joint - Front	⇨		QSJ1413S	Ø 15mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS2663	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS2651	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3060S	Ø 18mm Bar, L=92mm
25	Stabiliser Link - Front	⇦⇨		QLS3280S	Ø 20mm, L=80mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7255	Outer, Ø 18mm
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR2501	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA2501	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	

Polo III

6N ch.6N.Y500001-

09/99-10/01




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5 RH, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦		**QR3250S**	Female M14x1.5 RH, Ø 12.7mm Cone, L=97mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5 RH, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR3251S**	Female M14x1.5 RH, Ø 12.7mm Cone, L=97mm
2	Rack End	⇦⇨		**QR3527S**	Male M14x1.5 RH, M14x1.5 Swivel, L=330mm
4a	Tie Rod Assembly	⇦		**QDL3205S**	
4a¹	Tie Rod Assembly	⇦		**QDL3203S**	
4b	Tie Rod Assembly	⇨		**QDL3206S**	
4b¹	Tie Rod Assembly	⇨		**QDL3204S**	
20	Suspension Arm - Front			**QSA1715S**	Not Complete
20a	Suspension Arm - Front		13"/15" Wheels	**QSA1015S**	Complete

Polo III continued... 09/99-10/01

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20a	Suspension Arm - Front		14'' Wheels	**QSA1014S**	Complete
20b	Suspension Arm - Front		13''/15'' Wheels	**QSA1014S**	Complete
20b	Suspension Arm - Front		14'' Wheels	**QSA1015S**	Complete
21a	Ball Joint - Front		13''/15'' Wheels	**QSJ1414S**	Ø 15mm Cone
21a	Ball Joint - Front		14'' Wheels	**QSJ1413S**	Ø 15mm Cone
21b	Ball Joint - Front		13''/15'' Wheels	**QSJ1413S**	Ø 15mm Cone
21b	Ball Joint - Front		14'' Wheels	**QSJ1414S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front			**EMS2663**	Front
24b	Suspension Arm Bush - Front			**EMS2651**	Rear
25	Stabiliser Link - Front			**QLS3060S**	Ø 18mm Bar, L=92mm
25	Stabiliser Link - Front			**QLS3280S**	Ø 20mm, L=80mm
26	Stabiliser Bar Bush - Front			**EMB7255**	Outer, Ø 18mm
61	Top Strut Bearing - Front			**QAM158**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6084**	
65	Top Strut Mounting - Rear exc.Bearing			**EMR6038**	

Polo IV 11/01-

9N



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			**QR3276S**	Female M14x1.5, Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer			**QR3277S**	Female M14x1.5, Ø 13.3mm Cone, L=95mm
2	Rack End			**QR3278S**	Male M14x1.5,M14x1.5 Swivel, L=310mm
2	Rack End		, mfr.TRW	**-**	

continued...


Polo IV continued... 11/01-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨	, mfr.SMI	**QR3615S**	Male M14x1.5 , M16x1.5 Swivel, L=321mm
4a	Tie Rod Assembly	⇦		**QDL3269S**	Female M14x1.5 , Cone Ø 13.3mm, L=325mm
4a	Tie Rod Assembly	⇦	, mfr.TRW	**QDL5296S**	
4a	Tie Rod Assembly	⇦	, mfr.SMI	**QDL5297S**	
4b	Tie Rod Assembly	⇨		**QDL3270S**	Female M14x1.5 , Cone Ø 13.3mm, L=325mm
4b	Tie Rod Assembly	⇨	, mfr.TRW	**QDL5298S**	
4b	Tie Rod Assembly	⇨	, mfr.SMI	**QDL5299S**	
20a	Suspension Arm - Front	↲	-ch.9N.5999999, exc.1.2 54PS eng.AWY, BMD	**QSA1950S**	With Ball Joint, exc.Rear Bush
20a	Suspension Arm - Front	↲	-ch.9N.5999999, 1.2 54PS eng.AWY,BMD	**QSA1951S**	With Ball Joint, exc.Rear Bush
20a	Suspension Arm - Front	↲	ch.9N.6000001-, Ø256x22mm, Ø288x25mm Brake Disc	**QSA1950S**	With Ball Joint, exc.Rear Bush
20a	Suspension Arm - Front	↲	ch.9N.6000001-, Ø239x18mm Brake Disc	**QSA1951S**	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front	↳	-ch.9N.5999999, exc.1.2 54PS eng.AWY, BMD	**QSA1951S**	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front	↳	-ch.9N.5999999, 1.2 54PS eng.AWY,BMD	**QSA1950S**	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front	↳	ch.9N.6000001-, Ø256x22mm, Ø288x25mm Brake Disc	**QSA1951S**	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front	↳	ch.9N.6000001-, Ø239x18mm Brake Disc	**QSA1950S**	With Ball Joint, exc.Rear Bush
21a	Ball Joint - Front	↲	-ch.9N.5999999, exc.1.2 54PS eng.AWY, BMD	**QSJ3268S**	Ø 15mm Cone, M12x1.5
21a	Ball Joint - Front	↲	-ch.9N.5999999, 1.2 54PS eng.AWY,BMD	**QSJ3269S**	Ø 15mm Cone, M12x1.5
21a	Ball Joint - Front	↲	ch.9N.6000001-, Ø256x22mm, Ø288x25mm Brake Disc	**QSJ3268S**	Ø 15mm Cone, M12x1.5
21a	Ball Joint - Front	↲	ch.9N.6000001-, Ø239x18mm Brake Disc	**QSJ3269S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳	-ch.9N.5999999, exc.1.2 54PS eng.AWY, BMD	**QSJ3269S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳	-ch.9N.5999999, 1.2 54PS eng.AWY,BMD		**QSJ3268S** Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳	ch.9N.6000001-, Ø256x22mm, Ø288x25mm Brake Disc	**QSJ3269S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳	ch.9N.6000001-, Ø239x18mm Brake Disc	**QSJ3268S**	Ø 15mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8209**	Front
24b	Suspension Arm Bush - Front	↲↳	Std.	**EMS8210**	Rear
24b[1]	Suspension Arm Bush - Front	↲↳	H.D.	**EMS8480**	Rear
24c	Suspension Arm Bush - Front	↲		**QSJ3682S**	Control Arm Bush Console Bracket
24d	Suspension Arm Bush - Front	↳		**QSJ3683S**	Control Arm Bush Console Bracket
25	Stabiliser Link - Front	⇦⇨		**QLS3299S**	L=274mm
26	Stabiliser Bar Bush - Front	⇦⇨	11/01-03/03 -ch.9N-3D170762/ -ch.9N-3Y245376	**EMB7249**	Outer, Ø 20.8mm
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6084**	

Polo V

6R1


06/09-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3276S**	Female M14x1.5 ↻, Ø 13.3mm Cone, L=95mm
1b	Tie Rod End - Outer	⇨		**QR3277S**	Female M14x1.5 ↻, Ø 13.3mm Cone, L=95mm
2	Rack End	⇦⇨		**QR3820S**	
20a	Suspension Arm - Front	↲		**QSA2570S**	With Ball Joint, exc.Rear Bush
20b	Suspension Arm - Front	↳		**QSA2571S**	With Ball Joint, exc.Rear Bush
21a	Ball Joint - Front	↲		**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3269S**	Ø 15mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS1997**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS2659**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3299S**	L=274mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7254**	Outer, Ø 16mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7246**	Outer, Ø 18mm
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR2334**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6011**	

Polo Classic & Variant 11/95-07/02

6V2,6V5



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	exc.Sports Susp. -ch.6K.1536000, 11/95-12/00	QR3201S	Female M14x1.5 , Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	exc.Sports Susp. ch.6K.1536001-, 12/00-07/02	QR3394S	Female M14x1.5 , Ø 12.8mm Cone, L=94mm
1a	Tie Rod End - Outer	⇦	Sports Susp. -ch.6K.1536000, 11/95-12/00	QR2767S	Female M14x1.5 , Ø 13mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	Sports Susp. ch.6K.1536001-, 12/00-07/02	-	Female M14x1.5
1b	Tie Rod End - Outer	⇨	exc.Sports Susp. -ch.6K.1536000, 11/95-12/00	QR3202S	Female M14x1.5 , Ø 12.7mm Cone, L=74mm


Polo Classic & Variant continued... 11/95-07/02

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1b	Tie Rod End - Outer	⇨	exc.Sports Susp. ch.6K.1536001-, 12/00-07/02	**QR3395S**	Female M14x1.5 ↻, Ø 12.8mm Cone, L=94mm
1b	Tie Rod End - Outer	⇨	Sports Susp. -ch.6K.1536000, 11/95-12/00	**QR2069S**	Female M14x1.5 ↻, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	Sports Susp. ch.6K.1536001-, 12/00-07/02	**-**	Female M14x1.5 ↻
4a	Tie Rod Assembly	⇦	exc.Sport Susp.	**QDL3248S**	
4a	Tie Rod Assembly	⇦	Sport Susp.	**-**	
4b	Tie Rod Assembly	⇨	exc.Sport Susp.	**QDL3249S**	
4b	Tie Rod Assembly	⇨	Sport Susp.	**-**	
20	Suspension Arm - Front			**QSA9650S**	Not Complete
20a	Suspension Arm - Front			**QSA1446S**	Complete
20b	Suspension Arm - Front			**QSA1447S**	Complete
21	Ball Joint - Front			**QSJ1141S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		**QLS3611S**	
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
61	Top Strut Bearing - Front	⇦⇨	01/97-12/99 -ch.6K.Y502794	**QAM120**	
61	Top Strut Bearing - Front	⇦⇨	01/00-07/02 ch.6K.Y502795-	**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	01/97-12/99 -ch.6K.Y502794	**EMR1891**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	01/00-07/02 ch.6K.Y502795-	**EMR6084**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨	01/97-12/99 -ch.6K.Y502794	**EMA1891**	
92	Subframe Mounting - Front		1.4i,1.6i mtr.1F,AEE,ALM,1.8i,1.9D	**EM1886**	4 per Vehicle
92	Subframe Mounting - Front		1.6i mtr.exc.1F,AEE,ALM,1.7SDi,1.9SDi, 1.9TDi,2.0i	**EM3068**	4 per Vehicle
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6038**	

Scirocco II

53B

08/80-12/92




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1785S	Female M14x1.5 RH, Ø 12.6mm Cone, L=79mm
2	Rack End	⇦⇨		QR4082S	Male M14x1.5 RH, M14x1.5 Swivel, L=340mm
4	Tie Rod Assembly	⇦⇨		QDL2699S	
4¹	Tie Rod Assembly	⇦⇨		QDL2244S	Ø 12.5mm Cone
20	Suspension Arm - Front		exc.France	QSA9630S	Not Complete
20	Suspension Arm - Front		France Only	QSA411S	Complete
21	Ball Joint - Front			QSJ793S	Ø 17mm Cone
24a	Suspension Arm Bush - Front			EMS1643	Front
24b	Suspension Arm Bush - Front			EMS1893	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7037	Outer
26¹	Stabiliser Bar Bush - Front	⇨⇦		EMB1996	Inner
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1621	Upper Mounting & Bearing
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		EMR6038	

Scirocco III

1K7

08/08-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 ↻, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 ↻, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲		**QSA2016S**	Cast Type
20b	Suspension Arm - Front	↳		**QSA2017S**	Cast Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket


continued...

Scirocco III continued... 08/08-


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24c	Suspension Arm Bush - Front			**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front			**EMS8480**	Rear, Bush
25	Stabiliser Link - Front			**QLS3328S**	L=337mm
61	Top Strut Bearing - Front			**QAM158**	
62	Top Strut Mounting - Front exc.Bearing			**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing			**EMA5048**	
30a	Suspension Arm - Rear			**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear			**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear			**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear			**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear			**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear			**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear			**QLS3329S**	L=100mm
36	Stabiliser Bar Bush - Rear		PR-OBE	**EMB7207**	Outer
36	Stabiliser Bar Bush - Rear		PR-OBF	**EMB7213**	Outer
65	Top Strut Mounting - Rear exc.Bearing		exc.Electronic Susp.	**EMR6091**	

Sharan I 09/95-02/00

7M8




Sharan I continued... 09/95-02/00



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2989S**	Female M14x1.5 LH, Ø 14.5mm Cone, L=220mm
1b	Tie Rod End - Outer	⇨		**QR2988S**	Female M14x1.5 LH, Ø 14.5mm Cone, L=220mm
2	Rack End	⇦⇨		**QR3266S**	Male M14x1.5 LH,M14x1.5mm Swivel, L=205mm
4a	Tie Rod Assembly	⇦		**QDL3039S**	
4b	Tie Rod Assembly	⇨		**QDL3038S**	
20a	Suspension Arm - Front	⇦		**QSA1516S**	
20b	Suspension Arm - Front	⇨		**QSA1515S**	
21	Ball Joint - Front	⇦⇨		**QSJ1517S**	Ø 18.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8045**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8046**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1613S**	L=205mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7064**	Outer
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1891**	
34	Suspension Arm Bush - Rear	⇦⇨	exc Syncro	**EMS8045**	Trailing Arm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7119**	Outer, Ø 26.6mm
36¹	Stabiliser Bar Bush - Rear	⇨⇦		**EMB7118**	Inner
93	Subframe Mounting - Rear	⇦⇨	exc.Syncro	**EM4096**	
93¹	Subframe Mounting - Rear	⇦⇨	exc.Syncro	**EM4448**	Centre

Sharan II
7M9

03/00-03/11




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2989S**	Female M14x1.5 RH, Ø 14.5mm Cone, L=220mm
1b	Tie Rod End - Outer	⇨		**QR2988S**	Female M14x1.5 RH, Ø 14.5mm Cone, L=220mm
2	Rack End	⇦⇨		**QR3266S**	Male M14x1.5 RH,M14x1.5mm Swivel, L=205mm
4a	Tie Rod Assembly	⇦		**QDL3039S**	
4b	Tie Rod Assembly	⇨		**QDL3038S**	
20a	Suspension Arm - Front	⇦		**QSA1516S**	
20b	Suspension Arm - Front	⇨		**QSA1515S**	
21	Ball Joint - Front	⇦⇨		**QSJ1517S**	Ø 18.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8045**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8046**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS1613S**	L=205mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7064**	Outer
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1891**	
34	Suspension Arm Bush - Rear	⇦⇨	exc Syncro	**EMS8045**	Trailing Arm
93	Subframe Mounting - Rear	⇦⇨		**EM4096**	
93¹	Subframe Mounting - Rear	⇦⇨		**EM4448**	Centre

Sharan III

7N1,7N2


05/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front		-01/12	**QSA2252S**	
20b	Suspension Arm - Front		-01/12	**QSA2253S**	
21a	Ball Joint - Front			**QSJ2117S**	
21b	Ball Joint - Front			**QSJ2118S**	
24a	Suspension Arm Bush - Front			**EMS8228**	Front
24b	Suspension Arm Bush - Front			**EMS8356**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
30a	Suspension Arm - Rear			**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear			**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear			**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7207**	Outer

Tiguan 11/07-

5N1 inc.4Motion



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR5324S	Female M16x1.5, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		QR5325S	Female M16x1.5, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		QR5323S	Male M16x1.5, M16x1.5 Swivel, L=310mm
20	Suspension Arm - Front			QSA2402S	exc. Ball Joint
20a	Suspension Arm - Front			QSA2252S	With Ball Joint
20b	Suspension Arm - Front			QSA2253S	With Ball Joint


Tiguan continued... 11/07-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21a	Ball Joint - Front			**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front			**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front			**EMS8228**	Front
24b	Suspension Arm Bush - Front			**EMS8356**	Rear
25	Stabiliser Link - Front			**QLS3328S**	L=337mm
61	Top Strut Bearing - Front			**QAM158**	
62	Top Strut Mounting - Front exc.Bearing			**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing			**EMA5048**	
30a	Suspension Arm - Rear			**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear			**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear			**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear			**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear			**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear			**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear			**QLS3329S**	L=100mm
36	Stabiliser Bar Bush - Rear		PR-OBC	**EMB7207**	Outer
36	Stabiliser Bar Bush - Rear		PR-OBE	**EMB7213**	Outer

Touareg

7LA,7L6

02/03-03/11




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3568S**	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		**QR3569S**	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
2	Rack End	⇦⇨		**QR3610S**	Male M16x1.5 , M16x1.5 Swivel, L=305mm
4a	Tie Rod Assembly	⇦		**QDL3297S**	
4b	Tie Rod Assembly	⇨		**QDL3298S**	
20a	Suspension Arm - Front	⇦		**QSA2352S**	
20b	Suspension Arm - Front	⇨		**QSA2353S**	
22	Suspension Arm - Front	⇦⇨		**QSA2351S**	
24a	Suspension Arm Bush - Front	⇦⇨		**-**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8478**	Rear

Touareg continued... 02/03-03/11

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3595S	L=197mm
32	Suspension Arm - Rear	⇦⇧⇨		QSJ3543S	Front
32a	Suspension Arm - Rear	⇦		QSJ3605S	Rear, L=360mm
32b	Suspension Arm - Rear	⇨		QSJ3606S	Rear, L=360mm
35a	Stabiliser Link - Rear	⇦		QLS3566S	L=201mm
35b	Stabiliser Link - Rear	⇨		QLS3567S	L=201mm

Touareg 01/10-

7P5



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3568S	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		QR3569S	Female M16x1.5 , Ø 16.5mm Cone, L=85mm
2	Rack End	⇦⇨		QR3610S	Male M16x1.5 , M16x1.5 Swivel, L=305mm
4a	Tie Rod Assembly	⇦		QDL3297S	
4b	Tie Rod Assembly	⇨		QDL3298S	
22	Suspension Arm - Front	⇦⇧⇨		QSA2634S	
24a	Suspension Arm Bush - Front	⇩⇩		EMS8528	Front, Outer
24b	Suspension Arm Bush - Front	⇩⇩		EMS8529	Front, Inner
24c	Suspension Arm Bush - Front	⇩⇩		-	Rear


continued...

Touareg continued... 01/10-


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
25	Stabiliser Link - Front	⇦⇨		QLS3595S	L=197mm
32	Suspension Arm - Rear			QSJ3543S	Front
32a	Suspension Arm - Rear			QSJ3605S	Rear, L=360mm
32b	Suspension Arm - Rear			QSJ3606S	Rear, L=360mm
35a	Stabiliser Link - Rear	⇦		QLS3566S	L=201mm
35b	Stabiliser Link - Rear	⇨		QLS3567S	L=201mm

Touran 02/03-

1T1, 1T2,1T3



Touran continued... 02/03-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲		**QSA2016S**	Cast Type
20a[1]	Suspension Arm - Front	↲		**QSA2018S**	Sheet Steel Type
20b	Suspension Arm - Front	↳		**QSA2017S**	Cast Type
20b[1]	Suspension Arm - Front	↳		**QSA2019S**	Sheet Steel Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	↲↳		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7264**	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		**QAM158**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR5048**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5048**	
30a	Suspension Arm - Rear	↲		**QSJ3396S**	Front, Straight Control Arm, L=298mm
30b	Suspension Arm - Rear	↳		**QSJ3397S**	Front, Straight Control Arm, L=298mm
32	Suspension Arm - Rear	↰↱		**QSJ3439S**	Front, Curved Control Arm, L=305mm
34a	Suspension Arm Bush - Rear	⇦⇨		**EMS8448**	Rear, Inner
34b	Suspension Arm Bush - Rear	⇦⇨		**EMS8433**	Rear, Outer
34c	Suspension Arm Bush - Rear	⇦⇨		**EMS8434**	Front, Trailing Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3329S**	L=100mm

Up! 12/11-







KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3915S**	
1b	Tie Rod End - Outer	⇨		**QR3916S**	
2	Rack End	⇦⇨		**QR3917S**	
20a	Suspension Arm - Front	↲		**QSA2601S**	
20b	Suspension Arm - Front	↳		**QSA2602S**	
21a	Ball Joint - Front	↲		**QSJ3268S**	Ø 15mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3269S**	Ø 15mm Cone, M12x1.5
25	Stabiliser Link - Front	⇦⇨		**QLS3299S**	

Vento exc.GT 115PS,VR6 11/91-08/98

1H2



Vento exc.GT 115PS,VR6 continued... 11/91-08/98



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5 RH, Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5 RH, Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨		**QR2752S**	Male M14x1.5 RH, Female M22 x1.5 Swivel L=393mm
2	Rack End	⇦⇨	, Mfr.TRW	**QR6000S**	Male M14x1.5 RH, M14x1.5mm Swivel, L=389mm
2	Rack End	⇦⇨	, Mfr.ZF	**QR6001S**	Male M14x1.5 RH, M14x1.5mm Swivel, L=365mm
4a	Tie Rod Assembly	⇦		**QDL2752S**	Female M22x1.5 RH, Ø 12.6mm Cone
4a¹	Tie Rod Assembly	⇦	, Mfr.TRW	**QDL2755S**	Male M14x1.5 RH, Ø 12.7mm Cone
4a¹	Tie Rod Assembly	⇦	, Mfr.ZF	**QDL2878S**	Male M14x1.5 RH, Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨		**QDL2754S**	Female M22x1.5 RH, Ø 12.6mm Cone
4b¹	Tie Rod Assembly	⇨	, Mfr.TRW	**QDL2753S**	Male M14x1.5 RH, Ø 12.7mm Cone
4b¹	Tie Rod Assembly	⇨	, Mfr.ZF	**QDL2879S**	Male M14x1.5 RH, Ø 12.7mm Cone
20	Suspension Arm - Front			**QSA1519S**	Not Complete
20	Suspension Arm - Front			**QSA934S**	Complete, Ball Joint supplied loose
21	Ball Joint - Front			**QSJ1141S**	Ø 19mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		**QLS3066S**	Ø 21.5mm Bar, L=94mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7011**	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	2.0i -ch.1H.SW062538/-SB019475	**EMR1891**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨	ch.1H.SW062539-/SB019476-	**EMR1891**	


continued...

Vento exc.GT 115PS,VR6 continued... 11/91-08/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	1.4i,1.6i,1.8i 75PS -ch.1H.SW062538/-SB019475	EMA1797	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	1.8i 90PS,1.9D,1.9TD -ch.1H.SW062538/-SB019475	EMA1796	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	2.0i -ch.1H.SW062538/-SB019475	EMA1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⊐⇨	ch.1H.SW062539-/SB019476-	EMA1891	
92	Subframe Mounting - Front	⇩⇩	11/91-08/92, -ch.1H.PW080000/ -1H.PB010000	EM1886	4 per Vehicle
92	Subframe Mounting - Front	⇩⇩	08/92-08/98, ch.1H.PW080001-/ 1H.PB010001-	EM3068	4 per Vehicle
34	Suspension Arm Bush - Rear	⇦⊐⇨	exc.Syncro	EMS2423	Axle
38	Subframe Repair Kit - Rear	⇦⊐⇨	exc.Syncro	QSK231S	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⊐⇨		EMR6038	

Vento GT 115PS,VR6 11/91-08/98

1H2




Vento GT 115PS,VR6 continued... 11/91-08/98



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2767S**	Female M14x1.5 , Ø 13mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨		**QR2069S**	Female M14x1.5 , Ø 13mm Cone, L=74mm
2	Rack End	⇦⇨	, Mfr.TRW	**QR6000S**	Male M14x1.5 , M14x1.5mm Swivel, L=389mm
2	Rack End	⇦⇨	, Mfr.ZF	**QR6001S**	Male M14x1.5 , M14x1.5mm Swivel, L=365mm
4a	Tie Rod Assembly	⇦	, Mfr.TRW	**QDL2755S**	Male M14x1.5 , Ø 12.7mm Cone
4a	Tie Rod Assembly	⇦	, Mfr.ZF	**QDL2878S**	Male M14x1.5 , Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.TRW	**QDL2753S**	Male M14x1.5 , Ø 12.7mm Cone
4b	Tie Rod Assembly	⇨	, Mfr.ZF	**QDL2879S**	Male M14x1.5 , Ø 12.7mm Cone
20a	Suspension Arm - Front			**QSA1668S**	Not Complete
20a	Suspension Arm - Front			**QSA1702S**	Complete
20b	Suspension Arm - Front			**QSA1667S**	Not Complete
20b	Suspension Arm - Front			**QSA1703S**	Complete
21	Ball Joint - Front			**QSJ1269S**	Ø 16.5mm Cone
24a	Suspension Arm Bush - Front			**EMS1997**	Front
24b	Suspension Arm Bush - Front			**EMS1850**	Rear
24c	Suspension Arm Bush - Front			**TSA208RK**	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		**QLS1627S**	L=55mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7092**	Outer, Ø 23mm Bar, Ø 20mm Bush
61	Top Strut Bearing - Front	⇦⇨		**QAM120**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR1891**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1891**	
92	Subframe Mounting - Front		11/91-08/92, -ch.1H.PW080000/ -1H.PB010000	**EM1886**	4 per Vehicle
92	Subframe Mounting - Front		08/92-08/98, ch.1H.PW080001-/ 1H.PB010001-	**EM3068**	4 per Vehicle
34	Suspension Arm Bush - Rear	⇦⇨	exc.Syncro	**EMS2423**	Axle
38	Subframe Repair Kit - Rear	⇦⇨	exc.Syncro	**QSK231S**	Axle Set
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6038**	

Amarok 01/10-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3568S**	
1b	Tie Rod End - Outer	⇨		**QR3569S**	
2	Rack End	⇦⇨		**QR3610S**	
20a	Suspension Arm - Front			**QSA2759S**	
20b	Suspension Arm - Front			**QSA2760S**	
21	Ball Joint - Front			**QSJ3780S**	
22a	Suspension Arm - Front			**QSA2761S**	
22b	Suspension Arm - Front			**QSA2762S**	
23	Ball Joint - Front			**QSJ3781S**	
24a	Suspension Arm Bush - Front			**EMS8592**	Outer
24b	Suspension Arm Bush - Front			**EMS8338**	Inner Front
24c	Suspension Arm Bush - Front			**EMS8594**	Inner Rear
24d	Suspension Arm Bush - Front			**EMS8595**	Front, Rear
25	Stabiliser Link - Front	⇦⇨	-03/12	**QLS3837S**	Metal, L=145mm
25¹	Stabiliser Link - Front	⇦⇨	03/12-	**QLS3838S**	Plastic, L=145mm

Caddy I

10/82-10/92

147,148,1AE Pick-Up



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR1785S**	Female M14x1.5 RH, Ø 12.6mm Cone, L=79mm
2	Rack End	⇦⇨		**QR4082S**	Male M14x1.5 RH, M14x1.5 Swivel, L=340mm
4	Tie Rod Assembly	⇦⇨		**QDL2699S**	
20	Suspension Arm - Front		exc.France	**QSA9630S**	Not Complete
20	Suspension Arm - Front		France Only	**QSA411S**	Complete
21	Ball Joint - Front			**QSJ793S**	Ø 17mm Cone
24a	Suspension Arm Bush - Front			**EMS1643**	Front
24b	Suspension Arm Bush - Front			**EMS1893**	Rear
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7037**	Outer
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA1621**	Upper Mounting & Bearing

Caddy II 06/96-12/00

9U7 Pick-Up






KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2647S	Female M12x1.0 RH, Ø 12.6mm Cone, L=80mm
2	Rack End	⇦⇨		QR3317S	Male M12x1.0 RH, M14 Swivel, L=338mm
20a	Suspension Arm - Front	↲		QSA1928S	Stabiliser Link Mounting Hole
20b	Suspension Arm - Front	↳		QSA1929S	Stabiliser Link Mounting Hole
21	Ball Joint - Front	⇦⇨		QSJ1305S	Ø 17mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8062	
24b	Suspension Arm Bush - Front	⇦⇨		EMS8048	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5043	

Caddy II 11/95-02/04

9K9 Van & Combi




Caddy II continued... 11/95-02/04



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	-ch.9K1 523000	QR3201S	Female M14x1.5 RH, Ø 12.7mm Cone, L=74mm
1a	Tie Rod End - Outer	⇦	ch.9K1 523001-	QR3394S	Female M14x1.5 RH, Ø 12.8mm Cone, L=94mm
1b	Tie Rod End - Outer	⇨	-ch.9K1 523000	QR3202S	Female M14x1.5 RH, Ø 12.7mm Cone, L=74mm
1b	Tie Rod End - Outer	⇨	ch.9K1 523001-	QR3395S	Female M14x1.5 RH, Ø 12.8mm Cone, L=94mm
4a	Tie Rod Assembly	⇦	exc.185/60 R14	QDL9272S	
4a	Tie Rod Assembly	⇦	185/60 R14	QDL3248S	
4b	Tie Rod Assembly	⇨	exc.185/60 R14	QDL9273S	
4b	Tie Rod Assembly	⇨	185/60 R14	QDL3249S	
20	Suspension Arm - Front	⇦⇨		QSA9650S	Not Complete
20a	Suspension Arm - Front	⇦		QSA1446S	Complete
20b	Suspension Arm - Front	⇨		QSA1447S	Complete
21	Ball Joint - Front	⇦⇨		QSJ1141S	Ø 19mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS1997	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS1850	Rear
24c	Suspension Arm Bush - Front	⇦⇨		TSA208RK	Rear, Sleeve
25	Stabiliser Link - Front	⇦⇨		QLS3611S	
26	Stabiliser Bar Bush - Front	⇦⇨	-ch.9K.V525700, 11/95-04/97	EMB7011	Outer, Ø 21.5mm Bar, Ø 18mm Bush
26	Stabiliser Bar Bush - Front	⇦⇨	ch.9K.V525701-, 04/97-02/04	EMB7092	Outer, Ø 23mm Bar, Ø 20mm Bush
61	Top Strut Bearing - Front	⇦⇨		QAM120	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR1891	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA1891	

Caddy III 02/04-

2K




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR5324S**	Female M16x1.5 RH, L=99mm, Ø 13.5mm Cone
1b	Tie Rod End - Outer	⇨		**QR5325S**	Female M16x1.5 LH, L=99mm, Ø 13.5mm Cone
2	Rack End	⇦⇨		**QR5323S**	Male M16x1.5 RH, M16x1.5 Swivel, L=310mm
20a	Suspension Arm - Front	↲	02/04-03/04	**QSA2016S**	Cast Type
20a¹	Suspension Arm - Front	↲	03/04-	**QSA2018S**	Sheet Steel Type
20b	Suspension Arm - Front	↳	02/04-03/04	**QSA2017S**	Cast Type
20b¹	Suspension Arm - Front	↳	03/04-	**QSA2019S**	Sheet Steel Type
21a	Ball Joint - Front	↲		**QSJ3295S**	Ø 16mm Cone, M12x1.5
21b	Ball Joint - Front	↳		**QSJ3296S**	Ø 16mm Cone, M12x1.5
24a	Suspension Arm Bush - Front	↲↳		**EMS8228**	Front
24b	Suspension Arm Bush - Front	↲		**EMS8229**	Rear, Bush, Bracket
24c	Suspension Arm Bush - Front	↳		**EMS8230**	Rear, Bush, Bracket
24d	Suspension Arm Bush - Front	↲↳		**EMS8480**	Rear, Bush
25	Stabiliser Link - Front	⇦⇨		**QLS3328S**	L=337mm

Caddy III continued... 02/04-

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7264	Outer, Ø 23mm
61	Top Strut Bearing - Front	⇦⇨		QAM158	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR5048	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5048	
35	Stabiliser Link - Rear	⇦⇨		QLS3585S	L=240mm

Caravelle T3 05/79-07/92

Type 2




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1785S	Female M14x1.5 ↻, Ø 12.6mm Cone, L=79mm
2	Rack End	⇦⇨		QR2609S	Male M14x1.5 ↻, M14 x1.5 Swivel, L=395mm
4	Tie Rod Assembly	⇦⇨		QDL2793S	
21	Ball Joint - Front	⇩		QSJ999S	Ø 20mm Cone
23	Ball Joint - Front	⇧		QSJ980S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩		EMS2430	Inner
24b	Suspension Arm Bush - Front	⇧		EMS8097	Inner

Caravelle T4

09/90-07/91

T4 70 Series ch.70M.000001-70M.096448




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2775S	Female M16x1.5, Ø 12.6mm Cone, L=87mm
1b	Tie Rod End - Outer	⇨		QR2776S	Female M16x1.5, Ø 12.6mm Cone, L=87mm
2a	Rack End	⇦	,	QR2888S	Male M16x1.5, L=310mm, Boot
2a	Rack End	⇦	,	QR2889S	Male M16x1.5, L=310mm, Damper
2a	Rack End	⇦		QR2889S	Male M16x1.5, L=310mm, Damper
2b	Rack End	⇨	,	QR2889S	Male M16x1.5, L=310mm, Damper
2b	Rack End	⇨	,	QR2888S	Male M16x1.5, L=310mm, Boot
2b	Rack End	⇨		QR2889S	Male M16x1.5, L=310mm, Damper
4a	Tie Rod Assembly	⇦	,	QDL3214S	
4a	Tie Rod Assembly	⇦		QDL3214S	
4b	Tie Rod Assembly	⇨	,	QDL2885S	
4b	Tie Rod Assembly	⇨		QDL2885S	
12	Steering Rack Bush			EM4141	Ø 8mm
21	Ball Joint - Front	⇩⇩		QSJ1304S	Ø 18mm Cone
23	Ball Joint - Front	⇧⇧		QSJ1303S	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front	⇩⇩		EMS8382	Front
24b	Suspension Arm Bush - Front	⇩⇩	ch.70-M-083343-	EMS8384	Rear, Ø 14mm
24c	Suspension Arm Bush - Front	⇧⇧		EMS8279	Front
24d	Suspension Arm Bush - Front	⇧⇧		EMS8280	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3269S	Bush, Ø 23.5mm
25	Stabiliser Link - Front	⇦⇨		QLS3270S	Bush, Ø 27mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7181	Outer, Ø 23.0mm Bar
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7214	

Caravelle T4

08/91-07/94


T4 70 Series ch.70M.096449-70S.002791



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR2777S**	Female M16x1.5 , Ø 14.7mm Cone. L=90mm
1b	Tie Rod End - Outer	⇨		**QR2782S**	Female M16x1.5 , Ø 14.7mm Cone, L=85mm
2a	Rack End	⇦	,	**QR2888S**	Male M16x1.5 , L=310mm, Boot
2a	Rack End	⇦	,	**QR2889S**	Male M16x1.5 , L=310mm, Damper
2a	Rack End	⇦		**QR2889S**	Male M16x1.5 , L=310mm, Damper
2b	Rack End	⇨	,	**QR2889S**	Male M16x1.5 , L=310mm, Damper
2b	Rack End	⇨	,	**QR2888S**	Male M16x1.5 , L=310mm, Boot
2b	Rack End	⇨		**QR2889S**	Male M16x1.5 , L=310mm, Damper
4a	Tie Rod Assembly	⇦	,	**QDL2886S**	
4a	Tie Rod Assembly	⇦	,	**QDL3215S**	
4a	Tie Rod Assembly	⇦		**QDL3215S**	
4b	Tie Rod Assembly	⇨	,	**QDL2887S**	
4b	Tie Rod Assembly	⇨		**QDL2887S**	
12	Steering Rack Bush		-ch.70.P004342	**EM4141**	Ø 8mm
12	Steering Rack Bush		ch.70.P004343-	**EM4142**	Ø 10mm
21	Ball Joint - Front			**QSJ1304S**	Ø 18mm Cone
23	Ball Joint - Front			**QSJ1303S**	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8382**	Front
24b	Suspension Arm Bush - Front			**EMS8384**	Rear, Ø 14mm
24c	Suspension Arm Bush - Front			**EMS8279**	Front
24d	Suspension Arm Bush - Front			**EMS8280**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3269S**	Bush, Ø 23.5mm
25	Stabiliser Link - Front	⇦⇨		**QLS3270S**	Bush, Ø 27mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7181**	Outer, Stabiliser Ø 23.0mm
27²	Stabiliser Link Bush - Front	⇦⇨		**EMB7214**	

Caravelle T4 08/94-12/95

T4 70 Series ch.70S.002792-70T.199999




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3024S	Female M16x1.5, Ø 14.7mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		QR3023S	Female M16x1.5, Ø 14.7mm Cone, L=85mm
2a	Rack End	⇦	,	QR2888S	Male M16x1.5, L=310mm, Boot
2a	Rack End	⇦	,	QR2889S	Male M16x1.5, L=310mm, Damper
2a	Rack End	⇦		QR2889S	Male M16x1.5, L=310mm, Damper
2b	Rack End	⇨	,	QR2889S	Male M16x1.5, L=310mm, Damper
2b	Rack End	⇨	,	QR2888S	Male M16x1.5, L=310mm, Boot
2b	Rack End	⇨		QR2889S	Male M16x1.5, L=310mm, Damper
4a	Tie Rod Assembly	⇦	,	QDL3212S	
4a	Tie Rod Assembly	⇦	,	QDL3216S	
4a	Tie Rod Assembly	⇦		QDL3216S	
4b	Tie Rod Assembly	⇨	,	QDL3213S	
4b	Tie Rod Assembly	⇨		QDL3213S	
12	Steering Rack Bush			EM4142	Ø 10mm
21	Ball Joint - Front			QSJ1304S	Ø 18mm Cone
23	Ball Joint - Front			QSJ1303S	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front			EMS8382	Front
24b	Suspension Arm Bush - Front			EMS8384	Rear, Ø 14mm
24c	Suspension Arm Bush - Front			EMS8279	Front
24d	Suspension Arm Bush - Front			EMS8280	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3269S	Bush, Ø 23.5mm
25	Stabiliser Link - Front	⇦⇨		QLS3270S	Bush, Ø 27mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7181	Outer, Stabiliser Ø 23.0mm
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7214	

Caravelle T4

01/96-06/03

T4 70 Series ch.70T.200001-703.250000




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3219S**	Female M16x1.5 LH, Ø 14.7mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		**QR3220S**	Female M16x1.5 LH, Ø 14.7mm Cone, L=85mm
2	Rack End	⇦⇨		**QR2889S**	Male M16x1.5 LH, L=310mm, Damper
4a	Tie Rod Assembly	⇦		**QDL3217S**	
4b	Tie Rod Assembly	⇨		**QDL3218S**	
12	Steering Rack Bush			**EM4142**	Ø 10mm
21	Ball Joint - Front			**QSJ1706S**	Ø 20.6mm Cone
23	Ball Joint - Front			**QSJ1303S**	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8383**	Front
24b	Suspension Arm Bush - Front			**EMS8384**	Rear, Ø 14mm
24c	Suspension Arm Bush - Front			**EMS8279**	Front
24d	Suspension Arm Bush - Front			**EMS8280**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3269S**	Bush, Ø 23.5mm
25	Stabiliser Link - Front	⇦⇨		**QLS3270S**	Bush, Ø 27mm
27³	Stabiliser Link Bush - Front			**EMB7214**	

Caravelle T5

T5 7J,7H

04/03-06/10




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3449S**	Female M16x1.5, 17mm Cone, M14x1.5mm Ball Pin, L=235mm
1b	Tie Rod End - Outer	⇨		**QR3450S**	Female M16x1.5, 17mm Cone, M14x1.5mm Ball Pin, L=235mm
2	Rack End	⇦⇨		**QR3451S**	Male M16x1.5 , M16x1.5 Swivel, L=192mm
4a	Tie Rod Assembly	⇦		**QDL3277S**	
4b	Tie Rod Assembly	⇨		**QDL3278S**	
20a	Suspension Arm - Front		exc.3.2T	**QSA2254S**	
20a	Suspension Arm - Front		3.2T	**-**	
20b	Suspension Arm - Front		exc.3.2T	**QSA2255S**	
20b	Suspension Arm - Front		3.2T	**-**	
21	Ball Joint - Front		exc.3.2T	**QSJ3306S**	Ø 18.2mm Cone
21	Ball Joint - Front		3.2T	**QSJ3342S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS8338**	Front
24b	Suspension Arm Bush - Front			**EMS8339**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3438S**	L=260mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7239**	Outer, Stabiliser Ø 22.0mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7240**	Outer, Stabiliser Ø 23.0mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7241**	Outer, Stabiliser Ø 25.0mm

Crafter

2E 30,35,50

04/06-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR3618S**	Female M16x1.5 RH, Ø 16.8mm Cone, L=90mm
2	Rack End	⇦⇨		**QR3619S**	Male M16x1.5 RH, M18x1.5 Swivel, L=399mm
20a	Suspension Arm - Front	↲		**QSA2370S**	
20b	Suspension Arm - Front	↳		**QSA2371S**	
21	Ball Joint - Front	↲↳		**QSJ3435S**	Ø 22mm Cone
24a	Suspension Arm Bush - Front	↲↳		**EMS8425**	Front
24b	Suspension Arm Bush - Front	↲↳		**EMS8426**	Rear
25a	Stabiliser Link - Front	⇦		**QLS3572S**	L=138mm
25b	Stabiliser Link - Front	⇨		**QLS3573S**	L=138mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7251**	Outer, Ø 20mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7252**	Outer, Ø 23mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3560S**	
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7250**	Outer

LT

Independent Suspension

04/75-12/95




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a¹	Side Rod End - Outer	⇦	ch.28.D004509-, 10/83-12/95	**QR2611S**	Female M16x1.5 RH, Ø 14.5mm Cone, L=80mm
2a¹	Side Rod End - Inner	⇦	ch.28.D004509-, 10/83-12/95	**QR2668S**	Female M16x1.5 LH, Ø 14.5mm Cone, L=80mm
4a	Side Rod Assembly	⇦	Adjustable	**QDL2612S**	
4b	Side Rod Assembly	⇨	Fixed	**QDL2073S**	
5	Centre Rod Assembly			**QDL2074S**	
6	Drag Link Assembly			**QDL2778S**	Male M16x1.5 RH, Ø 14.5mm Cone
6a	Drag Link End	⇦		**QR2610S**	Male M16x1.5 RH, Ø 14.5mm Cone, L=90mm
21	Ball Joint - Front	⇩⇧		**QSJ1001S**	Ø 24mm Cone
23	Ball Joint - Front	⇧⇧		**QSJ1000S**	Ø 20mm Cone
24a	Suspension Arm Bush - Front	⇩⇧		-	Inner
24b	Suspension Arm Bush - Front	⇩⇧		**EMS8099**	Front, Tension Rod
24c	Suspension Arm Bush - Front	⇩⇧		**EMS8047**	Rear, Tension Rod
24d	Suspension Arm Bush - Front	⇧⇧		**EMS8098**	
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7216**	Outer, Ø 22mm

LT

exc.4x4 Rigid Axle

02/81-12/95




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Track Rod End - Outer	⇦		**QR6002S**	Male M18x1.5 , Ø 16.2mm Cone
1b	Track Rod End - Outer	⇨		**QR2667S**	Male M18x1.5 , Ø 16.2mm Cone, L=95mm
6a	Drag Link End	⇦	Short	**QR6002S**	Male M18x1.0 , Ø 16.2mm Cone
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7216**	Outer, Ø 22mm

LT

2D exc.4x4

05/96-06/06



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR9969S	Female M16x1.5
2	Rack End	⇦⇨		QR9970S	Male M16x1.5 , L=400mm
20a	Suspension Arm - Front	⇩		QSA2236S	
20b	Suspension Arm - Front	⇩		QSA2237S	
21	Ball Joint - Front	⇩⇩		QSJ9968S	Ø 23.65mm Cone, Ø M20x1.5
24	Suspension Arm Bush - Front	⇩⇩		EMS8407	Front, Rear
25a	Stabiliser Link - Front	⇦		QLS3316S	L=112mm
25b	Stabiliser Link - Front	⇨		QLS3317S	L=112mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7182	Outer, Ø 20mm
27	Stabiliser Link Bush - Front	⇦⇨		EMB7215	
18	Leaf Spring Bush - Rear	⇦⇨		EMS8483	Front
35	Stabiliser Link - Rear	⇦⇨		QLS3526S	L=95mm

Taro 01/89-03/97


7AE,7AG,7AX 2x4, Independent Suspension



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Side Rod End - Outer	⇦⇨		QR2597S	Male M17x1.5 , Ø 14.8mm Cone
2	Side Rod End - Inner	⇦⇨		QR2598S	Male M17x1.5 , Ø 14.5mm Cone, L=185mm
21	Ball Joint - Front			QSJ9188S	Ø 18.2mm Cone
23	Ball Joint - Front			QSJ1241S	Ø 15mm Cone

Taro 01/89-03/97


7AE,7AG,7AX 4x4



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1¹	Side Rod End - Outer	⇦⇨	Independent Susp.	QR2597S	Male M17x1.5 , Ø 14.8mm Cone
2¹	Side Rod End - Inner	⇦⇨	Independent Susp.	QR9185S	Male M17x1.5 , Ø 14.8mm Cone
21	Ball Joint - Front		Independent Susp.	QSJ1912S	Ø 20mm Cone
23	Ball Joint - Front		Independent Susp.	QSJ9189S	Ø 17.1mm Cone

Transporter T3 05/79-07/92

Type 2




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1785S	Female M14x1.5 , Ø 12.6mm Cone, L=79mm
2	Rack End	⇦⇨		QR2609S	Male M14x1.5 , M14 x1.5 Swivel, L=395mm
4	Tie Rod Assembly	⇦⇨		QDL2793S	
21	Ball Joint - Front	⇩⇧		QSJ999S	Ø 20mm Cone
23	Ball Joint - Front	⇧⇩		QSJ980S	Ø 18mm Cone
24a	Suspension Arm Bush - Front	⇩⇧		EMS2430	Inner
24b	Suspension Arm Bush - Front	⇧⇩		EMS8097	Inner

Transporter T4 09/90-07/91

T4 70 Series ch.70M.000001-70M.096448



Transporter T4 continued... 09/90-07/91




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2775S	Female M16x1.5 , Ø 12.6mm Cone, L=87mm
1b	Tie Rod End - Outer	⇨		QR2776S	Female M16x1.5 , Ø 12.6mm Cone, L=87mm
2a	Rack End	⇦	,	QR2888S	Male M16x1.5 , L=310mm, Boot
2a	Rack End	⇦	,	QR2889S	Male M16x1.5 , L=310mm, Damper
2a	Rack End	⇦		QR2889S	Male M16x1.5 , L=310mm, Damper
2b	Rack End	⇨	,	QR2889S	Male M16x1.5 , L=310mm, Damper
2b	Rack End	⇨	,	QR2888S	Male M16x1.5 , L=310mm, Boot
2b	Rack End	⇨		QR2889S	Male M16x1.5 , L=310mm, Damper
4a	Tie Rod Assembly	⇦	,	QDL3214S	
4a	Tie Rod Assembly	⇦		QDL3214S	
4b	Tie Rod Assembly	⇨	,	QDL2885S	
4b	Tie Rod Assembly	⇨		QDL2885S	
12	Steering Rack Bush			EM4141	Ø 8mm
21	Ball Joint - Front			QSJ1304S	Ø 18mm Cone
23	Ball Joint - Front			QSJ1303S	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front			EMS8382	Front
24b	Suspension Arm Bush - Front		ch.70-M-083343-	EMS8384	Rear, Ø 14mm
24c	Suspension Arm Bush - Front			EMS8279	Front
24d	Suspension Arm Bush - Front			EMS8280	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3269S	Bush, Ø 23.5mm
25	Stabiliser Link - Front	⇦⇨		QLS3270S	Bush, Ø 27mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7181	Outer, Ø 23.0mm Bar
27²	Stabiliser Link Bush - Front	⇦⇨		EMB7214	

Transporter T4

08/91-07/94

T4 70 Series ch.70M.096449-70S.002791




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2777S	Female M16x1.5 , Ø 14.7mm Cone. L=90mm
1b	Tie Rod End - Outer	⇨		QR2782S	Female M16x1.5 , Ø 14.7mm Cone, L=85mm
2a	Rack End	⇦	,	QR2888S	Male M16x1.5 , L=310mm, Boot
2a	Rack End	⇦	,	QR2889S	Male M16x1.5 , L=310mm, Damper
2a	Rack End	⇦		QR2889S	Male M16x1.5 , L=310mm, Damper
2b	Rack End	⇨	,	QR2889S	Male M16x1.5 , L=310mm, Damper
2b	Rack End	⇨	,	QR2888S	Male M16x1.5 , L=310mm, Boot
2b	Rack End	⇨		QR2889S	Male M16x1.5 , L=310mm, Damper
4a	Tie Rod Assembly	⇦	,	QDL2886S	
4a	Tie Rod Assembly	⇦	,	QDL3215S	
4a	Tie Rod Assembly	⇦		QDL3215S	
4b	Tie Rod Assembly	⇨	,	QDL2887S	
4b	Tie Rod Assembly	⇨		QDL2887S	
12	Steering Rack Bush		-ch.70.P004342	EM4141	Ø 8mm
12	Steering Rack Bush		ch.70.P004343-	EM4142	Ø 10mm
21	Ball Joint - Front			QSJ1304S	Ø 18mm Cone
23	Ball Joint - Front			QSJ1303S	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front			EMS8382	Front
24b	Suspension Arm Bush - Front			EMS8384	Rear, Ø 14mm
24c	Suspension Arm Bush - Front			EMS8279	Front
24d	Suspension Arm Bush - Front			EMS8280	Rear
25	Stabiliser Link - Front			QLS3269S	Bush, Ø 23.5mm
25	Stabiliser Link - Front			QLS3270S	Bush, Ø 27mm
26	Stabiliser Bar Bush - Front			EMB7181	Outer, Stabiliser Ø 23.0mm
27²	Stabiliser Link Bush - Front			EMB7214	

Transporter T4

08/94-12/95

T4 70 Series ch.70S.002792-70T.199999




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3024S**	Female M16x1.5 , Ø 14.7mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		**QR3023S**	Female M16x1.5 , Ø 14.7mm Cone, L=85mm
2a	Rack End	⇦	,	**QR2888S**	Male M16x1.5 , L=310mm, Boot
2a	Rack End	⇦	,	**QR2889S**	Male M16x1.5 , L=310mm, Damper
2a	Rack End	⇦		**QR2889S**	Male M16x1.5 , L=310mm, Damper
2b	Rack End	⇨	,	**QR2889S**	Male M16x1.5 , L=310mm, Damper
2b	Rack End	⇨	,	**QR2888S**	Male M16x1.5 , L=310mm, Boot
2b	Rack End	⇨		**QR2889S**	Male M16x1.5 , L=310mm, Damper
4a	Tie Rod Assembly	⇦	,	**QDL3212S**	
4a	Tie Rod Assembly	⇦	,	**QDL3216S**	
4a	Tie Rod Assembly	⇦		**QDL3216S**	
4b	Tie Rod Assembly	⇨	,	**QDL3213S**	
4b	Tie Rod Assembly	⇨		**QDL3213S**	
12	Steering Rack Bush			**EM4142**	Ø 10mm
21	Ball Joint - Front			**QSJ1304S**	Ø 18mm Cone
23	Ball Joint - Front			**QSJ1303S**	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front			**EMS8382**	Front
24b	Suspension Arm Bush - Front			**EMS8384**	Rear, Ø 14mm
24c	Suspension Arm Bush - Front			**EMS8279**	Front
24d	Suspension Arm Bush - Front			**EMS8280**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3269S**	Bush, Ø 23.5mm
25	Stabiliser Link - Front	⇦⇨		**QLS3270S**	Bush, Ø 27mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7181**	Outer, Stabiliser Ø 23.0mm
27²	Stabiliser Link Bush - Front	⇦⇨		**EMB7214**	

Transporter T4

01/96-06/03

T4 70 Series ch.70T.200001-703.250000




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3219S**	Female M16x1.5 ↻, Ø 14.7mm Cone, L=85mm
1b	Tie Rod End - Outer	⇨		**QR3220S**	Female M16x1.5 ↻, Ø 14.7mm Cone, L=85mm
2	Rack End	⇦⇨		**QR2889S**	Male M16x1.5 ↻, L=310mm, Damper
4a	Tie Rod Assembly	⇦		**QDL3217S**	
4b	Tie Rod Assembly	⇨		**QDL3218S**	
12	Steering Rack Bush			**EM4142**	Ø 10mm
21	Ball Joint - Front	⇦⇨		**QSJ1706S**	Ø 20.6mm Cone
23	Ball Joint - Front	⇦⇨		**QSJ1303S**	Ø 20.5mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		**EMS8383**	Front
24b	Suspension Arm Bush - Front	⇦⇨		**EMS8384**	Rear, Ø 14mm
24c	Suspension Arm Bush - Front	⇦⇨		**EMS8279**	Front
24d	Suspension Arm Bush - Front	⇦⇨		**EMS8280**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3269S**	Bush, Ø 23.5mm
25	Stabiliser Link - Front	⇦⇨		**QLS3270S**	Bush, Ø 27mm
27³	Stabiliser Link Bush - Front	⇦⇨		**EMB7214**	

Transporter T5

T5 7J,7H

04/03-06/10



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3449S**	Female M16x1.5, 17mm Cone, M14x1.5mm Ball Pin, L=235mm
1b	Tie Rod End - Outer	⇨		**QR3450S**	Female M16x1.5, 17mm Cone, M14x1.5mm Ball Pin, L=235mm
2	Rack End	⇦⇨		**QR3451S**	Male M16x1.5 , M16x1.5 Swivel, L=192mm
4a	Tie Rod Assembly	⇦		**QDL3277S**	
4b	Tie Rod Assembly	⇨		**QDL3278S**	
20a	Suspension Arm - Front		exc.3.2T	**QSA2254S**	
20a	Suspension Arm - Front		3.2T	**-**	
20b	Suspension Arm - Front		exc.3.2T	**QSA2255S**	
20b	Suspension Arm - Front		3.2T	**-**	
21	Ball Joint - Front		exc.3.2T	**QSJ3306S**	Ø 18.2mm Cone
21	Ball Joint - Front		3.2T	**QSJ3342S**	Ø 16mm Cone
24a	Suspension Arm Bush - Front			**EMS8338**	Front
24b	Suspension Arm Bush - Front			**EMS8339**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3438S**	L=260mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7239**	Outer, Stabiliser Ø 22.0mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7240**	Outer, Stabiliser Ø 23.0mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7241**	Outer, Stabiliser Ø 25.0mm
61	Top Strut Bearing - Front	⇦⇨		**QAM164**	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		**EMR6134**	
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA6134**	

440,460 — 09/88-08/97

EX








KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		**QR2356S**	Female M12x1.25 ↻, Ø 13.2mm Cone
2	Rack End	⇦⇨		**QR2357S**	Male M12x1.25 ↻, L=320mm
2¹	Rack End	⇦⇨		**QR2358S**	Male M12x1.25 ↻
21	Ball Joint - Front			**QSJ1142S**	Ø 14.5mm Cone
25a	Stabiliser Link - Front	⇦		**QLS2360S**	L=160mm
25b	Stabiliser Link - Front	⇨		**QLS2359S**	L=160mm
61	Top Strut Bearing - Front	⇦⇨		**QAM111**	
35	Stabiliser Link - Rear	⇦⇨		**QLS3392S**	L=100mm

480 — 09/85-12/95

EX




480 continued... 09/85-12/95



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR2356S	Female M12x1.25, Ø 13.2mm Cone
2	Rack End	⇦⇨		QR2357S	Male M12x1.25, L=320mm
2[1]	Rack End	⇦⇨		QR2358S	Male M12x1.25
21	Ball Joint - Front			QSJ1142S	Ø 14.5mm Cone
25a	Stabiliser Link - Front	⇦		QLS2360S	L=160mm
25b	Stabiliser Link - Front	⇨		QLS2359S	L=160mm
35	Stabiliser Link - Rear	⇦⇨		QLS3392S	L=100mm

740,760,780 04/82-08/92

744,764,782,X44



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨		QR1555S	Female M14x2.0, Ø 12.8mm Cone, L=75mm
2	Rack End	⇦⇨	Mfr.Camgear, 04/82-12/84	QR2890S	Male M14x2.0, M18x1.5 Swivel, L=304mm
2	Rack End	⇦⇨	Mfr.Camgear 01/85-07/88	QR2890S	Male M14x2.0, M18x1.5 Swivel, L=304mm
2	Rack End	⇦⇨	Mfr.Camgear 08/88-08/92	QR5063S	Male M14x2.0, M14x1.0 Swivel, L=305mm
2	Rack End	⇦⇨	Mfr.ZF, 08/88-08/92	QR5092S	Male M14x2.0, M16x1.5 Swivel, L=310mm
21	Ball Joint - Front			QSJ1143S	Ø 15.5mm Cone
24b	Suspension Arm Bush - Front		exc.H.D.	EMS2539	Outer


continued...

740,760,780 continued... 04/82-08/92

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front		H.D.	**EMS8088**	Outer
25	Stabiliser Link - Front			**QLS2541S**	L=140mm
61	Top Strut Bearing - Front			**QAM145**	
62	Top Strut Mounting - Front exc.Bearing			**EMR6037**	
34b	Suspension Arm Bush - Rear			**EMS1959**	CrossBar Bush

850 09/91-10/97

P80LS,P80LW




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			**QR2891S**	Female M14x2.0
1b	Tie Rod End - Outer			**QR2892S**	Female M14x2.0
2	Rack End		Mfr.TRW, Ident."4"	**QR2893S**	Male M14x2.0, M14x1.5 Swivel, L=190mm
2	Rack End		Mfr.SMI, Ident."5"	**QR3523S**	Male M14x2.0, M16x1.5 Swivel, L=177mm
20a	Suspension Arm - Front		4 ch.131537-, 5 ch.37528- , Petrol exc.AWD, Fixed Ball Joint	**QSA1767S**	Fixed Ball Joint
20a¹	Suspension Arm - Front		4 ch.131537-, 5 ch.37528-, Petrol AWD, Diesel, Fixed Ball joint	**QSA1907S**	Fixed Ball Joint

850 continued... 09/91-10/97

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
20b	Suspension Arm - Front		4 ch.131537-, 5 ch.37528- , Petrol exc.AWD, Fixed Ball Joint	**QSA1774S**	Fixed Ball Joint
20b¹	Suspension Arm - Front		4 ch.131537-, 5 ch.37528-, Petrol AWD, Diesel, Fixed Ball joint	**QSA1908S**	Fixed Ball Joint
21	Ball Joint - Front		4 -ch.131536, 5 -ch.37527, Removable Ball Joint	**QSJ1353S**	Removable Ball Joint, Ø 19mm Cone
24	Suspension Arm Bush - Front		4 -ch.131536, 5 -ch.37527	**EMS8091**	
24	Suspension Arm Bush - Front		4 ch.131537-, 5 ch.37528- , Petrol exc.AWD	**EMS8091**	
24¹	Suspension Arm Bush - Front		4 ch.131537-, 5 ch.37528- , Petrol AWD, Diesel	**EMS8042**	
25	Stabiliser Link - Front	⇦⇨		**QLS1521S**	L=302mm
26	Stabiliser Bar Bush - Front	⇦⇨		**EMB7190**	Outer, Red
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5006**	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.Nivomat Susp.	**EMR6001**	

940 09/90-10/98

X44,X45



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	Mfr.Camgear,ZF,TRW	**QR1555S**	Female M14x2.0, Ø 12.8mm Cone, L=75mm
1	Tie Rod End - Outer	⇦⇨	Mfr.Koyo	**QR9581S**	Female M14x2.0
2	Rack End	⇦⇨	Mfr.Camgear	**QR5063S**	Male M14x2.0, M14x1.0 Swivel, L=305mm
2	Rack End	⇦⇨	Mfr.ZF, 09/90-12/93	**QR5092S**	Male M14x2.0, M16x1.5 Swivel, L=310mm
2	Rack End	⇦⇨	Mfr.TRW, 01/94-05/97	**QR5063S**	Male M14x2.0, M14x1.0 Swivel, L=305mm
2a	Rack End	⇦	Mfr.Koyo	**QR9583S**	Male M14x2.0, L=308mm
2b	Rack End	⇨	Mfr.Koyo	**QR9582S**	Male M14x2.0, L=308mm
21	Ball Joint - Front			**QSJ1143S**	Ø 15.5mm Cone
24	Suspension Arm Bush - Front		exc.H.D.	**EMS2539**	


continued...

940 continued... 09/90-10/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24	Suspension Arm Bush - Front		H.D.	EMS8088	
25	Stabiliser Link - Front			QLS2541S	L=140mm
61	Top Strut Bearing - Front			QAM145	
62	Top Strut Mounting - Front exc.Bearing			EMR6037	
35	Stabiliser Link - Rear			QLS3302S	L=65mm

960 09/90-10/98

X44,X45,X64,X65




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer		Mfr.Camgear	QR1555S	Female M14x2.0, Ø 12.8mm Cone, L=75mm
1	Tie Rod End - Outer		Mfr.Koyo, 09/90-12/93	QR9581S	Female M14x2.0
1	Tie Rod End - Outer		Mfr.ZF, 09/90-12/93	QR1555S	Female M14x2.0, Ø 12.8mm Cone, L=75mm
1	Tie Rod End - Outer		Mfr.TRW, 01/94-12/94	QR1555S	Female M14x2.0, Ø 12.8mm Cone, L=75mm
1a	Tie Rod End - Outer	⇦	Mfr.TRW, 01/95-10/98	QR2891S	Female M14x2.0
1b	Tie Rod End - Outer	⇨	Mfr.TRW, 01/95-10/98	QR2892S	Female M14x2.0
2	Rack End		Mfr.Camgear	QR5063S	Male M14x2.0, M14x1.0 Swivel, L=305mm
2a	Rack End	⇦	Mfr.Koyo, 09/90-12/93	QR9583S	Male M14x2.0, L=308mm
2b	Rack End	⇨	Mfr.Koyo, 09/90-12/93	QR9582S	Male M14x2.0, L=308mm
2	Rack End		Mfr.ZF, 09/90-12/93	QR5092S	Male M14x2.0, M16x1.5 Swivel, L=310mm
2	Rack End		Mfr.TRW, 01/94-12/94	QR5063S	Male M14x2.0, M14x1.0 Swivel, L=305mm
2	Rack End		Mfr.TRW, 01/95-10/98	QR3444S	Male M14x2.0, M14x1.5 Swivel, L=240mm
21	Ball Joint - Front			QSJ1143S	Ø 15.5mm Cone
24	Suspension Arm Bush - Front		09/90-12/94 exc.H.D.	EMS2539	

960 continued... 09/90-10/98

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24	Suspension Arm Bush - Front		09/90-12/94 H.D.	EMS8088	
25	Stabiliser Link - Front		09/90-11/95	QLS2541S	L=140mm
25[1]	Stabiliser Link - Front		12/95-10/98	QLS3253S	L=245mm
61	Top Strut Bearing - Front			QAM145	
62	Top Strut Mounting - Front exc.Bearing			EMR6037	
35	Stabiliser Link - Rear			QLS3302S	L=65mm

C30 10/06-03/14


MK



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			QR3420S	Female M14x1.5, Ø 12.5mm Cone, L=100mm
1b	Tie Rod End - Outer			QR3421S	Female M14x1.5, Ø 12.5mm Cone, L=100mm
2	Rack End			QR3422S	Male M16x1.5, M14x1.5 Swivel, L=304mm
20a	Suspension Arm - Front			QSA2087S	
20b	Suspension Arm - Front			QSA2088S	
21	Ball Joint - Front			QSJ3326S	Ø 18mm Cone
24a	Suspension Arm Bush - Front			EMS8250	Front
24b	Suspension Arm Bush - Front			EMS8479	Rear
25	Stabiliser Link - Front			QLS3389S	L=298mm
32	Suspension Arm - Rear			QSJ2099S	L=290mm
35[1]	Stabiliser Link - Rear			QLS3835S	L=100mm
36	Stabiliser Bar Bush - Rear			EMB7274	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear		exc. Sport	EMB7298	Outer, Ø 15mm

S40 I,V40 — 11/95-06/04

VS,VW



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1	Tie Rod End - Outer	⇦⇨	11/95-06/00	QR2304S	Female M12x1.25 ↻, Ø 13.4mm Cone, L=78mm
1a	Tie Rod End - Outer	⇦	07/00-06/04	QR3325S	Female M14x1.5 ↻, Ø 13.5mm Cone, L=90mm
1b	Tie Rod End - Outer	⇨	07/00-06/04	QR3326S	Female M14x1.5 ↻, Ø 13.5mm Cone, L=90mm
2	Rack End	⇦⇨	11/95-05/00	QR9278S	Male M12x1.25 ↻


S40 I,V40 continued... 11/95-06/04

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2¹	Rack End	⇦⇨	05/00-06/04	**QR3327S**	Male M14x1.5, M16x1.5 Swivel, L=339mm
20a	Suspension Arm - Front		11/95-01	**QSA1763S**	
20a	Suspension Arm - Front		2001-06/04	**QSA1932S**	
20b	Suspension Arm - Front		11/95-01	**QSA1783S**	
20b	Suspension Arm - Front		2001-06/04	**QSA1933S**	
21	Ball Joint - Front			**QSJ1124S**	Ø 15mm Cone
24a	Suspension Arm Bush - Front			**EMS8089**	
24b	Suspension Arm Bush - Front			**EMS8024**	Rear
24c	Suspension Arm Bush - Front			**EMS8023**	Rear
25	Stabiliser Link - Front	⇦⇨	11/95-12/00	**QLS3251S**	L=200mm
25¹	Stabiliser Link - Front	⇦⇨	01/01-06/04	**QLS3391S**	L=267mm
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		**EMA5005**	
30	Suspension Arm - Rear			**QSJ3381S**	Compensator Arm, L=143mm
32a	Suspension Arm - Rear		11/95-05/00	**QSJ3368S**	L=226mm
32b	Suspension Arm - Rear		11/95-05/00	**QSJ3369S**	L=226mm
32	Suspension Arm - Rear		06/00-06/04	**QSJ3380S**	L=259mm
34a	Suspension Arm Bush - Rear		11/95-12/99	**-**	Radius Arm
34a	Suspension Arm Bush - Rear		01/00-06/04	**EMS8090**	Radius Arm
35	Stabiliser Link - Rear	⇦⇨		**QLS3349S**	L=105mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7192**	Outer, Ø 13mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7193**	Outer, Ø 15mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨		**EMR6100**	

S40 II,V50


MS,MW

06/03-05/13



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3420S**	Female M14x1.5 RH, Ø 12.5mm Cone, L=100mm
1b	Tie Rod End - Outer	⇨		**QR3421S**	Female M14x1.5 RH, Ø 12.5mm Cone, L=100mm
2	Rack End	⇦⇨		**QR3422S**	Male M16x1.5 RH, M14x1.5 Swivel, L=304mm
20a	Suspension Arm - Front		06/03-03/06	**QSA2087S**	
20a	Suspension Arm - Front		03/06-07/10	**QSA2234S**	
20b	Suspension Arm - Front		06/03-03/06	**QSA2088S**	
20b	Suspension Arm - Front		03/06-07/10	**QSA2235S**	
21	Ball Joint - Front		06/03-03/06	**QSJ3326S**	Ø 18mm Cone
21	Ball Joint - Front		03/06-07/10	**QSJ3332S**	Ø 21mm Cone
24a	Suspension Arm Bush - Front		06/03-03/06	**EMS8250**	Front
24a	Suspension Arm Bush - Front		03/06-07/10	**EMS8250**	Front
24b	Suspension Arm Bush - Front			**EMS8479**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3389S**	L=298mm
32	Suspension Arm - Rear			**QSJ2099S**	L=290mm
35¹	Stabiliser Link - Rear	⇦⇨		**QLS3835S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7274**	Outer, Ø 16mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7298**	Outer, Ø 15mm

V40 03/12-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
2	Rack End	⇦⇨		**QR3910S**	
20a	Suspension Arm - Front	↲		**-**	Sheet Steel Type
20a	Suspension Arm - Front	↲		**QSA2677S**	Aluminium
20b	Suspension Arm - Front	↳		**-**	Sheet Steel Type
20b	Suspension Arm - Front	↳		**QSA2678S**	Aluminium
25	Stabiliser Link - Front	⇦⇨		**QLS3389S**	
32	Suspension Arm - Rear	⇦↱		**QSJ3656S**	Curved Arm
32	Suspension Arm - Rear	⇦⇨	Std. Susp	**-**	Spring Seat
32	Suspension Arm - Rear	⇦⇨	Sports Susp.	**-**	Spring Seat
35	Stabiliser Link - Rear	⇦⇨		**QLS3823S**	L=76mm
35¹	Stabiliser Link - Rear	⇦⇨		**QLS3835S**	L=100mm
36	Stabiliser Bar Bush - Rear	⇦⇨		**EMB7298**	Outer, Ø 15mm

S60

RS

07/00-03/09




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3302S**	Female M14x1.5 RH, Ø 12mm Cone, L=233mm
1b	Tie Rod End - Outer	⇨		**QR3303S**	Female M14x1.5 RH, Ø 12mm Cone, L=233mm
2	Rack End	⇦⇨	Mfr.SMI, 07/00-12/03	**QR3426S**	Male M14x1.5 RH, L=148mm, M16X1.5 Swivel
2	Rack End	⇦⇨	Mfr.ZF, 01/04-	**QR3305S**	Male M14x1.5 RH, M16X1.5 Swivel, L=142mm,
20a	Suspension Arm - Front	↲	-ch.626501 exc.Taxi,Police Vehicles,16.5" Wheels	**QSA1996S**	
20a	Suspension Arm - Front	↲	ch.626502- exc.Taxi,Police Vehicles,16.5" Wheels	**-**	
20a	Suspension Arm - Front	↲	-ch.626501 16.5" Wheels	**-**	
20a	Suspension Arm - Front	↲	ch.626502- 16.5" Wheels	**-**	
20a	Suspension Arm - Front	↲	-ch.424999 Police Vehicles	**QSA1996S**	
20a	Suspension Arm - Front	↲	ch.424999- Police Vehicles	**-**	
20a	Suspension Arm - Front	↲	Taxi	**QSA1996S**	
20b	Suspension Arm - Front	↳	-ch.626501 exc.Taxi,Police Vehicles,16.5" Wheels	**QSA1997S**	
20b	Suspension Arm - Front	↳	ch.626502- exc.Taxi,Police Vehicles,16.5" Wheels	**-**	
20b	Suspension Arm - Front	↳	-ch.626501 16.5" Wheels	**-**	
20b	Suspension Arm - Front	↳	ch.626502- 16.5" Wheels	**-**	
20b	Suspension Arm - Front	↳	-ch.424999 Police Vehicles	**QSA1997S**	
20b	Suspension Arm - Front	↳	ch.424999- Police Vehicles	**-**	
20b	Suspension Arm - Front	↳	Taxi	**QSA1997S**	
21	Ball Joint - Front	⇃⇂		**QSJ3237S**	Ø 12.7mm Cone
24a	Suspension Arm Bush - Front	⇃⇂	exc.Police Vehicles,16.5" Wheels	**EMS8357**	Front
24a	Suspension Arm Bush - Front	⇃⇂	Police vehicles,16.5" Wheels	**-**	Front
24b	Suspension Arm Bush - Front	⇃⇂	-ch.626501 exc.Police Vehicles	**EMS8368**	Rear
24b	Suspension Arm Bush - Front	⇃⇂	ch.626502- exc. Police Vehicles	**-**	Rear

S60 continued... 07/00-03/09


KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
24b	Suspension Arm Bush - Front	⇦⇨	Police Vehicles	EMS8368	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3310S	L=332mm
35	Stabiliser Link - Rear	⇦⇨		QLS3395S	L=140mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.Self Levelling Susp.	EMR6098	

S60 II 04/10-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3558S	
1b	Tie Rod End - Outer	⇨		QR3559S	
2	Rack End	⇦⇨	exc.ECPS	QR3592S	
2	Rack End	⇦⇨	ECPS	QR3953S	
20a	Suspension Arm - Front	↲		QSA2339S	
20b	Suspension Arm - Front	↳		QSA2340S	
21	Ball Joint - Front	⇦⇨		QSJ3418S	
25	Stabiliser Link - Front	⇦⇨		QLS3538S	
35	Stabiliser Link - Rear	⇦⇨		QLS3539S	

V60 04/10-




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3558S	
1b	Tie Rod End - Outer	⇨		QR3559S	
2	Rack End	⇦⇨	exc.ECPS	QR3592S	
2	Rack End	⇦⇨	ECPS	QR3953S	
20a	Suspension Arm - Front			QSA2339S	
20b	Suspension Arm - Front			QSA2340S	
21	Ball Joint - Front			QSJ3418S	
25	Stabiliser Link - Front	⇦⇨		QLS3538S	
35	Stabiliser Link - Rear	⇦⇨		QLS3539S	

C70 I

P80NC,P80NK

06/97-10/05




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2891S	Female M14x2.0
1b	Tie Rod End - Outer	⇨		QR2892S	Female M14x2.0
2	Rack End	⇦⇨	Mfr.TRW, Ident.''4''	QR2893S	Male M14x2.0 , M14x1.5 Swivel, L=190mm
2	Rack End	⇦⇨	Mfr.SMI, Ident.''5''	QR3523S	Male M14x2.0 , M16x1.5 Swivel, L=177mm
20a	Suspension Arm - Front			QSA2316S	
20b	Suspension Arm - Front			QSA2317S	
24	Suspension Arm Bush - Front			EMS8042	
25	Stabiliser Link - Front	⇦⇨		QLS1521S	L=302mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7190	Outer, Red
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5006	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.Nivomat Susp.	EMR6001	

C70 II

P80MC


09/05-03/14



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3420S	Female M14x1.5, Ø 12.5mm Cone, L=100mm
1b	Tie Rod End - Outer	⇨		QR3421S	Female M14x1.5, Ø 12.5mm Cone, L=100mm
2	Rack End	⇦⇨		QR3422S	Male M16x1.5, M14x1.5 Swivel, L=304mm
20a	Suspension Arm - Front			QSA2087S	
20b	Suspension Arm - Front			QSA2088S	
21	Ball Joint - Front			QSJ3326S	Ø 18mm Cone
24a	Suspension Arm Bush - Front			EMS8250	Front
24b	Suspension Arm Bush - Front			EMS8479	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3389S	L=298mm
32	Suspension Arm - Rear			QSJ2099S	L=290mm

S70,V70 I,V70 XC,Classic 11/96-10/01


P80,P80LW



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2891S	Female M14x2.0
1b	Tie Rod End - Outer	⇨		QR2892S	Female M14x2.0
2	Rack End	⇦⇨	Mfr.ZF	QR2893S	Male M14x2.0 , M14x1.5 Swivel, L=190mm
2	Rack End	⇦⇨	Mfr.SMI	QR3523S	Male M14x2.0 , M16x1.5 Swivel, L=177mm
20a	Suspension Arm - Front	⇦	Diesel	QSA1907S	Fixed Ball Joint
20a¹	Suspension Arm - Front	⇦	Petrol	QSA1767S	Fixed Ball Joint
20b	Suspension Arm - Front	⇨	Diesel	QSA1908S	Fixed Ball Joint
20b¹	Suspension Arm - Front	⇨	Petrol	QSA1774S	Fixed Ball Joint
24	Suspension Arm Bush - Front	⇦⇨	Diesel	EMS8042	
24¹	Suspension Arm Bush - Front	⇦⇨	Petrol	EMS8091	
25	Stabiliser Link - Front	⇦⇨		QLS1521S	L=302mm
26	Stabiliser Bar Bush - Front	⇦⇨		EMB7190	Outer, Red
63	Top Strut Mounting - Front inc.Bearing	⇦⇨		EMA5006	
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.V70XC,Nivomat Susp.	EMR6001	

V70 II,V70 XC II,XC70 11/99-07/07

P80




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3302S**	Female M14x1.5 RH, Ø 12mm Cone, L=233mm
1b	Tie Rod End - Outer	⇨		**QR3303S**	Female M14x1.5 RH, Ø 12mm Cone, L=233mm
2	Rack End	⇦⇨	Mfr.SMI, 11/99-MY03 (Check Gaiter Fitment)	**QR3426S**	Male M14x1.5 RH, L=148mm, M16X1.5 Swivel
2¹	Rack End	⇦⇨	Mfr.ZF, MY04- (Check Gaiter Fitment)	**QR3305S**	Male M14x1.5 RH, M16X1.5 Swivel, L=142mm,
20a	Suspension Arm - Front		-ch.647148 exc.16.5" Wheels,Police T vehicles, axi,XC70	**QSA1996S**	
20a	Suspension Arm - Front		ch.647149- exc.16.5" Wheels,Police Vehicles, Taxi,XC70	**-**	
20a	Suspension Arm - Front		-ch.647148 16.5" Wheels	**-**	
20a	Suspension Arm - Front		ch.647149- 16.5" Wheels	**-**	
20a	Suspension Arm - Front		-ch.448999 Police Vehicles	**QSA1996S**	
20a	Suspension Arm - Front		ch.449000- Police Vehicles	**-**	
20a	Suspension Arm - Front		XC70	**QSA2685S**	
20b	Suspension Arm - Front		-ch.647148 exc.16.5" Wheels,Police vehicles, Taxi,XC70	**QSA1997S**	
20b	Suspension Arm - Front		ch.647149- exc.16.5" Wheels,Police Vehicles, Taxi,XC70	**-**	
20b	Suspension Arm - Front		-ch.647148 16.5" Wheels	**-**	
20b	Suspension Arm - Front		ch.647149- 16.5" Wheels	**-**	
20b	Suspension Arm - Front		-ch.448999 Police Vehicles	**QSA1997S**	
20b	Suspension Arm - Front		ch.449000- Police Vehicles	**-**	
20b	Suspension Arm - Front		XC70	**QSA2686S**	

V70 II,V70 XC II,XC70 continued... 11/99-07/07

KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
21	Ball Joint - Front			**QSJ3237S**	Ø 12.7mm Cone
24a	Suspension Arm Bush - Front		exc.Taxi,Police Vehicles,16.5'' Wheels	**EMS8357**	Front
24a	Suspension Arm Bush - Front		Police vehicles, 16.5'' Wheels	**-**	Front
24b	Suspension Arm Bush - Front		-ch.647148	**EMS8368**	Rear
24b	Suspension Arm Bush - Front		ch.647149-	**-**	Rear
25	Stabiliser Link - Front			**QLS3310S**	L=332mm
35	Stabiliser Link - Rear			**QLS3395S**	L=140mm
65	Top Strut Mounting - Rear exc.Bearing		exc.Self Levelling Susp.	**EMR6098**	

V70 III, XC70 08/07-

BJ,BW




KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer			**QR3558S**	Female M18x1.5 , Ø 16.8mm Cone, L=112mm
1b	Tie Rod End - Outer			**QR3559S**	Female M18x1.5 , Ø 16.8mm Cone, L=112mm
20a	Suspension Arm - Front		V70	**QSA2431S**	
20b	Suspension Arm - Front		V70	**QSA2432S**	
21	Ball Joint - Front		V70	**QSJ3418S**	Ø 18.0mm Cone, PCD=56mm
21	Ball Joint - Front		XC70	**QSJ3744S**	
24	Suspension Arm Bush - Front			**-**	Front
24a	Suspension Arm Bush - Front			**-**	Rear
24b	Suspension Arm Bush - Front			**-**	Rear
25	Stabiliser Link - Front			**QLS3538S**	L=300mm
35	Stabiliser Link - Front			**QLS3539S**	L=180mm

S80 I

TS,KU,KV

07/98-07/06



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦	07/98-MY99 (Check Technical Details)	**QR3524S**	Female M14x2.0 , Ø 13.2mm Cone, L=230mm
1a	Tie Rod End - Outer	⇦	MY00-07/06 (Check Technical Details)	**QR3302S**	Female M14x1.5 , Ø 12mm Cone, L=233mm
1b	Tie Rod End - Outer	⇨	07/98-MY99 (Check Technical Details)	**QR3525S**	Female M14x2.0 , Ø 13.2mm Cone, L=230mm
1b	Tie Rod End - Outer	⇨	MY00-07/06 (Check Technical Details)	**QR3303S**	Female M14x1.5 , Ø 12mm Cone, L=233mm
2	Rack End	⇦⇨	07/98-MY99 (Check Technical Details)	**QR3578S**	Male M14x2.0 , L=133mm, M16x1.5 Swivel
2	Rack End	⇦⇨	Mfr.SMI, MY00-MY03 (Check Gaiter Fitment)	**QR3426S**	Male M14x1.5 , L=148mm, M16X1.5 Swivel
2	Rack End	⇦⇨	Mfr.ZF, MY04-07/06 (Check Gaiter Fitment)	**QR3305S**	Male M14x1.5 , M16X1.5 Swivel, L=142mm,
20a	Suspension Arm - Front	↲	exc.Armoured body, Ambulance, Hearse	**QSA1992S**	
20a	Suspension Arm - Front	↲	Armoured body, Ambulance, Hearse	**-**	
20b	Suspension Arm - Front	↳	exc.Armoured body, Ambulance, Hearse	**QSA1993S**	
20b	Suspension Arm - Front	↳	Armoured body, Ambulance, Hearse	**-**	
21	Ball Joint - Front	⇩⇩		**QSJ3237S**	Ø 12.7mm Cone
24a	Suspension Arm Bush - Front	⇩⇩	-ch.116810, Taxi -ch.401732	**-**	Front
24a	Suspension Arm Bush - Front	⇩⇩	ch.116811-, Taxi ch.401733-	**EMS8357**	Front
24b	Suspension Arm Bush - Front	⇩⇩		**EMS8368**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3310S**	L=332mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3395S**	L=140mm
65	Top Strut Mounting - Rear exc.Bearing	⇦⇨	exc.Self Levelling Susp.	**EMR6098**	

S80 II

AS


08/06-



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		**QR3558S**	Female M18x1.5 ↻, Ø 16.8mm Cone, L=112mm
1b	Tie Rod End - Outer	⇨		**QR3559S**	Female M18x1.5 ↻, Ø 16.8mm Cone, L=112mm
20a	Suspension Arm - Front	↲		**QSA2431S**	
20b	Suspension Arm - Front	↳		**QSA2432S**	
21	Ball Joint - Front	↲↳		**QSJ3418S**	Ø 18.0mm Cone, PCD=56mm
24	Suspension Arm Bush - Front	↲↳		**-**	Front
24a	Suspension Arm Bush - Front	↲		**-**	Rear
24b	Suspension Arm Bush - Front	↳		**-**	Rear
25	Stabiliser Link - Front	⇦⇨		**QLS3538S**	L=300mm
35	Stabiliser Link - Rear	⇦⇨		**QLS3539S**	L=180mm

S90,V90 11/96-04/99


X44



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR2891S	Female M14x2.0
1b	Tie Rod End - Outer	⇨		QR2892S	Female M14x2.0
2	Rack End	⇦⇨		QR3444S	Male M14x2.0, M14x1.5 Swivel, L=240mm
21	Ball Joint - Front			QSJ1143S	Ø 15.5mm Cone
24a	Suspension Arm Bush - Front			EMS8213	Front
24b	Suspension Arm Bush - Front			EMS8214	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3253S	L=245mm
61	Top Strut Bearing - Front	⇦⇨		QAM145	
62	Top Strut Mounting - Front exc.Bearing	⇦⇨		EMR6037	

XC60 05/08-03/15

RZ




XC60 continued... 05/08-03/15



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3558S	
1b	Tie Rod End - Outer	⇨		QR3559S	
2	Rack End	⇦⇨	exc.EPAS	QR3826S	
2	Rack End	⇦⇨	EPAS	QR3827S	
20a	Suspension Arm - Front	↲		QSA2687S	
20b	Suspension Arm - Front	↳		QSA2688S	
21	Ball Joint - Front	⇦⇨		QSJ3744S	
24a	Suspension Arm Bush - Front	⇦⇨		EMS8456	Front
24b	Suspension Arm Bush - Front	↲		EMS8445	Rear
24c	Suspension Arm Bush - Front	↳		EMS8446	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3538S	L=300mm
35	Stabiliser Link - Rear	⇦⇨		QLS3539S	L=180mm

XC90 05/08-03/15

CM,CZ



KEY	PRODUCT	POS	NOTES	QH REF	TECHNICAL
1a	Tie Rod End - Outer	⇦		QR3442S	Female M14x1.5 ,Ø 10.0mm Cone, L=258mm
1b	Tie Rod End - Outer	⇨		QR3443S	Female M14x1.5 ,Ø 10.0mm Cone, L=258mm
2	Rack End	⇦⇨		QR3305S	Male M14x1.5 , M16X1.5 Swivel, L=142mm,
20a	Suspension Arm - Front	↲		QSA2318S	
20b	Suspension Arm - Front	↳		QSA2319S	
21	Ball Joint - Front	⇦⇨		QSJ2122S	Ø 15.0mm Cone
24a	Suspension Arm Bush - Front	⇦⇨		EMS8589	Front
24b	Suspension Arm Bush - Front	⇦⇨		EMS8590	Rear
25	Stabiliser Link - Front	⇦⇨		QLS3310S	L=332mm
35	Stabiliser Link - Rear	⇦⇨		QLS3395S	L=140mm

EM1445
Rover Group Mini



EM1886
Seat Cordoba, Inca
Volkswagen Corrado, Golf, Jetta, Passat, Polo, Vento
sadsadsadsa



EM1896
Citroën Xsara, ZX
Peugeot 306



EM1914
Citroën Xsara, ZX
Peugeot 306



EM1952
Ford Transit



EM1954
Ford Transit



EM2426
Audi 80, Coupé



EM2427
Audi 100, A6



EM2428
Audi 100, A6



EM2438
Audi 80, 90, Coupé



EM2441
Audi 80, 90, Coupé



EM2451
Audi 80, 90, Coupé Quattro



EM2491
Mercedes 124 Series



EM2517
Citroën Xsara, ZX
Peugeot 306



EM2701
Mercedes 201 Series



EM3068
Volkswagen Golf, Polo, Vento



EM3078
Audi 80, 90, Coupé



EM3083
Fiat Punto



EM3084
Fiat Punto



EM3417
Audi A6



EM4000
Fiat Punto



EM4027
Peugeot 205, 309



EM4032
Opel Vectra
Saab 9-5
Vauxhall Vectra



EM4033
Opel Vectra
Saab 9-5
Vauxhall Vectra



EM4041
Rover MGF,MGTF



EM4080
Renault R21



EM4081
Renault R21



EM4096
Ford Galaxy
Seat Alhambra
Volkswagen Sharan



EM4102
BMW 3 Series



EM4106
Audi A3
Volkswagen Beetle, Bora, Golf



EM4109
Ford Transit



EM4110
BMW 3 Series



EM4111
BMW 3 Series, X3



EM4112
BMW 3 Series, X3



EM4113
BMW 3 Series, X3



EM4114
BMW 3 Series



EM4115
BMW 5 Series



EM4141
Volkswagen Caravelle, Transporter



EM4142
Volkswagen Caravelle, Transporter



EM4154
Ford Mondeo



EM4155
Ford Mondeo



EM4201
Peugeot 406



EM4202
Renault Laguna



EM4203
Renault Laguna



EM4205
Renault Clio



EM4230
Citroën AX, Saxo
Peugeot 106, 206



EM4231
Citroën Berlingo, Xsara
Peugeot Partner



EM4438
BMW 1 Series, 3 Series



EM4439
BMW 1 Series, 3 Series



EM4440
BMW 1 Series, 3 Series



EM4441
BMW 3 Series



EM4443
BMW 1 Series, 3 Series



EM4444
BMW 1 Series, 3 Series



EM4448
Ford Galaxy
Seat Alhambra
Volkswagen Sharan



EM4529
Citroën C5



EM4604
Volkswagen Passat



EMA1564
Opel Kadett
Vauxhall Astra, Astra,Astramax, Belmont



EMA1565
Daewoo Nexia
Opel Kadett
Vauxhall Astra, Astra,Astramax, Belmont



EMA1581
BMW 3 Series, 5 Series, Z1



EMA1621
Volkswagen Caddy, Golf, Scirocco



EMA1767
Audi 80, 90, Coupé, Coupé Quattro



EMA1781
Alfa Romeo Alfa 145,146
Fiat Bravo, Coupé, Tempra, Tipo
Lancia Delta



EMA1782
Alfa Romeo Alfa 145,146
Fiat Bravo, Coupé, Tempra, Tipo
Lancia Delta



EMA1784
Fiat Croma
Lancia Thema



EMA1786
Fiat Croma
Lancia Thema



EMA1796
Volkswagen Corrado, Golf, Passat, Vento



EMA1797
Seat Cordoba
Volkswagen Golf, Jetta, Vento



EMA1836
Alfa Romeo Alfa 145,146, Alfa 155



EMA1837
Alfa Romeo Alfa 145,146, Alfa 155



EMA1838
Alfa Romeo Alfa 164



EMA1891
Ford Galaxy
Seat Alhambra, Cordoba, Inca
Volkswagen Caddy, Corrado, Golf,



EMA1892
Opel Astra
Vauxhall Astra, Astra,Astramax



EMA1924
Audi 100, A6



EMA1925
Citroën Berlingo, Xsara, ZX
Peugeot Partner



EMA2127
Opel Arena
Renault Trafic
Vauxhall Arena



EMA2173
Citroën C15
Peugeot 205, 309, 405
Renault R5



EMA2237
BMW 3 Series, Z3, Z4



EMA2264
Fiat Cinquecento, Seicento



EMA2284
Ford Escort, Orion



EMA2287
Opel Corsa, Corsa,Combo, Tigra
Vauxhall Corsa, Corsa,Combo, Tigra



EMA2305
Lancia Dedra, Delta



EMA2310
Fiat Punto



EMA2320
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



EMA2321
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



EMA2334
Audi A3
Seat Leon
Volkswagen Beetle, Bora, Golf



EMA2501
Seat Arosa
Volkswagen Lupo, Polo



EMA2579
Citroën Jumpy
Peugeot Expert



EMA2580
Citroën Jumpy
Peugeot Expert



EMA2719
Renault Megane, R19, Scenic



EMA3191
Fiat Brava,Bravo, Marea



EMA3192
Renault Laguna



EMA3193
Renault Laguna



EMA5001
Mitsubishi Colt
Proton Compact, Persona



EMA5005
Volvo S40,V40



EMA5006
Volvo 850, C70, S70,V70



EMA5010
Toyota Camry, Previa



EMA5011
Toyota Celica



EMA5012
Toyota Paseo, Starlet



EMA5013
Toyota RAV 4



EMA5014
Mitsubishi Colt



EMA5015
Hyundai Lantra,Elantra
Mitsubishi Colt, Lancer



EMA5016
Hyundai Sonata
Mitsubishi Spacewagon



EMA5017
Hyundai Accent



EMA5018
Hyundai S Coupé



EMA5020
Toyota Corolla



EMA5021
Subaru Forester, Impreza, Legacy



EMA5023
Hyundai Sonata



EMA5026
Hyundai Coupé, Lantra,Elantra



EMA5028
BMW 1 Series, 3 Series, 5 Series



EMA5029
BMW 3 Series



EMA5031
BMW 3 Series



EMA5032
Renault Laguna



EMA5033
Renault Megane



EMA5034
Renault Espace



EMA5035
Renault Trafic



EMA5036
Chrysler Voyager



EMA5037
Fiat Punto



EMA5038
Fiat Idea, Punto
Lancia Musa



EMA5039
Fiat Doblò



EMA5040
Fiat Doblò



EMA5041
Citroën C2, C3



EMA5042
Citroën Berlingo, C4, DS5
Peugeot 307, Partner, Partner Tepee



EMA5043
Skoda Favorit,Forman
Volkswagen Caddy



EMA5044
Hyundai Accent



EMA5045
Renault Clio



EMA5046
Renault Clio, Modus



EMA5047
Renault Clio, Modus



EMA5048
Audi A3, TT
Seat Altea, Leon, Toledo
Skoda Octavia, Superb, Yeti
Volkswagen Caddy, Eos, Golf,



EMA5050
Citroën C5



EMA5051
BMW (Mini) Mini



EMA5052
Alfa Romeo MiTo
Fiat Punto
Opel Corsa
Vauxhall Corsa



EMA6000
Ford Escort



EMA6006
Ford Courier, Fiesta, Ka
Mazda 121



EMA6007
Renault Clio



EMA6014
Nissan Kubistar
Renault Clio, Kangoo



EMA6020
Citroën Xsara
Peugeot 306



EMA6021
Peugeot 306



EMA6024
Ford Mondeo



EMA6026
Fiat Multipla



EMA6047
Opel Sintra
Vauxhall Sintra



EMA6051
Nissan 100NX, Almera, Sunny



EMA6069
Mazda 323, MX3



EMA6078
Toyota Avensis



EMA6079
Ford Focus



EMA6082
Peugeot 406



EMA6083
Ford Transit



EMA6085
Peugeot 206



EMA6086
Peugeot 206



EMA6104
Ford Mondeo



EMA6119
Peugeot 207



EMA6120
Citroën C3, C4, C-Elysee
Peugeot 208, 301



EMA6121
Citroën C3, DS3
Peugeot 208



EMA6126
Citroën C4, C-Crosser
Peugeot 4008



EMA6127
Citroën C4, DS4
Peugeot 308



EMA6128
Citroën C2, C3
Peugeot 1007



EMA6134
Volkswagen Transporter



EMA6142
Citroën Nemo
Fiat Fiorino, Linea, Qubo
Peugeot Bipper



EMA6143
Citroën Nemo
Fiat Fiorino, Linea, Qubo
Peugeot Bipper



EMA6157
Citroën Jumpy
Peugeot Expert



EMA6158
Citroën Jumpy
Peugeot Expert



EMB1857
Ford Cougar, Mondeo, Scorpio



EMB1862
Ford Courier, Escort, Fiesta, Orion, Puma
Mazda 121
Renault Twingo



EMB1963
Fiat Barchetta, Punto



EMB1964
Fiat Barchetta, Punto



EMB1965
Fiat Barchetta, Punto



EMB1966
Fiat Barchetta, Punto



EMB1967
Fiat Barchetta, Doblò, Punto, Strada



EMB1968
Alfa Romeo Alfa 145,146, Alfa 155
Fiat Brava,Bravo, Tempra, Tipo
Lancia Dedra, Delta



EMB1969

Alfa Romeo	Alfa 145,146, Alfa 155
Fiat	Brava,Bravo, Bravo, Coupé, Tempra, Tipo
Lancia	Dedra, Delta



EMB1971

Alfa Romeo	Alfa 147, Alfa 156, GT



EMB1972

Alfa Romeo	GTV, Spider



EMB1983

Opel	Kadett
Vauxhall	Astra, Astra,Astramax, Belmont



EMB1984

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



EMB1996

Volkswagen	Golf, Scirocco



EMB2031

Renault	Clio, Express,Extra, R5



EMB2107

Opel	Corsa
Vauxhall	Nova



EMB2116

Citroën	C15



EMB2121

Renault	R21



EMB2122

Renault	Clio, Megane, R19, Scenic



EMB2128

Renault	Trafic



EMB2129

Renault	Trafic



EMB2137

Peugeot	205, 309



EMB2138

Citroën	C15
Peugeot	205, 309



EMB2139

Peugeot	205, 309



EMB2140

Renault	R21



EMB2157

Audi	80, Cabriolet



EMB2165

Mercedes	124 Series, 201 Series



EMB2213

Renault	R4,R6, R4



EMB2214

Renault	R21



EMB2251

Renault	R21



EMB2419

Audi	100, A6



EMB2478

Mercedes	124 Series, 129 Series



EMB2510
Mercedes 124 Series, 129 Series, 170 Series SLK, 201 Series, 202 Series C-Klasse,



EMB2557
Saab 900, 9000



EMB2606
Ford Courier, Fiesta, Ka



EMB2607
Ford Ka



EMB2608
Ford Transit



EMB2609
Ford Transit



EMB2610
Ford Escort



EMB2611
Ford Escort



EMB2614
Renault Clio, Express,Extra, R5, R19



EMB2615
Nissan Kubistar
Renault Clio, Kangoo, Megane, R19, Scenic



EMB2619
Renault Clio, Megane, Scenic



EMB2620
Renault Espace, Grand Espace, R25



EMB2621
Renault Espace, Grand Espace



EMB2623
Renault Clio, Express,Extra, R5



EMB2624
Renault R5, R19, R21




EMB2626
Ford Fiesta



EMB2628
Ford Fiesta



EMB2635
Opel Corsa, Corsa,Combo, Tigra
Vauxhall Corsa, Corsa,Combo, Tigra



EMB2636
Opel Corsa
Vauxhall Nova



EMB2637
Opel Omega, Senator
Vauxhall Carlton, Senator



EMB2643
Opel Astra, Calibra, Vectra
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



EMB2644
Opel Astra, Vectra
Vauxhall Astra, Astra,Astramax, Cavalier



EMB2681
Fiat Uno



EMB2684
Fiat Tempra, Tipo



EMB2687
Fiat Uno



EMB2688
Lancia Y10
Seat Marbella



EMB2689
Lancia Y10
Seat Marbella



EMB3004
Alfa Romeo Alfa 147, Alfa 156, GT



EMB3006
Alfa Romeo Alfa 166



EMB3007
Alfa Romeo Alfa 166



EMB3009
Alfa Romeo Alfa 166



EMB3011
Lancia Lybra



EMB3012
Lancia Lybra



EMB3034
Ford Courier, Fiesta



EMB3037
Citroën Xantia



EMB3038
Citroën Xantia



EMB3041
Citroën AX



EMB3042
Citroën AX, Saxo
Peugeot 106



EMB3045
Citroën AX, Saxo
Peugeot 106



EMB3046
Citroën AX



EMB3057
Peugeot 405



EMB3058
Peugeot 405



EMB3059
Peugeot 405



EMB3060
Peugeot 406



EMB3061
Peugeot 406



EMB3063
Peugeot 309



EMB3069
BMW 3 Series



EMB3070
BMW 3 Series



EMB3074
BMW 3 Series, 5 Series



EMB7000
Honda Civic, CRX



EMB7001
Honda Civic, CRX



EMB7002
Honda Civic, CRX



EMB7004
Honda Civic, CR-V



EMB7005
Honda Civic



EMB7007
Mitsubishi Colt
Proton Compact, Persona, Satria, Wira



EMB7008
Mitsubishi Colt



EMB7010
Honda Accord
Rover Group 600



EMB7011
Seat Cordoba, Ibiza, Inca, Toledo
Volkswagen Caddy, Corrado, Golf, Jetta, Polo, Vento



EMB7020
Citroën Saxo
Peugeot 106



EMB7021
Citroën Saxo
Peugeot 106



EMB7022
Nissan Kubistar
Renault Clio, Kangoo



EMB7023
Opel Calibra, Omega
Vauxhall Calibra, Omega



EMB7025
Ford Focus



EMB7026
Opel Omega
Vauxhall Omega



EMB7027
Audi 80
Volkswagen Passat



EMB7030
BMW 3 Series



EMB7033
Alfa Romeo Spider



EMB7034
Renault Express,Extra, R5



EMB7036
Mercedes 124 Series, 201 Series



EMB7037
Volkswagen Caddy, Golf, Scirocco



EMB7038
Renault R21



EMB7041
Audi A3, S3, TT
Seat Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf



EMB7042
Renault R19



EMB7043
Audi A4, A5, A6, A7, A8
Skoda Superb
Volkswagen Passat



EMB7044
Audi A4, A6, A8, Q5
Skoda Superb
Volkswagen Passat



EMB7046
Peugeot 206



EMB7047
BMW 3 Series



EMB7048
BMW 3 Series



EMB7049
BMW 3 Series, Z3



EMB7050
BMW 3 Series



EMB7051
BMW 3 Series



EMB7052
BMW 3 Series



EMB7053
BMW 3 Series



EMB7054
BMW 5 Series



EMB7055
BMW 5 Series



EMB7056
BMW 5 Series



EMB7057
Audi A3



EMB7058
BMW 3 Series



EMB7059
Peugeot 106



EMB7060
Fiat Ducato
Lancia Dedra



EMB7063
Ford Focus



EMB7064
Ford Galaxy
Seat Alhambra
Volkswagen Sharan



EMB7065
Ford Mondeo



EMB7067
Peugeot 605



EMB7068
Peugeot 605, 607



EMB7069
Citroën Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



EMB7070
Citroën Xantia



EMB7071
Citroën ZX



EMB7072
Renault Clio, Megane, R19, Scenic



EMB7073
Peugeot 306



EMB7074
Citroën Xsara
Peugeot 306



EMB7075
Peugeot 106



EMB7078
Citroën C5



EMB7079
Citroën Berlingo, Xsara, ZX
Peugeot 306, Partner



EMB7080
Citroën ZX
Peugeot 306



EMB7081
Peugeot 106



EMB7082
Peugeot 206



EMB7083
Peugeot 307, 308



EMB7084
Citroën C4, DS4
Peugeot 307, 308, RCZ



EMB7085
Peugeot 406



EMB7086
Peugeot 406



EMB7087
Renault Clio, Scenic



EMB7088
Citroën C3



EMB7089
Citroën C2, C3



EMB7090
Ford Cougar, Mondeo



EMB7091
Ford Transit Connect



EMB7092
Seat Cordoba, Ibiza, Inca, Toledo
Volkswagen Caddy, Golf, Polo, Vento



EMB7094
Nissan Primera



EMB7095
Nissan Primera



EMB7098
Toyota Avensis



EMB7100

Audi	A3, S3
Seat	Leon, Toledo
Skoda	Octavia
Volkswagen	Beetle, Bora, Golf



EMB7101

Volkswagen	Passat



EMB7102

Volkswagen	Passat



EMB7103

Volkswagen	Passat



EMB7105

Opel	Calibra, Omega, Vectra
Vauxhall	Calibra, Omega, Vectra




EMB7106

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



EMB7107

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



EMB7108

BMW	3 Series



EMB7109

BMW	3 Series



EMB7110

Opel	Astra, Corsa, Corsa, Combo, Tigra, Vectra
Vauxhall	Astra, Corsa, Corsa, Combo, Tigra, Vectra



EMB7112

Opel	Astra, Tigra
Vauxhall	Astra, Tigra



EMB7113

Opel	Corsa, Corsa,Combo
Vauxhall	Corsa, Corsa,Combo



EMB7114

Opel	Meriva
Vauxhall	Meriva



EMB7115

Ford	Fiesta, Fusion
Mazda	2



EMB7116

Ford	C-Max, Focus, Kuga



EMB7117

Ford	Transit Connect



EMB7118

Ford	Galaxy
Seat	Alhambra
Volkswagen	Sharan



EMB7119

Ford	Galaxy
Seat	Alhambra
Volkswagen	Sharan



EMB7120

Opel	Omega
Vauxhall	Omega



EMB7121

Opel	Vectra
Vauxhall	Vectra



EMB7122

Audi	A3, S3, TT
Skoda	Octavia
Volkswagen	Golf



EMB7123

Mercedes	638 Series V-Klasse, Vito



EMB7124

Mercedes	638 Series V-Klasse, Vito



EMB7125

Nissan	Kubistar
Renault	Clio, Kangoo



EMB7128
Citroën C2



EMB7130
Mercedes 124 Series, 170 Series SLK, 202 Series C-Klasse, 208 Series CLK-Klasse



EMB7131
Opel Astra, Corsa, Corsa, Combo, Tigra, Zafira
Vauxhall Astra, Corsa, Corsa, Combo, Tigra, Zafira



EMB7132
Opel Astra, Zafira
Vauxhall Astra, Zafira



EMB7133
Renault Laguna



EMB7135
Toyota Avensis, Camry



EMB7137
Citroën Berlingo, C4, DS4
Peugeot 307, 308, 3008, 5008, Partner, RCZ



EMB7138
Peugeot 505



EMB7139
Peugeot 605



EMB7140
Citroën C25
Fiat Ducato
Peugeot J5



EMB7141
Renault Express,Extra, R5



EMB7142
BMW 5 Series



EMB7143
Peugeot 106



EMB7144
Renault Clio, Express,Extra



EMB7145
Renault R21



EMB7146
Renault Express,Extra, R5



EMB7147
Renault R25



EMB7148
Citroën Evasion, Jumper, Jumpy, Relay, Synergie
Fiat Ducato, Scudo, Ulysse



EMB7149
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



EMB7150
Fiat Croma
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



EMB7151
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



EMB7152
Nissan Kubistar
Renault Kangoo



EMB7153
Renault Megane, Scenic



EMB7154
Renault Clio, Megane



EMB7155
Renault Laguna



EMB7156
Citroën Berlingo
Peugeot 306, Partner



EMB7157
Honda Accord



EMB7158
Honda Accord



EMB7159
BMW 1 Series, 3 Series, Z4



EMB7160
BMW 1 Series, 3 Series



EMB7161
BMW 1 Series, 3 Series



EMB7162
BMW 1 Series, 3 Series, 5 Series



EMB7163
BMW 3 Series



EMB7164
BMW 3 Series



EMB7165
BMW 3 Series



EMB7166
Opel Vectra
Vauxhall Vectra



EMB7167
Ford Mondeo
Jaguar X-Type



EMB7168
Citroën C5, C6
Peugeot 407, 508



EMB7169
Citroën C5
Peugeot 407, 508



EMB7170
Renault Megane, Scenic



EMB7171
Renault Megane, Scenic



EMB7172
Renault Megane, Scenic



EMB7174
Opel Signum, Vectra
Vauxhall Signum, Vectra



EMB7175
Fiat Croma
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



EMB7176
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



EMB7177
Peugeot 206



EMB7178
Citroën Saxo



EMB7179
Citroën Xsara
Peugeot 306



EMB7180
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



EMB7181
Volkswagen Caravelle, Transporter



EMB7182
Volkswagen LT



EMB7183
Nissan Micra



EMB7184
BMW 5 Series



EMB7186
Alfa Romeo Alfa 166
Citroën C5



EMB7187
Alfa Romeo Alfa 147



EMB7188
Alfa Romeo Alfa 147



EMB7189
Fiat Bravo
Lancia Delta



EMB7190
Volvo 850, C70, S70,V70



EMB7191
BMW 5 Series



EMB7192
Volvo S40,V40



EMB7193
Volvo S40,V40



EMB7195
Ford Transit Connect



EMB7196
Mercedes Sprinter



EMB7197
Mercedes 203 Series C-Klasse



EMB7198
Mercedes 203 Series C-Klasse



EMB7199
Mercedes Sprinter



EMB7200
Mercedes Sprinter



EMB7201
Honda Civic



EMB7202
Mazda 6



EMB7203
Mazda 6



EMB7204
Ford Transit



EMB7205
Ford Transit



EMB7206
Ford Mondeo
Jaguar X-Type



EMB7207
Seat Alhambra
Skoda Octavia, Superb
Volkswagen Golf, Jetta, Passat, Scirocco, Sharan,



EMB7208
Skoda Octavia, Superb
Volkswagen Golf, Jetta



EMB7209
Audi A4, A6
Seat Exeo



EMB7210
BMW X5



EMB7211
BMW (Mini) Mini



EMB7212
BMW (Mini) Mini



EMB7213
Skoda Octavia, Superb
Volkswagen Golf, Passat, Scirocco, Tiguan



EMB7214
Volkswagen Caravelle, Transporter



EMB7215
Mercedes Sprinter
Volkswagen LT



EMB7216
Volkswagen LT



EMB7217
Peugeot 207, 208, 2008



EMB7218
Peugeot 207, 208



EMB7219
Citroën DS3
Peugeot 207, 208



EMB7221
Citroën C3
Peugeot 207



EMB7222
Dacia Dokker, Lodgy, Logan, Sandero
Renault Logan



EMB7223
Renault R21



EMB7224
Peugeot 206



EMB7225
Renault Megane, Scenic



EMB7226
Renault Megane



EMB7227
Renault Twingo



EMB7228
Renault Kangoo



EMB7229
BMW (Mini) Mini



EMB7230
Opel Movano
Renault Master
Vauxhall Movano



EMB7231
Renault Clio



EMB7233
Citroën Nemo
Peugeot Bipper



EMB7234
Citroën Nemo
Peugeot Bipper



EMB7236
BMW 3 Series



EMB7237
BMW (Mini) Mini



EMB7238
BMW (Mini) Mini



EMB7239
Volkswagen Caravelle, Transporter



EMB7240
Volkswagen Caravelle, Transporter



EMB7241
Volkswagen Caravelle, Transporter



EMB7243
Mazda 6



EMB7244
Mazda 6



EMB7245
Dacia Logan, Sandero
Renault Logan



EMB7246
Seat Ibiza
Skoda Fabia
Volkswagen Polo



EMB7247
Renault Laguna



EMB7248
Opel Zafira
Vauxhall Zafira



EMB7249
Audi A2
Skoda Fabia
Volkswagen Polo



EMB7250
Mercedes Sprinter
Volkswagen Crafter



EMB7251
Mercedes Sprinter
Volkswagen Crafter



EMB7252
Mercedes Sprinter
Volkswagen Crafter



EMB7254
Audi A2
Seat Cordoba, Ibiza
Skoda Fabia, Rapid
Volkswagen Polo



EMB7255
Seat Arosa
Volkswagen Lupo, Polo



EMB7256
Citroën Berlingo, DS5
Peugeot 3008, Partner, Partner Tepee



EMB7257
BMW (Mini) Mini



EMB7258
BMW (Mini) Mini



EMB7259

BMW (Mini)	Mini



EMB7260

Citroën	Berlingo, C4, DS4
Peugeot	Partner, Partner Tepee



EMB7261

Land Rover	Discovery



EMB7262

Land Rover	Discovery



EMB7263

Land Rover	Freelander



EMB7264

Seat	Altea, Toledo
Skoda	Octavia, Superb, Yeti
Volkswagen	Caddy, Eos, Golf, Golf Plus, Touran



EMB7266

Audi	A4



EMB7267

Toyota	Yaris



EMB7269

Audi	A4



EMB7270

Opel	Astra, Meriva, Signum, Vectra, Zafira
Vauxhall	Astra, Meriva, Signum, Vectra, Zafira



EMB7271

Peugeot	407, 508



EMB7272

Toyota	Yaris



EMB7274

Ford	Focus
Volvo	C30, S40,V40



EMB7275

Citroën	C-Crosser
Peugeot	4007



EMB7276

Ford	Focus



EMB7277

Citroën	C1
Peugeot	107
Toyota	Aygo



EMB7278

Citroën	C4, C-Crosser
Mitsubishi	ASX
Peugeot	4007, 4008



EMB7279

Renault	Clio, Modus, Scenic



EMB7280

Renault	Scenic



EMB7281

Nissan	Primastar
Opel	Vivaro
Renault	Trafic
Vauxhall	Vivaro



EMB7284

Nissan	NV400
Opel	Movano
Renault	Master
Vauxhall	Movano



EMB7287

Citroën	C2, C3



EMB7288

Renault	Fluence, Megane



EMB7289

Nissan	NV400
Renault	Master



EMB7290
Renault Fluence, Megane



EMB7292
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



EMB7293
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



EMB7294
Citroën DS3



EMB7295
Citroën C3, DS3
Peugeot 2008



EMB7296
Citroën C3, C4, DS3
Peugeot 208



EMB7297
Fiat Doblò



EMB7298
Ford C-Max, Focus
Mazda 3
Volvo C30, S40,V40, V40



EMB7299
Nissan X-Trail



EMB7300
Audi A5, A6, A7, A8



EMB7301
Audi A5, A6, A7



EMB7302
Audi A8, Q5



EMB7303
Citroën C-Elysee
Peugeot 301



EMBK2061
Renault R21



EMBK2062
Renault R21



EMBK2063
Renault R5



EMBK2064
Renault Megane, R19, Scenic



EMBK2065
Peugeot 205



EMBK2066
Citroën C15
Peugeot 205



EMBK2067
Citroën C15
Peugeot 205



EMBK2070
Renault R4,R6, R4



EMBK2073
Citroën Xsara, ZX
Peugeot 306



EMBK2074
Citroën ZX
Peugeot 306



EMBK2075
Peugeot 309



EMBK2079
Renault R21



EMBK2080
Renault Trafic



EMBK2081
Renault Trafic



EMBK2082
Renault Trafic



EMBK2084
Opel Corsa
Vauxhall Nova



EMBK2085
Opel Kadett
Vauxhall Astra, Astra,Astramax, Belmont



EMBK2086
Seat Cordoba, Ibiza, Inca, Toledo
Volkswagen Golf



EMBK2250
Renault Clio



EMBK2252
Renault R21



EMBK2253
Renault R21



EMBK2254
Citroën AX, Saxo
Peugeot 106



EMBK2255
Citroën AX, Saxo
Peugeot 106



EMBK2256
Peugeot 405



EMBK2257
Peugeot 405



EMBK2258
Peugeot 405



EMBK2259
Renault R21



EMBK2400
Citroën AX



EMBK2401
Ford Courier, Fiesta



EMBK2402
Ford Courier, Fiesta



EMBK2406
Peugeot 205



EMBK2408
Renault Megane, Scenic



EMBK2409
Citroën Xantia



EMBK2410
Citroën Berlingo, Xsara, ZX
Peugeot 306, Partner



EMBK2411
Citroën Xantia



EMBK2412
Peugeot 406



EMBK2413
Renault Clio



EMBK2414
Renault Clio



EMBK2415
Renault Laguna



EMBK2416
Peugeot 406



EMBK2417
Renault Espace, R25



EMBK2418
Renault Espace



EMBK2601
Peugeot 205



EMBK2602
Peugeot 309



EMBK2653
Citroën ZX
Peugeot 306



EMBK2654
Citroën Jumper, Relay
Peugeot Boxer



EMBK2655
Peugeot 307



EMBK2656
Peugeot 307



EMBK2657
Citroën Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



EMBK2658
Nissan Kubistar
Renault Kangoo



EMBK2659
Nissan Kubistar
Renault Clio, Kangoo



EMBK2660
Citroën Berlingo, Xsara
Peugeot 306, Partner



EMBK2661
Citroën Berlingo
Peugeot 306, Partner



EMBK2664
Audi A3, S3
Seat Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf



EMBK3054
Citroën Berlingo, Xsara, ZX
Peugeot 306, Partner



EMBK3055
Citroën Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



EMBK3056
Nissan Kubistar
Renault Clio, Kangoo, Megane, R19



EMBK3058
Renault Megane, Scenic



EMBK3059
Renault Scenic



EMBK3060
Renault Clio



EMBK3061
Renault Clio



EMBK3062
Renault Clio



EMBK3063
Renault Scenic



EMBK3064
Renault Clio, Megane



EMBK3065
Renault Laguna



EMBK3066
Citroën C2



EMBK3067
Citroën C3



EMBK3068
Citroën Berlingo, C4, DS4
Peugeot 307, 308, RCZ



EMBK3069
Peugeot 307, 308



EMBK3070
Citroën C5, C6
Peugeot 407



EMBK3071
Citroën C5
Peugeot 407



EMBK3072
Renault Megane, Scenic



EMBK3073
Renault Twingo



EMBK3074
Citroën C5



EMBK3075
Peugeot 206



EMBK3076
Citroën C2, C3



EMBK3077
Peugeot 206



EMBK3078
Peugeot 206



EMBK3079
Audi A3, S3, TT
Seat Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf



EMBK3082
Audi A5, A6, A7



EMBK3083
Audi A4, A5, A6, A7



EMBK3084
Audi Q5



EMBK3085
Audi A4, A6, A8, Q5
Skoda Superb
Volkswagen Passat



EMBK3086
Audi A4, A6
Seat Exeo



EMBK3087
Audi A4, A5, A6, A7, A8
Skoda Superb
Volkswagen Passat



EMD1623
Renault R4,R6, R4, R25



EMD1624
Renault Express,Extra, R5



EMD1630
Peugeot 305, 505



EMD1631
Peugeot 305
Renault R4,R6, R4



EMD1728
Citroën BX



EMD9001
Ford Fiesta, Ka



EMR1761
Audi 100, 200



EMR1781
Alfa Romeo Alfa 145,146
Fiat Brava,Bravo, Bravo, Coupé, Tempra, Tipo
Lancia Dedra, Delta



EMR1782
Alfa Romeo Alfa 145,146
Fiat Brava,Bravo, Bravo, Coupé, Tempra, Tipo
Lancia Dedra, Delta



EMR1785
Alfa Romeo Alfa 164
Fiat Croma
Lancia Thema



EMR1789
Lancia Delta



EMR1790
Mercedes 124 Series



EMR1835
Alfa Romeo Alfa 33



EMR1836
Alfa Romeo Alfa 145,146, Alfa 155



EMR1837
Alfa Romeo Alfa 145,146, Alfa 155



EMR1840
Ford Courier, Escort, Fiesta



EMR1841
Opel Astra, Corsa, Corsa, Combo, Tigra, Vectra, Zafira
Vauxhall Astra, Corsa, Corsa,



EMR1842
Opel Astra, Corsa,Combo, Meriva, Vectra, Zafira
Vauxhall Astra, Corsa,Combo, Meriva, Vectra, Zafira



EMR1843
Audi A4, A8



EMR1844
Peugeot 405



EMR1891
Ford Galaxy
Seat Alhambra, Cordoba, Ibiza, Inca
Volkswagen Caddy, Corrado, Golf,



EMR1892
Opel Astra
Vauxhall Astra, Astra,Astramax



EMR1923

Opel	Calibra, Vectra
Vauxhall	Calibra, Cavalier



EMR1924

Audi	100, A6



EMR1925

Citroën	Berlingo, Xsara, ZX
Peugeot	Partner



EMR2005

Citroën	AX
Peugeot	106



EMR2108

Opel	Corsa
Vauxhall	Nova



EMR2173

Citroën	C15
Peugeot	205, 309, 405
Renault	R5



EMR2221

Fiat	Uno



EMR2238

BMW	3 Series



EMR2239

BMW	3 Series, Z1



EMR2240

Citroën	C25
Fiat	Ducato, Talento
Peugeot	J5



EMR2241

Fiat	Uno



EMR2246

Mercedes	201 Series



EMR2275

Citroën	Berlingo, Xsara, ZX
Peugeot	Partner



EMR2277

Citroën	Xsara, ZX



EMR2278

Citroën	Saxo
Peugeot	106



EMR2282

Peugeot	605



EMR2283

Peugeot	605



EMR2284

Ford	Escort, Orion



EMR2287

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



EMR2313

Lancia	Y10



EMR2320

Citroën	Jumper, Relay
Fiat	Ducato
Peugeot	Boxer



EMR2321

Citroën	Jumper, Relay
Fiat	Ducato
Peugeot	Boxer



EMR2328

BMW	5 Series



EMR2334

Audi	A1, A3
Seat	Ibiza, Leon
Volkswagen	Beetle, Bora, Golf, Polo



EMR2501
Seat Arosa
Volkswagen Lupo, Polo



EMR2519
Renault Megane, R19, Scenic



EMR2520
Fiat Croma
Lancia Thema



EMR2521
Renault Safrane



EMR2522
Renault Safrane



EMR2579
Citroën C8, Dispatch, Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Phedra, Zeta



EMR2580
Citroën C8, Dispatch, Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Phedra, Zeta



EMR3192
Renault Laguna



EMR3193
Renault Laguna



EMR3195
Renault Clio, Twingo



EMR5008
Alfa Romeo Alfa 166



EMR5009
Alfa Romeo Alfa 166



EMR5027
Renault Clio, Twingo



EMR5033
Renault Megane



EMR5041
Citroën C2, C3



EMR5042
Citroën Berlingo, C4, DS5
Peugeot 307, Partner, Partner Tepee



EMR5048
Audi A3, TT
Seat Altea, Leon, Toledo
Skoda Octavia, Superb, Yeti
Volkswagen Caddy, Eos, Golf,



EMR5049
Peugeot 407



EMR5050
Citroën C5
Peugeot 407, 508



EMR6000
Ford Escort



EMR6001
Volvo 850, C70, S70,V70



EMR6004
Fiat Fiorino



EMR6006
Ford Courier, Fiesta, Ka
Mazda 121



EMR6007
Renault Clio



EMR6008
Renault Twingo



EMR6009
Ford Fiesta, Ka, Puma
Mazda 121



EMR6010
Ford Transit



EMR6011
Audi A1, A2, A3
Seat Ibiza
Skoda Fabia, Roomster
Volkswagen Beetle, Bora, Fox, Golf,



EMR6012
BMW 5 Series



EMR6014
Nissan Kubistar
Renault Clio, Kangoo



EMR6015
Ford Ka, Puma



EMR6016
Ford Escort



EMR6017
BMW 5 Series



EMR6019
Ford Granada, Scorpio



EMR6020
Citroën Xsara
Peugeot 306



EMR6021
Peugeot 306



EMR6022
Audi A6
Volkswagen Passat



EMR6023
BMW 5 Series



EMR6024
Ford Mondeo



EMR6025
Ford Mondeo



EMR6026
Fiat Multipla



EMR6027
Fiat Panda, Punto



EMR6029
BMW 7 Series



EMR6030
Chrysler Neon



EMR6031
BMW 5 Series



EMR6032
Chrysler Neon



EMR6033
Toyota Avensis, Carina



EMR6034
Toyota Paseo, Starlet



EMR6036
Toyota Celica



EMR6037
Volvo 700 Series, 940, 960, S90,V90



EMR6038
Seat Cordoba, Ibiza, Inca, Toledo
Skoda Favorit,Forman, Felicia
Volkswagen Corrado, Golf, Jetta,



EMR6039
Toyota Camry



EMR6040
Audi A4



EMR6041
Volkswagen Passat



EMR6042
Hyundai Lantra,Elantra
Mitsubishi Colt, Galant



EMR6043
Mitsubishi Colt



EMR6044
Toyota Corolla



EMR6045
Toyota Corolla



EMR6047
Opel Sintra
Vauxhall Sintra



EMR6048
Mercedes 129 Series



EMR6049
Honda Accord, Civic, Concerto, CR-V, CRX, Prelude, Shuttle
Rover 45,MG ZS



EMR6050
Honda Accord, Prelude
Rover Group 600



EMR6051
Nissan 100NX, Almera, Sunny



EMR6052
Nissan 100NX, Sunny



EMR6053
Subaru Impreza, Legacy



EMR6054
Subaru Forester, Impreza, Legacy



EMR6055
Subaru Forester, Impreza, Legacy



EMR6056
Ford Probe
Mazda 626, MX6



EMR6057
BMW 5 Series



EMR6058
Subaru Justy
Suzuki Swift



EMR6059
Ford Probe
Mazda 626, MX6



EMR6060
Suzuki Vitara, X-90



EMR6061
Toyota Camry



EMR6062
Toyota Camry



EMR6063
Toyota Camry



EMR6066
Hyundai Coupé, Lantra,Elantra



EMR6067
Hyundai Coupé, Lantra,Elantra



EMR6069
Mazda 323, MX3



EMR6070
Mercedes 124 Series, 129 Series



EMR6071
Kia Sephia



EMR6072
Ford Probe
Kia Sephia
Mazda 626, MX6



EMR6073
Mazda MX5



EMR6074
Mazda 323



EMR6075
Subaru Justy
Suzuki Swift



EMR6076
Daihatsu Applause, Charade
Hyundai Accent



EMR6079
Ford Focus



EMR6080
Fiat Palio



EMR6081
Fiat Palio



EMR6082
Peugeot 406



EMR6083
Ford Transit



EMR6084
Audi A2
Seat Cordoba, Ibiza
Skoda Fabia, Roomster
Volkswagen Fox, Polo



EMR6085
Peugeot 206



EMR6086
Peugeot 206



EMR6087
Peugeot 406



EMR6091
Seat Altea, Leon, Toledo
Volkswagen Golf, Golf Plus, Jetta, Scirocco



EMR6092
Audi A4, A7
Seat Exeo



EMR6093
Ford Focus



EMR6096
Skoda Superb
Volkswagen Passat



EMR6097
Fiat Bravo
Lancia Delta



EMR6098
Volvo S60, S80, V70,XC70



EMR6099
Saab 9-3



EMR6100
Volvo S40,V40



EMR6101
Saab 9-5



EMR6102
Saab 9-5



EMR6103
Mercedes 638 Series V-Klasse, Vito



EMR6104
Ford Mondeo



EMR6105
Ford Mondeo



EMR6108
Renault Espace, Laguna, Vel Satis
Seat Cordoba



EMR6119
Peugeot 207



EMR6120
Citroën C3, C4, C-Elysee
Peugeot 208, 301



EMR6121
Citroën C3, DS3
Peugeot 208



EMR6126
Citroën C4, C-Crosser
Peugeot 4008



EMR6127
Citroën C4, DS4
Peugeot 308



EMR6128
Citroën C2, C3
Peugeot 1007



EMR6131
Peugeot 607



EMR6134
Volkswagen Transporter



EMR6144
Audi A4
Seat Exeo



EMR6157
Citroën Jumpy
Peugeot Expert



EMR6158
Citroën Jumpy
Peugeot Expert



EMS1523
Land Rover 90,110,130, Defender



EMS1524
Land Rover 90,110,130, Defender, Discovery



EMS1559
Land Rover 90,110,130, Defender



EMS1643
Porsche 944
Volkswagen Caddy, Golf, Scirocco



EMS1662
Peugeot 505



EMS1711
Audi 80, 90



EMS1846
Nissan Micra



EMS1850
Seat Cordoba, Ibiza, Inca, Toledo
Volkswagen Caddy, Corrado, Golf, Jetta, Passat, Polo,



EMS1851
Ford Mondeo



EMS1852
Ford Mondeo



EMS1853
Rover MGF,MGTF
Rover Group 100, Metro



EMS1854
Rover MGF,MGTF
Rover Group 100, Metro



EMS1855
Honda Civic, Concerto
Rover 25,MG ZR, 45,MG ZS
Rover Group 200, 400



EMS1858
Citroën Berlingo, Xsara, ZX
Peugeot 306, Partner



EMS1859
Citroën Berlingo, Xsara, ZX
Peugeot 306, Partner



EMS1864
Opel Astra, Calibra, Vectra
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



EMS1865
Opel Astra, Calibra, Vectra
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



EMS1866
Ford Fiesta



EMS1867
Audi 80, 90, Cabriolet, Coupé, Coupé Quattro



EMS1869
Daewoo Espero, Nexia
Opel Kadett
Vauxhall Astra, Astra,Astramax, Belmont



EMS1893
Volkswagen Caddy, Golf, Scirocco



EMS1938
Saab 900



EMS1944
BMW 3 Series, Z3



EMS1958
Jaguar XJ6, XJ12, XJS
London Taxi Int. Fairway
Taxi Fairway



EMS1959
Volvo 700 Series



EMS1960

Opel	Astra, Calibra, Vectra
Vauxhall	Astra, Astra,Astramax, Calibra, Cavalier



EMS1961

Opel	Astra, Calibra, Vectra
Saab	9-3
Vauxhall	Astra, Astra,Astramax, Calibra, Cavalier



EMS1962

Opel	Vectra
Saab	9-5
Vauxhall	Vectra



EMS1985

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



EMS1987

Chevrolet	Lanos
Daewoo	Espero, Lanos, Nexia
Opel	Kadett
Vauxhall	Astra, Astra,Astramax,



EMS1988

Opel	Omega
Vauxhall	Omega



EMS1989

Citroën	AX, Saxo
Peugeot	106



EMS1990

Citroën	AX



EMS1991

Citroën	AX



EMS1992

Peugeot	205, 309



EMS1993

Citroën	XM
Peugeot	405



EMS1994

Peugeot	405



EMS1997

Audi	A3, S3, TT
Seat	Cordoba, Ibiza, Inca, Leon, Toledo
Skoda	Octavia



EMS1999

Fiat	Barchetta, Cinquecento, Punto, Seicento, Uno
Lancia	Y



EMS2030

Renault	R4,R6, R4



EMS2094

Fiat	Cinquecento, Seicento, Uno



EMS2109

Opel	Corsa
Vauxhall	Nova



EMS2113

Renault	R21



EMS2125

Renault	Megane, R19, Scenic



EMS2136

Citroën	C15
Peugeot	205



EMS2169

Peugeot	309



EMS2176

Renault	Clio



EMS2177

Renault	Clio



EMS2181

Peugeot	505



EMS2186
Renault Express,Extra, R5, R21



EMS2207
Citroën C15
Peugeot 205



EMS2211
Renault R4,R6, R4



EMS2216
Renault R25



EMS2420
Volkswagen Passat



EMS2423
Seat Toledo
Volkswagen Golf, Vento



EMS2430
Volkswagen Caravelle, Transporter



EMS2434
Seat Toledo
Volkswagen Golf, Jetta



EMS2440
Audi 100, 200, V8



EMS2442
Audi 100, 200



EMS2445
Audi 80, 90



EMS2447
Audi 100, A6



EMS2448
Audi 80



EMS2472
BMW 5 Series, 7 Series



EMS2492
Mercedes 201 Series,
202 Series C-Klasse,
203 Series C-Klasse



EMS2494
Mercedes 171 Series SLK,
201 Series,
202 Series C-Klasse,
203 Series C-Klasse



EMS2497
Mercedes 126 Series



EMS2499
Mercedes 124 Series, 129 Series,
140 Series,
201 Series,
202 Series C-Klasse



EMS2513
BMW 3 Series



EMS2523
Ford Escort, Granada,
Scorpio, Sierra



EMS2524
Alfa Romeo Alfa 145,146, Alfa 155,
GTV, Spider
Fiat Brava,Bravo, Bravo,
Coupé, Marea,



EMS2534
Peugeot 406



EMS2539
Volvo 700 Series, 940, 960



EMS2551
Saab 900



EMS2552
Saab 900



EMS2603
Peugeot 405



EMS2604
Peugeot 405



EMS2625
Renault Clio, Megane, R19, Scenic



EMS2634
Chevrolet Lanos
Daewoo Espero, Lanos, Nexia
Opel Kadett
Vauxhall Astra, Astra,Astramax,



EMS2645
Opel Omega, Senator
Vauxhall Carlton, Senator



EMS2646
Ford Mondeo



EMS2647
Opel Omega, Senator
Vauxhall Carlton, Senator



EMS2648
Citroën AX, Saxo
Peugeot 106



EMS2650
Peugeot 205, 309



EMS2651
Seat Arosa
Volkswagen Lupo, Polo



EMS2654
BMW 3 Series



EMS2655
BMW 3 Series



EMS2656
BMW 3 Series, Z1



EMS2657
Ford Courier, Fiesta, Puma
Mazda 121



EMS2658
Ford Courier, Fiesta, Puma
Mazda 121



EMS2659
Audi A3, S3, TT
Seat Ibiza, Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf, Polo



EMS2660
Citroën Dispatch, Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Phedra, Zeta



EMS2661
Citroën Dispatch, Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



EMS2662
Citroën Dispatch, Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



EMS2663
Audi A6
Seat Arosa
Volkswagen Lupo, Polo



EMS2664
Fiat Barchetta, Punto
Lancia Y



EMS2665
Alfa Romeo Alfa 164
Fiat Croma
Lancia Thema



EMS2666
Alfa Romeo Alfa 164
Fiat Croma
Lancia Thema
Saab 9000



EMS2668
Renault Twingo



EMS2670
BMW 5 Series, 7 Series, 8 Series



EMS2671
BMW 5 Series, 7 Series, X3, X5



EMS2672
BMW 5 Series



EMS2673
BMW 5 Series, 7 Series



EMS2674
BMW 5 Series



EMS2675
BMW 5 Series, 7 Series



EMS2690
Fiat Panda



EMS2691
Audi A4, A6, A8
Skoda Superb
Volkswagen Passat



EMS2692
Audi A4, A6, A8
Seat Exeo
Skoda Superb
Volkswagen Passat



EMS2694
Audi A4, A5, A6, A8, Q5
Skoda Superb
Volkswagen Passat



EMS2696
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



EMS2697
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



EMS2698
Opel Astra, Meriva, Vectra, Zafira
Saab 9-5
Vauxhall Astra, Meriva, Vectra,



EMS2699
Opel Astra, Vectra, Zafira
Vauxhall Astra, Vectra, Zafira



EMS2720
Ford Courier, Escort, Fiesta, Ka, Orion



EMS2721
Ford Courier, Escort, Fiesta, Ka, Orion



EMS2824
Rover Group 800



EMS3000
Alfa Romeo Alfa 145,146, Alfa 155, GTV, Spider
Fiat Bravo, Coupé, Marea



EMS3001
Alfa Romeo Alfa 145,146, Alfa 155, GTV, Spider
Fiat Bravo, Coupé, Marea



EMS3013
Land Rover Defender



EMS3015
Land Rover Defender



EMS3017
Land Rover Discovery



EMS3018
Land Rover Defender, Discovery



EMS3020
Fiat — Brava,Bravo, Tempra, Tipo
Lancia — Dedra, Delta



EMS3021
Alfa Romeo — Alfa 145,146, Alfa 155, GTV, Spider
Fiat — Brava,Bravo, Bravo, Coupé, Marea,



EMS3022
Citroën — Xantia



EMS3023
Citroën — Xantia



EMS3024
Citroën — Xantia



EMS3025
Renault — Laguna



EMS3026
Renault — Avantime, Espace, Grand Espace, Laguna, Vel Satis



EMS3027
Renault — Safrane



EMS3028
Renault — Safrane



EMS3029
Peugeot — 406



EMS3030
Renault — Twingo



EMS3031
Citroën — BX



EMS3032
Citroën — BX



EMS3075
Fiat — Barchetta, Punto
Lancia — Y



EMS3085
Opel — Astra, Vectra
Vauxhall — Astra, Astra,Astramax, Cavalier



EMS3186
Citroën — AX, Saxo
Peugeot — 106



EMS3197
Peugeot — 206



EMS3418
Audi — 100, A6



EMS3470
Mitsubishi — Carisma, Colt, Space Star
Proton — Compact, Persona, Satria, Wira



EMS4042
Saab — 9-3



EMS4045
Audi — A3
Seat — Ibiza, Leon, Toledo
Skoda — Fabia, Octavia, Rapid, Roomster



EMS4046
Peugeot — 106



EMS4047
Audi — A4
Seat — Exeo



EMS4082
Volkswagen — Polo



EMS4091
Fiat — Brava,Bravo, Marea, Palio



EMS4092
Fiat — Brava,Bravo, Marea, Palio



EMS4103
Ford — Fiesta, Ka, Puma



EMS4104
Ford — Escort



EMS4107
Volkswagen — Golf



EMS4108
Fiat — Panda



EMS4127
Opel — Astra
Vauxhall — Astra



EMS8001
Land Rover — Discovery, Range Rover



EMS8002
Ford — Maverick
Nissan — Cabstar, Pick-Up, Terrano, Urvan



EMS8003
Honda — Concerto
Rover — 25,MG ZR
Rover Group — 200, 400



EMS8004
Honda — Civic, CRX, Shuttle
Rover — 45,MG ZS
Rover Group — 400



EMS8005
Honda — Civic, CRX
Rover — 45,MG ZS
Rover Group — 400



EMS8006
Honda — Civic, Concerto



EMS8007
Honda — Civic



EMS8008
Hyundai — Accent, Pony



EMS8009
Hyundai — Accent, Pony



EMS8010
Hyundai — Accent, Amica, Atos, Atoz, Pony



EMS8011
Isuzu — Trooper
Opel — Campo, Frontera
Vauxhall — Brava, Frontera, Monterey



EMS8013
Opel — Campo, Frontera
Vauxhall — Brava, Frontera



EMS8019
Mitsubishi — L200



EMS8020
Mitsubishi — L200



EMS8023
Mitsubishi — Carisma, Colt, Space Star
Proton — Compact, Persona, Satria, Wira



EMS8024
Mitsubishi — Carisma, Colt, Space Star
Proton — Compact, Persona, Satria, Wira



EMS8027
Honda — Accord
Rover Group — 600



EMS8030
Honda Civic
Rover 45,MG ZS
Rover Group 400



EMS8031
Ford Focus
Mazda 3



EMS8032
Peugeot 406



EMS8033
Opel Omega
Vauxhall Omega



EMS8034
Fiat Doblò



EMS8035
Fiat Doblò



EMS8036
Fiat Palio



EMS8037
Fiat Palio



EMS8038
Chevrolet Matiz
Daewoo Matiz, Tico
Suzuki Alto



EMS8039
Alfa Romeo Alfa 147, Alfa 156, GT



EMS8040
Ford Focus



EMS8041
Ford Focus



EMS8042
Volvo 850, C70, S70,V70



EMS8043
Toyota Yaris



EMS8044
Toyota Yaris



EMS8045
Ford Galaxy
Seat Alhambra
Volkswagen Sharan



EMS8046
Ford Galaxy
Seat Alhambra
Volkswagen Sharan



EMS8047
Volkswagen LT



EMS8048
Skoda Favorit,Forman, Felicia
Volkswagen Caddy



EMS8049
Daewoo Nubira



EMS8050
Daewoo Nubira



EMS8051
Nissan Primera



EMS8052
Fiat Doblò, Palio



EMS8053
Audi 100, A6



EMS8054
Audi 80, 90, Cabriolet, Coupé, Coupé Quattro



EMS8055
Skoda Favorit,Forman



EMS8056
Alfa Romeo Alfa 147, Alfa 156, GT



EMS8057
Nissan Kubistar
Renault Clio, Kangoo



EMS8058
Ford Probe
Mazda 626, MX6



EMS8059
Ford Probe
Mazda 626, MX6



EMS8060
Ford Probe
Mazda 626



EMS8061
Nissan 100NX, Almera, Sunny



EMS8062
Skoda Favorit,Forman, Felicia
Volkswagen Caddy



EMS8063
Fiat Palio



EMS8064
Fiat Palio



EMS8065
Fiat 500



EMS8066
Fiat Punto



EMS8067
Renault R21



EMS8068
Subaru Justy
Suzuki Swift



EMS8069
Nissan Primera



EMS8070
Nissan Primera



EMS8071
Peugeot 206



EMS8072
Mercedes 168 Series A Klasse



EMS8073
Mercedes 168 Series A Klasse



EMS8074
Nissan Micra



EMS8075
Nissan Micra



EMS8076
Nissan Primera



EMS8077
Nissan Primera



EMS8078
Opel Corsa, Corsa,Combo, Meriva
Vauxhall Corsa, Corsa,Combo, Meriva



EMS8079
Opel Corsa, Corsa,Combo, Meriva, Tigra
Vauxhall Corsa, Corsa,Combo, Meriva, Tigra



EMS8080
BMW 3 Series



EMS8081
Alfa Romeo Alfa 147, Alfa 156, GT



EMS8082
Alfa Romeo Alfa 147, Alfa 156, GT



EMS8083
Alfa Romeo Alfa 147, Alfa 156, GT



EMS8084
Alfa Romeo Alfa 147, Alfa 156, GT



EMS8085
Nissan Primera



EMS8087
Subaru Justy
Suzuki Swift



EMS8088
Volvo 700 Series, 940, 960



EMS8089
Volvo S40,V40



EMS8090
Volvo S40,V40



EMS8091
Volvo 850, S70,V70



EMS8092
Saab 9-3, 900



EMS8093
Saab 9-3



EMS8095
Honda Accord
Rover Group 600



EMS8097
Volkswagen Caravelle, Transporter



EMS8098
Volkswagen LT



EMS8099
Volkswagen LT



EMS8100
Saab 9-5



EMS8101
Audi A8



EMS8104
Saab 9000



EMS8105
Mercedes 201 Series



EMS8114
Mercedes 201 Series



EMS8115
Mercedes 201 Series



EMS8117
Mercedes 129 Series, 201 Series



EMS8118
Opel Astra, Calibra, Vectra
Vauxhall Astra, Astra,Astramax, Cavalier



EMS8120
Mercedes 129 Series, 201 Series



EMS8121
Mercedes 129 Series, 201 Series



EMS8125
Mercedes 126 Series



EMS8126
Opel Astra, Calibra
Vauxhall Astra, Astra,Astramax, Calibra



EMS8127
Opel Calibra, Omega, Senator, Vectra
Vauxhall Calibra, Cavalier, Omega, Senator



EMS8128
Opel Vectra
Saab 9-5
Vauxhall Vectra



EMS8129
Alfa Romeo Alfa 166



EMS8130
Alfa Romeo Alfa 166



EMS8131
Alfa Romeo Alfa 166



EMS8132
Alfa Romeo Alfa 166



EMS8133
BMW 3 Series



EMS8134
BMW 3 Series, Z4



EMS8135
BMW 3 Series, Z4



EMS8136
BMW 5 Series



EMS8137
Mercedes 202 Series C-Klasse, 208 Series CLK-Klasse



EMS8138
Opel Arena
Renault Trafic
Vauxhall Arena



EMS8140
BMW 3 Series



EMS8141
BMW 3 Series



EMS8142
BMW 3 Series



EMS8143
Mercedes 202 Series C-Klasse, 208 Series CLK-Klasse



EMS8144
BMW 3 Series



EMS8145
BMW 3 Series, X3



EMS8146
Audi A2



EMS8147
Mitsubishi Colt



EMS8149
Alfa Romeo Alfa 33



EMS8150
BMW 5 Series, Z8



EMS8152
Fiat Cinquecento



EMS8153
Ford Mondeo
Jaguar X-Type



EMS8154
Ford Mondeo
Jaguar X-Type



EMS8155
Fiat Stilo



EMS8156
Fiat Stilo



EMS8157
Mercedes 638 Series V-Klasse, 639 Series, Vito



EMS8158
Mercedes 638 Series V-Klasse, Vito



EMS8160
Toyota Avensis, Carina



EMS8161
Suzuki Vitara



EMS8162
Mazda 323



EMS8163
Mazda 323



EMS8165
Mazda 626




EMS8166
Mazda 626



EMS8174
Honda Civic



EMS8176
Honda Civic



EMS8177
Honda Civic
Rover 45,MG ZS
Rover Group 400



EMS8178
Honda Civic



EMS8179
Honda Civic



EMS8180
Toyota Corolla



EMS8181
Toyota Corolla



EMS8184
Nissan Bluebird



EMS8186
BMW (Mini) Mini



EMS8187
BMW (Mini) Mini



EMS8188
BMW (Mini) Mini



EMS8189
Citroën Berlingo, Xsara
Peugeot Partner



EMS8190
Citroën C2, C3
Peugeot 1007



EMS8191
Citroën C2, C3
Peugeot 1007



EMS8192
Citroën Berlingo, C4, DS4
Peugeot 307, 308, 3008, 5008, Partner, Partner Tepee



EMS8193
Citroën Berlingo, C4, DS4, DS5
Peugeot 307, 308, 3008, 5008, Partner, Partner Tepee, RCZ



EMS8194
Renault Laguna



EMS8195
Renault Laguna



EMS8196
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



EMS8197
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



EMS8198
Fiat Multipla
Lancia Lybra



EMS8199
Fiat Multipla
Lancia Lybra



EMS8200
Fiat Multipla
Lancia Lybra



EMS8201
Fiat Multipla
Lancia Lybra



EMS8202
Ford Fiesta, Fusion
Mazda 2



EMS8203
Ford Fiesta, Fusion
Mazda 2



EMS8204
Ford Fiesta, Fusion
Mazda 2



EMS8205
Ford Transit



EMS8206
Ford Transit



EMS8207
Fiat Croma
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



EMS8208

Fiat	Croma
Opel	Signum, Vectra
Saab	9-3
Vauxhall	Signum, Vectra



EMS8209

Seat	Cordoba, Ibiza
Skoda	Fabia, Roomster
Volkswagen	Fox, Polo



EMS8210

Seat	Cordoba, Ibiza
Skoda	Fabia, Roomster
Volkswagen	Fox, Polo



EMS8211

Skoda	Felicia



EMS8212

Skoda	Felicia



EMS8213

Volvo	S90,V90



EMS8214

Volvo	S90,V90



EMS8215

BMW	X5



EMS8216

Peugeot	106



EMS8217

Alfa Romeo	Alfa 147, Alfa 156, GT



EMS8218

BMW	5 Series



EMS8221

Rover	75,MG ZT



EMS8222

Rover	75,MG ZT



EMS8223

Audi	A2



EMS8224

Audi	A2



EMS8225

Audi	A2



EMS8226

Audi	S3, TT
Volkswagen	Beetle, Golf



EMS8227

Audi	S3, TT
Seat	Leon
Volkswagen	Beetle, Golf



EMS8228

Audi	A3, Q3, TT
Seat	Alhambra, Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti



EMS8229

Audi	A3
Seat	Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti
Volkswagen	Caddy, Eos, Golf,



EMS8230

Audi	A3
Seat	Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti
Volkswagen	Caddy, Eos, Golf,



EMS8231

Audi	A4
Seat	Exeo



EMS8232

Audi	A6



EMS8233

Audi	A6



EMS8234
Audi A6, A8



EMS8235
Audi A4, A5, A6, A7, A8, Q5



EMS8236
Audi A4, A6, A8
Skoda Superb
Volkswagen Passat



EMS8237
MCC Smart City Coupé,Cabrio



EMS8238
Renault Avantime, Espace, Grand Espace, Vel Satis



EMS8239
Audi A8



EMS8240
BMW X5



EMS8241
Chrysler PT Cruiser



EMS8242
Chrysler PT Cruiser



EMS8243
Citroën C5



EMS8244
Citroën C5



EMS8245
Citroën Jumper, Relay
Peugeot Boxer



EMS8246
Fiat Palio



EMS8247
Fiat Palio



EMS8250
Ford C-Max, Focus, Kuga
Volvo C30, C70, S40,V40



EMS8251
Ford Kuga
Mazda 3



EMS8252
Ford Transit Connect



EMS8253
Ford Transit Connect



EMS8254
Land Rover Freelander



EMS8255
Land Rover Freelander



EMS8256
Mazda 323



EMS8257
Mazda 323



EMS8258
Mercedes 163 Series M Klasse



EMS8259
Mercedes 163 Series M Klasse



EMS8260
Mercedes 202 Series C-Klasse



EMS8261
Mercedes 202 Series C-Klasse



EMS8262
Mercedes 210 Series E-Klasse



EMS8263
Mercedes 210 Series E-Klasse



EMS8264
Nissan Almera



EMS8265
Nissan Micra



EMS8266
Nissan Micra, Note



EMS8267
Nissan Micra, Note



EMS8268
Nissan Primera



EMS8269
Nissan Primastar
Opel Vivaro
Renault Trafic
Vauxhall Vivaro



EMS8270
Nissan Primastar
Opel Vivaro
Renault Trafic
Vauxhall Vivaro



EMS8271
Opel Agila
Suzuki Wagon R
Vauxhall Agila



EMS8272
Opel Agila
Suzuki Wagon R
Vauxhall Agila



EMS8273
Citroën XM
Peugeot 605, 607



EMS8274
Peugeot 605



EMS8275
Honda Civic, CRX
Rover 45,MG ZS
Rover Group 400



EMS8276
Honda Civic, CRX
Rover 45,MG ZS
Rover Group 400



EMS8277
Toyota RAV 4



EMS8278
Toyota RAV 4



EMS8279
Volkswagen Caravelle, Transporter



EMS8280
Volkswagen Caravelle, Transporter



EMS8281
Ford Fiesta



EMS8282
Ford Mondeo



EMS8283
Renault Espace, R25



EMS8284
Renault Espace, R25



EMS8285
Skoda Felicia



EMS8286
Chevrolet Matiz
Daewoo Matiz, Tico
Suzuki Alto



EMS8287
Peugeot 406



EMS8288
Peugeot 106



EMS8289
Peugeot 206



EMS8290
Peugeot 206



EMS8291
Opel Omega, Senator
Vauxhall Omega, Senator



EMS8292
Opel Omega
Vauxhall Omega



EMS8294
Opel Omega
Vauxhall Omega



EMS8295
Opel Zafira
Vauxhall Zafira



EMS8296
Opel Astra, Corsa,Combo, Meriva, Zafira
Vauxhall Astra, Corsa,Combo, Meriva, Zafira



EMS8297
BMW X5



EMS8298
Opel Corsa, Tigra
Vauxhall Corsa, Nova, Tigra



EMS8299
Renault Captur, Clio, Megane, Modus



EMS8300
Renault Captur, Clio, Megane, Modus



EMS8301
Fiat Idea
Lancia Musa



EMS8302
Fiat Idea
Lancia Musa



EMS8303
Fiat Panda, Punto
Ford Ka



EMS8304
Fiat Panda



EMS8306
Opel Astra, Meriva, Zafira
Vauxhall Astra, Meriva, Zafira



EMS8307
Toyota Carina



EMS8308
Opel Vectra
Saab 9-5
Vauxhall Vectra



EMS8309
BMW 7 Series



EMS8310
Peugeot 406



EMS8311
Peugeot 406



EMS8312
BMW 3 Series



EMS8313
BMW 3 Series



EMS8314
Citroën C6
Peugeot 407



EMS8315
Citroën C5, C6
Peugeot 407, 508



EMS8316
Honda Accord
Rover Group 600



EMS8317
Honda Accord



EMS8318
Citroën Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



EMS8320
Citroën Saxo
Peugeot 106



EMS8321
Peugeot 605, 607



EMS8322
Peugeot 605, 607



EMS8323
Citroën Xantia, XM



EMS8324
Renault Kangoo, Scenic



EMS8326
Renault Espace



EMS8327
Renault Espace, R25



EMS8328
Renault Espace, R25



EMS8329
Renault Espace



EMS8330
Citroën Berlingo
Peugeot 405, Partner



EMS8331
Renault R21



EMS8332
Renault Clio



EMS8333
Renault R21



EMS8334
Opel Corsa, Tigra
Vauxhall Corsa, Tigra



EMS8335
Fiat Croma
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



EMS8336
Fiat Croma
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



EMS8337
BMW 3 Series



EMS8338
Volkswagen Amarok, Caravelle, Transporter



EMS8339
Volkswagen Caravelle, Transporter



EMS8340
BMW 1 Series, 3 Series



EMS8341
BMW 1 Series, 3 Series



EMS8342
BMW 1 Series, 3 Series



EMS8343
BMW 1 Series, 3 Series



EMS8344
BMW 3 Series



EMS8345
BMW 1 Series, 3 Series



EMS8346
Fiat Croma
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



EMS8347
BMW 5 Series



EMS8348
Alfa Romeo MiTo
Citroën Nemo
Fiat Fiorino, Punto
Opel Adam, Corsa



EMS8349
Alfa Romeo MiTo
Citroën Nemo
Fiat Fiorino, Punto
Opel Adam, Corsa



EMS8350
Citroën C3
Peugeot 207, 208, 301



EMS8351
Citroën C3
Peugeot 207, 208, 301



EMS8353
Hyundai Santa Fe, Trajet



EMS8354
Hyundai Santa Fe, Trajet



EMS8356
Audi Q3
Seat Alhambra
Volkswagen Passat, Sharan, Tiguan



EMS8357
Volvo S60, S80, V70,XC70



EMS8358
Mazda 6



EMS8359
Mazda 6



EMS8360
Mazda 6



EMS8361
Mazda 6



EMS8362
Suzuki Swift



EMS8363
Suzuki Swift



EMS8364
Nissan Serena



EMS8365
Nissan Serena



EMS8366
Saab 9000



EMS8367
BMW 7 Series, 8 Series



EMS8368
Volvo S60, S80, V70,XC70



EMS8369
BMW 7 Series, Z8



EMS8370
BMW 5 Series



EMS8371
Citroën C1
Peugeot 107
Toyota Aygo



EMS8372
Citroën C1
Peugeot 107
Toyota Aygo



EMS8373
Peugeot 206



EMS8374
Kia Picanto



EMS8375
Kia Picanto



EMS8376
Ford Focus
Mazda 3



EMS8377
Ford Focus
Mazda 3



EMS8378
Peugeot 406



EMS8379
Honda Civic, CR-V



EMS8380
Toyota Corolla



EMS8381
Toyota Corolla



EMS8382
Volkswagen Caravelle, Transporter



EMS8383
Volkswagen Caravelle, Transporter



EMS8384
Volkswagen Caravelle, Transporter



EMS8385
Toyota Avensis



EMS8386
BMW X5



EMS8387
Mazda 3



EMS8388
Mazda 626



EMS8389
Mazda 626



EMS8390
Nissan Almera



EMS8391
Nissan Primera



EMS8392
Nissan Primera



EMS8393
Hyundai Get,Getz



EMS8394
Hyundai Get,Getz



EMS8395
Hyundai Accent



EMS8396
Hyundai Accent



EMS8397
Mercedes 140 Series



EMS8398
Mercedes 171 Series SLK, 203 Series C-Klasse, 204 Series C-Klasse, 209 Series CLK-Klasse



EMS8399
Mercedes 171 Series SLK, 203 Series C-Klasse, 209 Series CLK-Klasse



EMS8400
Mercedes 211 Series E-Klasse, 230 Series SL-Klasse



EMS8401
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse



EMS8402
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse



EMS8403
Nissan X-Trail



EMS8404
Nissan X-Trail



EMS8405
Audi A6
Skoda Superb
Volkswagen Passat



EMS8406
Audi A6
Skoda Superb
Volkswagen Passat



EMS8407
Mercedes Sprinter
Volkswagen LT



EMS8408
Saab 900



EMS8409
Audi A4



EMS8410
Audi A4



EMS8411
Kia Sorento



EMS8412
Honda Civic, CR-V



EMS8413
Honda Civic, CR-V



EMS8414
Mitsubishi Pajero Pinin, Shogun Pinin



EMS8415
Toyota Corolla



EMS8416
Toyota Corolla



EMS8417
Chevrolet Kalos, Tacuma
Daewoo Kalos, Tacuma



EMS8418
Chevrolet Kalos
Daewoo Kalos



EMS8419
Kia Rio



EMS8420
BMW X3



EMS8421
Subaru Impreza



EMS8422
Subaru Impreza



EMS8423
Ford Fiesta, Ka, Puma



EMS8424
Audi A3, S3, TT
Seat Leon
Skoda Octavia
Volkswagen Beetle, Bora, Golf



EMS8425
Mercedes Sprinter
Volkswagen Crafter



EMS8426
Mercedes Sprinter
Volkswagen Crafter



EMS8427
Toyota Auris



EMS8428
Toyota Auris



EMS8429
Hyundai Tucson
Kia Sportage



EMS8430
Hyundai Tucson
Kia Sportage



EMS8431
Toyota Yaris



EMS8432
Toyota Yaris



EMS8433
Audi A3, TT
Seat Alhambra, Altea, Leon, Toledo
Skoda Octavia, Superb, Yeti



EMS8434

Audi	A3, TT
Seat	Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti
Volkswagen	Eos, Golf, Golf Plus,



EMS8435

Chevrolet	Epica, Evanda
Daewoo	Evanda



EMS8436

Chevrolet	Epica, Evanda
Daewoo	Evanda



EMS8437

Chevrolet	Epica, Evanda
Daewoo	Evanda



EMS8438

Fiat	Doblò



EMS8439

Fiat	Doblò



EMS8440

Fiat	Sedici
Suzuki	Swift, SX4



EMS8441

Fiat	Sedici
Suzuki	SX4



EMS8442

Citroën	C8, Dispatch, Jumpy
Fiat	Scudo, Ulysse
Lancia	Phedra
Peugeot	807, Expert



EMS8443

Citroën	Jumper, Relay
Fiat	Ducato
Peugeot	Boxer



EMS8444

Citroën	Jumper, Relay
Fiat	Ducato
Peugeot	Boxer



EMS8445

Ford	Galaxy, Mondeo, S-Max
Volvo	XC60



EMS8446

Ford	Galaxy, Mondeo, S-Max
Volvo	XC60



EMS8447

Mercedes	221 Series S-Klasse



EMS8448

Audi	A3, TT
Seat	Alhambra, Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti



EMS8449

Nissan	Almera



EMS8450

Chevrolet	Captiva
Opel	Antara
Vauxhall	Antara



EMS8451

Chevrolet	Captiva
Opel	Antara
Vauxhall	Antara



EMS8452

Chevrolet	Captiva
Opel	Antara
Vauxhall	Antara



EMS8453

Chevrolet	Tacuma
Daewoo	Tacuma



EMS8454

Ford	B-Max, Fiesta



EMS8455

Ford	B-Max, Fiesta



EMS8456

Ford	Galaxy, Mondeo, S-Max
Land Rover	Freelander
Volvo	XC60



EMS8457

Honda	Accord



EMS8458
Honda Accord



EMS8461
Hyundai i30



EMS8462
Hyundai i30



EMS8463
Land Rover Range Rover



EMS8464
Land Rover Range Rover



EMS8465
Mercedes 169 Series A-Klasse



EMS8466
Mercedes 169 Series A-Klasse



EMS8467
Nissan Qashqai, X-Trail
Renault Koleos



EMS8468
Nissan Qashqai, X-Trail
Renault Koleos



EMS8469
Toyota Avensis



EMS8470
Toyota Avensis



EMS8471
Peugeot 206



EMS8472
Chrysler Grand Voyager, Voyager



EMS8473
Chrysler Grand Voyager, Voyager



EMS8474
Chrysler Grand Voyager, Voyager



EMS8475
Chrysler Grand Voyager, Voyager



EMS8476
Chrysler Grand Voyager, Voyager



EMS8477
Honda Civic



EMS8478
Audi Q7
Porsche Cayenne
Volkswagen Touareg



EMS8479
Ford C-Max, Focus
Volvo C30, C70, S40,V40



EMS8480
Audi A3
Seat Altea, Cordoba, Ibiza, Leon, Toledo
Skoda Fabia, Octavia,



EMS8481
Ford Transit



EMS8482
BMW 5 Series, 6 Series, X5



EMS8483
Mercedes Sprinter
Volkswagen LT



EMS8484
Mercedes 215 Series CL-Klasse, 230 Series SL-Klasse



EMS8485
BMW 7 Series



EMS8486
BMW 7 Series



EMS8487
Mercedes 220 Series S-Klasse



EMS8488
Citroën C5, C6
Peugeot 407



EMS8489
Citroën C8, Dispatch, Jumpy
Fiat Scudo, Ulysse
Lancia Phedra
Peugeot 807, Expert



EMS8490
Citroën C8, Dispatch, Jumpy
Fiat Scudo, Ulysse
Lancia Phedra
Peugeot 807, Expert



EMS8491
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



EMS8492
Opel Corsa, Corsa,Combo, Meriva
Vauxhall Corsa, Corsa,Combo, Meriva



EMS8493
Renault Megane



EMS8494
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



EMS8495
Alfa Romeo Alfa 159, Brera, Spider



EMS8496
Alfa Romeo Alfa 159, Brera, Spider



EMS8497
Alfa Romeo Alfa 159, Brera, Spider



EMS8498
Alfa Romeo Alfa 159, Brera, Spider



EMS8499
Alfa Romeo Alfa 159, Brera, Spider



EMS8500
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse, 230 Series SL-Klasse



EMS8501
Audi A4
Seat Exeo



EMS8502
Dacia Logan, Sandero
Renault Logan



EMS8503
Peugeot 605, 607



EMS8504
Citroën Xsara
Peugeot 405



EMS8505
Citroën Berlingo, Xsara
Peugeot 405, Partner



EMS8506
Citroën C5



EMS8507
Toyota Iq



EMS8508
Renault Laguna



EMS8509
Renault Laguna



EMS8510
Citroën C3, C4, DS3



EMS8511
Citroën C3, C4, DS3



EMS8512
Renault Fluence, Megane



EMS8513
Renault Fluence, Megane



EMS8514
Dacia Duster



EMS8515
BMW X6



EMS8516
Renault Espace, Grand Espace, Laguna



EMS8517
Renault Espace, Grand Espace, Laguna



EMS8518
Renault Megane, Scenic



EMS8520
Jaguar S-Type, XF, XK



EMS8521
Audi A3
Seat Ibiza, Leon, Toledo
Skoda Fabia, Octavia, Roomster



EMS8522
Dacia Duster, Logan, Sandero



EMS8523
Mercedes 124 Series, 201 Series, 202 Series C-Klasse, 203 Series C-Klasse



EMS8524
Alfa Romeo Alfa 147, Alfa 156, GT



EMS8525
Citroën C3, DS3
Honda Jazz



EMS8526
Mercedes 124 Series, 201 Series, 202 Series C-Klasse, 203 Series C-Klasse



EMS8527
Mercedes 124 Series, 201 Series, 202 Series C-Klasse, 203 Series C-Klasse



EMS8528
Audi Q7
Porsche Cayenne
Volkswagen Touareg



EMS8529
Audi Q7
Porsche Cayenne
Volkswagen Touareg



EMS8531
Citroën C4, C-Crosser
Mitsubishi Outlander
Peugeot 4007, 4008



EMS8532
BMW 5 Series



EMS8533
BMW (Mini) Mini



EMS8534
BMW X3



EMS8535
BMW X3



EMS8536
BMW (Mini) Mini



EMS8537
BMW (Mini) Mini



EMS8538
BMW (Mini) Mini



EMS8539
BMW (Mini) Mini



EMS8540
BMW (Mini) Mini



EMS8541
Hyundai ix35
Kia Sportage



EMS8542
Hyundai ix35
Kia Sportage



EMS8543
Citroën C-Elysee
Peugeot 208, 301, 2008



EMS8544
Land Rover Discovery



EMS8545
Land Rover Discovery



EMS8548
Peugeot 208



EMS8549
Peugeot 208



EMS8550
Ford Galaxy, Mondeo, S-Max



EMS8551
Ford Galaxy, Mondeo, S-Max



EMS8553
Audi TT



EMS8554
Citroën C5



EMS8555
Citroën C5



EMS8556
Citroën C5



EMS8558
Citroën C3, DS3



EMS8559
Citroën C3



EMS8560
Mazda 6



EMS8561
Mazda 6



EMS8562
Mazda 6



EMS8563
Mazda 6



EMS8564
Mazda 6



EMS8566
Citroën C-Crosser
Mitsubishi Outlander
Peugeot 4007



EMS8567
Citroën C5, C6
Peugeot 407, 508



EMS8568
Citroën C5, C6
Peugeot 407, 508



EMS8589
Volvo XC60



EMS8590
Volvo XC60



EMS8591
BMW 1 Series, 2 Series, 3 Series, 4 Series



EMS8592
Volkswagen Amarok



EMS8594
Volkswagen Amarok



EMS8595
Volkswagen Amarok



EMS8600
Peugeot 406



EMS8601
Peugeot 406



EMS8602
Peugeot 406



EMS8603
Peugeot 607



EMS8604
Citroën C5, C6



QAM101
Alfa Romeo Alfa 145,146, Alfa 155
Fiat Brava,Bravo, Bravo, Coupé, Tempra, Tipo
Lancia Dedra, Delta



QAM103
Fiat Panda, Uno
Lancia Y10



QAM111
Citroën AX, Berlingo, C2, C3, C4, C15, C-Elysee, DS3, DS4, DS5, Saxo, Xsara, ZX



QAM112
Dacia Logan, Sandero
Nissan Kubistar
Renault Clio, Kangoo, Logan, Twingo, Wind



QAM115
Citroën Dispatch, Evasion, Jumpy, Synergie
Fiat Multipla, Scudo, Ulysse
Lancia Zeta



QAM120
Audi A1, A3, TT
Ford Galaxy
Seat Alhambra, Arosa, Cordoba, Ibiza, Inca,



QAM122
Opel Corsa, Corsa,Combo, Tigra
Vauxhall Corsa, Corsa,Combo, Nova, Tigra



QAM123

Opel	Calibra, Vectra
Vauxhall	Calibra, Cavalier



QAM125

Audi	80, 90
Seat	Cordoba



QAM126

Alfa Romeo	Alfa 33, Alfa 164



QAM128

Audi	100, A6, V8



QAM130

Ford	Escort, Fiesta, Granada, Orion, Scorpio, Sierra



QAM131

Ford	Courier, Fiesta, Ka, Puma
Mazda	121



QAM132

Ford	Courier, Escort, Fiesta, Sierra



QAM133

Ford	Escort



QAM134

Opel	Astra
Vauxhall	Astra, Astra,Astramax



QAM136

Peugeot	406, 605, 607



QAM138

Citroën	Jumper, Relay
Fiat	Ducato
Peugeot	Boxer



QAM141

Ford	Focus



QAM142

Ford	Mondeo, Scorpio, Transit



QAM143

Ford	Mondeo



QAM145

Volvo	700 Series, 940, 960, S90,V90



QAM148

Toyota	Camry, Celica



QAM149

Mazda	323, MX3



QAM150

Opel	Sintra
Vauxhall	Sintra



QAM152

Opel	Omega, Senator
Vauxhall	Carlton, Omega, Senator



QAM154

Mitsubishi	Colt
Nissan	100NX, Almera, Sunny



QAM156

Land Rover	Freelander
Rover	25,MG ZR, 75,MG ZT
Rover Group	200



QAM157

Opel	Astra, Corsa, Corsa, Combo, Meriva, Tigra, Vectra, Zafira
Vauxhall	Astra, Corsa, Corsa,



QAM158

Audi	A2, A3, TT
Seat	Altea, Leon, Toledo
Skoda	Fabia, Octavia, Roomster, Superb,



QAM164

Volkswagen	Transporter



QAM165
Renault Megane



QAM167
Skoda Felicia



QD2227S
Ford Transit



QD2399S
Ford Transit



QD2400S
Ford Transit



QD2484S
Lada Niva



QD2765S
Ford Transit



QD2812S
LDV 200, Pilot



QD2813S
LDV 200, Pilot



QD2816S
Toyota Landcruiser



QD2818S
Mitsubishi Montero, Pajero, Shogun



QD2820S
LDV 400, Convoy



QD2821S
LDV 400, Convoy



QD3156S
Fiat Daily
Iveco Daily



QDL1776S
Peugeot 505



QDL2056S
Mercedes 201 Series



QDL2057S
Mercedes 126 Series



QDL2073S
Volkswagen LT



QDL2074S
Volkswagen LT



QDL2079S
Seat Cordoba, Ibiza, Toledo
Volkswagen Golf, Jetta



QDL2103S
Peugeot 305, 405



QDL2104S
Peugeot 305, 405



QDL2107S
Peugeot 309



QDL2142S
Opel Omega, Senator
Vauxhall Carlton, Senator



QDL2143S

Opel	Omega, Senator
Vauxhall	Carlton, Senator



QDL2147S

Citroën	C15



QDL2152S

Citroën	C25
Fiat	Ducato, Talento
Peugeot	J5
Talbot	Express



QDL2158S

Peugeot	305



QDL2159S

Peugeot	305



QDL2167S

Renault	R4,R6, R4




QDL2172S

Renault	Espace



QDL2173S

Renault	R19



QDL2174S

Renault	R19



QDL2175S

Opel	Arena
Renault	Trafic
Vauxhall	Arena



QDL2177S

Renault	R21



QDL2181S

Renault	Espace, R25



QDL2194S

Peugeot	205



QDL2204S

Renault	Trafic



QDL2243S

Renault	Express,Extra, R5



QDL2244S

Volkswagen	Golf, Scirocco



QDL2245S

Audi	80, 90, Cabriolet, Coupé, Coupé Quattro



QDL2247S

Seat	Cordoba, Ibiza, Toledo
Volkswagen	Corrado, Golf, Jetta



QDL2248S

Seat	Cordoba, Ibiza, Toledo
Volkswagen	Corrado, Golf, Jetta



QDL2387S

BMW	3 Series



QDL2388S

BMW	3 Series



QDL2427S

BMW	5 Series



QDL2429S

BMW	7 Series



QDL2449S

Citroën	XM



QDL2450S
Citroën XM



QDL2510S
Mercedes 124 Series



QDL2521S
Mercedes T1 601, T1 602



QDL2527S
Mercedes T1 601, T1 602, T1 611



QDL2569S
Opel Omega



QDL2570S
Opel Omega, Senator



QDL2605S
Volkswagen Passat



QDL2612S
Volkswagen LT



QDL2694S
Mercedes 201 Series



QDL2695S
Mercedes 201 Series



QDL2696S
Mercedes 126 Series



QDL2699S
Volkswagen Caddy, Golf, Scirocco



QDL2701S
BMW 5 Series, 7 Series, 8 Series



QDL2709S
Mercedes 124 Series, 129 Series



QDL2712S
Mercedes 129 Series



QDL2713S
Mercedes 129 Series



QDL2714S
Mercedes 140 Series



QDL2728S
Volkswagen Passat



QDL2729S
Volkswagen Passat



QDL2732S
Citroën XM



QDL2737S
Citroën Saxo
Peugeot 106



QDL2738S
Citroën Saxo
Peugeot 106



QDL2739S
Citroën Saxo
Peugeot 106



QDL2740S
Citroën Saxo
Peugeot 106



QDL2741S
Renault R21



QDL2742S
Renault R21



QDL2743S
Citroën ZX



QDL2745S
Renault Clio



QDL2746S
Renault Clio



QDL2752S
Volkswagen Golf, Vento



QDL2753S
Seat Toledo
Volkswagen Corrado, Golf, Vento



QDL2754S
Volkswagen Golf, Vento



QDL2755S
Seat Toledo
Volkswagen Corrado, Golf, Vento



QDL2762S
Citroën XM



QDL2771S
Opel Astra, Calibra, Vectra
Saab 9-3, 900
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



QDL2772S
Opel Astra, Calibra, Vectra
Saab 9-3, 900
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



QDL2778S
Volkswagen LT



QDL2780S
Renault Twingo



QDL2781S
Renault Twingo



QDL2786S
BMW 3 Series



QDL2787S
BMW 3 Series



QDL2793S
Volkswagen Caravelle, Transporter



QDL2794S
Nissan Cabstar



QDL2795S
Nissan Cabstar



QDL2850S
Audi 80, 90, Cabriolet, Coupé, Coupé Quattro



QDL2851S
BMW 3 Series, Z3



QDL2852S
BMW 3 Series, Z3



QDL2853S
BMW 3 Series



QDL2873S
Mercedes 202 Series C-Klasse, 208 Series CLK-Klasse



QDL2876S
Volkswagen Golf



QDL2877S
Volkswagen Golf



QDL2878S
Volkswagen Corrado, Golf, Vento



QDL2879S
Volkswagen Corrado, Golf, Vento



QDL2880S
Volkswagen Golf, Jetta



QDL2881S
Volkswagen Golf, Jetta



QDL2882S
Volkswagen Passat



QDL2883S
Volkswagen Passat



QDL2885S
Volkswagen Caravelle, Transporter



QDL2886S
Volkswagen Caravelle, Transporter



QDL2887S
Volkswagen Caravelle, Transporter



QDL2907S
Peugeot 306



QDL2926S
Mercedes 124 Series, 129 Series, 170 Series SLK, 171 Series SLK, 201 Series,



QDL2936S
Audi 80, 90, Cabriolet, Coupé, Coupé Quattro



QDL2937S
Mercedes 124 Series



QDL2950S
Audi 100, 200, A6



QDL2951S
Audi 100, 200, A6



QDL2955S
Audi 100, A6



QDL2956S
Audi 100, A6



QDL2957S
BMW 7 Series



QDL2958S
BMW 7 Series



QDL2960S
BMW 5 Series



QDL2962S
BMW 5 Series



QDL2963S
BMW 5 Series



QDL2976S
Renault Laguna



QDL2977S
Renault Laguna



QDL3012S
Mercedes MB100



QDL3017S
Volkswagen Passat



QDL3018S
Seat Arosa
Volkswagen Polo



QDL3019S
Seat Arosa
Volkswagen Polo



QDL3021S
Mercedes MB100



QDL3022S
Volkswagen Passat



QDL3029S
Opel Omega
Vauxhall Omega



QDL3030S
Opel Omega
Vauxhall Omega



QDL3031S
Opel Omega
Vauxhall Omega



QDL3032S
Opel Omega



QDL3038S
Ford Galaxy
Seat Alhambra
Volkswagen Sharan



QDL3039S
Ford Galaxy
Seat Alhambra
Volkswagen Sharan



QDL3045S
Audi A3
Skoda Octavia
Volkswagen Golf



QDL3047S
Audi A3
Skoda Octavia
Volkswagen Golf



QDL3165S
BMW 5 Series



QDL3170S
Audi A8



QDL3177S
Audi 80



QDL3180S
Audi A4



QDL3185S
Mercedes 124 Series



QDL3188S
Mercedes 140 Series



QDL3189S
Mercedes 140 Series



QDL3190S
Mercedes 140 Series



QDL3191S
Mercedes 140 Series



QDL3194S
Opel Astra, Zafira
Vauxhall Astra, Zafira



QDL3197S
Opel Astra, Zafira
Vauxhall Astra, Zafira



QDL3203S
Seat Arosa
Volkswagen Lupo, Polo



QDL3204S
Seat Arosa
Volkswagen Lupo, Polo



QDL3205S
Seat Arosa
Volkswagen Lupo, Polo



QDL3206S
Seat Arosa
Volkswagen Lupo, Polo



QDL3210S
Volkswagen Passat



QDL3211S
Volkswagen Passat



QDL3212S
Volkswagen Caravelle, Transporter



QDL3213S
Volkswagen Caravelle, Transporter



QDL3214S
Volkswagen Caravelle, Transporter



QDL3215S
Volkswagen Caravelle, Transporter



QDL3216S
Volkswagen Caravelle, Transporter



QDL3217S
Volkswagen Caravelle, Transporter



QDL3218S
Volkswagen Caravelle, Transporter



QDL3227S
BMW 3 Series



QDL3228S
BMW 3 Series



QDL3242S
Volkswagen Golf



QDL3243S
Volkswagen Golf



QDL3244S
Seat Arosa
Volkswagen Polo



QDL3245S
Seat Arosa
Volkswagen Polo



QDL3248S
Seat Cordoba, Ibiza
Volkswagen Caddy, Polo



QDL3249S

Seat	Cordoba, Ibiza
Volkswagen	Caddy, Polo



QDL3257S

Audi	A3
Seat	Leon, Toledo
Skoda	Octavia
Volkswagen	Beetle, Bora, Golf



QDL3258S

Audi	A3
Seat	Leon, Toledo
Skoda	Octavia
Volkswagen	Beetle, Bora, Golf



QDL3261S

Ford	Transit



QDL3262S

Ford	Transit



QDL3263S

Ford	Transit



QDL3265S

Daihatsu	Hijet



QDL3268S

Audi	A4
Seat	Exeo



QDL3269S

Seat	Cordoba, Ibiza
Skoda	Fabia
Volkswagen	Fox, Polo



QDL3270S

Seat	Cordoba, Ibiza
Skoda	Fabia
Volkswagen	Fox, Polo



QDL3271S

BMW (Mini)	Mini



QDL3272S

BMW (Mini)	Mini



QDL3273S

BMW	X5



QDL3274S

Audi	A2



QDL3275S

Audi	A2



QDL3276S

Audi	A4, A6, A8
Skoda	Superb
Volkswagen	Passat



QDL3277S

Volkswagen	Caravelle, Transporter



QDL3278S

Volkswagen	Caravelle, Transporter



QDL3279S

BMW (Mini)	Mini



QDL3280S

BMW (Mini)	Mini



QDL3281S

Nissan	Kubistar
Renault	Clio, Kangoo



QDL3282S

Nissan	Kubistar
Renault	Clio, Kangoo



QDL3283S

Renault	Clio



QDL3284S

Renault	Clio



QDL3285S
Renault Megane, Scenic



QDL3286S
Renault Megane, Scenic



QDL3287S
Citroën Dispatch, Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



QDL3288S
BMW 5 Series, 6 Series



QDL3289S
BMW (Mini) Mini



QDL3290S
BMW (Mini) Mini



QDL3291S
Rover MGF,MGTF



QDL3292S
Land Rover Discovery, Range Rover



QDL3293S
BMW 7 Series



QDL3294S
Hyundai Terracan



QDL3295S
Audi A1



QDL3296S
Audi A1



QDL3297S
Audi Q7
Porsche Cayenne
Volkswagen Touareg



QDL3298S
Audi Q7
Porsche Cayenne
Volkswagen Touareg



QDL4209S
BMW X5, X6



QDL4210S
BMW 3 Series



QDL4211S
BMW 3 Series



QDL5017S
Mercedes 124 Series



QDL5019S
Seat Cordoba, Ibiza, Toledo
Volkswagen Golf, Jetta



QDL5222S
BMW 5 Series



QDL5223S
BMW 5 Series



QDL5229S
Alfa Romeo Alfa 145,146



QDL5232S
Renault Safrane



QDL5233S
Renault Megane, Scenic



QDL5235S
Citroën BX



QDL5236S
Alfa Romeo Alfa 145,146



QDL5238S
Renault Safrane



QDL5239S
Renault Megane, Scenic



QDL5241S
Citroën BX



QDL5246S
Kia Sportage



QDL5249S
Nissan Pick-Up



QDL5252S
Renault Espace, Grand Espace



QDL5255S
Ford Courier, Fiesta, Puma



QDL5256S
Ford Courier, Fiesta, Puma



QDL5258S
Mitsubishi Montero, Pajero, Shogun



QDL5260S
Kia Sportage



QDL5261S
Kia Sportage



QDL5262S
Renault Espace, Grand Espace



QDL5263S
Citroën Berlingo, Xsara
Peugeot Partner



QDL5267S
Peugeot 406



QDL5268S
Peugeot 406



QDL5269S
Citroën XM
Peugeot 605



QDL5270S
Citroën XM
Peugeot 605



QDL5271S
Seat Cordoba, Ibiza, Toledo



QDL5272S
Seat Cordoba, Ibiza, Toledo



QDL5274S
Ford Maverick
Nissan Pick-Up, Terrano



QDL5275S
Land Rover Range Rover



QDL5277S
Land Rover Range Rover



QDL5278S
Land Rover Discovery



QDL5279S
Land Rover Discovery



QDL5280S
Land Rover Discovery



QDL5281S
Isuzu Trooper
Opel Frontera
Vauxhall Brava, Frontera



QDL5282S
Mercedes 202 Series C-Klasse,
208 Series CLK-Klasse



QDL5283S
BMW 3 Series, Z4



QDL5284S
BMW 3 Series, Z4



QDL5285S
Honda Civic



QDL5287S
Nissan Pick-Up



QDL5288S
Opel Omega
Vauxhall Omega



QDL5289S
Opel Omega
Vauxhall Omega



QDL5290S
Alfa Romeo Alfa 147



QDL5291S
Alfa Romeo Alfa 147

QDL5292S
BMW 1 Series, 3 Series



QDL5293S
BMW 1 Series, 3 Series, Z4



QDL5294S
BMW 1 Series, 3 Series



QDL5295S
BMW 1 Series, 3 Series, Z4



QDL5296S
Seat Cordoba, Ibiza
Skoda Fabia, Roomster
Volkswagen Fox, Polo



QDL5297S
Seat Cordoba, Ibiza
Skoda Fabia
Volkswagen Fox, Polo



QDL5298S
Seat Cordoba, Ibiza
Skoda Fabia, Roomster
Volkswagen Fox, Polo



QDL5299S
Seat Cordoba, Ibiza
Skoda Fabia
Volkswagen Fox, Polo



QDL5300S
Skoda Fabia



QDL5301S
Skoda Fabia



QDL5302S
BMW X5



QDL9272S

Seat	Cordoba, Ibiza, Toledo
Volkswagen	Caddy



QDL9273S

Seat	Cordoba, Ibiza, Toledo
Volkswagen	Caddy



QDL9546S

Mercedes	638 Series V-Klasse, Vito



QDL9547S

Mercedes	T1 601, T1 602

QLS1521S

Volvo	850, C70, S70,V70



QLS1522S

Renault	Espace, Grand Espace, Laguna, Safrane



QLS1550S

Fiat	Marea, Multipla
Lancia	Dedra



QLS1551S

Alfa Romeo	GTV, Spider



QLS1607S

Opel	Omega, Senator
Vauxhall	Carlton, Omega, Senator



QLS1613S

Ford	Galaxy
Seat	Alhambra
Volkswagen	Sharan



QLS1617S

Daewoo	Leganza



QLS1618S

Hyundai	Lantra,Elantra



QLS1619S

Hyundai	Sonata



QLS1625S

Ford	Probe
Kia	Clarus
Mazda	323, 626, MX5, MX6, Xedos 6



QLS1626S

Ford	Probe
Kia	Clarus
Mazda	323, 626, MX5, MX6, Xedos 6



QLS1627S

Seat	Toledo
Volkswagen	Corrado, Golf, Vento



QLS1652S

Ford	Transit



QLS1699S

Chevrolet	Lanos
Daewoo	Espero, Lanos, Nexia
Opel	Kadett
Vauxhall	Astra, Astra,Astramax,



QLS1711S

Ford	Transit



QLS1712S

Ford	Transit



QLS1747S

Alfa Romeo	Alfa 166



QLS1752S

Alfa Romeo	Alfa 147, Alfa 156, GT



QLS1754S

BMW	5 Series, 7 Series



QLS1755S

BMW	7 Series



QLS1757S
Alfa Romeo Alfa 147, Alfa 156, GT



QLS1758S
Nissan Micra



QLS1759S
Alfa Romeo GTV, Spider



QLS1760S
Alfa Romeo GTV, Spider



QLS1761S
Peugeot 605, 607



QLS1810S
Honda Civic, Integra



QLS1811S
Honda Civic, CR-V



QLS1813S
Daewoo Nubira



QLS1814S
Daewoo Nubira



QLS1815S
Chevrolet Epica, Evanda
Daewoo Leganza



QLS1816S
Chevrolet Epica, Evanda
Daewoo Leganza



QLS1817S
Honda Concerto
Rover 25,MG ZR
Rover Group 200, 400



QLS1818S
Rover Group 800



QLS1820S
Hyundai Sonata



QLS1821S
Hyundai Sonata
Mitsubishi Galant, Sigma



QLS1822S
Hyundai Coupé, Lantra,Elantra



QLS1823S
Hyundai Coupé, Lantra,Elantra



QLS1827S
Kia Mentor, Shuma



QLS1828S
Kia Shuma



QLS1829S
Kia Sportage



QLS1830S
Daewoo Korando, Musso
SsangYong Korando, Musso



QLS1831S
Mitsubishi 3000 GT, Colt, Galant, Lancer, Pajero Pinin, Shogun Pinin, Sigma



QLS1832S
Mitsubishi Colt
Proton Compact, Persona, Satria, Wira



QLS1833S
Mitsubishi Carisma, Colt



QLS1834S

Ford	Probe
Mazda	626, MX6, Xedos 6



QLS1835S

Nissan	100NX, Almera, Bluebird, Prairie, Primera, Sunny



QLS1836S

Nissan	200SX



QLS1837S

Nissan	Primera



QLS1838S

Nissan	100NX, Sunny



QLS1839S

Nissan	Primera, Sunny



QLS1840S

Nissan	Patrol



QLS1841S

Toyota	Celica, Corolla



QLS1842S

Toyota	Camry, Carina, Celica, Corolla



QLS1843S

Toyota	Camry, Celica, Corolla, RAV 4



QLS1846S

Toyota	Avensis, Carina



QLS1847S

Toyota	Avensis, Carina



QLS1848S

Lexus	IS200,IS300
Toyota	Camry, Carina



QLS1849S

Mitsubishi	Montero, Pajero, Shogun



QLS1885S

Citroën	Dispatch, Evasion, Jumpy, Synergie
Fiat	Scudo, Ulysse
Lancia	Zeta



QLS1886S

Citroën	Jumper, Relay
Fiat	Ducato
Peugeot	Boxer



QLS1955S

Rover Group	800



QLS1956S

Opel	Astra, Vectra
Vauxhall	Astra, Astra,Astramax, Cavalier



QLS1957S

Opel	Astra, Calibra, Vectra
Vauxhall	Astra, Astra,Astramax, Calibra, Cavalier



QLS1961S

Peugeot	605, 607



QLS1970S

Alfa Romeo	Alfa 145,146, Alfa 155, GTV, Spider
Fiat	Brava,Bravo, Bravo, Coupé, Tempra, Tipo



QLS2146S

Peugeot	205, 309



QLS2359S

Volvo	400 Series, 480



QLS2360S

Volvo	400 Series, 480



QLS2509S
Mercedes 126 Series



QLS2541S
Volvo 700 Series, 940, 960



QLS2556S
Saab 9000



QLS2736S
BMW 3 Series



QLS2764S
BMW 3 Series, 5 Series, 7 Series, 8 Series



QLS2854S
BMW 3 Series, Z1, Z3



QLS2910S
Ford Cougar, Mondeo



QLS2915S
Citroën AX
Peugeot 106



QLS2922S
Mercedes 124 Series, 129 Series, 171 Series SLK, 201 Series, 202 Series C-Klasse,



QLS2923S
Mercedes 124 Series, 129 Series, 170 Series SLK, 171 Series SLK, 201 Series,



QLS2924S
Mercedes 124 Series, 129 Series, 170 Series SLK, 171 Series SLK, 201 Series,



QLS2967S
Audi 80, 90, Cabriolet, Coupé, Coupé Quattro



QLS2968S
BMW 7 Series, Z8



QLS2997S
BMW 5 Series



QLS3002S
BMW 5 Series, 7 Series



QLS3004S
Audi 100, A6, V8



QLS3009S
Mercedes 140 Series, 220 Series S-Klasse



QLS3010S
Mercedes 140 Series



QLS3037S
Rover Group 100, Metro



QLS3054S
Audi A3
Seat Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf



QLS3060S
Seat Arosa
Volkswagen Lupo, Polo



QLS3063S
Citroën Berlingo, Xsara, ZX
Peugeot 306, Partner



QLS3065S
Audi 80



QLS3066S
Seat Cordoba, Ibiza, Toledo
Volkswagen Golf, Jetta, Vento



QLS3069S
Citroën ZX



QLS3072S
Citroën XM
Peugeot 605



QLS3073S
Citroën BX



QLS3075S
Ford Courier, Escort, Fiesta, Focus, Ka, Orion, Puma
Mazda 121



QLS3076S
Citroën Xantia



QLS3077S
Citroën Saxo, Xantia
Peugeot 106, 406



QLS3080S
Ford Mondeo



QLS3081S
Ford Cougar, Mondeo



QLS3082S
Ford Cougar, Mondeo



QLS3171S
Audi A8



QLS3172S
Audi A8



QLS3173S
Audi A8



QLS3176S
Audi 80, 90, Coupé Quattro



QLS3178S
Audi 80, A4



QLS3179S
Audi 80, A4



QLS3186S
Mercedes 140 Series



QLS3187S
Mercedes 140 Series



QLS3192S
Mercedes 168 Series A Klasse



QLS3198S
Opel Astra, Calibra, Vectra
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



QLS3200S
Opel Corsa, Corsa,Combo, Meriva, Tigra, Vectra
Saab 9-5
Vauxhall Corsa, Corsa,Combo,



QLS3221S
BMW 5 Series



QLS3222S
BMW 5 Series



QLS3223S
BMW 5 Series



QLS3224S
BMW 3 Series, Z4



QLS3235S
Audi A6, A8



QLS3237S
Audi A4, A6
Skoda Superb
Volkswagen Passat



QLS3238S
Audi A4, A6
Skoda Superb
Volkswagen Passat



QLS3239S
Opel Astra, Zafira
Vauxhall Astra, Zafira



QLS3240S
Citroën Berlingo, Xsara, ZX
Peugeot 306, Partner



QLS3241S
Land Rover 90,110,130, Defender, Discovery



QLS3242S
Land Rover Discovery



QLS3243S
Land Rover Discovery



QLS3244S
Land Rover Freelander



QLS3245S
Rover 75,MG ZT



QLS3246S
Rover MGF,MGTF



QLS3247S
Rover MGF,MGTF



QLS3248S
Land Rover Range Rover



QLS3249S
Volkswagen Passat



QLS3250S
Audi A3
Seat Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf



QLS3251S
Mitsubishi Carisma
Volvo S40,V40



QLS3253S
Volvo 960, S90,V90



QLS3255S
BMW 3 Series, 5 Series, 7 Series, Z3



QLS3256S
Citroën C5, Xantia
Peugeot 406, 607



QLS3257S
Honda Accord



QLS3258S
Honda Accord



QLS3259S
Peugeot 406



QLS3260S
Alfa Romeo Alfa 166



QLS3261S
Alfa Romeo Alfa 166



QLS3262S
BMW 3 Series, Z1



QLS3263S
Mercedes 638 Series V-Klasse, Vito



QLS3264S
Mercedes 638 Series V-Klasse, Vito



QLS3265S
Mercedes 638 Series V-Klasse, Vito



QLS3266S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QLS3267S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QLS3268S
Volkswagen Passat



QLS3269S
Volkswagen Caravelle, Transporter



QLS3270S
Volkswagen Caravelle, Transporter



QLS3271S
Peugeot 405



QLS3272S
Audi A4
Seat Exeo



QLS3273S
Audi A4
Seat Exeo



QLS3275S
Subaru Justy
Suzuki Swift



QLS3276S
BMW 3 Series



QLS3277S
Fiat 500, Bravo, Stilo
Ford Ka
Lancia Delta



QLS3278S
Lancia Lybra



QLS3279S
Lancia Lybra



QLS3280S
Seat Arosa
Skoda Felicia
Volkswagen Lupo, Polo



QLS3281S
Ford Focus



QLS3282S
Ford Focus



QLS3283S
Ford Maverick
Nissan Terrano



QLS3284S
Ford Scorpio



QLS3285S
Ford Scorpio



QLS3286S
Hyundai Accent, Matrix



QLS3287S
Hyundai Accent, Matrix



QLS3288S
Hyundai Accent



QLS3289S
LDV Cub
Nissan Serena, Vanette



QLS3290S
LDV Cub
Nissan Serena, Vanette



QLS3291S
Rover MGF,MGTF



QLS3292S
Nissan Micra



QLS3293S
Nissan Primera



QLS3294S
Citroën C4
Peugeot 307



QLS3295S
Rover 75,MG ZT



QLS3296S
Rover 75,MG ZT



QLS3297S
Saab 900



QLS3298S
Saab 9-3, 900



QLS3299S
Audi A1, A2
Seat Cordoba, Ibiza, Mii
Skoda Citigo, Fabia, Rapid, Roomster



QLS3300S
Opel Omega
Vauxhall Omega



QLS3301S
Opel Omega
Vauxhall Omega



QLS3302S
Volvo 940, 960



QLS3303S
Ford Transit



QLS3304S
Ford Transit Connect



QLS3305S
Ford Transit Connect



QLS3306S
Ford Fiesta, Fusion
Mazda 2



QLS3307S
BMW (Mini) Mini



QLS3308S
BMW (Mini) Mini



QLS3309S
BMW (Mini) Mini



QLS3310S
Volvo S60, S80, V70,XC70, XC60



QLS3311S

Fiat	Croma
Opel	Signum, Vectra
Saab	9-3
Vauxhall	Signum, Vectra



QLS3312S

Ford	Mondeo



QLS3313S

Ford	Mondeo



QLS3314S

Ford	Mondeo
Jaguar	X-Type



QLS3315S

Ford	Mondeo
Jaguar	X-Type



QLS3316S

Mercedes	Sprinter
Volkswagen	LT



QLS3317S

Mercedes	Sprinter
Volkswagen	LT



QLS3318S

Mitsubishi	Montero, Pajero, Shogun



QLS3319S

Mitsubishi	Montero, Pajero, Shogun



QLS3320S

Toyota	Avensis, Landcruiser



QLS3321S

Toyota	RAV 4



QLS3322S

Audi	A2



QLS3323S

MCC Smart	City Coupé,Cabrio, Roadster



QLS3324S

MCC Smart	City Coupé,Cabrio



QLS3325S

Fiat	Doblò



QLS3326S

BMW	5 Series



QLS3327S

Audi	A3, S3, TT
Seat	Leon
Volkswagen	Beetle, Bora, Golf



QLS3328S

Audi	A3, Q3, TT
Seat	Alhambra, Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti



QLS3329S

Audi	A3, TT
Seat	Alhambra, Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti



QLS3330S

Nissan	Primastar
Opel	Vivaro
Renault	Espace, Grand Espace, Laguna, Trafic,



QLS3331S

Renault	Kangoo, Megane, Scenic



QLS3332S

Audi	A3, S3, TT
Seat	Leon
Skoda	Octavia
Volkswagen	Beetle, Bora, Golf



QLS3333S

Audi	A3, S3, TT
Seat	Leon
Skoda	Octavia
Volkswagen	Beetle, Bora, Golf



QLS3334S

Citroën	C8
Fiat	Ulysse
Lancia	Phedra
Peugeot	807



QLS3336S
Mercedes 203 Series C-Klasse, 209 Series CLK-Klasse



QLS3337S
Mercedes 210 Series E-Klasse



QLS3338S
Mercedes 210 Series E-Klasse



QLS3339S
Mercedes 203 Series C-Klasse, 209 Series CLK-Klasse



QLS3340S
Mercedes 203 Series C-Klasse, 209 Series CLK-Klasse



QLS3341S
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse



QLS3342S
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse



QLS3343S
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse, 230 Series SL-Klasse



QLS3344S
Mercedes 220 Series S-Klasse



QLS3345S
Mercedes 220 Series S-Klasse



QLS3347S
Mercedes 638 Series V-Klasse, Vito



QLS3348S
Mercedes 638 Series V-Klasse, Vito



QLS3349S
Volvo S40,V40



QLS3350S
BMW 3 Series



QLS3351S
BMW X5



QLS3352S
BMW X5



QLS3353S
Honda Civic, FR-V



QLS3354S
Honda Civic, FR-V



QLS3355S
Honda Civic



QLS3356S
Honda Civic



QLS3357S
Honda CR-V



QLS3358S
Honda CR-V



QLS3359S
Isuzu Trooper
Opel Frontera, Monterey
Vauxhall Frontera, Monterey



QLS3360S
Isuzu Trooper
Opel Frontera, Monterey
Vauxhall Frontera, Monterey



QLS3361S
Isuzu Trooper
Opel Frontera, Monterey
Vauxhall Frontera, Monterey



QLS3362S
Mazda 626



QLS3363S
Mitsubishi Space Runner, Spacewagon



QLS3364S
Mitsubishi Space Runner, Spacewagon



QLS3365S
Mitsubishi Galant



QLS3366S
Subaru Impreza, Legacy



QLS3367S
Subaru Forester, Impreza, Legacy



QLS3368S
Toyota Corolla



QLS3369S
Kia Carnival, Sedona



QLS3370S
Toyota Camry



QLS3371S
Ford Mondeo



QLS3372S
Toyota Camry



QLS3373S
Fiat Panda



QLS3374S
BMW 7 Series



QLS3375S
BMW 7 Series



QLS3376S
Mazda 6



QLS3377S
Mazda 6



QLS3378S
Mazda 6



QLS3379S
Mazda MX3



QLS3380S
Mazda MX5



QLS3381S
Mazda MX5



QLS3382S
Mazda MPV



QLS3383S
Toyota Camry, Previa



QLS3384S
Toyota Avensis, Corolla, Prius



QLS3385S
Mazda MX3



QLS3386S
Citroën C5, C6
Peugeot 407, 508



QLS3387S
Citroën C5, C6
Peugeot 407, 508



QLS3389S
Ford C-Max, Focus, Kuga
Mazda 3, 5
Volvo C30, C70, S40,V40, V40



QLS3390S
Ford C-Max, Focus
Mazda 3



QLS3391S
Volvo S40,V40



QLS3392S
Volvo 400 Series, 480



QLS3395S
Volvo S60, S80, V70,XC70, XC60



QLS3396S
Toyota RAV 4



QLS3397S
Toyota RAV 4



QLS3398S
Toyota RAV 4



QLS3399S
Opel Astra, Zafira
Vauxhall Astra, Zafira



QLS3400S
Opel Astra, Zafira
Vauxhall Astra, Zafira



QLS3401S
Renault Twingo



QLS3402S
Renault Twingo



QLS3403S
Kia Rio



QLS3404S
Kia Rio



QLS3405S
Kia Sorento



QLS3406S
BMW X5



QLS3407S
Toyota Avensis



QLS3408S
Toyota Avensis



QLS3409S
Toyota Camry



QLS3410S
Toyota Camry



QLS3411S
Ford Mondeo



QLS3412S
Audi A6



QLS3413S
Audi A6



QLS3414S
BMW 3 Series



QLS3415S
BMW 3 Series



QLS3416S
BMW 5 Series



QLS3417S
BMW 5 Series



QLS3418S
BMW 5 Series, 6 Series



QLS3419S
Citroën C5, C6
Peugeot 407



QLS3420S
Nissan Primera



QLS3421S
Nissan Primera



QLS3422S
Chrysler PT Cruiser



QLS3423S
Mercedes 414 Series



QLS3424S
Honda Jazz



QLS3425S
Honda Jazz



QLS3426S
Opel Agila
Suzuki Splash, Swift
Vauxhall Agila



QLS3427S
Mazda 323



QLS3428S
Hyundai Tucson



QLS3429S
Hyundai Tucson



QLS3430S
Mercedes 163 Series M Klasse



QLS3431S
Toyota Hiace



QLS3432S
Toyota Hiace



QLS3433S
Mazda 323, Premacy



QLS3434S
Ford Transit



QLS3435S
Ford Transit



QLS3436S
Mitsubishi Montero, Pajero, Shogun



QLS3437S
Toyota Yaris, Yaris Verso



QLS3438S
Volkswagen Caravelle, Transporter



QLS3439S
Audi A6
Volkswagen Passat



QLS3441S
BMW 7 Series



QLS3442S
BMW X3



QLS3443S
BMW X3



QLS3444S
BMW X3



QLS3445S
Chevrolet Kalos, Tacuma
Daewoo Kalos, Tacuma



QLS3446S
Chevrolet Lacetti, Nubira
Daewoo Lacetti, Nubira



QLS3447S
Chevrolet Lacetti, Nubira
Daewoo Lacetti, Nubira



QLS3448S
Chevrolet Lacetti, Nubira
Daewoo Lacetti, Nubira



QLS3449S
Honda Accord



QLS3450S
Honda Accord



QLS3451S
Honda Accord



QLS3452S
Honda Accord



QLS3453S
Honda Civic



QLS3454S
Honda Civic



QLS3455S
Honda CR-V



QLS3456S
Honda CR-V



QLS3457S
Honda HR-V



QLS3458S
Honda HR-V



QLS3459S
Hyundai Santa Fe



QLS3460S
Hyundai Santa Fe



QLS3461S
Hyundai Santa Fe



QLS3462S
Hyundai Santa Fe



QLS3463S
Hyundai Get,Getz



QLS3464S
Hyundai Get,Getz



QLS3465S
Hyundai Sonata
Kia Magentis



QLS3466S
Hyundai Sonata



QLS3467S
Jaguar S-Type, XF



QLS3468S
Jaguar S-Type, XF



QLS3469S
Jaguar S-Type



QLS3470S
Jaguar S-Type



QLS3471S
Kia Carens, Mentor, Shuma



QLS3472S
Kia Carens, Mentor, Shuma



QLS3473S
Kia Picanto



QLS3474S
Kia Picanto



QLS3476S
Mazda 323, Premacy



QLS3477S
Mazda 323, Premacy



QLS3478S
Mazda 323, Premacy



QLS3479S
Mazda MX5



QLS3480S
Mitsubishi Montero, Pajero, Shogun



QLS3481S
Mitsubishi Montero, Pajero, Shogun



QLS3482S
Mitsubishi Montero, Pajero, Shogun



QLS3483S
Mitsubishi Montero, Pajero, Shogun



QLS3486S
Nissan Almera



QLS3487S
Nissan Almera



QLS3488S
Nissan Almera



QLS3489S
Nissan Micra
Renault Captur, Clio, Modus



QLS3490S
Nissan X-Trail



QLS3491S
Nissan X-Trail



QLS3492S
Seat Leon, Toledo
Volkswagen Beetle, Golf



QLS3493S
Suzuki Grand Vitara, Vitara



QLS3494S
Suzuki Grand Vitara



QLS3496S
Toyota Avensis



QLS3497S
Toyota Celica



QLS3498S
Toyota Celica, Corolla



QLS3501S
Toyota MR2



QLS3502S
Toyota Previa



QLS3503S
Toyota Previa



QLS3506S
Audi A4
Seat Exeo



QLS3507S
BMW 1 Series, 3 Series, X1, Z4



QLS3508S
BMW 1 Series, 3 Series, X1, Z4



QLS3509S
BMW 1 Series, 3 Series



QLS3510S
Hyundai Atos, Atoz



QLS3511S
Kia Cerato



QLS3512S
Kia Cerato



QLS3513S
Kia Sorento



QLS3514S
Kia Sorento



QLS3515S
Land Rover Discovery



QLS3516S
Land Rover Discovery



QLS3517S
Land Rover Range Rover



QLS3518S
Land Rover Range Rover



QLS3519S
Land Rover Range Rover



QLS3520S
Land Rover Range Rover



QLS3521S
Land Rover Range Rover



QLS3522S
Land Rover Range Rover



QLS3523S
Mercedes 169 Series A-Klasse,
245 Series B-Klasse



QLS3524S
Mercedes 164 Series M-Klasse,
164 Series GL-Klasse,
251 Series R-Klasse



QLS3525S
Mercedes 171 Series SLK



QLS3526S
Mercedes Sprinter
Volkswagen LT



QLS3527S
Alfa Romeo MiTo
Fiat Punto
Opel Corsa
Vauxhall Corsa



QLS3528S
Ford Maverick
Nissan Terrano



QLS3529S
Nissan Navara, Pathfinder



QLS3530S
Nissan Navara, Pathfinder



QLS3531S
Nissan X-Trail



QLS3532S
Renault Scenic



QLS3533S
Mercedes Sprinter



QLS3534S
Mercedes Sprinter



QLS3535S
Citroën C-Elysee
Peugeot 207, 208, 301



QLS3536S
Citroën C-Elysee
Peugeot 207, 208, 301



QLS3538S
Ford Galaxy, Mondeo,
S-Max
Volvo S60, S80, V60, V70,
XC70, XC60



QLS3539S
Ford Galaxy, Mondeo,
S-Max
Volvo S60, S80, V60, V70,
XC70, XC60



QLS3540S
Toyota Celica, Corolla



QLS3541S
Fiat Croma
Opel Signum, Vectra
Saab 9-3, 9-5
Vauxhall Signum, Vectra



QLS3542S
Audi A3, TT
Skoda Octavia
Volkswagen Bora, Golf



QLS3543S
Citroën C1
Peugeot 107, 108
Toyota Aygo



QLS3544S
Mercedes 163 Series M Klasse



QLS3545S
LDV Maxus



QLS3546S
LDV Maxus



QLS3547S
Mercedes 639 Series, Vito



QLS3548S
Mercedes 639 Series, Vito



QLS3549S
Citroën Berlingo



QLS3550S
Nissan Murano, Qashqai, X-Trail
Renault Koleos



QLS3551S
Nissan Murano, Qashqai, X-Trail
Renault Koleos



QLS3552S
BMW (Mini) Mini



QLS3553S
Mitsubishi Montero, Pajero, Shogun



QLS3554S
Mitsubishi Montero, Pajero, Shogun



QLS3555S
Citroën C4, C-Crosser
Mitsubishi Outlander
Peugeot 4007, 4008



QLS3556S
Citroën C4, C-Crosser
Mitsubishi Outlander
Peugeot 4007, 4008



QLS3557S
Citroën C4, C-Crosser
Mitsubishi ASX, Lancer, Outlander
Peugeot 4007, 4008



QLS3558S
Citroën C4, DS4, DS5
Peugeot 308, 3008, 5008, Partner, Partner Tepee, RCZ



QLS3559S
Mercedes 169 Series A-Klasse, 245 Series B-Klasse



QLS3560S
Mercedes Sprinter
Volkswagen Crafter



QLS3561S
Nissan Note



QLS3562S
Honda HR-V



QLS3563S
Honda HR-V



QLS3564S
Mercedes 164 Series M-Klasse, 164 Series GL-Klasse, 251 Series R-Klasse



QLS3565S
Suzuki Carry, Jimny



QLS3566S
Porsche Cayenne
Volkswagen Touareg



QLS3567S
Porsche Cayenne
Volkswagen Touareg



QLS3568S
MCC Smart Forfour
Mitsubishi Colt



QLS3569S
Lexus GS300,GS430, GS450h, GS460, IS220d,IS250



QLS3571S
Chrysler Neon



QLS3572S
Mercedes Sprinter
Volkswagen Crafter



QLS3573S
Mercedes Sprinter
Volkswagen Crafter



QLS3574S
Alfa Romeo Alfa 159, Brera, Spider



QLS3575S
Alfa Romeo Alfa 159, Brera, Spider



QLS3576S
Alfa Romeo Alfa 159, Brera, Spider



QLS3577S
Alfa Romeo Alfa 159, Brera, Spider



QLS3578S
Hyundai Accent
Kia Rio



QLS3579S
Hyundai Accent
Kia Rio



QLS3580S
Kia Rio



QLS3581S
Kia Rio



QLS3582S
Toyota Landcruiser



QLS3583S
Toyota Landcruiser



QLS3584S
Toyota Landcruiser



QLS3585S
Volkswagen Caddy



QLS3586S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QLS3587S
Hyundai i30
Kia Cee'd



QLS3588S
Mercedes 204 Series C-Klasse, 212 Series E-Klasse



QLS3589S
Mercedes 204 Series C-Klasse, 212 Series E-Klasse



QLS3590S
Porsche 911, Boxster



QLS3591S
Porsche 911, Boxster



QLS3592S
Porsche 911



QLS3593S
Porsche 911



QLS3594S
Suzuki Grand Vitara



QLS3595S
Audi Q7
Porsche Cayenne
Volkswagen Touareg



QLS3596S
Chrysler 300C



QLS3597S
Chrysler 300C



QLS3598S
Chrysler Grand Voyager, Voyager



QLS3599S
Audi A6, A8
Volkswagen Phaeton



QLS3602S
BMW 6 Series



QLS3603S
BMW 6 Series



QLS3604S
Chrysler PT Cruiser



QLS3605S
Mercedes 216 Series CL-Klasse, 221 Series S-Klasse



QLS3606S
Mercedes 216 Series CL-Klasse, 221 Series S-Klasse



QLS3607S
Mercedes 216 Series CL-Klasse, 221 Series S-Klasse



QLS3608S
Mercedes 216 Series CL-Klasse, 221 Series S-Klasse



QLS3609S
Toyota Yaris



QLS3610S
Toyota Auris, Prius



QLS3611S
Seat Cordoba, Ibiza, Inca, Toledo
Volkswagen Caddy, Corrado, Golf, Lupo, Polo



QLS3612S
Mitsubishi Colt, Lancer, Space Star



QLS3613S
Subaru Forester



QLS3614S
Dacia Duster
Renault Laguna, Latitude



QLS3615S
Citroën Nemo
Fiat Fiorino, Linea, Qubo
Peugeot Bipper



QLS3616S
Jaguar X-Type



QLS3617S

Chevrolet	Captiva
Opel	Antara
Vauxhall	Antara



QLS3618S

Chevrolet	Captiva
Opel	Antara
Vauxhall	Antara



QLS3619S

Honda	Jazz



QLS3620S

Honda	Jazz



QLS3621S

BMW	X5, X6



QLS3622S

BMW	X5, X6



QLS3623S

BMW	X5, X6



QLS3624S

Mercedes	204 Series C-Klasse



QLS3625S

Mercedes	204 Series C-Klasse



QLS3626S

Mercedes	204 Series C-Klasse



QLS3627S

Mercedes	204 Series C-Klasse



QLS3628S

Mercedes	245 Series B-Klasse



QLS3629S

Porsche	911



QLS3630S

Toyota	RAV 4



QLS3631S

Audi	A4, A5, A8, Q5



QLS3632S

Audi	A5



QLS3633S

Audi	A4, A5, A6, A7, Q5



QLS3634S

Chevrolet	Cruze, Volt
Opel	Ampera, Astra, Insignia, Zafira
Vauxhall	Ampera, Astra,



QLS3635S

Opel	Insignia
Vauxhall	Insignia



QLS3636S

Ford	B-Max, EcoSport, Fiesta, Transit Courier
Mazda	2



QLS3637S

Honda	Civic



QLS3638S

BMW	3 Series, Z4



QLS3639S

Subaru	Forester, Impreza



QLS3640S

Kia	Sorento



QLS3641S
Kia Sorento



QLS3642S
BMW 5 Series



QLS3643S
Ford Transit



QLS3644S
Ford Transit



QLS3645S
Hyundai Coupé



QLS3646S
Hyundai Coupé



QLS3647S
BMW 7 Series



QLS3648S
Toyota RAV 4



QLS3649S
Nissan Primera



QLS3650S
Fiat Sedici
Suzuki Swift, SX4



QLS3651S
Citroën Dispatch, Jumpy
Fiat Scudo
Peugeot Expert



QLS3652S
Hyundai Trajet



QLS3653S
Hyundai Trajet



QLS3654S
Audi A8
Volkswagen Phaeton



QLS3655S
Rover MGF,MGTF



QLS3656S
Rover MGF,MGTF



QLS3657S
Lexus LS400



QLS3658S
Lexus LS400



QLS3659S
Jaguar XJ6, XK-8, XK-R



QLS3660S
Honda Logo



QLS3661S
Honda Logo



QLS3662S
Honda S2000



QLS3663S
Honda S2000



QLS3664S
Honda S2000



QLS3665S
Mazda MX5, RX8



QLS3666S
Toyota Landcruiser



QLS3667S
Toyota Landcruiser



QLS3668S
Hyundai Terracan



QLS3669S
Hyundai Terracan



QLS3670S
Ford Maverick
Mazda Tribute



QLS3671S
Lexus LS430



QLS3672S
Lexus LS430



QLS3673S
Lexus LS430



QLS3674S
Mazda CX-7, MX5, RX8



QLS3675S
Mazda CX-7, MX5, RX8



QLS3676S
Mercedes 203 Series C-Klasse,
209 Series CLK-Klasse



QLS3677S
Honda Stream



QLS3678S
Honda Stream



QLS3679S
Mercedes 230 Series SL-Klasse



QLS3680S
Mercedes 230 Series SL-Klasse



QLS3681S
BMW X5, X6



QLS3682S
BMW X5, X6



QLS3683S
Lexus GS300, GS300,GS430



QLS3684S
Lexus GS300, GS300,GS430



QLS3685S
Honda Civic, CRX



QLS3686S
Honda Civic, CRX



QLS3687S
Lexus GS300,GS430



QLS3688S
Lexus LS400



QLS3689S
Mitsubishi Spacewagon



QLS3690S
Toyota MR2



QLS3691S
Toyota MR2



QLS3692S
Toyota MR2



QLS3694S
Toyota Supra



QLS3695S
Lexus IS200,IS300



QLS3696S
Chrysler Cherokee, Grand Cherokee
Jeep Cherokee, Grand Cherokee



QLS3697S
Honda FR-V



QLS3698S
Honda FR-V



QLS3699S
Honda CR-V



QLS3700S
Honda CR-V



QLS3701S
Honda CR-V



QLS3702S
Hyundai Santa Fe
Kia Sorento



QLS3703S
Kia Carens



QLS3704S
Kia Carens



QLS3705S
SsangYong Korando



QLS3706S
SsangYong Korando



QLS3707S
Nissan Pathfinder



QLS3708S
Nissan Pathfinder



QLS3709S
Daihatsu Sirion
Subaru Justy



QLS3710S
Daihatsu Sirion
Subaru Justy



QLS3711S
Kia Carens, Mentor, Shuma



QLS3712S
Kia Carens



QLS3713S
Kia Carens



QLS3714S
Hyundai Matrix
Kia Cerato



QLS3715S
Hyundai Terracan



QLS3716S
Hyundai Sonata



QLS3717S
Hyundai Sonata



QLS3718S
Hyundai Accent



QLS3719S
Mitsubishi Outlander



QLS3720S
Honda Civic



QLS3721S
Honda Civic



QLS3722S
Mercedes 163 Series M Klasse



QLS3723S
Toyota Landcruiser



QLS3724S
Hyundai i30
Kia Cee'd



QLS3725S
Chrysler Cherokee,
Grand Cherokee



QLS3726S
Chevrolet Captiva
Opel Antara
Vauxhall Antara



QLS3727S
Toyota Auris, Avensis



QLS3728S
Hyundai i10



QLS3729S
Hyundai i10



QLS3730S
Opel Signum, Vectra
Vauxhall Signum, Vectra



QLS3731S
Fiat Doblò



QLS3732S
Chrysler 300C



QLS3733S
Hyundai Santa Fe
Kia Sorento



QLS3734S
Hyundai Santa Fe
Kia Sorento



QLS3735S
Chrysler Grand Cherokee



QLS3736S
Chrysler Grand Cherokee



QLS3737S
Hyundai i20, ix20
Kia Picanto, Venga



QLS3738S
Hyundai i20, ix20
Kia Picanto, Venga



QLS3739S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QLS3740S
BMW 5 Series, 6 Series, 7 Series



QLS3741S
BMW 5 Series, 7 Series



QLS3742S
Fiat Doblò



QLS3743S
Renault Fluence



QLS3744S
Kia Carnival, Sedona



QLS3745S
Nissan Murano



QLS3746S
Nissan Murano



QLS3747S
Chevrolet Cruze
Opel Astra, Insignia, Zafira
Vauxhall Astra, Insignia, Zafira



QLS3748S
Aston Martin Cygnet
Toyota Iq



QLS3749S
Nissan Pixo
Suzuki Alto



QLS3750S
Mazda 6



QLS3751S
Mazda 6



QLS3752S
Mazda 6



QLS3753S
Iveco Daily



QLS3754S
Iveco Daily



QLS3755S
Citroën C3, DS3



QLS3756S
Toyota Hilux



QLS3757S
Toyota Hilux



QLS3758S
Nissan Qashqai, X-Trail
Renault Koleos



QLS3759S
Nissan Qashqai, X-Trail
Renault Koleos



QLS3760S
Kia Soul



QLS3761S
Kia Soul



QLS3762S
Renault Megane, Scenic



QLS3763S
Hyundai ix35
Kia Sportage



QLS3764S
Hyundai ix35
Kia Sportage



QLS3768S
Fiat Doblò



QLS3769S
Land Rover Freelander



QLS3770S
Land Rover Freelander



QLS3771S
Fiat Panda



QLS3772S
Nissan NV400
Opel Movano
Renault Master
Vauxhall Movano



QLS3773S
Ford C-Max, Focus, Kuga, Transit Connect



QLS3774S
Nissan Juke, Qashqai
Renault Kadjar



QLS3775S
Chrysler Voyager



QLS3776S
Honda Accord



QLS3777S
Honda Accord



QLS3778S
Dodge Nitro



QLS3779S
Toyota Hilux



QLS3780S
Hyundai i800, iLoad



QLS3781S
Hyundai i800, iLoad



QLS3782S
Hyundai i800, iLoad



QLS3783S
Hyundai i800, iLoad



QLS3785S
MCC Smart Fortwo



QLS3786S
Alfa Romeo Giulietta
Fiat 500, Punto



QLS3787S
Alfa Romeo Giulietta



QLS3788S
Alfa Romeo Giulietta



QLS3789S
BMW 5 Series



QLS3790S
BMW 5 Series



QLS3793S
Honda Jazz



QLS3794S
Toyota Avensis



QLS3795S
Toyota Camry



QLS3797S
Mitsubishi Colt



QLS3798S
Kia Sedona



QLS3799S
Kia Sedona



QLS3800S
Subaru Legacy



QLS3802S
Ford Kuga



QLS3803S
BMW X3



QLS3804S
BMW X3



QLS3805S
BMW X3



QLS3806S
BMW (Mini) Mini



QLS3807S
BMW (Mini) Mini



QLS3808S
BMW (Mini) Mini



QLS3809S
BMW (Mini) Mini



QLS3810S
Nissan Pick-Up



QLS3811S
Nissan Pathfinder



QLS3812S
Nissan Pathfinder



QLS3813S
Audi Q7



QLS3814S
Audi Q7



QLS3815S
BMW 1 Series, 2 Series, 3 Series, 4 Series



QLS3816S
BMW 1 Series, 2 Series, 3 Series, 4 Series, X1



QLS3817S
BMW 1 Series, 2 Series, 3 Series, 4 Series, X1



QLS3818S
Mercedes 117 Series CLA, 156 Series, 176 Series A-Klasse, 246 Series B-Klasse



QLS3819S
Mercedes 117 Series CLA, 176 Series A-Klasse, 246 Series B-Klasse



QLS3820S
BMW 1 Series, 2 Series, 3 Series, 4 Series



QLS3821S
Chevrolet Aveo



QLS3822S
Chevrolet Spark



QLS3823S
Ford C-Max, Focus
Volvo V40



QLS3824S
Hyundai i30
Kia Cee'd, Rio



QLS3826S
Hyundai i30
Kia Cee'd



QLS3827S
Mercedes 212 Series E-Klasse



QLS3828S
Mercedes 212 Series E-Klasse



QLS3829S
Nissan Micra



QLS3830S
Toyota Avensis



QLS3832S
Opel Meriva



QLS3833S
Opel Astra
Vauxhall Astra



QLS3834S
Opel Astra
Vauxhall Astra



QLS3835S
Ford C-Max, Focus
Volvo C30, S40,V40, V40



QLS3836S
Land Rover Discovery, Range Rover



QLS3837S
Volkswagen Amarok



QLS3838S
Volkswagen Amarok



QLS3839S
Mitsubishi Lancer



QLS3840S
Ford Galaxy, Mondeo, S-Max



QLS3841S
BMW 5 Series



QLS3842S
BMW 5 Series



QLS3844S
Honda Civic



QLS3845S
Honda Civic



QLS3854S
Ford Ranger



QLS3855S
Ford Ranger



QLS3856S
Ford Transit



QLS3857S
Opel Insignia
Vauxhall Insignia



QLS3861S
Ford Transit



QLS3862S
Hyundai i40



QLS3863S
Hyundai i40



QLS3865S
Hyundai Santa Fe



QLS3866S
Hyundai Santa Fe



QLS3882S
Lexus IS220d,IS250



QLS3883S
Lexus IS220d,IS250



QLS3884S
Lexus IS220d,IS250



QLS3885S
Lexus IS220d,IS250



QLS3888S
Mazda CX-5



QLS3889S
Mazda CX-5



QLS3890S
Mazda CX-5



QLS3898S
Mercedes Sprinter



QLS3899S
Mercedes Sprinter



QLS3900S
Mercedes 639 Series, Vito



QLS3904S
Mitsubishi L200



QLS3905S
Mitsubishi L200



QLS3908S
Nissan Murano



QLS3909S
Nissan Murano



QLS3910S
Nissan Murano



QLS3911S
Nissan Murano



QLS3921S
Peugeot 508



QLS3923S
Renault Clio



QLS3925S
Renault Latitude



QLS3926S
Renault Latitude



QLS3928S
Renault Vel Satis



QLS3934S
Opel Adam
Vauxhall Adam



QLS3935S
Opel Mokka



QLS3936S
Opel Mokka



QLS5266S
Citroën C2, C3, C4
Peugeot 206, 1007, 2008




QLS9237S
Peugeot 406



QP759TC
Ford Transit



QP766TC
LDV 200, 400, Convoy, Pilot



QR1118S
Lada Niva



QR1545S
Alfa Romeo Alfa 33



QR1555S
Volvo 700 Series, 940, 960



QR1676S
Saab 900



QR1707S
Renault R4,R6, R4



QR1741S
Citroën Berlingo, C4, C15, Xsara, ZX
Peugeot 205, 306, 307, 309, 505, Partner



QR1768S
Renault Espace, Express,Extra, R5, R21, R25



QR1774LHT
LDV 200



QR1774RHT
LDV 200



QR1783S
Alfa Romeo Alfa 75,90, RZ,SZ



QR1785S

Porsche	944
Volkswagen	Caddy, Caravelle, Golf, Scirocco, Transporter



QR1793S

Fiat	Panda
Seat	Marbella



QR1823S

Rover Group	Mini



QR1828S

Chevrolet	Lanos
Daewoo	Espero, Lanos, Nexia
Opel	Kadett
Vauxhall	Astra, Astra,Astramax,



QR1829S

Chevrolet	Lanos
Daewoo	Espero, Lanos, Nexia
Opel	Kadett
Vauxhall	Astra, Astra,Astramax,



QR1833S

Ford	Escort, Scorpio, Sierra



QR1834S

Ford	Escort, Scorpio, Sierra



QR1835S

Audi	80, 90, Cabriolet, Coupé, Coupé Quattro



QR1836S

Fiat	Panda
Seat	Marbella, Terra



QR1837S

Seat	Ibiza, Malaga



QR1838S

Rover Group	Maestro, Montego



QR1840S

Jaguar	XJ6, XJ8, XJ12, XJS, XK-8, XK-R



QR1841S

MCC Smart	Fortwo
Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo,



QR1843S

Opel	Arena
Renault	Trafic
Vauxhall	Arena



QR1849S

Nissan	200SX, Bluebird, Micra, Prairie



QR1988S

Hyundai	Pony, Stellar



QR2024S

Alfa Romeo	Alfa 75,90



QR2025S

Fiat	Fiorino, Panda, Uno
Lancia	Y10
Seat	Marbella, Terra



QR2026S

Fiat	Uno
Lancia	Y10



QR2034S

Fiat	Daily
Iveco	Daily



QR2046S

BMW	3 Series, Z1



QR2058S

Citroën	BX



QR2059S

Citroën	BX



QR2061S

Renault	Master



QR2064S

Citroën	C25
Fiat	Ducato, Talento
Peugeot	J5
Talbot	Express



QR2065S

Audi	100, 200, A6, V8



QR2066S

Audi	100, 200, A6, V8



QR2069S

Seat	Arosa, Cordoba, Ibiza, Inca, Toledo
Volkswagen	Corrado, Golf, Jetta, Lupo, Passat, Polo,



QR2084S

Suzuki	Alto



QR2085S

Suzuki	Alto



QR2105S

Peugeot	305, 405



QR2106S

Peugeot	305, 405



QR2118S

Citroën	C25
Fiat	Ducato, Talento
Peugeot	J5
Talbot	Express



QR2119S

Citroën	Xantia
Peugeot	205



QR2120S

Renault	Express,Extra, R5



QR2132S

Renault	R21



QR2133S

Ford	Fiesta



QR2134S

Ford	Escort



QR2135S

Ford	P100, Sierra



QR2136S

Opel	Corsa
Vauxhall	Nova



QR2141S

Citroën	BX



QR2202S

Renault	R21



QR2203S

Renault	Espace, R25



QR2212S

Ford	Granada, P100, Scorpio



QR2219S

Citroën	AX, C4, Saxo, Xantia, XM
Peugeot	106, 206, 305, 307, 605



QR2220S

Citroën	AX, C4, Saxo, Xantia, XM
Peugeot	106, 206, 305, 307, 605



QR2221S

Nissan	Micra



QR2224S

Rover Group	800



QR2225S
Rover Group 800



QR2226S
Ford Transit



QR2229S
Land Rover 90,110,130, Defender, Discovery



QR2230S
Land Rover 90,110,130, Defender, Discovery



QR2233S
BMW 5 Series, 7 Series, 8 Series



QR2234S
BMW 5 Series, 7 Series, 8 Series



QR2250S
Audi 100



QR2256S
Fiat Croma
Lancia Delta, Thema



QR2263S
Honda Civic, CRX, Shuttle



QR2264S
Honda Civic, CRX, Shuttle



QR2265S
Honda Civic, CRX, Shuttle



QR2274S
Lada Samara



QR2275S
Lada Samara



QR2276S
Lada Niva



QR2278S
Lancia Delta



QR2287S
Kia Mentor, Pride
Mazda 323



QR2289S
Mercedes 201 Series



QR2290S
Mercedes 201 Series



QR2291S
Mercedes 201 Series



QR2298S
Mercedes 124 Series



QR2299S
Mercedes 124 Series



QR2303S
Mitsubishi Colt, Lancer



QR2304S
Citroën C-Zero
Hyundai Lantra,Elantra
Mitsubishi Carisma, Colt, i-MiEV, Lancer, Space Star



QR2308S
Mitsubishi L200



QR2309S

Mitsubishi L200



QR2312S

Nissan 200SX



QR2321S

Seat Ibiza, Malaga



QR2322S

Seat Ibiza, Malaga



QR2324S

Toyota Camry, Celica, Corolla, RAV 4



QR2327S

Toyota Corolla



QR2328S

Opel Omega, Senator
Vauxhall Carlton, Senator



QR2329S

Opel Omega, Senator
Vauxhall Carlton, Senator



QR2330S

Opel Omega, Senator
Vauxhall Carlton, Senator



QR2331S

Opel Omega, Senator
Vauxhall Carlton, Senator



QR2334S

Opel Astra, Calibra, Vectra
Saab 9-3, 900
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



QR2335S

Opel Astra, Calibra, Vectra
Saab 9-3, 900
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



QR2356S

Volvo 400 Series, 480



QR2357S

Volvo 400 Series, 480



QR2358S

Volvo 400 Series, 480



QR2366S

Saab 9000



QR2371S

Fiat Croma
Lancia Thema



QR2374S

Audi 100



QR2377S

Ford Courier, Escort, Fiesta



QR2379S

Alfa Romeo Alfa 145,146, Alfa 155
Fiat Brava,Bravo, Coupé, Tempra, Tipo
Lancia Dedra, Delta



QR2380S

Alfa Romeo Alfa 145,146, Alfa 155
Fiat Brava,Bravo, Coupé, Tempra, Tipo
Lancia Dedra, Delta



QR2381S

Rover Group 100, Metro



QR2382S

Rover Group 100, Metro



QR2383S

Opel Astra, Calibra, Vectra
Saab 9-3, 900
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



QR2384S

Opel	Astra, Calibra, Vectra
Saab	9-3, 900
Vauxhall	Astra, Astra,Astramax, Calibra, Cavalier



QR2385S

London Taxi Int.	Fairway, FX4
Taxi	Fairway, FX4



QR2386S

London Taxi Int.	Fairway, FX4
Taxi	Fairway, FX4



QR2392S

Ford	Transit



QR2396S

Mazda	626



QR2397S

Ford	Transit
Mercedes	460 Series G-Wagen, MB100



QR2398S

Ford	Transit



QR2401S

Citroën	XM



QR2402S

Citroën	XM



QR2405S

Alfa Romeo	Alfa 164



QR2406S

Alfa Romeo	Alfa 164



QR2421S

BMW	3 Series



QR2423S

BMW	3 Series



QR2424S

BMW	3 Series



QR2425S

BMW	3 Series, Z3



QR2426S

BMW	3 Series, Z3



QR2450S

Hyundai	Sonata
Mitsubishi	Galant



QR2453S

Perodua	Nippa



QR2454S

Daihatsu	Charade



QR2455S

Perodua	Nippa



QR2459S

Daihatsu	Hijet



QR2460S

Daihatsu	Hijet



QR2462S

Fiat	Croma
Lancia	Thema



QR2463S

Fiat	Croma
Lancia	Thema



QR2464S
Fiat Brava,Bravo, Bravo, Tempra, Tipo
Lancia Dedra, Delta



QR2465S
Fiat Brava,Bravo, Tempra, Tipo, Uno
Lancia Dedra, Delta



QR2467S
Ford Escort, Orion



QR2471S
Ford Courier, Fiesta



QR2473S
Ford Transit



QR2475S
Fiat Fiorino, Uno



QR2502S
Mazda 626



QR2514S
Mercedes 124 Series



QR2515S
Mercedes 124 Series



QR2517S
Mercedes T1 601, T1 602, T1 611



QR2518S
Mercedes T1 601, T1 602



QR2519S
Mercedes T1 601, T1 602



QR2523S
Mercedes T1 601, T1 602



QR2524S
Mercedes T1 601, T1 602



QR2541S
Mitsubishi Galant



QR2574S
Honda Concerto
Rover Group 200, 400



QR2583S
Toyota Celica



QR2585S
Toyota Carina



QR2586S
Toyota Carina



QR2587S
Toyota Carina



QR2597S
Toyota 4-Runner, Hilux
Volkswagen Taro



QR2598S
Toyota Hilux
Volkswagen Taro



QR2603S
Seat Cordoba, Ibiza, Toledo
Volkswagen Corrado, Golf, Jetta



QR2609S
Volkswagen Caravelle, Transporter



QR2610S
Volkswagen LT



QR2611S
Volkswagen LT



QR2629S
Peugeot 305, 405



QR2631S
Renault R19



QR2635S
Opel Arena
Renault Trafic
Vauxhall Arena



QR2647S
Skoda Favorit,Forman, Felicia
Volkswagen Caddy



QR2650S
Saab 9000



QR2667S
Volkswagen LT



QR2668S
Volkswagen LT



QR2671S
Renault R19



QR2687S
Ford Escort, Granada, Orion



QR2688S
Ford Escort, Granada, Orion



QR2689S
Renault Clio



QR2690S
Renault Clio



QR2705S
Ford Transit



QR2706S
Alfa Romeo Alfa 33



QR2748S
Mercedes 124 Series, 129 Series



QR2749S
Mercedes 124 Series, 129 Series



QR2750S
Mercedes 124 Series, 129 Series



QR2751S
Mercedes 124 Series, 129 Series



QR2752S
Volkswagen Golf, Vento



QR2757S
Citroën AX, Saxo
Peugeot 106



QR2767S
Seat Arosa, Cordoba, Ibiza, Inca, Toledo
Volkswagen Corrado, Golf, Jetta, Lupo, Passat, Polo,



QR2768S
Saab 900



QR2769S

Daewoo	Espero, Nexia
Opel	Kadett
Vauxhall	Astra, Astra,Astramax, Belmont



QR2770S

Daewoo	Espero, Nexia
Opel	Kadett
Vauxhall	Astra, Astra,Astramax, Belmont



QR2773S

Daewoo	Espero, Nexia
Opel	Kadett
Vauxhall	Astra, Astra,Astramax, Belmont



QR2774S

Opel	Astra, Calibra, Vectra
Saab	9-3, 900
Vauxhall	Astra, Astra,Astramax, Calibra, Cavalier



QR2775S

Volkswagen	Caravelle, Transporter



QR2776S

Volkswagen	Caravelle, Transporter



QR2777S

Volkswagen	Caravelle, Transporter



QR2780S

Isuzu	Trooper
Opel	Campo, Frontera, Monterey
Vauxhall	Brava, Frontera,



QR2781S

Isuzu	Trooper
Opel	Campo, Frontera, Monterey
Vauxhall	Brava, Frontera,



QR2782S

Volkswagen	Caravelle, Transporter



QR2783S

Mercedes	T1 601, T1 602, T1 611



QR2800S

Daihatsu	Applause, Charade



QR2801S

Daihatsu	Applause, Charade



QR2814S

LDV	200, Pilot



QR2815S

LDV	200, Pilot



QR2818S

Hyundai	S Coupé, Stellar
Mitsubishi	L300



QR2821S

LDV	Cub
Nissan	Primera, Serena, Vanette



QR2822S

Nissan	100NX, Primera, Sunny

QR2823S

Nissan	100NX, Bluebird, Primera, Sunny



QR2828S

Nissan	Vanette



QR2829S

Nissan	Vanette



QR2830S

Nissan	Vanette



QR2832S

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



QR2833S

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



QR2834S
Peugeot 306



QR2835S
Renault Laguna



QR2836S
Renault Laguna



QR2837S
Renault Laguna



QR2839S
Renault Twingo



QR2840S
Renault Twingo



QR2841S
Renault Twingo



QR2842S
Toyota Corolla, RAV 4



QR2843S
Toyota Corolla



QR2844S
Alfa Romeo Alfa 145,146, Alfa 155
Fiat Coupé
Lancia Delta



QR2848S
Audi 100



QR2849S
Audi 100



QR2856S
Citroën Dispatch, Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



QR2857S
Citroën Dispatch, Evasion, Jumpy, Synergie
Fiat Coupé, Marea, Multipla, Scudo, Ulysse



QR2858S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QR2859S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QR2860S
Fiat Barchetta, Punto
Lancia Y



QR2861S
Fiat Punto
Lancia Y



QR2862S
Fiat Barchetta, Punto
Lancia Y



QR2863S
Ford Mondeo



QR2865S
Ford Mondeo



QR2866S
Ford Mondeo



QR2867S
Honda Accord
Rover Group 600



QR2868S
Honda Accord
Rover Group 600



QR2869S

Honda	Accord
Rover Group	600



QR2871S

Hyundai	Accent, Coupé, Lantra, Elantra, Pony, Sonata



QR2874S

Chrysler	Crossfire
Mercedes	170 Series SLK, 202 Series C-Klasse, 208 Series CLK-Klasse



QR2875S

Mitsubishi	3000 GT, L300



QR2888S

Volkswagen	Caravelle, Transporter



QR2889S

Volkswagen	Caravelle, Transporter



QR2890S

Volvo	700 Series



QR2891S

Volvo	850, 960, C70, S70, V70, S90,V90



QR2892S

Volvo	850, 960, C70, S70, V70, S90,V90



QR2893S

Volvo	850, C70, S70,V70



QR2894S

Renault	Safrane



QR2895S

Renault	Safrane



QR2896S

Renault	Safrane



QR2900S

Renault	R19



QR2901S

Renault	R19



QR2904S

Subaru	Justy
Suzuki	Baleno, Cappucino, Ignis, Liana, Swift, Wagon R



QR2926S

Ford	Courier, Fiesta, Ka



QR2928S

Opel	Vectra
Vauxhall	Vectra



QR2933S

Toyota	Carina, Picnic



QR2937S

Seat	Arosa
Volkswagen	Polo



QR2938S

Seat	Arosa, Cordoba, Ibiza, Toledo
Volkswagen	Polo



QR2948S

Ford	Scorpio



QR2949S

Ford	Scorpio



QR2954S

Audi	A4, A6, A8
Seat	Exeo
Skoda	Superb
Volkswagen	Passat



QR2972S
Renault — Kangoo, Megane, Scenic



QR2973S
Renault — Kangoo, Megane, Scenic



QR2985S
Opel — Vectra
Vauxhall — Vectra



QR2988S
Ford — Galaxy
Seat — Alhambra
Volkswagen — Sharan



QR2989S
Ford — Galaxy
Seat — Alhambra
Volkswagen — Sharan



QR2992S
Mazda — 121, 323, Demio, MX3, RX7



QR2995S
BMW — 5 Series



QR2996S
BMW — 5 Series



QR2998S
BMW — 7 Series



QR2999S
BMW — 7 Series



QR3002S
Mercedes — MB100



QR3007S
Mercedes — MB100



QR3011S
Mercedes — 210 Series E-Klasse



QR3012S
Mercedes — 210 Series E-Klasse



QR3013S
Mercedes — 210 Series E-Klasse



QR3015S
Mercedes — 140 Series



QR3023S
Volkswagen — Caravelle, Transporter



QR3024S
Volkswagen — Caravelle, Transporter



QR3025S
Opel — Omega
Vauxhall — Omega



QR3026S
Opel — Omega
Vauxhall — Omega



QR3027S
Opel — Omega
Vauxhall — Omega



QR3028S
Opel — Omega
Vauxhall — Omega



QR3037S
Ford — Transit



QR3040S
Audi — A3
Skoda — Octavia
Volkswagen — Golf



QR3041S

Audi	A3
Skoda	Octavia
Volkswagen	Golf



QR3055S

Ford	Cougar, Mondeo



QR3056S

Ford	Cougar, Mondeo



QR3057S

Mercedes	168 Series A Klasse



QR3058S

Mercedes	168 Series A Klasse



QR3071S

Citroën	Saxo
Peugeot	106



QR3073S

Mercedes	168 Series A Klasse



QR3076S

Citroën	Berlingo, Xsara, ZX
Peugeot	Partner



QR3078S

Renault	Clio



QR3079S

Renault	Clio



QR3081S

Citroën	AX, Saxo
Peugeot	106

QR3083S

Nissan	Micra



QR3088S

Ford	Mondeo



QR3089S

Ford	Mondeo



QR3158S

Renault	Clio



QR3161S

Ford	Escort, Granada, Scorpio, Sierra



QR3162S

Ford	Escort, Orion



QR3167S

Opel	Vectra
Vauxhall	Vectra



QR3196S

Opel	Astra, Zafira
Vauxhall	Astra, Zafira



QR3201S

Seat	Cordoba, Ibiza, Inca, Toledo
Volkswagen	Caddy, Golf, Passat, Polo



QR3202S

Seat	Cordoba, Ibiza, Inca, Toledo
Volkswagen	Caddy, Golf, Passat, Polo



QR3209S

Volkswagen	Passat



QR3219S

Volkswagen	Caravelle, Transporter



QR3220S

Volkswagen	Caravelle, Transporter



QR3229S
BMW 3 Series, Z4



QR3230S
BMW 3 Series, Z4



QR3231S
Ford Focus



QR3232S
Ford Focus



QR3233S
Ford Focus



QR3240S
Opel Corsa, Corsa,Combo, Tigra
Vauxhall Corsa, Corsa,Combo, Tigra



QR3250S
Seat Arosa
Volkswagen Lupo, Polo



QR3251S
Seat Arosa
Volkswagen Lupo, Polo



QR3259S
Audi A1, A3
Seat Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf



QR3260S
Audi A1, A3
Seat Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf



QR3264S
Ford Courier, Fiesta, Ka



QR3265S
Ford Courier, Fiesta, Puma
Mazda 121



QR3266S
Ford Galaxy
Seat Alhambra
Volkswagen Sharan



QR3267S
Ford Mondeo
Jaguar X-Type



QR3268S
Ford Mondeo
Jaguar X-Type



QR3269S
Ford Mondeo



QR3270S
Honda Civic



QR3271S
Honda Civic



QR3272S
Hyundai Accent, Matrix



QR3273S
Hyundai Accent



QR3274S
Hyundai Accent



QR3275S
Citroën C4
Peugeot 307



QR3276S
Seat Cordoba, Ibiza
Skoda Fabia, Rapid, Roomster
Volkswagen Fox, Polo



QR3277S
Seat Cordoba, Ibiza
Skoda Fabia, Rapid, Roomster
Volkswagen Fox, Polo



QR3278S

Seat	Cordoba, Ibiza
Skoda	Fabia
Volkswagen	Fox, Polo



QR3279S

Toyota	Yaris



QR3280S

Toyota	Yaris



QR3281S

Opel	Corsa, Corsa,Combo
Vauxhall	Corsa, Corsa,Combo



QR3284S

Ford	Transit



QR3285S

Ford	Transit



QR3286S

Ford	Transit

QR3287S

Ford	Transit Connect



QR3288S

Ford	Focus, Transit Connect



QR3289S

Ford	Fiesta, Fusion
Mazda	2



QR3290S

Ford	Fiesta, Fusion
Mazda	2



QR3292S

Ford	Fiesta, Fusion
Mazda	2



QR3293S

BMW (Mini)	Mini



QR3294S

BMW (Mini)	Mini



QR3295S

BMW (Mini)	Mini



QR3296S

Fiat	Croma
Opel	Signum, Vectra
Saab	9-3, 9-5
Vauxhall	Signum, Vectra



QR3297S

Fiat	Croma
Opel	Signum, Vectra
Saab	9-3, 9-5
Vauxhall	Signum, Vectra



QR3298S

Opel	Vectra
Saab	9-3
Vauxhall	Vectra



QR3299S

Citroën	C2, C3
Peugeot	1007



QR3300S

Citroën	C2, C3
Peugeot	1007



QR3301S

Citroën	C2, C3
Peugeot	1007



QR3302S

Volvo	S60, S80, V70,XC70



QR3303S

Volvo	S60, S80, V70,XC70



QR3304S

Fiat	Doblò



QR3305S
Volvo S60, S80, V70,XC70, XC60



QR3306S
Ford Scorpio



QR3308S
Kia Carens



QR3309S
Land Rover Freelander



QR3310S
Mitsubishi Galant



QR3311S
Nissan Primastar
Opel Vivaro
Renault Espace, Grand Espace, Laguna, Trafic,



QR3312S
Nissan Primastar
Opel Vivaro
Renault Espace, Grand Espace, Laguna, Trafic,



QR3316S
Skoda Felicia



QR3317S
Skoda Felicia
Volkswagen Caddy



QR3318S
Audi A2



QR3319S
Audi A2



QR3320S
Opel Agila
Suzuki Wagon R
Vauxhall Agila



QR3321S
Opel Agila
Vauxhall Agila



QR3322S
BMW X5



QR3323S
BMW X3, X5



QR3325S
Volvo S40,V40



QR3326S
Volvo S40,V40



QR3327S
Volvo S40,V40



QR3331S
Renault Megane



QR3334S
Audi A4, A6
Seat Exeo
Skoda Superb



QR3335S
Renault Megane, Scenic



QR3336S
Renault Megane, Scenic



QR3337S
Renault Megane, Scenic



QR3338S
Nissan Kubistar, Micra
Renault Clio, Kangoo, Megane, Modus, Scenic, Twingo, Wind



QR3339S

Nissan	Kubistar, Micra
Renault	Clio, Kangoo, Megane, Modus, Scenic, Twingo, Wind



QR3340S

Renault	Clio



QR3341S

Renault	Clio



QR3342S

Renault	Clio



QR3343S

Nissan	Kubistar
Renault	Clio, Kangoo



QR3344S

Renault	Clio



QR3346S

Renault	Megane, Scenic



QR3347S

Renault	Megane, Scenic



QR3348S

Renault	Megane, Scenic



QR3349S

Renault	Megane



QR3350S

Citroën	C8, Dispatch, Jumpy
Fiat	Scudo, Ulysse
Lancia	Phedra
Peugeot	807, Expert



QR3351S

Citroën	C8
Fiat	Ulysse
Lancia	Phedra
Peugeot	807



QR3352S

Fiat	Doblò



QR3353S

Fiat	Doblò



QR3354S

Fiat	Doblò



QR3355S

Alfa Romeo	Alfa 145,146, Alfa 155, GTV, Spider
Fiat	Coupé, Marea
Lancia	Lybra



QR3356S

Lancia	Lybra



QR3357S

Mercedes	163 Series M Klasse



QR3358S

Mercedes	163 Series M Klasse



QR3361S

Mercedes	171 Series SLK, 203 Series C-Klasse, 209 Series CLK-Klasse



QR3362S

Mercedes	171 Series SLK, 203 Series C-Klasse, 209 Series CLK-Klasse



QR3363S

Mercedes	203 Series C-Klasse, 209 Series CLK-Klasse, 211 Series E-Klasse, 215 Series CL-Klasse,



QR3364S

Mercedes	215 Series CL-Klasse, 220 Series S-Klasse, 230 Series SL-Klasse



QR3365S

Nissan	Primastar
Opel	Vivaro
Renault	Trafic
Vauxhall	Vivaro



QR3366S
Mercedes 210 Series E-Klasse



QR3367S
Mercedes 210 Series E-Klasse



QR3368S
Mercedes 210 Series E-Klasse



QR3369S
Mazda MX5



QR3370S
Honda Civic



QR3371S
Subaru Forester, Impreza, Legacy



QR3374S
Rover 25,MG ZR



QR3375S
Honda CR-V



QR3376S
BMW 3 Series, Z3



QR3377S
BMW 3 Series



QR3378S
Toyota Avensis, Carina



QR3380S
Peugeot 407



QR3381S
Peugeot 407



QR3382S
Citroën C6
Peugeot 407



QR3383S
Mazda 3, 5



QR3384S
Mazda 3, 5



QR3385S
Mazda 3, 5



QR3386S
Mazda 6



QR3387S
Mazda 6



QR3388S
Mazda 6



QR3389S
Opel Astra, Meriva, Zafira
Vauxhall Astra, Meriva, Zafira



QR3390S
Opel Astra, Meriva, Zafira
Vauxhall Astra, Meriva, Zafira



QR3391S
Opel Meriva
Vauxhall Meriva



QR3392S
Opel Meriva
Vauxhall Meriva



QR3393S

Opel Meriva
Vauxhall Meriva



QR3394S

Seat Cordoba, Ibiza, Inca
Volkswagen Caddy, Polo



QR3395S

Seat Cordoba, Ibiza, Inca
Volkswagen Caddy, Polo



QR3396S

Nissan Micra



QR3397S

Nissan Micra



QR3398S

BMW 5 Series



QR3399S

BMW 5 Series



QR3400S

Fiat Idea
Lancia Musa



QR3401S

Fiat Idea
Lancia Musa



QR3402S

Fiat 500, Panda
Ford Ka



QR3403S

Fiat 500, Panda
Ford Ka



QR3404S

Fiat Panda



QR3405S

Toyota RAV 4



QR3406S

Toyota RAV 4



QR3407S

Toyota RAV 4



QR3408S

Toyota RAV 4



QR3409S

Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QR3410S

Honda Civic, CR-V



QR3411S

Honda Civic

QR3412S

Opel Astra
Vauxhall Astra



QR3413S

Opel Astra
Vauxhall Astra



QR3414S

Kia Carnival, Sedona



QR3415S

Kia Picanto, Rio



QR3416S

Kia Sorento



QR3417S
Kia Sorento



QR3418S
Kia Sorento



QR3419S
Kia Sorento



QR3420S
Ford C-Max, Focus
Volvo C30, C70, S40,V40



QR3421S
Ford C-Max, Focus
Volvo C30, C70, S40,V40



QR3422S
Ford C-Max, Focus, Kuga
Volvo C30, C70, S40,V40



QR3423S
Dacia Dokker, Lodgy, Logan, Sandero
Renault Logan



QR3424S
Dacia Dokker, Lodgy, Logan, Sandero
Renault Logan



QR3425S
Dacia Logan, Sandero
Renault Logan



QR3426S
Volvo S60, S80, V70,XC70



QR3427S
BMW 5 Series, 6 Series, 7 Series



QR3428S
Chrysler Neon, PT Cruiser



QR3429S
Mercedes 414 Series



QR3430S
Mercedes 414 Series



QR3431S
Mercedes 414 Series



QR3432S
Honda Jazz



QR3433S
Honda Jazz



QR3434S
Honda Jazz



QR3435S
Honda Jazz



QR3436S
Nissan Pixo
Opel Agila
Suzuki Alto, Splash, Swift
Vauxhall Agila



QR3437S
Opel Agila
Suzuki Splash, Swift
Vauxhall Agila



QR3438S
BMW 7 Series



QR3439S
Hyundai Tucson



QR3440S
Hyundai Tucson



QR3441S
Hyundai Tucson



QR3442S
Volvo XC60



QR3443S
Volvo XC60



QR3444S
Volvo 960, S90,V90



QR3445S
Honda Accord



QR3446S
Honda Accord



QR3447S
BMW 3 Series



QR3448S
Renault Twingo



QR3449S
Volkswagen Caravelle, Transporter



QR3450S
Volkswagen Caravelle, Transporter



QR3451S
Volkswagen Caravelle, Transporter



QR3452S
Audi S3, TT
Seat Leon
Volkswagen Beetle, Golf



QR3453S
BMW X3



QR3454S
Chrysler Grand Voyager, Voyager



QR3455S
Chrysler Cherokee, Grand Cherokee
Jeep Cherokee, Grand Cherokee,



QR3456S
Chrysler Cherokee, Grand Cherokee
Jeep Cherokee, Grand Cherokee,



QR3457S
Chevrolet Kalos
Daewoo Kalos



QR3458S
Chevrolet Kalos
Daewoo Kalos



QR3459S
Chevrolet Tacuma
Daewoo Tacuma



QR3460S
Chevrolet Tacuma
Daewoo Tacuma



QR3461S
Chevrolet Tacuma
Daewoo Tacuma



QR3462S
Honda HR-V



QR3463S
Hyundai Coupé, Lantra,Elantra, Trajet



QR3464S
Hyundai Get,Getz



QR3465S
Hyundai Sonata, XG30
Kia Magentis



QR3466S
Jaguar S-Type



QR3467S
Jaguar S-Type



QR3468S
Kia Carnival, Sedona



QR3469S
Kia Carnival, Sedona



QR3470S
Mazda 626



QR3472S
Mazda Premacy



QR3473S
Mazda 323, Premacy



QR3474S
Mercedes 639 Series, Vito



QR3475S
Mercedes 639 Series, Vito



QR3476S
Mitsubishi L200



QR3477S
Mitsubishi Montero, Pajero, Shogun



QR3478S
Mitsubishi Montero, Pajero, Shogun



QR3479S
Mitsubishi Montero, Pajero, Shogun



QR3480S
Nissan Almera



QR3481S
Nissan Almera



QR3482S
Nissan Pick-Up



QR3483S
Nissan Pick-Up



QR3485S
Nissan Pick-Up



QR3486S
Nissan Pick-Up, X-Trail



QR3487S
Renault Espace, Grand Espace, Vel Satis



QR3488S
Renault Clio, Modus



QR3489S
Subaru Forester, Impreza, Legacy



QR3490S
Suzuki Grand Vitara



QR3491S
Suzuki Grand Vitara



QR3492S
Suzuki Grand Vitara



QR3493S
Subaru Justy
Suzuki Swift



QR3494S
Toyota Avensis



QR3495S
Toyota Avensis



QR3496S
Toyota Camry



QR3497S
Toyota Camry



QR3498S
Toyota Celica



QR3499S
Toyota Celica



QR3500S
Toyota Celica



QR3501S
Toyota Corolla



QR3502S
Toyota Corolla, Prius



QR3503S
Toyota Corolla, Prius



QR3504S
Toyota Hiace



QR3505S
Toyota Hiace



QR3506S
Toyota Landcruiser



QR3507S
Toyota Landcruiser



QR3508S
Toyota Landcruiser



QR3509S
Toyota Landcruiser



QR3510S
Toyota Landcruiser



QR3511S
Toyota Landcruiser



QR3512S
Toyota MR2



QR3513S
Toyota MR2



QR3514S
Toyota MR2



QR3515S
Toyota Previa



QR3516S
Toyota Previa



QR3517S
Toyota Previa



QR3518S
Toyota Previa



QR3521S
Opel Frontera
Vauxhall Frontera



QR3522S
Opel Frontera
Vauxhall Frontera

QR3523S
Volvo 850, C70, S70,V70



QR3524S
Volvo S80



QR3525S
Volvo S80



QR3527S
Volkswagen Polo



QR3528S
Saab 9-5



QR3529S
Audi A6



QR3531S
BMW 5 Series, 6 Series



QR3532S
BMW 1 Series, 3 Series, X1



QR3533S
BMW 1 Series, 3 Series, X1, Z4



QR3534S
BMW 1 Series, 3 Series, X1, Z4



QR3535S
Honda Accord



QR3536S
Kia Picanto



QR3537S
Kia Picanto



QR3538S
Kia Rio



QR3539S
Land Rover Discovery



QR3540S
Mercedes 169 Series A-Klasse



QR3541S
Mercedes 169 Series A-Klasse



QR3542S
Mercedes 169 Series A-Klasse, 245 Series B-Klasse



QR3543S

Mercedes	169 Series A-Klasse, 245 Series B-Klasse



QR3544S

Mercedes	169 Series A-Klasse, 245 Series B-Klasse



QR3545S

Opel	Zafira
Vauxhall	Zafira



QR3546S

Citroën	C3, C-Elysee
Peugeot	207, 208, 301



QR3547S

Citroën	C3, C-Elysee
Peugeot	207, 208, 301



QR3548S

Citroën	C3
Peugeot	207



QR3550S

Alfa Romeo	MiTo
Fiat	Punto
Opel	Corsa
Vauxhall	Corsa



QR3551S

Mitsubishi	Carisma, Space Star



QR3552S

Citroën	C4
Peugeot	307



QR3555S

BMW	1 Series, 3 Series, X1



QR3556S

Alfa Romeo	MiTo
Fiat	Punto
Opel	Adam, Corsa
Vauxhall	Adam, Corsa



QR3557S

Alfa Romeo	MiTo
Fiat	Punto
Opel	Adam, Corsa
Vauxhall	Adam, Corsa



QR3558S

Ford	Galaxy, Mondeo, S-Max
Land Rover	Freelander
Volvo	S60, S80, V60, V70,



QR3559S

Ford	Galaxy, Mondeo, S-Max
Land Rover	Freelander
Volvo	S60, S80, V60, V70,



QR3560S

Audi	A2



QR3561S

Audi	A2



QR3562S

BMW	3 Series



QR3563S

BMW	X5



QR3566S

Opel	Astra, Zafira
Vauxhall	Astra, Zafira



QR3567S

Opel	Signum, Vectra
Saab	9-3
Vauxhall	Signum, Vectra



QR3568S

Audi	Q7
Porsche	Cayenne
Volkswagen	Amarok, Touareg



QR3569S

Audi	Q7
Porsche	Cayenne
Volkswagen	Amarok, Touareg



QR3570S

Mazda	MX5



QR3571S

Mazda	MX5



QR3572S
Lotus Elise



QR3573S
Citroën C1
Peugeot 107, 108
Toyota Aygo



QR3574S
Citroën C1
Peugeot 107, 108
Toyota Aygo



QR3575S
Citroën C1
Peugeot 107
Toyota Aygo



QR3576S
BMW (Mini) Mini



QR3577S
BMW (Mini) Mini



QR3578S
Volvo S80



QR3579S
Mercedes 639 Series, Vito



QR3580S
Citroën C4



QR3581S
Citroën C4



QR3582S
Citroën C4



QR3583S
Mercedes 211 Series E-Klasse



QR3584S
Mercedes 211 Series E-Klasse



QR3585S
Nissan Micra, Note, Tiida



QR3586S
Nissan Micra, Note, Tiida



QR3587S
Toyota MR2



QR3588S
Audi A4, A5, A8, Q5, TT



QR3589S
Alfa Romeo Alfa 159, Brera, Spider



QR3592S
Ford Galaxy, Mondeo, S-Max
Volvo S60, V60



QR3593S
Ford Maverick
Mazda Tribute



QR3594S
Chevrolet Lacetti, Nubira
Daewoo Lacetti, Nubira



QR3595S
Chevrolet Lacetti, Nubira
Daewoo Lacetti, Nubira



QR3596S
Fiat Palio



QR3597S
Hyundai Coupé, Lantra,Elantra
Kia Cerato



QR3598S
Hyundai Matrix, Santa Fe, Trajet



QR3599S
Iveco Daily



QR3601S
Mitsubishi L200



QR3602S
LDV Cub
Nissan Serena



QR3603S
Nissan X-Trail



QR3604S
Subaru Impreza



QR3605S
Subaru Impreza



QR3606S
Suzuki Jimny



QR3607S
Suzuki Jimny



QR3608S
Suzuki Baleno



QR3609S
Toyota Landcruiser



QR3610S
Audi Q7
Porsche Cayenne
Volkswagen Amarok, Touareg



QR3611S
Audi A8
Volkswagen Phaeton



QR3612S
Suzuki Carry



QR3613S
Suzuki Carry



QR3614S
Honda Civic
Rover 45,MG ZS
Rover Group 400



QR3615S
Seat Cordoba, Ibiza
Skoda Fabia
Volkswagen Fox, Polo



QR3616S
Nissan Primera



QR3617S
Citroën C4, DS4
Peugeot 308, 3008, 5008



QR3618S
Mercedes Sprinter
Volkswagen Crafter



QR3619S
Mercedes Sprinter
Volkswagen Crafter



QR3620S
Chevrolet Kalos
Daewoo Kalos



QR3621S
Honda Accord



QR3622S
Hyundai Accent



QR3623S
Opel Agila
Suzuki Ignis, Wagon R
Vauxhall Agila



QR3624S
Toyota Camry



QR3625S
Rover Cityrover



QR3626S
Chevrolet Epica, Evanda
Daewoo Evanda



QR3627S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QR3628S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QR3629S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QR3630S
Hyundai i30
Kia Cee'd



QR3631S
Hyundai i30
Kia Cee'd



QR3632S
Hyundai i30
Kia Cee'd



QR3633S
Land Rover Range Rover



QR3634S
Land Rover Range Rover



QR3635S
Nissan Qashqai, X-Trail
Renault Koleos



QR3636S
Nissan Qashqai, X-Trail
Renault Koleos



QR3637S
Mercedes 204 Series C-Klasse



QR3638S
Citroën Berlingo, C4, DS4
Peugeot 308, 3008, 5008, Partner, Partner Tepee



QR3639S
Citroën Berlingo, C4, DS4
Peugeot 308, 3008, 5008, Partner, Partner Tepee



QR3640S
Renault Laguna, Latitude



QR3641S
Renault Laguna, Latitude



QR3642S
Renault Laguna



QR3643S
Suzuki Grand Vitara



QR3644S
Suzuki Grand Vitara



QR3645S
Suzuki Grand Vitara



QR3646S
Toyota Landcruiser



QR3647S
Chrysler 300C



QR3648S
Alfa Romeo Alfa 159, Brera, Spider



QR3649S
Alfa Romeo Alfa 159, Brera, Spider



QR3651S
Chevrolet Lacetti, Nubira



QR3652S
Honda CR-V



QR3653S
Jaguar XJ8



QR3654S
Mitsubishi Lancer



QR3655S
Toyota Yaris



QR3656S
Toyota Yaris



QR3657S
Toyota Auris



QR3658S
Toyota Auris



QR3659S
MCC Smart Forfour
Mitsubishi Colt



QR3660S
Citroën Nemo
Fiat Fiorino, Linea, Qubo
Peugeot Bipper



QR3661S
Citroën Nemo
Fiat Fiorino, Linea, Qubo
Peugeot Bipper



QR3662S
Renault Kangoo



QR3663S
Renault Kangoo



QR3664S
Renault Fluence, Kangoo, Megane, Scenic



QR3665S
Chevrolet Captiva
Opel Antara, Mokka
Vauxhall Antara, Mokka



QR3666S
Chrysler 300C



QR3667S
Mercedes 221 Series S-Klasse



QR3668S
Mercedes 221 Series S-Klasse



QR3669S
Mitsubishi Montero, Pajero, Shogun



QR3670S
Mitsubishi Montero, Pajero, Shogun



QR3671S
Nissan Qashqai, X-Trail



QR3672S
Citroën C6
Peugeot 407



QR3673S
Citroën C6
Peugeot 407



QR3674S
Land Rover Range Rover



QR3675S
Opel Tigra
Vauxhall Tigra



QR3676S
Audi A4, A5, Q5



QR3677S
Audi A4, A5, Q5



QR3678S
Toyota RAV 4



QR3679S
Toyota RAV 4



QR3681S
Chevrolet Cruze
Opel Ampera, Astra, Insignia, Zafira
Vauxhall Ampera, Astra,



QR3682S
Opel Insignia
Vauxhall Insignia



QR3683S
Ford Kuga



QR3684S
Ford Kuga



QR3685S
Ford B-Max, EcoSport, Fiesta, Transit Courier



QR3686S
Ford B-Max, EcoSport, Fiesta, Transit Courier



QR3687S
Ford B-Max, Fiesta, Transit Courier



QR3688S
BMW (Mini) Mini



QR3689S
BMW (Mini) Mini



QR3690S
Renault Twingo



QR3691S
Honda Civic



QR3692S
Honda Civic



QR3693S
Honda Civic



QR3694S
Honda Civic



QR3695S
Toyota Avensis



QR3696S
Land Rover Range Rover



QR3697S
Nissan Navara, Pathfinder



QR3698S
Nissan Navara, Pathfinder



QR3699S
Nissan Navara, Pathfinder



QR3700S
Nissan Primera



QR3701S
Toyota Avensis



QR3702S
Toyota Avensis



QR3703S
Nissan Almera



QR3704S
Iveco Daily



QR3705S
Toyota Avensis



QR3706S
Land Rover Discovery



QR3707S
Land Rover Discovery



QR3708S
Audi TT



QR3709S
Audi TT



QR3710S
Toyota Yaris



QR3711S
Fiat Sedici
Suzuki SX4



QR3712S
Citroën Dispatch, DS4, Jumpy
Fiat Scudo
Peugeot Expert



QR3713S
Citroën Dispatch, Jumpy
Fiat Scudo
Peugeot Expert



QR3714S
Audi A8
Volkswagen Phaeton



QR3715S
BMW X5, X6



QR3716S
BMW 3 Series



QR3717S
BMW 3 Series



QR3721S
Mitsubishi Space Runner, Spacewagon



QR3722S
Jaguar S-Type



QR3723S
Jaguar S-Type



QR3724S
Honda S2000



QR3725S
Ford Maverick
Mazda Tribute



QR3726S
Mazda MPV



QR3727S
MCC Smart City Coupé,Cabrio, Fortwo, Roadster



QR3728S
Chrysler Neon



QR3729S
Renault Kangoo



QR3730S
Lexus LS400



QR3731S
Lexus LS400



QR3732S
Daewoo Korando, Musso
SsangYong Korando, Musso



QR3733S
Mazda RX8



QR3734S
Mazda RX8



QR3735S
Citroën C-Crosser
Mitsubishi Grandis, Lancer, Outlander
Peugeot 4007



QR3736S
Mazda RX8



QR3737S
Citroën C-Crosser
Mitsubishi Lancer, Outlander
Peugeot 4007



QR3738S
Toyota Prius



QR3739S
Toyota Prius



QR3740S
Toyota Prius



QR3741S
Fiat Sedici
Suzuki SX4



QR3742S
Fiat Sedici
Suzuki SX4



QR3743S
Jaguar S-Type



QR3744S
Chrysler Grand Voyager, Voyager



QR3745S
Mitsubishi Pajero Pinin, Shogun Pinin



QR3746S
Mazda E Series



QR3747S
Nissan Almera



QR3748S
Daihatsu Terios



QR3749S
Daihatsu Sirion, YRV



QR3750S
Toyota Celica



QR3751S
Lexus LS400



QR3752S
Lexus LS400



QR3753S
Lexus IS200,IS300



QR3754S
Lexus IS200,IS300



QR3755S
Porsche 911, Boxster



QR3756S
Mitsubishi L200



QR3757S
Lexus GS300,GS430



QR3758S
Lexus GS300,GS430



QR3759S
Mitsubishi Outlander



QR3760S
Chrysler Grand Cherokee
Jeep Grand Cherokee



QR3761S
Honda FR-V

QR3762S
Honda S2000



QR3763S
Hyundai Sonata



QR3764S
Kia Carens



QR3765S
Kia Carens



QR3766S
SsangYong Korando



QR3767S
SsangYong Korando



QR3768S
Kia Carens



QR3769S
Kia Carens



QR3770S
Lexus GS300,GS430,
GS450h, GS460



QR3771S
Lexus GS300,GS430,
GS450h, GS460



QR3772S
Kia Rio



QR3773S
Kia Rio



QR3774S
Daihatsu Sirion
Subaru Justy



QR3775S
Hyundai Sonata



QR3776S
Hyundai Sonata



QR3777S
Lexus IS200,IS300



QR3778S
Lexus LS430



QR3779S
Lexus LS430



QR3780S
Suzuki Alto



QR3781S
Mercedes 164 Series M-Klasse,
164 Series GL-Klasse,
251 Series R-Klasse



QR3782S
Mercedes 164 Series M-Klasse,
164 Series GL-Klasse,
251 Series R-Klasse



QR3783S
Mercedes 164 Series M-Klasse,
164 Series GL-Klasse,
251 Series R-Klasse



QR3784S
Hyundai Santa Fe



QR3785S
Mercedes 171 Series SLK



QR3786S
Suzuki Liana



QR3787S
Chrysler Grand Cherokee



QR3788S
Chrysler Grand Cherokee



QR3789S
Toyota Corolla



QR3790S
Hyundai i10



QR3791S
Opel Vectra
Vauxhall Vectra



QR3792S
Mercedes 204 Series C-Klasse



QR3793S
Mercedes 204 Series C-Klasse



QR3794S
Audi TT
Seat Leon
Volkswagen Golf



QR3795S
Honda HR-V



QR3796S
BMW X5, X6



QR3797S
Honda Civic



QR3798S
Honda Civic



QR3800S
Hyundai i10



QR3801S
Hyundai Santa Fe
Kia Sorento



QR3802S
Hyundai Santa Fe
Kia Sorento



QR3803S
Chrysler Grand Cherokee



QR3804S
Chrysler Grand Cherokee



QR3807S
Citroën Berlingo
Peugeot Partner, Partner Tepee, RCZ



QR3808S
BMW (Mini) Mini



QR3809S
Toyota Avensis



QR3810S
Suzuki Ignis, Wagon R



QR3811S
Jaguar X-Type



QR3812S
BMW 5 Series, 6 Series, 7 Series



QR3813S
Ford Ka



QR3814S
Honda CR-V



QR3815S
Citroën C3, DS3



QR3816S
Citroën Berlingo, Xsara
Peugeot Partner



QR3817S
Hyundai i20



QR3818S
Renault Scenic



QR3819S
Aston Martin Cygnet
Toyota Iq



QR3820S
Audi A1, A2
Seat Ibiza
Skoda Rapid
Volkswagen Polo



QR3821S
Dodge Nitro



QR3822S
Dodge Nitro



QR3823S
Mitsubishi Grandis



QR3824S
Mazda 6




QR3825S
Nissan Pixo
Suzuki Alto



QR3826S
Volvo XC60



QR3827S
Volvo XC60



QR3828S
Chevrolet Captiva
Opel Antara
Vauxhall Antara



QR3829S
Citroën C3, DS3



QR3830S
Citroën C3, DS3



QR3831S
Hyundai ix35
Kia Sportage



QR3832S
Hyundai ix55



QR3833S
Citroën C5



QR3834S
Hyundai i800



QR3835S
Hyundai i20, ix20
Kia Soul, Venga



QR3836S
Hyundai i20, ix20
Kia Soul, Venga



QR3837S
Toyota Hilux



QR3838S
Opel Corsa, Corsa,Combo
Vauxhall Corsa, Corsa,Combo



QR3839S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QR3840S
Nissan NV400
Opel Movano
Renault Master
Vauxhall Movano



QR3841S
Nissan NV400
Opel Movano
Renault Master
Vauxhall Movano



QR3842S
Nissan NV400
Opel Movano
Renault Master
Vauxhall Movano



QR3843S
Fiat Panda



QR3844S
Citroën Nemo
Fiat Fiorino, Linea, Qubo
Peugeot Bipper



QR3845S
Isuzu D-Max



QR3846S
MCC Smart Fortwo



QR3847S

Subaru Forester, Impreza



QR3848S

Hyundai Accent
Kia Rio



QR3849S

Hyundai Accent
Kia Rio



QR3850S

Mazda 2



QR3851S

Mazda 2



QR3852S

Mazda 2



QR3853S

Toyota Hilux



QR3854S

Toyota Hilux



QR3855S

Suzuki Carry



QR3856S

Chrysler Cherokee, Grand Cherokee
Jeep Cherokee, Grand Cherokee



QR3857S

Citroën C5
Peugeot 508



QR3858S

Citroën C5
Peugeot 508



QR3859S

Fiat Doblò



QR3860S

Fiat Doblò



QR3861S

Hyundai i800



QR3862S

Hyundai i800



QR3863S

Mercedes 204 Series C-Klasse, 221 Series S-Klasse



QR3864S

Mercedes 204 Series C-Klasse, 221 Series S-Klasse



QR3865S

Mercedes 204 Series C-Klasse, 221 Series S-Klasse



QR3866S

Chevrolet Cruze, Volt
Opel Ampera, Astra
Vauxhall Ampera, Astra



QR3867S

Chevrolet Cruze
Opel Astra
Vauxhall Astra



QR3868S

Dacia Duster



QR3869S

Dacia Duster



QR3870S

Dacia Duster



QR3871S
Nissan Juke



QR3872S
Nissan Juke



QR3873S
MCC Smart Fortwo



QR3874S
Alfa Romeo Giulietta



QR3875S
Alfa Romeo Giulietta



QR3876S
BMW 5 Series, 6 Series, 7 Series



QR3877S
BMW 5 Series, 6 Series, 7 Series



QR3878S
Chrysler Voyager



QR3879S
Chevrolet Spark



QR3880S
Fiat Doblò



QR3881S
Renault Fluence, Megane, Scenic



QR3882S
Renault Fluence, Megane, Scenic



QR3883S
Peugeot 508



QR3884S
Citroën DS4



QR3885S
Citroën DS5



QR3886S
Toyota RAV 4



QR3887S
Mazda CX-7



QR3888S
Mazda CX-7



QR3889S
Mazda CX-7



QR3890S
BMW X3



QR3891S
Nissan Tiida



QR3893S
Honda CR-V



QR3894S
BMW X3



QR3895S
BMW (Mini) Mini



QR3896S

BMW (Mini)	Mini



QR3897S

BMW (Mini)	Mini



QR3898S

BMW (Mini)	Mini



QR3899S

Honda	CR-V



QR3900S

Hyundai	ix35
Kia	Sportage



QR3901S

Hyundai	i40, ix35
Kia	Sportage



QR3902S

Hyundai	i40
Land Rover	Discovery



QR3903S

Citroën	C4
Peugeot	208, 2008



QR3904S

Citroën	C4
Peugeot	208, 2008



QR3905S

Citroën	C4
Peugeot	208, 2008



QR3906S

Nissan	Murano



QR3907S

Nissan	Murano



QR3908S

Ford	C-Max, Focus, Kuga, Transit Connect



QR3909S

Ford	C-Max, Focus, Kuga, Transit Connect



QR3910S

Ford	C-Max, Focus, Kuga, Transit Connect
Volvo	V40



QR3911S

Nissan	Murano



QR3912S

Renault	Captur, Clio



QR3913S

Renault	Captur, Clio



QR3914S

Renault	Captur, Clio



QR3915S

Seat	Mii
Skoda	Citigo
Volkswagen	Up!



QR3916S

Seat	Mii
Skoda	Citigo
Volkswagen	Up!



QR3917S

Seat	Mii
Skoda	Citigo
Volkswagen	Up!



QR3918S

BMW	1 Series, 2 Series, 3 Series, 4 Series



QR3919S

BMW	1 Series, 2 Series, 3 Series, 4 Series



QR3920S
BMW 1 Series, 2 Series, 3 Series, 4 Series



QR3921S
Mercedes 117 Series CLA, 156 Series, 176 Series A-Klasse, 246 Series B-Klasse



QR3922S
Mercedes 117 Series CLA, 156 Series, 176 Series A-Klasse, 246 Series B-Klasse



QR3923S
Mercedes 117 Series CLA, 156 Series, 176 Series A-Klasse, 246 Series B-Klasse



QR3924S
Audi A4, A6, A7, Q5



QR3925S
Audi A4, A6, A7, Q5



QR3926S
Chevrolet Spark



QR3927S
Honda Jazz



QR3928S
Honda Jazz



QR3929S
Honda Jazz



QR3930S
Hyundai ix20
Kia Soul, Venga



QR3931S
Hyundai i30
Kia Cee'd



QR3932S
Hyundai i30
Kia Cee'd



QR3933S
Hyundai i30
Kia Cee'd



QR3934S
Land Rover Range Rover



QR3935S
Land Rover Range Rover



QR3936S
Mercedes 212 Series E-Klasse



QR3937S
Mercedes 212 Series E-Klasse



QR3938S
Mercedes 212 Series E-Klasse



QR3939S
Mazda 6



QR3940S
Mazda 6



QR3941S
Nissan Micra



QR3942S
Nissan Micra



QR3943S
Nissan Micra



QR3944S
Nissan Juke



QR3945S
Opel Meriva
Vauxhall Meriva



QR3946S
Opel Meriva
Vauxhall Meriva



QR3947S
Toyota Avensis



QR3948S
Toyota Avensis



QR3949S
Toyota Avensis



QR3953S
Volvo S60, V60



QR3954S
Honda Accord



QR3955S
Honda Accord



QR3956S
Honda Accord



QR3957S
Audi A6, A7, A8, Q5



QR3959S
Opel Astra
Vauxhall Astra



QR3960S
Opel Astra
Vauxhall Astra



QR3961S
Opel Astra
Vauxhall Astra



QR3962S
Opel Astra
Vauxhall Astra



QR3963S
Opel Astra
Vauxhall Astra



QR3964S
Citroën C3
Peugeot 1007



QR3965S
Citroën C3
Peugeot 1007



QR3966S
Citroën C3
Peugeot 1007



QR3967S
BMW 5 Series



QR3968S
Honda Civic



QR3969S
Honda Civic



QR3970S
Honda Civic



QR3971S
Chevrolet Aveo



QR3972S
Chevrolet Aveo
Opel Mokka
Vauxhall Mokka



QR3976S
Citroën C-Elysee
Peugeot 301



QR3977S
Ford Mondeo



QR3978S
Ford Mondeo



QR3979S
Ford Ranger



QR3980S
Ford Transit, Transit Custom



QR3981S
Ford Transit, Transit Custom



QR3982S
Opel Astra
Vauxhall Astra



QR3983S
Fiat Panda



QR3984S
Honda FR-V



QR3985S
Hyundai i40



QR3987S
Audi TT



QR3989S
Kia Sedona



QR3993S
Lexus IS220d,IS250



QR3994S
Hyundai i10



QR3995S
Hyundai i10



QR3996S
Citroën C4
Mitsubishi ASX



QR3997S
Citroën C4
Mitsubishi ASX



QR3998S
Citroën C4



QR3999S
Mitsubishi Shogun



QR4000S
Citroën C4
Peugeot 308



QR4001S
Citroën C4
Peugeot 308



QR4002S
Peugeot 308



QR4003S
Nissan Murano



QR4004S
Land Rover Range Rover



QR4005S
Porsche 911, Boxster, Cayman



QR4006S
Porsche 911, Boxster, Cayman



QR4008S
Renault Latitude



QR4009S
Nissan Qashqai
Renault Kadjar



QR4010S
Nissan Qashqai
Renault Kadjar



QR4013S
Suzuki Swift



QR4014S
Suzuki Swift



QR4016S
Opel Adam
Vauxhall Adam



QR4017S
Opel Mokka
Vauxhall Mokka



QR4018S
Opel Zafira
Vauxhall Zafira



QR4021S
Volkswagen Passat



QR4022S
Ford Mondeo



QR4023S
Chevrolet Aveo



QR4030S
Audi A8



QR4031S
Audi A8



QR4036S
Fiat 500



QR4037S
Fiat 500



QR4040S
Ford Ranger



QR4041S
Ford Ranger



QR4042S
Ford Ranger



QR4043S
Ford Ranger



QR4044S
Hyundai Santa Fe



QR4045S
Jaguar S-Type



QR4046S
Hyundai Santa Fe



QR4047S
Hyundai Santa Fe



QR4048S
Jaguar XF



QR4049S
Jaguar XF



QR4050S
Kia Sedona



QR4051S
Kia Sedona



QR4052S
Kia Picanto



QR4053S
Kia Picanto



QR4054S
Kia Sorento



QR4055S
Kia Sorento



QR4058S
Lexus IS220d,IS250



QR4059S
Lexus IS220d,IS250



QR4062S
Mercedes
204 Series GLK-Klasse



QR4063S
Mercedes
204 Series GLK-Klasse



QR4067S
Peugeot 508



QR4068S
Peugeot 508



QR4075S
Toyota Landcruiser



QR4076S
Toyota Landcruiser



QR4079S
Toyota Prius



QR4080S
Toyota Prius



QR4082S
Volkswagen Caddy, Golf, Scirocco



QR4192S
Renault R4,R6, R4



QR4193S
Renault Espace



QR5005S
Audi 80, 90, Cabriolet, Coupé, Coupé Quattro



QR5007S

Audi	80, 90, Cabriolet, Coupé, Coupé Quattro

QR5012S

BMW	3 Series



QR5014S

Citroën	XM
Peugeot	605



QR5045S

Renault	R21

QR5046S

Renault	R21



QR5058S

Seat	Cordoba, Ibiza, Toledo
Volkswagen	Golf, Jetta



QR5063S

Volvo	700 Series, 940, 960



QR5083S

Skoda	Favorit,Forman

QR5086S

Citroën	Saxo
Peugeot	106



QR5087S

Citroën	Saxo
Peugeot	106



QR5088S

Citroën	AX



QR5091S

Toyota	Corolla



QR5092S

Volvo	700 Series, 940, 960



QR5209S

Volkswagen	Passat



QR5212S

BMW	5 Series



QR5213S

Alfa Romeo	Alfa 145,146, Alfa 155, GTV, Spider
Fiat	Coupé



QR5215S

Opel	Astra, Zafira
Vauxhall	Astra, Zafira



QR5216S

Nissan	Kubistar
Renault	Kangoo



QR5217S

Peugeot	309



QR5218S

Audi	A3
Skoda	Octavia
Volkswagen	Golf



QR5222S

Volkswagen	Passat



QR5223S

Mercedes	460 Series G-Wagen



QR5224S

Ford	Maverick
Nissan	Pick-Up, Terrano



QR5227S

Citroën	XM
Peugeot	605



QR5232S
Honda Legend



QR5237S
Chevrolet Matiz
Daewoo Matiz



QR5239S
Hyundai Amica, Atos, Atoz



QR5240S
Hyundai H100



QR5242S
Kia Carens, Clarus, Mentor, Shuma



QR5243S
Daewoo Korando, Musso
SsangYong Korando, Musso



QR5246S
Mitsubishi Galant, L300, Pajero Pinin, Shogun Pinin, Sigma, Space Runner,



QR5248S
Nissan Pick-Up



QR5249S
Nissan Pick-Up



QR5250S
Ford Maverick
Nissan Pick-Up, Terrano



QR5251S
Nissan Almera, Maxima QX, QX



QR5254S
Toyota Hilux



QR5255S
Toyota Hilux



QR5256S
Toyota Previa



QR5257S
Toyota Previa



QR5258S
Rover Group 200, 400



QR5259S
Honda Concerto



QR5260S
Honda Prelude



QR5263S
Chevrolet Matiz
Daewoo Matiz



QR5264S
Chevrolet Matiz
Daewoo Matiz



QR5265S
Hyundai Coupé, Lantra,Elantra



QR5266S
Hyundai H100



QR5267S
Hyundai Amica, Atos, Atoz



QR5268S
Land Rover Range Rover

QR5270S
Hyundai Lantra,Elantra, Sonata



QR5277S
Mazda 626, MX6, Xedos 6



QR5279S
Toyota Celica



QR5283S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QR5284S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QR5285S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QR5288S
Mazda 323, MX3



QR5289S
Toyota Yaris, Yaris Verso



QR5290S
Toyota Yaris, Yaris Verso



QR5292S
Land Rover Freelander



QR5293S
Land Rover Freelander



QR5294S
Land Rover Freelander



QR5295S
Land Rover Freelander



QR5300S
Rover 75,MG ZT



QR5301S
Rover 75,MG ZT



QR5302S
Rover MGF,MGTF



QR5303S
Land Rover Discovery,
Range Rover



QR5304S
Land Rover Discovery



QR5306S
Audi A3
Seat Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf



QR5307S
Daihatsu Hijet



QR5308S
Daihatsu Hijet



QR5309S
Fiat Bravo



QR5310S
Fiat Bravo



QR5311S
Hyundai Sonata, XG30



QR5312S
Hyundai Sonata, XG30



QR5315S
Nissan Patrol



QR5316S
Nissan Patrol



QR5317S
Suzuki Vitara



QR5318S
Opel Astra, Zafira
Vauxhall Astra, Zafira



QR5319S
Volkswagen Passat



QR5320S
Fiat Fiorino



QR5322S
Fiat Doblò



QR5323S
Audi A3, Q3
Seat Alhambra, Altea, Leon, Toledo
Skoda Octavia, Superb, Yeti



QR5324S
Audi A3, Q3
Seat Alhambra, Altea, Leon, Toledo
Skoda Octavia, Superb, Yeti



QR5325S
Audi A3, Q3
Seat Alhambra, Altea, Leon, Toledo
Skoda Octavia, Superb, Yeti



QR5328S
Citroën Berlingo, Xsara
Peugeot Partner



QR5329S
Citroën C5



QR5330S
Citroën C5



QR5331S
Citroën C5



QR5332S
Renault Laguna



QR6000S
Seat Toledo
Volkswagen Corrado, Golf, Vento



QR6001S
Volkswagen Corrado, Golf, Vento



QR6002S
Volkswagen LT



QR6003S
Mazda 323



QR900LHT
Mercedes 126 Series



QR900RHT
Mercedes 126 Series



QR9052S
Renault Megane, Scenic



QR9053S
Renault Espace, Grand Espace



QR9054S
Renault Espace, Grand Espace



QR9066S
Renault Clio



QR9067S
Renault Clio



QR9068S
Renault Clio



QR9074S
Renault Kangoo



QR9082S
Citroën AX, Saxo
Peugeot 106



QR9115S
Alfa Romeo Alfa 145,146



QR9116S
Alfa Romeo Alfa 145,146



QR9151S
Nissan Urvan



QR9159S
Nissan Pick-Up



QR9160S
Nissan Pick-Up



QR9161S
Toyota Paseo, Starlet



QR9163S
Toyota Carina, Picnic



QR9164S
Toyota Carina, Picnic



QR9165S
Toyota MR2, Paseo, Starlet



QR9171S
Toyota Hiace



QR9176S
Toyota Landcruiser



QR9178S
Toyota Landcruiser



QR9179S
Toyota Landcruiser



QR9185S
Toyota 4-Runner, Hilux
Volkswagen Taro



QR9192S
Honda Accord



QR9193S
Honda Accord, Shuttle



QR9194S
Honda Accord, Shuttle



QR9195S
Honda Civic, CRX



QR9199S
Honda — Civic, CR-V, CRX, Integra
Rover — 45,MG ZS
Rover Group — 400



QR9211S
Mazda — B Series



QR9216S
Ford — Econovan
Mazda — E Series



QR9231S
Peugeot — 406



QR9232S
Peugeot — 406



QR9233S
Citroën — Xantia
Peugeot — 406



QR9259S
Seat — Arosa
Volkswagen — Lupo



QR9278S
Mitsubishi — Carisma
Volvo — S40,V40



QR9282S
Mitsubishi — Colt, Lancer
Proton — Compact, Persona, Satria, Wira



QR9283S
Mitsubishi — L300



QR9284S
Mitsubishi — L200, Montero, Pajero, Shogun



QR9285S
Mitsubishi — Montero, Pajero, Shogun



QR9311S
Suzuki — Swift



QR9312S
Suzuki — Vitara, X-90



QR9313S
Suzuki — Vitara



QR9317S
Kia — Mentor, Pride



QR9332S
Hyundai — Accent, Lantra,Elantra, Pony, S Coupé



QR9334S
Hyundai — Accent, Pony, S Coupé



QR9336S
Hyundai — Sonata



QR9337S
Land Rover — Range Rover

QR9343S
Daewoo — Nubira



QR9344S
Chevrolet — Epica, Evanda
Daewoo — Evanda, Leganza



QR9345S
Daewoo — Leganza, Nubira



QR9368S
Toyota — Hiace



QR9370S

Honda	Civic, CR-V, CRX, Integra
Rover	45,MG ZS
Rover Group	400



QR9371S

Mazda	B Series



QR9374S

Seat	Arosa
Volkswagen	Lupo



QR9531S

Peugeot	206



QR9537S

Renault	Clio



QR9538S

Renault	Clio



QR9539S

Renault	Espace, Grand Espace



QR9540S

Saab	9-5



QR9541S

Saab	9-5

QR9543S

Subaru	Impreza, Legacy



QR9544S

Subaru	Impreza, Legacy



QR9546S

Toyota	Avensis, Carina



QR9547S

Toyota	Avensis, Carina



QR9548S

Lexus	RX300
Toyota	Camry



QR9549S

Toyota	Camry



QR9581S

Volvo	940, 960



QR9582S

Volvo	940, 960



QR9583S

Volvo	940, 960



QR9901S

Alfa Romeo	Alfa 147, Alfa 156, Alfa 166, GT
Lancia	Thesis



QR9902S

Alfa Romeo	Alfa 147, Alfa 156, Alfa 166, GT
Lancia	Thesis



QR9903S

Alfa Romeo	Alfa 156, GT



QR9907S

Alfa Romeo	Alfa 147, Alfa 166, GT



QR9921S

Alfa Romeo	Alfa 155
Fiat	Bravo, Coupé
Lancia	Delta



QR9922S

Alfa Romeo	Alfa 155
Fiat	Bravo, Coupé
Lancia	Delta



QR9925S

Alfa Romeo	Alfa 145,146, Alfa 155, GTV, Spider
Fiat	Coupé, Marea, Multipla
Lancia	Dedra



QR9926S

Fiat	Palio, Strada



QR9927S

Fiat	Palio, Strada



QR9933S

Ford	Probe
Mazda	323, 626, MPV, MX6, Premacy, Xedos 6



QR9934S

Nissan	Almera



QR9936S

Citroën	Xantia, XM
Peugeot	605, 607



QR9937S

Citroën	Xantia, XM
Peugeot	605, 607



QR9961S

Ford	Courier, Fiesta, Puma
Mazda	121



QR9962S

Fiat	Cinquecento, Seicento



QR9963S

Fiat	Cinquecento, Seicento



QR9964S

Ford	Courier, Fiesta, Puma
Mazda	121



QR9969S

Mercedes	Sprinter
Volkswagen	LT



QR9970S

Mercedes	Sprinter
Volkswagen	LT



QR9971S

Mercedes	638 Series V-Klasse, Vito



QR9972S

Mercedes	638 Series V-Klasse, Vito



QR9973S

Audi	A4, A6, A8
Skoda	Superb
Volkswagen	Passat



QR9975S

Fiat	Punto



QR9976S

Audi	S3, TT
Seat	Leon
Volkswagen	Beetle, Golf



QR9977S

Audi	S3, TT
Seat	Leon
Volkswagen	Beetle, Golf



QR9978S

Fiat	Bravo, Stilo
Lancia	Delta



QR9979S

Fiat	Stilo



QR9980S

Mercedes	163 Series M Klasse



QR9981S

Peugeot	406



QR9982S

Peugeot	607



QSA1001S
Audi 80, Cabriolet, Coupé, Coupé Quattro



QSA1004S
Renault Megane, R19



QSA1006S
Audi 80, Cabriolet, Coupé, Coupé Quattro



QSA1009S
Renault Megane, R19



QSA1014S
Seat Arosa
Volkswagen Lupo, Polo



QSA1015S
Seat Arosa
Volkswagen Lupo, Polo



QSA1026S
Peugeot 309



QSA1027S
Peugeot 309



QSA1028S
Renault Clio



QSA1029S
Renault Clio



QSA1038S
Peugeot 205



QSA1039S
Peugeot 205



QSA1044S
Peugeot 405



QSA1045S
Peugeot 405



QSA1062S
Fiat Uno



QSA1063S
Fiat Uno



QSA1083S
Fiat Tempra, Tipo
Lancia Dedra



QSA1084S
Fiat Tempra, Tipo
Lancia Dedra



QSA1295S
BMW 3 Series, Z3



QSA1296S
BMW 3 Series, Z3



QSA1348S
Fiat Barchetta, Punto
Lancia Y



QSA1349S
Fiat Barchetta, Punto
Lancia Y



QSA1355S
Ford Escort, Orion



QSA1356S
Ford Escort, Orion



QSA1359S
Citroën AX



QSA1360S
Citroën AX



QSA1365S
Citroën BX



QSA1366S
Citroën BX



QSA1373S
Citroën Xantia



QSA1374S
Citroën Xantia



QSA1375S
Citroën AX, Saxo
Peugeot 106



QSA1376S
Citroën AX, Saxo
Peugeot 106



QSA1385S
Peugeot 405



QSA1386S
Peugeot 405



QSA1393S
Renault Laguna



QSA1394S
Renault Laguna



QSA1395S
Renault Safrane



QSA1396S
Renault Safrane



QSA1397S
BMW 3 Series, Z1



QSA1398S
BMW 3 Series, Z1



QSA1424S
Ford Mondeo



QSA1425S
Ford Mondeo



QSA1426S
Opel Astra, Calibra, Vectra
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



QSA1427S
Opel Astra, Calibra, Vectra
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



QSA1428S
Ford Fiesta



QSA1429S
Ford Fiesta



QSA1431S
Ford Fiesta



QSA1432S
Ford Fiesta



QSA1446S

Seat	Cordoba, Ibiza, Inca, Toledo
Volkswagen	Caddy, Corrado, Golf, Jetta, Polo



QSA1447S

Seat	Cordoba, Ibiza, Inca, Toledo
Volkswagen	Caddy, Corrado, Golf, Jetta, Polo



QSA1450S

Volkswagen	Passat



QSA1451S

Volkswagen	Passat



QSA1452S

Seat	Arosa
Volkswagen	Polo



QSA1469S

Chevrolet	Lanos
Daewoo	Espero, Lanos, Nexia
Opel	Kadett
Vauxhall	Astra, Astra,Astramax,



QSA1470S

Chevrolet	Lanos
Daewoo	Espero, Lanos, Nexia
Opel	Kadett
Vauxhall	Astra, Astra,Astramax,



QSA1471S

Ford	Courier, Fiesta



QSA1472S

Ford	Courier, Fiesta



QSA1473S

Ford	Courier, Fiesta



QSA1474S

Ford	Courier, Fiesta



QSA1499S

Peugeot	406



QSA1500S

Peugeot	406



QSA1515S

Ford	Galaxy
Seat	Alhambra
Volkswagen	Sharan



QSA1516S

Ford	Galaxy
Seat	Alhambra
Volkswagen	Sharan



QSA1519S

Volkswagen	Golf, Vento



QSA1530S

Audi	80, 90, Coupé



QSA1531S

Audi	80, 90, Coupé



QSA1532S

Audi	A3
Seat	Leon, Toledo
Skoda	Octavia
Volkswagen	Beetle, Bora, Golf



QSA1533S

Audi	A3
Seat	Leon, Toledo
Skoda	Octavia
Volkswagen	Beetle, Bora, Golf



QSA1538S

Honda	Accord
Rover Group	600



QSA1539S

Honda	Accord
Rover Group	600



QSA1540S

Honda	Civic, CRX
Rover Group	400



QSA1541S

Honda	Civic, CRX
Rover Group	400



QSA1544S
Nissan Micra



QSA1545S
Nissan Micra



QSA1546S
Nissan Primera



QSA1547S
Nissan Primera



QSA1548S
Nissan Kubistar
Renault Clio, Kangoo



QSA1549S
Nissan Kubistar
Renault Clio, Kangoo



QSA1550S
Rover Group 100, Metro



QSA1551S
Rover Group 100, Metro



QSA1554S
Skoda Favorit,Forman



QSA1555S
Skoda Favorit,Forman



QSA1556S
Skoda Felicia



QSA1557S
Skoda Felicia



QSA1563S
Mercedes 140 Series



QSA1564S
Mercedes 140 Series



QSA1565S
Mercedes 201 Series



QSA1566S
Mercedes 201 Series



QSA1567S
Mercedes 201 Series



QSA1568S
Mercedes 201 Series



QSA1569S
Mercedes 124 Series, 129 Series, 201 Series



QSA1570S
Mercedes 124 Series, 129 Series, 201 Series



QSA1648S
Opel Omega
Vauxhall Omega



QSA1649S
Opel Omega
Vauxhall Omega



QSA1650S
Ford Fiesta



QSA1651S
Ford Fiesta



QSA1655S
Ford Courier



QSA1656S
Ford Courier



QSA1659S
Opel Vectra
Vauxhall Vectra



QSA1660S
Opel Vectra
Vauxhall Vectra



QSA1661S
Opel Astra, Zafira
Vauxhall Astra, Zafira



QSA1662S
Opel Astra, Zafira
Vauxhall Astra, Zafira



QSA1667S
Seat Toledo
Volkswagen Corrado, Golf, Vento



QSA1668S
Seat Toledo
Volkswagen Corrado, Golf, Vento



QSA1672S
Audi A3
Seat Leon, Toledo
Skoda Octavia
Volkswagen Beetle, Bora, Golf



QSA1673S
Volkswagen Passat



QSA1675S
Audi 80, 90



QSA1688S
Mercedes 140 Series



QSA1689S
Mercedes 140 Series



QSA1690S
Mercedes 168 Series A Klasse



QSA1691S
Mercedes 168 Series A Klasse



QSA1692S
Mercedes 124 Series, 201 Series



QSA1693S
Mercedes 124 Series, 201 Series



QSA1694S
Mercedes 170 Series SLK, 202 Series C-Klasse, 208 Series CLK-Klasse



QSA1695S
Mercedes 170 Series SLK, 202 Series C-Klasse, 208 Series CLK-Klasse



QSA1696S
Mercedes 170 Series SLK, 202 Series C-Klasse, 208 Series CLK-Klasse



QSA1697S
Mercedes 170 Series SLK, 202 Series C-Klasse, 208 Series CLK-Klasse



QSA1698S
Mercedes 210 Series E-Klasse



QSA1699S
Mercedes 210 Series E-Klasse



QSA1702S
Seat Toledo
Volkswagen Corrado, Golf, Vento



QSA1703S
Seat Toledo
Volkswagen Corrado, Golf, Vento



QSA1707S
BMW 3 Series, Z4



QSA1708S
BMW 3 Series, Z4



QSA1709S
Ford Focus



QSA1710S
Ford Focus



QSA1715S
Seat Arosa
Volkswagen Lupo, Polo



QSA1722S
Honda Accord



QSA1723S
Honda Accord



QSA1724S
Honda Accord



QSA1725S
Honda Accord



QSA1726S
Honda Accord
Rover Group 600



QSA1727S
Honda Accord
Rover Group 600



QSA1728S
Honda Accord



QSA1729S
Honda Accord



QSA1730S
Honda Accord



QSA1731S
Honda Accord



QSA1734S
Honda Civic



QSA1735S
Honda Civic



QSA1736S
Honda Civic, CRX
Rover 45,MG ZS
Rover Group 400



QSA1737S
Honda Civic, CRX
Rover 45,MG ZS
Rover Group 400



QSA1738S
Honda Civic



QSA1739S
Honda Civic



QSA1740S
Honda Civic
Rover 45,MG ZS
Rover Group 400



QSA1741S
Honda Civic
Rover 45,MG ZS
Rover Group 400



QSA1742S
Nissan Primera



QSA1743S
Nissan Primera



QSA1763S
Mitsubishi Carisma
Volvo S40,V40



QSA1767S
Volvo 850, S70,V70



QSA1768S
Fiat Palio



QSA1769S
Fiat Palio



QSA1770S
Seat Arosa
Volkswagen Polo



QSA1771S
Nissan 100NX, Sunny



QSA1772S
Citroën Xantia



QSA1773S
Ford Probe
Mazda 626, MX6



QSA1774S
Volvo 850, S70,V70



QSA1775S
Fiat Palio



QSA1776S
Fiat Palio



QSA1777S
Seat Arosa
Volkswagen Polo



QSA1778S
Nissan 100NX, Sunny



QSA1779S
Citroën Xantia



QSA1780S
Renault Espace, Grand Espace



QSA1781S
Renault Espace, Grand Espace



QSA1783S
Mitsubishi Carisma
Volvo S40,V40



QSA1784S
Alfa Romeo Alfa 166



QSA1785S
Alfa Romeo Alfa 147, Alfa 156, GT



QSA1787S
Alfa Romeo Alfa 166



QSA1788S
Alfa Romeo Alfa 147, Alfa 156, GT



QSA1790S
Ford Probe
Mazda 626, MX6



QSA1857S
Daewoo Nubira



QSA1858S
Daewoo Nubira



QSA1859S
Daewoo Leganza



QSA1860S
Daewoo Leganza



QSA1861S
Hyundai H100



QSA1862S
Hyundai H100



QSA1863S
Hyundai H100



QSA1864S
Hyundai H100



QSA1865S
Hyundai Amica, Atos, Atoz



QSA1866S
Hyundai Amica, Atos, Atoz



QSA1867S
Hyundai Coupé, Lantra,Elantra



QSA1868S
Hyundai Coupé, Lantra,Elantra



QSA1869S
Kia Mentor



QSA1870S
Kia Mentor



QSA1871S
Kia Mentor, Shuma



QSA1872S
Kia Mentor, Shuma



QSA1876S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QSA1877S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QSA1889S
Land Rover Freelander



QSA1890S
Land Rover Freelander



QSA1891S
Rover 75,MG ZT



QSA1892S
Rover 75,MG ZT



QSA1893S
Rover MGF,MGTF



QSA1894S
Rover MGF,MGTF



QSA1895S
Ford Fiesta
Mazda 121



QSA1896S
Ford Fiesta
Mazda 121



QSA1897S
Ford Fiesta, Puma
Mazda 121



QSA1898S
Ford Fiesta, Puma
Mazda 121



QSA1899S
Ford Fiesta, Ka



QSA1900S
Ford Fiesta, Ka



QSA1901S
Ford Ka



QSA1902S
Ford Ka



QSA1905S
Citroën Berlingo, Xsara
Peugeot 306, Partner



QSA1906S
Citroën Berlingo, Xsara
Peugeot 306, Partner



QSA1907S
Volvo 850, S70,V70



QSA1908S
Volvo 850, S70,V70



QSA1912S
Nissan Almera



QSA1913S
Nissan Almera



QSA1914S
Mazda 323



QSA1915S
Mazda 323



QSA1916S
Nissan Pick-Up



QSA1917S
Nissan Pick-Up



QSA1918S
Mitsubishi Colt, Lancer
Proton Compact, Persona, Satria, Wira



QSA1919S
Mitsubishi Colt, Lancer
Proton Compact, Persona, Satria, Wira



QSA1920S
Subaru Justy
Suzuki Swift



QSA1921S
Subaru Justy
Suzuki Swift



QSA1922S
Fiat Punto



QSA1923S
Fiat Punto



QSA1924S
Fiat Multipla
Lancia Lybra



QSA1925S
Fiat Multipla
Lancia Lybra



QSA1926S
Fiat Stilo



QSA1927S
Fiat Stilo



QSA1928S
Skoda Felicia
Volkswagen Caddy



QSA1929S
Skoda Felicia
Volkswagen Caddy



QSA1930S
Peugeot 206



QSA1931S
Peugeot 206



QSA1932S
Volvo S40,V40



QSA1933S
Volvo S40,V40



QSA1936S
Ford Mondeo



QSA1937S
Ford Mondeo



QSA1938S
Hyundai Accent, Pony



QSA1939S
Hyundai Accent, Pony



QSA1940S
Mazda 323



QSA1941S
Mazda 323



QSA1942S
Rover MGF,MGTF



QSA1943S
Rover MGF,MGTF



QSA1948S
Citroën Berlingo, C4
Peugeot 307, Partner,
Partner Tepee



QSA1949S
Citroën Berlingo, C4
Peugeot 307, Partner,
Partner Tepee



QSA1950S
Seat Cordoba, Ibiza
Skoda Fabia, Roomster
Volkswagen Fox, Polo



QSA1951S
Seat Cordoba, Ibiza
Skoda Fabia, Roomster
Volkswagen Fox, Polo



QSA1952S
Subaru Impreza



QSA1953S
Subaru Impreza



QSA1954S
Subaru Impreza



QSA1955S
Subaru Impreza



QSA1956S
Suzuki Baleno



QSA1957S
Suzuki Baleno



QSA1958S
Toyota Avensis



QSA1959S
Toyota Avensis



QSA1960S
Toyota Avensis



QSA1961S
Toyota Avensis



QSA1962S
Toyota Carina



QSA1963S
Toyota Carina



QSA1964S
Toyota Corolla



QSA1965S
Toyota Corolla



QSA1966S
Toyota Corolla



QSA1967S
Toyota Corolla



QSA1968S
Toyota RAV 4



QSA1969S
Toyota RAV 4



QSA1970S
Toyota RAV 4



QSA1971S
Toyota RAV 4



QSA1972S
Toyota Yaris



QSA1973S
Toyota Yaris



QSA1974S
Opel Corsa, Corsa,Combo
Vauxhall Corsa, Corsa,Combo



QSA1975S
Opel Corsa, Corsa,Combo
Vauxhall Corsa, Corsa,Combo



QSA1976S
Citroën Berlingo, Xsara
Peugeot Partner



QSA1977S
Citroën Berlingo, Xsara
Peugeot Partner



QSA1978S
Ford Transit



QSA1979S
Ford Transit



QSA1980S
Ford Transit Connect



QSA1981S
Ford Transit Connect



QSA1982S
Citroën C2, C3



QSA1983S
Citroën C2, C3



QSA1984S
Ford Fiesta, Fusion
Mazda 2



QSA1985S
Ford Fiesta, Fusion
Mazda 2



QSA1986S
BMW (Mini) Mini



QSA1987S
BMW (Mini) Mini



QSA1992S
Volvo S80



QSA1993S
Volvo S80



QSA1994S
Fiat Doblò, Palio, Strada



QSA1995S
Fiat Doblò, Palio, Strada



QSA1996S
Volvo S60, V70,XC70



QSA1997S
Volvo S60, V70,XC70



QSA1998S
Nissan Micra



QSA1999S
Nissan Micra



QSA2000S
Fiat Croma
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



QSA2001S
Fiat Croma
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



QSA2002S
Chrysler Neon



QSA2003S
Chrysler Neon



QSA2004S
Chrysler Grand Voyager, Voyager



QSA2005S
Chrysler Grand Voyager, Voyager



QSA2006S
Honda CR-V



QSA2007S
Honda CR-V



QSA2008S
Honda CR-V



QSA2009S
Honda CR-V



QSA2010S
Toyota Carina



QSA2011S
Toyota Carina



QSA2012S
Renault Laguna



QSA2013S
Renault Laguna



QSA2016S
Audi A3
Seat Altea, Leon, Toledo
Skoda Octavia, Superb
Volkswagen Caddy, Eos, Golf,



QSA2017S
Audi A3
Seat Altea, Leon, Toledo
Skoda Octavia, Superb
Volkswagen Caddy, Eos, Golf,



QSA2018S
Audi A3
Seat Altea, Leon, Toledo
Skoda Octavia
Volkswagen Caddy, Golf, Golf Plus,



QSA2019S
Audi A3
Seat Altea, Leon, Toledo
Skoda Octavia
Volkswagen Caddy, Golf, Golf Plus,



QSA2020S
Citroën C5



QSA2021S
Citroën C5



QSA2024S
Audi S3, TT
Volkswagen Beetle, Golf



QSA2025S
Audi S3, TT
Volkswagen Beetle, Golf



QSA2026S
Renault Captur, Megane, Scenic



QSA2027S
Renault Captur, Megane, Scenic



QSA2028S
Renault Megane



QSA2029S
Renault Megane



QSA2030S
Renault Megane, Scenic



QSA2031S
Renault Megane, Scenic



QSA2032S
Renault Megane



QSA2033S
Renault Megane



QSA2034S
Renault Megane, Scenic



QSA2035S
Renault Megane, Scenic



QSA2042S
Audi A2



QSA2043S
Audi A2



QSA2048S
Mercedes 638 Series V-Klasse, Vito



QSA2049S
Mercedes 638 Series V-Klasse, Vito



QSA2050S
Mercedes 170 Series SLK, 202 Series C-Klasse, 208 Series CLK-Klasse, 210 Series E-Klasse



QSA2051S
Mercedes 170 Series SLK, 202 Series C-Klasse, 208 Series CLK-Klasse, 210 Series E-Klasse



QSA2052S
Mercedes 163 Series M Klasse



QSA2053S
Mercedes 163 Series M Klasse



QSA2058S
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse



QSA2059S
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse



QSA2062S
Rover Group 100, Metro



QSA2063S
Rover Group 100, Metro



QSA2064S
Daihatsu Terios



QSA2065S
Daihatsu Terios



QSA2066S
Honda Civic



QSA2067S
Honda Civic



QSA2068S
Mazda 626, Xedos 6



QSA2069S
Mazda 626, Xedos 6



QSA2070S
Nissan Almera



QSA2071S
Nissan Almera



QSA2072S
Mitsubishi Pajero Pinin, Shogun Pinin



QSA2073S
Mitsubishi Pajero Pinin, Shogun Pinin



QSA2074S
MCC Smart City Coupé,Cabrio



QSA2077S
Opel Astra, Meriva, Zafira
Vauxhall Astra, Meriva, Zafira



QSA2078S
Opel Astra, Meriva, Zafira
Vauxhall Astra, Meriva, Zafira



QSA2079S
Ford Transit



QSA2080S
Ford Transit



QSA2083S
BMW 3 Series



QSA2084S
BMW 3 Series



QSA2085S
Chrysler PT Cruiser



QSA2086S
Chrysler PT Cruiser



QSA2087S
Ford Focus
Volvo C30, C70, S40,V40



QSA2088S
Ford Focus
Volvo C30, C70, S40,V40



QSA2091S
Hyundai Accent



QSA2092S
Hyundai Accent



QSA2093S
Mazda 3



QSA2094S
Mazda 3



QSA2095S
Nissan Micra, Note



QSA2096S
Nissan Micra, Note



QSA2097S
Nissan Primera



QSA2098S
Nissan Primera



QSA2099S
Nissan X-Trail



QSA2100S
Nissan X-Trail



QSA2101S
Opel Meriva
Vauxhall Meriva



QSA2102S
Opel Meriva
Vauxhall Meriva



QSA2103S
Toyota RAV 4



QSA2104S
Toyota RAV 4



QSA2105S
Peugeot 407, 508



QSA2106S
Peugeot 407, 508



QSA2107S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSA2108S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSA2109S
Fiat Idea
Lancia Musa, Ypsilon



QSA210S
Renault R4,R6, R4



QSA2110S
Fiat Idea
Lancia Musa, Ypsilon



QSA2111S
Fiat Panda



QSA2112S
Fiat Panda



QSA2113S
Hyundai Get,Getz



QSA2114S
Hyundai Get,Getz



QSA2115S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSA2116S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSA2117S
Peugeot 306



QSA2118S
Peugeot 306



QSA211S
Renault R4,R6, R4



QSA216S
Renault R4,R6, R4



QSA217S
Renault R4,R6, R4



QSA2217S
Kia Rio



QSA2218S
Kia Rio



QSA2220S
Nissan Primastar
Opel Vivaro
Renault Trafic
Vauxhall Vivaro



QSA2221S
Nissan Primastar
Opel Vivaro
Renault Trafic
Vauxhall Vivaro



QSA2222S
Kia Rio



QSA2223S
Kia Rio



QSA2224S
Fiat Doblò



QSA2225S
Fiat Doblò



QSA2226S
Honda Jazz



QSA2227S
Honda Jazz



QSA2228S
Suzuki Swift



QSA2229S
Suzuki Swift



QSA2230S
Mercedes 163 Series M Klasse



QSA2231S
Mercedes 163 Series M Klasse



QSA2232S
Mercedes 169 Series A-Klasse, 245 Series B-Klasse



QSA2233S
Mercedes 169 Series A-Klasse, 245 Series B-Klasse



QSA2234S
Ford C-Max, Focus
Volvo S40,V40



QSA2235S
Ford C-Max, Focus
Volvo S40,V40



QSA2236S
Mercedes Sprinter
Volkswagen LT



QSA2237S
Mercedes Sprinter
Volkswagen LT



QSA2238S
Honda Accord



QSA2239S
Honda Accord



QSA2240S
Honda Accord



QSA2241S
Honda Accord



QSA2242S
Nissan Serena



QSA2243S
Nissan Serena



QSA2244S
Ford Maverick
Mazda Tribute



QSA2245S
Ford Maverick
Mazda Tribute



QSA2246S
Nissan QX



QSA2247S
Nissan QX



QSA2250S
Honda CR-V



QSA2251S
Honda CR-V



QSA2252S
Audi Q3
Seat Alhambra
Volkswagen Passat, Sharan, Tiguan



QSA2253S
Audi Q3
Seat Alhambra
Volkswagen Passat, Sharan, Tiguan



QSA2254S
Volkswagen Caravelle, Transporter



QSA2255S
Volkswagen Caravelle, Transporter



QSA2256S
Peugeot 206



QSA2257S
Peugeot 206



QSA2258S
Chrysler Neon



QSA2259S
Chrysler Neon



QSA2260S
Chrysler Grand Voyager, Voyager



QSA2261S
Chrysler Grand Voyager, Voyager



QSA2262S
Chevrolet Kalos
Daewoo Kalos



QSA2263S
Chevrolet Kalos
Daewoo Kalos



QSA2264S
Chevrolet Lacetti, Nubira
Daewoo Lacetti, Nubira



QSA2265S
Chevrolet Lacetti, Nubira
Daewoo Lacetti, Nubira



QSA2266S
Chevrolet Tacuma
Daewoo Tacuma



QSA2267S
Chevrolet Tacuma
Daewoo Tacuma



QSA2268S
Fiat Punto



QSA2269S
Fiat Punto



QSA2270S
Hyundai Lantra,Elantra



QSA2271S
Hyundai Lantra,Elantra



QSA2272S
Hyundai Santa Fe



QSA2273S
Hyundai Santa Fe



QSA2274S
Hyundai Sonata



QSA2275S
Hyundai Sonata



QSA2276S
Hyundai Sonata
Kia Magentis



QSA2277S
Hyundai Sonata
Kia Magentis



QSA2278S
Kia Picanto



QSA2279S
Kia Picanto



QSA2280S
Lexus IS200,IS300



QSA2281S
Lexus IS200,IS300



QSA2282S
Mazda 323



QSA2283S
Mazda 323



QSA2284S
Mazda 6



QSA2285S
Mazda 6



QSA2286S
Mazda MPV



QSA2287S
Mazda MPV



QSA2288S
Mercedes 639 Series, Vito



QSA2289S
Mercedes 639 Series, Vito



QSA2290S
Mitsubishi Colt



QSA2291S
Mitsubishi Colt



QSA2292S
Mitsubishi Carisma
Proton Impian



QSA2293S
Mitsubishi Carisma
Proton Impian



QSA2294S
Nissan Almera



QSA2295S
Nissan Almera



QSA2296S
Peugeot 206



QSA2297S
Peugeot 206



QSA2298S
Toyota Avensis



QSA2299S
Toyota Avensis



QSA2300S
Toyota Camry



QSA2301S
Toyota Camry



QSA2302S
Toyota Celica



QSA2303S
Toyota Celica



QSA2304S
Toyota Corolla



QSA2305S
Toyota Corolla



QSA2306S
Toyota Hiace



QSA2307S
Toyota Hiace



QSA2308S
Toyota Landcruiser



QSA2309S
Toyota Landcruiser



QSA230S
Renault Express,Extra, R5



QSA2310S
Toyota Landcruiser



QSA2311S
Toyota Landcruiser



QSA2312S
Toyota Picnic



QSA2313S
Toyota Picnic



QSA2314S
Toyota Camry, Previa



QSA2315S
Toyota Camry, Previa



QSA2316S
Volvo C70



QSA2317S
Volvo C70



QSA2318S
Volvo XC60



QSA2319S
Volvo XC60



QSA2324S

Saab	9-5



QSA2325S

Saab	9-5



QSA2326S

Alfa Romeo	MiTo
Citroën	Nemo
Fiat	Fiorino, Punto
Opel	Adam, Corsa



QSA2327S

Alfa Romeo	MiTo
Citroën	Nemo
Fiat	Fiorino, Punto
Opel	Adam, Corsa



QSA2328S

Subaru	Impreza



QSA2329S

Subaru	Impreza



QSA2330S

Citroën	C3
Peugeot	207, 208



QSA2331S

Citroën	C3
Peugeot	207, 208



QSA2332S

Dacia	Logan, Sandero
Renault	Logan



QSA2333S

Dacia	Logan, Sandero
Renault	Logan



QSA2334S

Peugeot	1007



QSA2335S

Peugeot	1007



QSA2337S

Land Rover	Discovery



QSA2338S

Land Rover	Discovery



QSA2339S

Ford	Galaxy, Mondeo, S-Max
Volvo	S60, V60



QSA2340S

Ford	Galaxy, Mondeo, S-Max
Volvo	S60, V60



QSA2343S

Audi	A2



QSA2344S

Audi	A2



QSA2347S

Citroën	C5



QSA2348S

Citroën	C5



QSA2349S

Ford	Mondeo
Jaguar	X-Type



QSA2350S

Ford	Mondeo
Jaguar	X-Type



QSA2351S

Audi	Q7
Porsche	Cayenne
Volkswagen	Touareg



QSA2352S

Porsche	Cayenne
Volkswagen	Touareg



QSA2353S
Porsche Cayenne
Volkswagen Touareg



QSA2354S
Lexus RX300



QSA2355S
Lexus RX300



QSA2356S
Mazda MX5



QSA2357S
Mazda MX5



QSA2358S
Mazda MX5



QSA2359S
Mazda MX5



QSA2360S
Citroën C1
Peugeot 107
Toyota Aygo



QSA2361S
Citroën C1
Peugeot 107
Toyota Aygo



QSA2362S
LDV Maxus



QSA2363S
LDV Maxus



QSA2364S
Renault Clio, Modus



QSA2365S
Renault Clio, Modus



QSA2366S
Ford Ka



QSA2367S
Ford Ka



QSA2368S
Citroën Berlingo, Xsara, ZX
Peugeot 306, Partner



QSA2369S
Citroën Berlingo, Xsara, ZX
Peugeot 306, Partner



QSA2370S
Mercedes Sprinter
Volkswagen Crafter



QSA2371S
Mercedes Sprinter
Volkswagen Crafter



QSA2372S
Kia Sportage



QSA2373S
Kia Sportage



QSA2374S
Kia Sorento



QSA2375S
Kia Sorento



QSA2376S
Renault Espace, Grand Espace



QSA2377S
Renault Espace, Grand Espace



QSA2378S
Chevrolet Epica, Evanda
Daewoo Evanda



QSA2379S
Chevrolet Epica, Evanda
Daewoo Evanda



QSA2380S
Land Rover Range Rover



QSA2381S
Land Rover Range Rover



QSA2382S
BMW 3 Series



QSA2383S
BMW 3 Series



QSA2384S
Alfa Romeo Alfa 159, Brera, Spider



QSA2385S
Alfa Romeo Alfa 159, Brera, Spider



QSA2386S
Iveco Daily



QSA2387S
Iveco Daily



QSA2388S
Iveco Daily



QSA2389S
Iveco Daily



QSA2390S
Hyundai i30
Kia Cee'd



QSA2391S
Hyundai i30
Kia Cee'd



QSA2394S
Nissan Pathfinder



QSA2395S
Nissan Pathfinder



QSA2396S
Citroën C4, DS4
Peugeot 308, 3008, 5008



QSA2397S
Citroën C4, DS4
Peugeot 308, 3008, 5008



QSA2398S
Suzuki Grand Vitara



QSA2399S
Suzuki Grand Vitara



QSA2400S
Fiat 500
Ford Ka



QSA2401S
Fiat 500
Ford Ka



QSA2402S
Audi Q3
Volkswagen Passat, Tiguan



QSA2405S
Citroën C2, C3
Peugeot 1007



QSA2406S
Citroën C2, C3
Peugeot 1007



QSA240S
Renault R21



QSA2413S
Renault Kangoo



QSA2414S
Renault Kangoo



QSA2415S
Fiat Bravo, Stilo
Lancia Delta



QSA2416S
Fiat Bravo, Stilo
Lancia Delta



QSA2417S
MCC Smart Forfour
Mitsubishi Colt



QSA2418S
MCC Smart Forfour
Mitsubishi Colt



QSA2419S
Nissan Navara



QSA241S
Renault R21



QSA2420S
Nissan Navara



QSA2421S
Nissan Navara



QSA2422S
Nissan Navara



QSA2423S
Nissan Qashqai, X-Trail
Renault Koleos



QSA2424S
Nissan Qashqai, X-Trail
Renault Koleos



QSA2425S
Opel Insignia
Vauxhall Insignia



QSA2426S
Opel Insignia
Vauxhall Insignia



QSA2427S
Ford Fiesta
Mazda 2



QSA2428S
Ford Fiesta
Mazda 2



QSA2429S
Ford Kuga



QSA2430S
Ford Kuga



QSA2431S
Volvo S80, V70,XC70



QSA2432S
Volvo S80, V70,XC70



QSA2433S

Honda Civic



QSA2434S

Honda Civic



QSA2435S

Nissan Primastar
Opel Vivaro
Renault Trafic
Vauxhall Vivaro



QSA2436S

Nissan Primastar
Opel Vivaro
Renault Trafic
Vauxhall Vivaro



QSA2437S

Toyota Yaris



QSA2438S

Toyota Yaris



QSA2439S

Fiat Sedici
Suzuki SX4



QSA2440S

Fiat Sedici
Suzuki SX4



QSA2441S

Citroën C8, Dispatch, Jumpy
Fiat Scudo, Ulysse
Lancia Phedra
Peugeot 807, Expert



QSA2442S

Citroën C8, Dispatch, Jumpy
Fiat Scudo, Ulysse
Lancia Phedra
Peugeot 807, Expert



QSA2443S

Citroën C6



QSA2444S

Citroën C6



QSA2445S

Mercedes 216 Series CL-Klasse, 221 Series S-Klasse



QSA2446S

Mercedes 216 Series CL-Klasse, 221 Series S-Klasse



QSA2450S

BMW 3 Series



QSA2451S

BMW (Mini) Mini



QSA2452S

BMW (Mini) Mini



QSA2453S

Mercedes 215 Series CL-Klasse, 220 Series S-Klasse



QSA2454S

Mercedes 215 Series CL-Klasse, 220 Series S-Klasse



QSA2455S

Alfa Romeo Alfa 159, Brera, Spider



QSA2456S

Alfa Romeo Alfa 159, Brera, Spider



QSA2459S

Hyundai Coupé



QSA2460S

Hyundai Coupé



QSA2461S

Kia Carens, Shuma



QSA2462S
Kia — Carens, Shuma



QSA2465S
Hyundai — Trajet



QSA2466S
Hyundai — Trajet



QSA2467S
Citroën, Fiat, Peugeot — Jumper, Ducato, Boxer



QSA2468S
Citroën, Fiat, Peugeot — Jumper, Ducato, Boxer



QSA2469S
Citroën, Fiat, Peugeot — Jumper, Ducato, Boxer



QSA2470S
Citroën, Fiat, Peugeot — Jumper, Ducato, Boxer



QSA2471S
Toyota — Auris



QSA2472S
Toyota — Auris



QSA2473S
Audi — Q7



QSA2474S
Audi — Q7



QSA2475S
Hyundai, Kia — Sonata, XG30, Magentis, Opirus



QSA2476S
Hyundai, Kia — Sonata, XG30, Magentis, Opirus



QSA2480S
Honda — Prelude



QSA2481S
Honda — Prelude



QSA2482S
Honda — Prelude



QSA2483S
Honda — Prelude



QSA2484S
Mitsubishi — Montero, Pajero, Shogun



QSA2485S
Mitsubishi — Montero, Pajero, Shogun



QSA2486S
Jaguar — S-Type



QSA2487S
Jaguar — S-Type



QSA2488S
Jaguar — S-Type



QSA2489S
Jaguar — S-Type



QSA2490S
Jaguar — S-Type



QSA2491S
Jaguar S-Type



QSA2492S
Jaguar S-Type



QSA2493S
Jaguar S-Type



QSA2494S
Chevrolet Captiva
Opel Antara
Vauxhall Antara



QSA2495S
Chevrolet Captiva
Opel Antara
Vauxhall Antara



QSA2497S
Kia Carens



QSA2498S
Kia Carens



QSA2499S
Toyota Avensis



QSA2500S
Toyota Avensis



QSA2501S
Kia Sorento



QSA2502S
Kia Sorento



QSA2503S
Kia Carens



QSA2504S
Kia Carens



QSA2505S
Kia Cerato



QSA2506S
Kia Cerato



QSA2507S
Toyota Landcruiser



QSA2508S
Toyota Landcruiser



QSA2509S
Toyota Landcruiser



QSA2510S
Toyota Landcruiser



QSA2511S
Nissan Pick-Up



QSA2512S
Nissan Pick-Up



QSA2513S
Toyota RAV 4



QSA2514S
Toyota RAV 4



QSA2515S
Toyota Corolla



QSA2516S
Toyota Corolla



QSA2517S
Fiat Stilo



QSA2518S
Fiat Stilo



QSA2519S
Fiat Doblò



QSA2520S
Fiat Doblò



QSA2521S
Audi Q7



QSA2522S
Audi Q7



QSA2523S
Citroën C4, C-Crosser
Mitsubishi Lancer, Outlander
Peugeot 4007, 4008



QSA2524S
Citroën C4, C-Crosser
Mitsubishi Lancer, Outlander
Peugeot 4007, 4008



QSA2525S
Renault Laguna



QSA2526S
Renault Laguna



QSA2527S
Honda Civic



QSA2528S
Honda Civic



QSA2529S
Honda Civic



QSA2530S
Honda Civic



QSA2533S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QSA2534S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QSA2535S
Citroën C8
Fiat Ulysse
Lancia Phedra
Peugeot 807



QSA2536S
Citroën C8
Fiat Ulysse
Lancia Phedra
Peugeot 807



QSA2537S
Citroën Dispatch, Jumpy
Fiat Scudo
Peugeot Expert



QSA2538S
Citroën Dispatch, Jumpy
Fiat Scudo
Peugeot Expert



QSA2539S
Citroën C3, C4, DS3



QSA2540S
Citroën C3, C4, DS3



QSA2541S
Fiat Doblò



QSA2542S
Fiat Doblò



QSA2543S
Renault Fluence, Megane, Scenic



QSA2544S
Renault Fluence, Megane, Scenic



QSA2545S
Nissan NV400
Opel Movano
Renault Master
Vauxhall Movano



QSA2546S
Nissan NV400
Opel Movano
Renault Master
Vauxhall Movano



QSA2547S
Mercedes 164 Series M-Klasse, 164 Series GL-Klasse, 251 Series R-Klasse



QSA2548S
Mercedes 164 Series M-Klasse, 164 Series GL-Klasse, 251 Series R-Klasse



QSA2549S
Mercedes 164 Series M-Klasse, 164 Series GL-Klasse, 251 Series R-Klasse



QSA2550S
Mercedes 164 Series M-Klasse, 164 Series GL-Klasse, 251 Series R-Klasse



QSA2553S
Dacia Duster



QSA2554S
Dacia Duster



QSA2555S
Alfa Romeo Giulietta



QSA2556S
Alfa Romeo Giulietta



QSA2557S
Audi TT



QSA2558S
Audi TT



QSA2559S
BMW 5 Series, 7 Series



QSA2560S
BMW 5 Series, 7 Series



QSA2561S
BMW 5 Series, 7 Series



QSA2562S
Chrysler Voyager



QSA2563S
Chrysler Voyager



QSA2564S
Hyundai i20



QSA2565S
Hyundai i20



QSA2568S
Mazda Premacy



QSA2569S
Mazda Premacy



QSA2570S
Audi A1
Seat Ibiza
Volkswagen Polo



QSA2571S
Audi A1
Seat Ibiza
Volkswagen Polo



QSA2572S
Land Rover Range Rover



QSA2573S
Mitsubishi Lancer



QSA2574S
Mitsubishi Lancer



QSA2575S
Nissan Tiida



QSA2576S
Nissan Tiida



QSA2577S
Toyota Landcruiser



QSA2578S
Toyota Landcruiser



QSA2579S
Audi A1
Seat Ibiza



QSA2580S
Audi A1
Seat Ibiza



QSA2581S
Land Rover Range Rover



QSA2582S
Land Rover Range Rover



QSA2583S
BMW (Mini) Mini



QSA2584S
BMW (Mini) Mini



QSA2587S
Suzuki Grand Vitara



QSA2588S
Suzuki Grand Vitara



QSA2589S
Hyundai ix35
Kia Sportage



QSA2590S
Hyundai ix35
Kia Sportage



QSA2591S
Land Rover Discovery



QSA2592S
Land Rover Discovery



QSA2595S
Peugeot 208



QSA2596S
Peugeot 208



QSA2599S
Renault Clio



QSA2600S
Renault Clio



QSA2601S
Seat Mii
Skoda Citigo
Volkswagen Up!



QSA2602S
Seat Mii
Skoda Citigo
Volkswagen Up!



QSA2603S
Mercedes 414 Series



QSA2604S
Mercedes 414 Series



QSA2605S
Chevrolet Spark



QSA2606S
Chevrolet Spark



QSA2607S
Ford C-Max, Focus



QSA2608S
Ford C-Max, Focus



QSA2609S
Honda Jazz



QSA2610S
Honda Jazz



QSA2611S
Hyundai i30
Kia Cee'd



QSA2612S
Hyundai i30
Kia Cee'd



QSA2613S
Mazda 6



QSA2614S
Mazda 6



QSA2615S
Mazda 6



QSA2616S
Mazda 6



QSA2617S
Nissan Micra



QSA2618S
Nissan Micra



QSA2619S
Nissan Juke



QSA2620S
Nissan Juke



QSA2621S
Toyota Avensis



QSA2622S
Toyota Avensis



QSA2623S
Volkswagen Passat



QSA2624S
Volkswagen Passat



QSA2627S
Honda Accord



QSA2628S
Honda Accord



QSA2629S
Honda Accord



QSA2630S
Honda Accord



QSA2631S
Land Rover Range Rover



QSA2632S
Land Rover Range Rover



QSA2633S
Audi TT



QSA2634S
Porsche Cayenne
Volkswagen Touareg



QSA2637S
Chevrolet Cruze
Opel Ampera, Astra
Vauxhall Astra



QSA2638S
Chevrolet Cruze
Opel Ampera, Astra
Vauxhall Astra



QSA2639S
Opel Astra
Vauxhall Astra



QSA2640S
BMW X5, X6



QSA2641S
BMW X5, X6



QSA2642S
Chrysler 300C



QSA2643S
Chrysler 300C



QSA2644S
Citroën C5



QSA2645S
Citroën C5



QSA2646S
Citroën C5



QSA2647S
Citroën C5



QSA2648S
Citroën C-Elysee
Peugeot 301



QSA2649S
Citroën C-Elysee
Peugeot 301



QSA264S
Renault R21



QSA2650S
Peugeot 508



QSA2651S
Peugeot 508



QSA2654S
Dacia Dokker, Lodgy, Logan, Sandero



QSA2655S
Dacia Dokker, Lodgy, Logan, Sandero



QSA265S
Renault R21



QSA2660S
Hyundai i10



QSA2661S
Hyundai i10



QSA2662S
Hyundai Matrix



QSA2663S
Hyundai Matrix



QSA2666S
MCC Smart Fortwo



QSA2667S
Mitsubishi Shogun



QSA2668S
Mitsubishi Shogun



QSA2669S
Mitsubishi L200



QSA266S
Renault Megane, R19



QSA2670S
Mitsubishi L200



QSA2671S
Mitsubishi L200



QSA2672S
Mitsubishi L200



QSA2673S
Honda Civic



QSA2674S
Honda Civic



QSA2677S
Volvo V40



QSA2678S
Volvo V40



QSA2679S
Ford Mondeo



QSA267S
Renault Megane, R19



QSA2680S
Ford Mondeo



QSA2681S
Ford Transit



QSA2682S
Ford Transit



QSA2685S
Volvo V70,XC70



QSA2686S
Volvo V70,XC70



QSA2687S
Volvo XC60



QSA2688S
Volvo XC60



QSA2689S
Volkswagen Jetta



QSA268S
Renault Clio



QSA2690S
Volkswagen Jetta



QSA2691S
Skoda Superb, Yeti



QSA2692S
Skoda Superb, Yeti



QSA2693S
Skoda Superb, Yeti
Volkswagen Golf



QSA2694S
Skoda Superb, Yeti
Volkswagen Golf



QSA2695S
Honda CR-V



QSA2696S
Honda CR-V



QSA2697S
Honda FR-V



QSA2698S
Honda FR-V



QSA2699S
Hyundai Santa Fe



QSA269S
Renault Clio



QSA2700S
Hyundai Santa Fe



QSA2701S
Hyundai i800, iLoad



QSA2702S
Hyundai i800, iLoad



QSA2703S
Hyundai Sonata



QSA2704S
Hyundai Sonata



QSA2711S
Mazda CX-7



QSA2712S
Mazda CX-7



QSA2715S
Mitsubishi L200



QSA2716S
Mitsubishi L200



QSA2717S
Ford B-Max



QSA2718S
Ford B-Max



QSA2719S
Mitsubishi L200



QSA2720S
Mitsubishi L200



QSA2721S
Nissan Pixo
Suzuki Alto



QSA2722S
Nissan Pixo
Suzuki Alto



QSA2723S
Opel Mokka
Vauxhall Mokka



QSA2724S
Opel Mokka
Vauxhall Mokka



QSA2725S
Opel Mokka
Vauxhall Mokka



QSA2726S
Ford Transit Connect



QSA2727S
Ford Transit Connect



QSA2728S
Audi A3



QSA2729S
Audi A3



QSA2730S
Citroën C4
Peugeot 308



QSA2731S
Citroën C4
Peugeot 308



QSA2733S
Land Rover Range Rover



QSA2734S
Land Rover Range Rover



QSA2735S
Land Rover Range Rover



QSA2736S
Land Rover Range Rover



QSA2737S
Land Rover Range Rover



QSA2738S
Land Rover Range Rover



QSA2741S
Land Rover Discovery



QSA2742S
Land Rover Discovery



QSA2743S
Land Rover Discovery



QSA2744S
Land Rover Discovery



QSA2745S
Opel Zafira



QSA2746S
Opel Zafira



QSA2747S
Ford Transit



QSA2748S
Ford Transit



QSA2750S
Land Rover Freelander



QSA2751S
Land Rover Freelander



QSA2752S
Jaguar S-Type, XF



QSA2753S
Jaguar S-Type, XF



QSA2754S
Jaguar S-Type, XF



QSA2757S
Honda Civic



QSA2758S
Honda Civic



QSA2759S
Volkswagen Amarok



QSA2760S
Volkswagen Amarok



QSA2761S
Volkswagen Amarok



QSA2762S
Volkswagen Amarok



QSA411S
Volkswagen Caddy, Golf, Scirocco



QSA7002S
Fiat Cinquecento, Seicento



QSA7003S
Fiat Cinquecento, Seicento



QSA7004S
Opel Omega, Senator
Vauxhall Carlton, Senator



QSA7005S
Opel Omega, Senator
Vauxhall Carlton, Senator



QSA9000S

Saab 9000



QSA900S

Alfa Romeo Alfa 164
Fiat Croma
Lancia Thema



QSA9010S

Saab 9000



QSA901S

Alfa Romeo Alfa 164
Fiat Croma
Lancia Thema



QSA902S

Lancia Delta



QSA903S

Lancia Delta



QSA906S

Alfa Romeo Alfa 164



QSA907S

Alfa Romeo Alfa 164



QSA9113S

Citroën Dispatch, Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



QSA9114S

Citroën Dispatch, Evasion, Jumpy, Synergie
Fiat Scudo, Ulysse
Lancia Zeta



QSA9130S

Alfa Romeo Alfa 164



QSA9137S

Nissan Micra



QSA9138S

Nissan Micra



QSA914S

Fiat Brava,Bravo, Tempra, Tipo
Lancia Dedra, Delta



QSA915S

Fiat Brava,Bravo, Tempra, Tipo
Lancia Dedra, Delta



QSA9246S

Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSA9247S

Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSA9248S

Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSA9249S

Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSA9251S

Skoda Favorit,Forman



QSA9252S

Skoda Favorit,Forman



QSA926S

Renault Express,Extra, R5



QSA927S

Renault Express,Extra, R5



QSA9292S

Mitsubishi L200



QSA9293S
Mitsubishi L200



QSA9305S
Lancia Kappa



QSA9306S
Lancia Kappa



QSA934S
Volkswagen Golf, Vento



QSA9375S
Honda Civic, Shuttle



QSA9380S
Honda Civic, Shuttle



QSA9403S
Citroën AX, Saxo
Peugeot 106



QSA9404S
Citroën AX, Saxo
Peugeot 106



QSA9426S
Renault Megane, Scenic



QSA9427S
Renault Megane, Scenic



QSA9430S
Peugeot 605, 607



QSA9440S
Peugeot 605, 607



QSA950S
Renault Twingo



QSA951S
Renault Twingo



QSA9532S
Peugeot 206



QSA9533S
Peugeot 206



QSA960S
Alfa Romeo Alfa 164
Fiat Croma
Lancia Thema



QSA961S
Alfa Romeo Alfa 164
Fiat Croma
Lancia Thema



QSA9630S
Porsche 944
Volkswagen Caddy, Golf, Scirocco



QSA9650S
Seat Cordoba, Ibiza, Inca, Toledo
Volkswagen Caddy, Corrado, Golf, Jetta, Polo



QSA9904S
Alfa Romeo Alfa 147, Alfa 156, GT



QSA9905S
Alfa Romeo Alfa 147, Alfa 156, GT



QSA9908S
Alfa Romeo Alfa 166



QSA9909S
Alfa Romeo Alfa 166



QSA990S
Citroën Berlingo, Xsara, ZX
Peugeot Partner



QSA991S
Citroën Berlingo, Xsara, ZX
Peugeot Partner



QSA992S
Citroën Berlingo, Xsara, ZX
Peugeot Partner



QSA993S
Citroën Berlingo, Xsara, ZX
Peugeot Partner



QSA994S
Peugeot 306



QSA995S
Peugeot 306



QSA996S
Peugeot 306



QSA997S
Peugeot 306



QSA998S
Alfa Romeo Alfa 145,146, Alfa 155, GTV, Spider
Fiat Bravo, Coupé, Marea
Lancia Dedra, Delta



QSA999S
Alfa Romeo Alfa 145,146, Alfa 155, GTV, Spider
Fiat Bravo, Coupé, Marea
Lancia Dedra, Delta



QSJ1000S
Volkswagen LT



QSJ1001S
Volkswagen LT



QSJ1004S
Saab 900



QSJ1012S
Ford Escort



QSJ1013S
Ford Escort



QSJ1018S
Fiat Panda
Lancia Y10
Seat Marbella, Terra



QSJ1019S
Rover Group Maestro, Montego



QSJ1020S
Rover Group Maestro, Montego



QSJ1030S
Citroën AX



QSJ1033S
Citroën C25
Fiat Ducato, Talento
Peugeot J5
Talbot Express



QSJ1040S
Peugeot 309



QSJ1041S
Peugeot 309



QSJ1046S
Peugeot 505



QSJ1049S
Renault R21



QSJ1055S

Opel	Omega, Senator
Vauxhall	Carlton, Senator



QSJ1056S

Opel	Omega, Senator
Vauxhall	Carlton, Senator



QSJ1057S

Honda	Legend
Rover Group	800, RV8



QSJ1058S

Ford	Transit



QSJ1060S

Rover	MGF,MGTF
Rover Group	100, Metro



QSJ1061S

Seat	Ibiza, Malaga



QSJ1071S

Audi	80, 90



QSJ1085S

Alfa Romeo	Alfa 164
Fiat	Croma
Lancia	Thema



QSJ1099S

Honda	Civic, CRX, Shuttle



QSJ1111S

Lada	112, Samara



QSJ1116S

Mazda	323



QSJ1124S

Mitsubishi	Carisma, Colt, Galant, Lancer
Proton	Compact, Persona, Satria, Wira



QSJ1125S

Mitsubishi	L200, L300



QSJ1126S

Mitsubishi	L200



QSJ1130S

Seat	Ibiza, Malaga



QSJ1134S

Toyota	Corolla



QSJ1135S

Toyota	Corolla



QSJ1138S

Toyota	Camry



QSJ1141S

Seat	Cordoba, Ibiza, Inca, Toledo
Volkswagen	Caddy, Corrado, Golf, Jetta, Passat, Polo,



QSJ1142S

Volvo	400 Series, 480



QSJ1143S

Volvo	700 Series, 940, 960, S90,V90



QSJ1146S

Rover Group	100, Metro



QSJ1147S

Rover Group	100, Metro



QSJ1148S

Rover Group	100, Metro



QSJ1151S
Rover Group 800



QSJ1155S
Ford Granada, Scorpio



QSJ1156S
Ford Granada, Scorpio



QSJ1157S
Ford Courier, Escort, Fiesta, Orion



QSJ1158S
Alfa Romeo Alfa 75,90, RZ,SZ



QSJ1159S
Alfa Romeo Alfa 164



QSJ1162S
Audi 80, 90



QSJ1163S
Audi 80, 90



QSJ1164S
Audi 80, 90, Coupé



QSJ1165S
Audi 80, 90, Coupé



QSJ1175S
BMW 3 Series



QSJ1176S
BMW 3 Series



QSJ1179S
BMW 5 Series, 7 Series



QSJ1180S
BMW 5 Series, 7 Series



QSJ1181S
BMW 7 Series, 8 Series



QSJ1182S
BMW 7 Series, 8 Series



QSJ1184S
Citroën C5, Xantia, XM
Peugeot 405, 406, 605, 607



QSJ1197S
Ford Escort, Granada, Scorpio, Sierra



QSJ1198S
Ford Escort, Granada, Scorpio, Sierra



QSJ1201S
Fiat Fiorino, Uno



QSJ1202S
Fiat Uno



QSJ1206S
Isuzu Trooper
Vauxhall Midi



QSJ1214S
Mercedes 124 Series, 129 Series, 170 Series SLK, 201 Series, 202 Series C-Klasse,



QSJ1216S
Mercedes 126 Series



QSJ1217S
Mercedes 126 Series



QSJ1227S
Kia Clarus
Mazda 626



QSJ1228S
Citroën AX, Saxo
Peugeot 106



QSJ1230S
Honda Concerto
Rover 25,MG ZR
Rover Group 200, 400



QSJ1231S
Honda Concerto
Rover 25,MG ZR
Rover Group 200, 400



QSJ1232S
Seat Ibiza, Malaga



QSJ1240S
Toyota Hiace



QSJ1241S
Volkswagen Taro



QSJ1243S
Toyota Liteace



QSJ1251S
BMW 5 Series



QSJ1252S
BMW 5 Series



QSJ1265S
Nissan Bluebird, Prairie, Primera



QSJ1266S
Ford P100, Sierra



QSJ1267S
Ford P100, Sierra



QSJ1269S
Seat Toledo
Volkswagen Corrado, Golf, Passat, Vento



QSJ1279S
Citroën C25
Fiat Ducato
Peugeot J5
Talbot Express



QSJ1280S
Citroën C25
Fiat Ducato
Peugeot J5
Talbot Express



QSJ1281S
Citroën C25
Fiat Ducato, Talento
Peugeot J5
Talbot Express



QSJ1282S
Citroën C25
Fiat Ducato, Talento
Peugeot J5
Talbot Express



QSJ1283S
Citroën C25
Fiat Ducato
Peugeot J5
Talbot Express



QSJ1284S
Citroën C25
Fiat Ducato
Peugeot J5
Talbot Express



QSJ1285S
Fiat Croma
Lancia Thema



QSJ1294S
Citroën Berlingo, Xsara, ZX
Peugeot Partner



QSJ1298S
Peugeot 306



QSJ1299S
Peugeot 306



QSJ1300S
Ford Transit



QSJ1303S
Volkswagen Caravelle, Transporter



QSJ1304S
Volkswagen Caravelle, Transporter



QSJ1305S
Skoda Favorit,Forman, Felicia
Volkswagen Caddy



QSJ1306S
Isuzu Trooper
Opel Campo, Frontera, Monterey
Vauxhall Brava, Frontera,



QSJ1307S
Opel Campo, Frontera
Vauxhall Brava, Frontera



QSJ1308S
Jaguar XJ6, XJ12, XJS



QSJ1313S
Hyundai Lantra,Elantra



QSJ1314S
Daihatsu Charade



QSJ1315S
Daihatsu Charade



QSJ1316S
Hyundai Pony, S Coupé



QSJ1317S
Fiat Fiorino



QSJ1319S
Vauxhall Midi



QSJ1321S
Opel Campo
Vauxhall Brava



QSJ1328S
Saab 9000



QSJ1330S
Ford Courier, Fiesta



QSJ1332S
Hyundai H100
Mitsubishi L300, Space Gear



QSJ1333S
Mitsubishi L300, Space Gear



QSJ1334S
Nissan Primera



QSJ1335S
Nissan 100NX, Almera, Sunny



QSJ1336S
Nissan Vanette



QSJ1337S
Nissan Vanette



QSJ1338S
Renault Laguna, Safrane



QSJ1343S
Audi 100, A6



QSJ1344S
Audi 100, A6



QSJ1345S
Audi 80, Cabriolet, Coupé, Coupé Quattro



QSJ1346S
Audi 80, Cabriolet, Coupé, Coupé Quattro



QSJ1350S
Ford Mondeo



QSJ1351S
Honda Accord, Shuttle
Rover Group 600



QSJ1352S
Chrysler Crossfire
Mercedes 170 Series SLK, 202 Series C-Klasse, 208 Series CLK-Klasse,



QSJ1353S
Volvo 850



QSJ1354S
Opel Corsa, Corsa,Combo, Tigra
Vauxhall Corsa, Corsa,Combo, Nova, Tigra



QSJ1363S
Audi 100, 200, V8



QSJ1364S
Audi 100, 200, V8



QSJ1413S
Seat Arosa
Volkswagen Lupo, Polo



QSJ1414S
Seat Arosa
Volkswagen Lupo, Polo



QSJ1416S
Mazda 323



QSJ1418S
Opel Corsa
Vauxhall Nova



QSJ1419S
Opel Corsa
Vauxhall Nova



QSJ1420S
Opel Corsa, Corsa,Combo, Tigra
Vauxhall Corsa, Corsa,Combo, Tigra



QSJ1421S
Opel Corsa, Corsa,Combo, Tigra
Vauxhall Corsa, Corsa,Combo, Tigra



QSJ1475S
BMW 7 Series



QSJ1476S
BMW 7 Series



QSJ1477S
BMW 7 Series



QSJ1478S
BMW 7 Series



QSJ1479S
BMW 5 Series



QSJ1480S
BMW 5 Series



QSJ1481S

BMW	5 Series



QSJ1482S

BMW	5 Series



QSJ1485S

BMW	8 Series



QSJ1486S

BMW	8 Series



QSJ1490S

Ford	Courier, Fiesta, Ka, Puma
Mazda	121



QSJ1495S

Citroën	Jumper, Relay
Fiat	Ducato
Peugeot	Boxer



QSJ1496S

Citroën	Jumper, Relay
Fiat	Ducato
Peugeot	Boxer



QSJ1506S

Renault	Megane, Scenic



QSJ1517S

Ford	Galaxy
Seat	Alhambra
Volkswagen	Sharan



QSJ1518S

Opel	Astra, Meriva, Omega, Vectra, Zafira
Vauxhall	Astra, Meriva, Omega, Vectra, Zafira



QSJ1520S

Toyota	Avensis, Carina, Celica, Corolla, Picnic



QSJ1560S

Mercedes	140 Series



QSJ1583S

Audi	A4, A6, A8
Skoda	Superb
Volkswagen	Passat



QSJ1584S

Audi	A4, A6, A8
Skoda	Superb
Volkswagen	Passat



QSJ1588S

Audi	A4, A6, A8
Skoda	Superb
Volkswagen	Passat



QSJ1597S

Mercedes	168 Series A Klasse



QSJ1600S

Citroën	Berlingo, Xsara, ZX
Peugeot	Partner



QSJ1603S

Audi	A3
Seat	Leon, Toledo
Skoda	Octavia
Volkswagen	Beetle, Bora, Golf



QSJ1604S

Audi	A3
Seat	Leon, Toledo
Skoda	Octavia
Volkswagen	Beetle, Bora, Golf



QSJ1646S

Nissan	Kubistar
Renault	Clio, Kangoo, Megane, R19, Scenic



QSJ1657S

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



QSJ1658S

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



QSJ1664S

Opel	Corsa, Corsa,Combo, Tigra
Vauxhall	Corsa, Corsa,Combo, Tigra



QSJ1674S

Audi	A8



QSJ1676S
Audi 80, 90, Coupé Quattro



QSJ1677S
Audi 80, 90, Coupé Quattro



QSJ1678S
Audi 80, Cabriolet, Coupé, Coupé Quattro



QSJ1679S
Audi 80, Cabriolet, Coupé, Coupé Quattro



QSJ1680S
Audi A4, A6
Skoda Superb
Volkswagen Passat



QSJ1681S
Audi A4, A6
Skoda Superb
Volkswagen Passat



QSJ1682S
BMW 5 Series, Z8



QSJ1683S
BMW 5 Series, Z8



QSJ1684S
BMW 5 Series



QSJ1685S
BMW 5 Series



QSJ1704S
Audi A4, A8
Volkswagen Passat



QSJ1705S
Audi A4, A8
Volkswagen Passat



QSJ1706S
Volkswagen Caravelle, Transporter



QSJ1720S
Nissan Primera



QSJ1721S
Nissan Primera



QSJ1745S
Alfa Romeo GTV, Spider



QSJ1766S
Kia Pride



QSJ177S
Rover Group Mini



QSJ1793S
Honda Legend, Prelude



QSJ1794S
Hyundai H100



QSJ1796S
Kia Carens, Mentor, Shuma



QSJ1798S
Kia Sportage



QSJ1799S
Daewoo Korando, Musso
SsangYong Korando, Musso



QSJ1800S
Daewoo Korando, Musso
SsangYong Korando, Musso



QSJ1802S

LDV	Cub
Nissan	Serena, Vanette



QSJ1803S

LDV	Cub
Nissan	Serena, Vanette



QSJ1805S

Ford	Probe
Mazda	626, MX6, Xedos 6



QSJ1807S

Toyota	Celica



QSJ1808S

Toyota	Previa



QSJ1809S

Toyota	Celica, Corolla, Prius, RAV 4



QSJ1850S

Honda	Accord
Rover Group	600



QSJ1851S

Honda	Accord
Rover Group	600



QSJ1875S

Nissan	Interstar
Opel	Movano
Renault	Master
Vauxhall	Movano



QSJ1878S

Ford	Maverick
Nissan	Pick-Up, Terrano



QSJ1879S

Ford	Focus



QSJ1883S

Nissan	Micra



QSJ1889S

Mazda	MX3



QSJ1890S

Land Rover	Discovery, Range Rover



QSJ1891S

Land Rover	Discovery, Range Rover



QSJ1893S

Rover	MGF,MGTF



QSJ1894S

Rover	MGF,MGTF



QSJ1897S

London Taxi Int.	Fairway
Taxi	Fairway



QSJ1898S

London Taxi Int.	Fairway
Taxi	Fairway



QSJ1903S

Hyundai	Amica, Atos, Atoz



QSJ1904S

Hyundai	Sonata, XG30



QSJ1905S

Hyundai	Sonata, XG30
Kia	Magentis, Opirus



QSJ1910S

Audi	A4, A6, A8
Skoda	Superb
Volkswagen	Passat



QSJ1911S

Audi	A4, A6, A8
Skoda	Superb
Volkswagen	Passat



QSJ1912S
Toyota 4-Runner, Hilux
Volkswagen Taro



QSJ1913S
Fiat Punto
Lancia Y



QSJ1914S
Fiat Punto
Lancia Y



QSJ1915S
Fiat Brava,Bravo, Marea, Palio



QSJ1916S
Fiat Brava,Bravo, Marea, Palio



QSJ1919S
Audi A4
Seat Exeo



QSJ1921S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QSJ2013S
Mercedes 126 Series



QSJ2054S
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse, 230 Series SL-Klasse



QSJ2055S
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse, 230 Series SL-Klasse



QSJ2056S
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse



QSJ2057S
Mercedes 211 Series E-Klasse, 219 Series CLS-Klasse



QSJ2095S
Mercedes 638 Series V-Klasse, Vito



QSJ2096S
London Taxi Int. Fairway, TX1
Taxi Fairway, TX1



QSJ2097S
London Taxi Int. TX1
Taxi TX1



QSJ2098S
London Taxi Int. TX1
Taxi TX1



QSJ2099S
Ford C-Max, Focus
Mazda 3, 5
Volvo C30, C70, S40,V40



QSJ2100S
Chevrolet Matiz
Daewoo Matiz, Tico
Suzuki Alto



QSJ2101S
Ford Scorpio



QSJ2102S
Ford Scorpio



QSJ2104S
Nissan Primera



QSJ2105S
Nissan Primera



QSJ2106S
Mercedes 215 Series CL-Klasse, 220 Series S-Klasse



QSJ2107S
Mercedes 215 Series CL-Klasse, 220 Series S-Klasse



QSJ2108S

Mercedes 220 Series S-Klasse



QSJ2109S

Mercedes 220 Series S-Klasse



QSJ2110S

Mercedes 211 Series E-Klasse,
215 Series CL-Klasse,
219 Series CLS-Klasse,
220 Series S-Klasse,



QSJ2111S

Mercedes 215 Series CL-Klasse,
220 Series S-Klasse



QSJ2112S

Mercedes 215 Series CL-Klasse,
220 Series S-Klasse



QSJ2113S

Mercedes 215 Series CL-Klasse,
220 Series S-Klasse



QSJ2114S

Mercedes 215 Series CL-Klasse,
220 Series S-Klasse



QSJ2115S

Chrysler PT Cruiser



QSJ2116S

Mercedes 414 Series



QSJ2117S

Audi A3
Seat Alhambra, Leon
Volkswagen Passat, Sharan



QSJ2118S

Audi A3
Seat Alhambra, Leon
Volkswagen Passat, Sharan



QSJ2119S

Mazda 3



QSJ2122S

Volvo XC60



QSJ3009S

Mercedes MB100



QSJ3237S

Volvo S60, S80, V70,XC70



QSJ3238S

Mercedes 163 Series M Klasse



QSJ3239S

Opel Agila
Suzuki Wagon R
Vauxhall Agila



QSJ3240S

Opel Agila
Suzuki Wagon R
Vauxhall Agila



QSJ3241S

Audi A6, A8
Skoda Superb
Volkswagen Passat



QSJ3242S

Ford Focus
Mazda 3



QSJ3243S

Ford Mondeo



QSJ3245S

Land Rover Freelander



QSJ3246S

Mitsubishi Galant



QSJ3247S

Mitsubishi Galant



QSJ3248S
Mitsubishi Galant



QSJ3249S
Mitsubishi Galant



QSJ3250S
Mitsubishi Galant



QSJ3251S
Mitsubishi Galant



QSJ3252S
Mitsubishi L200



QSJ3253S
Mitsubishi L200



QSJ3254S
Mitsubishi L200, Montero, Pajero, Shogun



QSJ3255S
Mitsubishi L200, Montero, Pajero, Shogun



QSJ3256S
Citroën Berlingo, C4
Peugeot 307, Partner, Partner Tepee



QSJ3257S
Honda Civic
Rover 45,MG ZS
Rover Group 400



QSJ3258S
Saab 900



QSJ3259S
Saab 900



QSJ3260S
Saab 9-3, 900



QSJ3261S
Saab 9-3, 900



QSJ3266S
Saab 9-3, 900



QSJ3267S
Saab 9-3, 900



QSJ3268S
Audi A1
Seat Cordoba, Ibiza, Mii
Skoda Citigo, Fabia, Roomster
Volkswagen Fox, Polo, Up!



QSJ3269S
Audi A1
Seat Cordoba, Ibiza, Mii
Skoda Citigo, Fabia, Roomster
Volkswagen Fox, Polo, Up!



QSJ3270S
Aston Martin Cygnet
Citroën C1
Peugeot 107, 108
Toyota Aygo, Iq, Yaris



QSJ3271S
Opel Corsa, Corsa,Combo, Tigra
Vauxhall Corsa, Corsa,Combo, Tigra



QSJ3272S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QSJ3273S
Ford Transit, Transit Connect



QSJ3275S
Ford Fiesta, Fusion
Mazda 2



QSJ3276S
BMW (Mini) Mini



QSJ3277S

BMW (Mini)	Mini



QSJ3278S

BMW (Mini)	Mini



QSJ3279S

Citroën	C2, C3
Peugeot	207, 208



QSJ3281S

Fiat	Doblò, Strada



QSJ3282S

Honda	Accord
Rover Group	600



QSJ3283S

Honda	Accord



QSJ3287S

Nissan	Primera



QSJ3288S

Nissan	Primastar
Opel	Vivaro
Renault	Espace, Grand Espace, Laguna, Trafic



QSJ3289S

BMW	X5



QSJ3290S

BMW	X5



QSJ3291S

BMW	X5



QSJ3292S

BMW	X5



QSJ3293S

BMW	3 Series, X5



QSJ3295S

Audi	A3, Q3
Seat	Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti
Volkswagen	Caddy, Eos, Golf,



QSJ3296S

Audi	A3, Q3
Seat	Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti
Volkswagen	Caddy, Eos, Golf,



QSJ3297S

Mercedes	171 Series SLK, 203 Series C-Klasse, 204 Series C-Klasse, 209 Series CLK-Klasse



QSJ3298S

Mercedes	171 Series SLK, 203 Series C-Klasse, 204 Series C-Klasse, 209 Series CLK-Klasse



QSJ3299S

Mercedes	171 Series SLK, 203 Series C-Klasse, 209 Series CLK-Klasse



QSJ3300S

Mercedes	171 Series SLK, 203 Series C-Klasse, 209 Series CLK-Klasse



QSJ3301S

MCC Smart	City Coupé,Cabrio, Fortwo, Roadster



QSJ3304S

Opel	Meriva
Vauxhall	Meriva



QSJ3305S

Opel	Meriva
Vauxhall	Meriva



QSJ3306S

Volkswagen	Caravelle, Transporter



QSJ3307S

BMW	X5



QSJ3308S
BMW X5



QSJ3310S
BMW 7 Series



QSJ3311S
BMW 7 Series



QSJ3312S
Nissan Micra, Note



QSJ3313S
Honda Civic



QSJ3314S
Mazda 6



QSJ3315S
Mazda 6



QSJ3316S
Citroën C5, C6
Peugeot 407, 508



QSJ3317S
Mazda 6



QSJ3318S
Fiat Punto



QSJ3319S
Fiat Punto



QSJ3320S
BMW 6 Series, 7 Series



QSJ3321S
BMW 6 Series, 7 Series



QSJ3322S
Kia Rio



QSJ3323S
Kia Rio



QSJ3324S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSJ3325S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSJ3326S
Ford Focus
Volvo C30, C70, S40,V40



QSJ3327S
Honda HR-V, Jazz



QSJ3328S
Suzuki Swift



QSJ3329S
Citroën C5, C6
Peugeot 407



QSJ3330S
Dacia Logan, Sandero
Renault Captur, Clio, Logan, Megane, Modus, Scenic



QSJ3331S
Fiat Croma
Opel Signum, Vectra
Saab 9-3
Vauxhall Signum, Vectra



QSJ3332S
Ford C-Max, Focus
Volvo S40,V40



QSJ3333S
Fiat Doblò



QSJ3334S
Lexus IS200,IS300



QSJ3335S
Lexus IS200,IS300



QSJ3336S
Lexus GS300,GS430



QSJ3337S
Lexus GS300,GS430



QSJ3338S
BMW 5 Series



QSJ3339S
BMW 5 Series



QSJ3340S
BMW 5 Series



QSJ3341S
BMW 5 Series



QSJ3342S
Volkswagen Caravelle, Transporter



QSJ3343S
Audi S3, TT
Seat Leon



QSJ3344S
BMW 5 Series



QSJ3345S
BMW 5 Series



QSJ3346S
BMW 5 Series, 6 Series, 7 Series



QSJ3347S
BMW 5 Series, 6 Series, 7 Series



QSJ3348S
BMW X3



QSJ3349S
BMW X3



QSJ3350S
BMW X3



QSJ3351S
BMW X3



QSJ3352S
BMW X3



QSJ3353S
BMW X5



QSJ3354S
Chevrolet Kalos
Daewoo Kalos



QSJ3355S
Chevrolet Lacetti, Nubira
Daewoo Lacetti, Nubira



QSJ3356S
Fiat Brava,Bravo, Marea



QSJ3357S
Fiat — Brava,Bravo, Marea



QSJ3358S
Alfa Romeo — Alfa 145,146
Fiat — Brava,Bravo, Marea, Multipla



QSJ3359S
Alfa Romeo — Alfa 145,146
Fiat — Brava,Bravo, Marea, Multipla



QSJ3360S
Alfa Romeo — Alfa 145,146
Fiat — Brava,Bravo, Marea, Multipla



QSJ3361S
Alfa Romeo — Alfa 145,146
Fiat — Brava,Bravo, Marea, Multipla



QSJ3362S
Hyundai — i10
Kia — Picanto



QSJ3363S
Kia — Carnival, Sedona



QSJ3364S
Kia — Carnival, Sedona



QSJ3365S
Mazda — B2500



QSJ3366S
Mazda — MX5



QSJ3367S
Mercedes — 171 Series SLK, 203 Series C-Klasse



QSJ3368S
Volvo — S40,V40



QSJ3369S
Volvo — S40,V40



QSJ3370S
Mitsubishi — Montero, Pajero, Shogun



QSJ3371S
Toyota — Avensis



QSJ3372S
Toyota — Camry, Previa



QSJ3373S
Toyota — Camry, Previa



QSJ3374S
Toyota — Hiace



QSJ3375S
Toyota — Hiace



QSJ3376S
Toyota — Hilux



QSJ3377S
Toyota — Landcruiser



QSJ3378S
Toyota — Landcruiser



QSJ3379S
Toyota — Landcruiser



QSJ3380S
Volvo — S40,V40



QSJ3381S

Volvo	S40,V40



QSJ3382S

Alfa Romeo	Alfa 147



QSJ3383S

Alfa Romeo	Alfa 147



QSJ3384S

Chevrolet	Tacuma
Daewoo	Tacuma



QSJ3385S

Saab	9-5



QSJ3386S

BMW	1 Series, 3 Series, X1, Z4



QSJ3387S

BMW	1 Series, 3 Series, X1, Z4



QSJ3388S

BMW	1 Series, 3 Series, X1



QSJ3389S

BMW	1 Series, 3 Series, X1



QSJ3390S

Land Rover	Discovery, Range Rover



QSJ3391S

Land Rover	Discovery



QSJ3392S

Land Rover	Range Rover



QSJ3393S

Alfa Romeo	MiTo
Citroën	Nemo
Fiat	Fiorino, Punto
Opel	Adam, Corsa



QSJ3396S

Audi	A3, TT
Seat	Alhambra, Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti



QSJ3397S

Audi	A3, TT
Seat	Alhambra, Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti



QSJ3399S

BMW	1 Series, 3 Series



QSJ3400S

BMW	1 Series, 3 Series



QSJ3401S

BMW	1 Series, 3 Series



QSJ3403S

Hyundai	Santa Fe, Trajet
Kia	Sorento



QSJ3404S

Hyundai	Sonata



QSJ3405S

Kia	Rio



QSJ3406S

Kia	Rio



QSJ3407S

Audi	A4, A6
Seat	Exeo



QSJ3408S

Audi	A4, A6
Seat	Exeo



QSJ3409S
Audi A4, A6
Seat Exeo



QSJ3410S
Audi A4, A6
Seat Exeo



QSJ3411S
Mazda 6



QSJ3412S
Renault Megane, Scenic



QSJ3414S
LDV Maxus



QSJ3415S
Mercedes 639 Series, Vito



QSJ3416S
Citroën Jumper, Relay
Fiat Ducato
Peugeot Boxer



QSJ3417S
Rover Cityrover



QSJ3418S
Ford Galaxy, Mondeo, S-Max
Volvo S60, S80, V60, V70, XC70



QSJ3419S
Mercedes 169 Series A-Klasse, 245 Series B-Klasse



QSJ3420S
Ford Focus
Mazda 3



QSJ3421S
MCC Smart Forfour
Mitsubishi Colt



QSJ3422S
Kia Sorento



QSJ3424S
Hyundai Tucson
Kia Sportage



QSJ3425S
Mercedes 164 Series M-Klasse, 164 Series GL-Klasse, 251 Series R-Klasse



QSJ3426S
Mercedes 164 Series M-Klasse, 164 Series GL-Klasse, 251 Series R-Klasse



QSJ3427S
Nissan Almera, Maxima QX, Primera



QSJ3428S
BMW 7 Series



QSJ3429S
BMW 7 Series



QSJ3432S
Mercedes 163 Series M Klasse



QSJ3433S
Ford Maverick
Nissan Terrano



QSJ3434S
Citroën C4, DS4, DS5
Peugeot 308, 3008, 5008, RCZ



QSJ3435S
Mercedes Sprinter
Volkswagen Crafter



QSJ3436S
Audi A6



QSJ3437S

Hyundai	Accent
Kia	Rio



QSJ3438S

Mercedes	211 Series E-Klasse



QSJ3439S

Audi	A3, TT
Seat	Alhambra, Altea, Leon, Toledo
Skoda	Octavia, Superb, Yeti



QSJ3440S

Audi	A8
Volkswagen	Phaeton



QSJ3441S

Audi	A8
Volkswagen	Phaeton



QSJ3442S

Audi	A8
Volkswagen	Phaeton



QSJ3443S

Land Rover	Range Rover



QSJ3444S

Toyota	Corolla



QSJ3445S

Audi	A6, A8
Volkswagen	Phaeton



QSJ3446S

Audi	A6, A8
Volkswagen	Phaeton



QSJ3447S

Audi	A6, A8
Volkswagen	Phaeton



QSJ3448S

Audi	A6, A8
Volkswagen	Phaeton



QSJ3449S

Audi	A6



QSJ3450S

Audi	A6



QSJ3451S

BMW	5 Series, 6 Series, 7 Series, X5, Z8



QSJ3452S

Daihatsu	Terios



QSJ3453S

Iveco	Daily



QSJ3454S

Hyundai	i30
Kia	Cee'd



QSJ3455S

Jaguar	XJ8



QSJ3456S

Jaguar	XJ8



QSJ3457S

Toyota	Auris



QSJ3460S

Citroën	C2, C3
Peugeot	1007



QSJ3461S

Audi	A4
Seat	Exeo



QSJ3462S

Audi	A4
Seat	Exeo



QSJ3463S
Chevrolet Captiva
Opel Antara
Vauxhall Antara



QSJ3464S
Mercedes 204 Series C-Klasse



QSJ3465S
Mercedes 204 Series C-Klasse



QSJ3466S
Nissan Navara



QSJ3467S
Nissan Navara



QSJ3468S
Nissan Qashqai, X-Trail
Renault Koleos



QSJ3469S
Chrysler 300C



QSJ3470S
Chrysler 300C



QSJ3471S
Renault Kangoo



QSJ3472S
Renault Kangoo



QSJ3473S
Toyota RAV 4



QSJ3474S
Fiat Bravo, Stilo
Lancia Delta



QSJ3475S
Citroën C5, C6
Peugeot 407, 508



QSJ3476S
Citroën C5, C6
Peugeot 407, 508



QSJ3477S
Citroën C5, C6
Peugeot 407, 508



QSJ3478S
Audi A4, A5, A8, Q5



QSJ3479S
Audi A4, A5, A8, Q5



QSJ3480S
Audi A4, A5



QSJ3481S
Audi A4, A5



QSJ3482S
Audi A4, A5



QSJ3483S
Audi A4, A5



QSJ3484S
Audi A4, A5, A6, A7, Q5



QSJ3485S
Audi A4, A5, A6, A7, Q5



QSJ3486S
Audi A4, A5, A6, A7, Q5



QSJ3487S
Nissan Pick-Up



QSJ3488S
MCC Smart City Coupé,Cabrio, Roadster



QSJ3489S
Nissan Primastar
Opel Vivaro
Renault Trafic
Vauxhall Vivaro



QSJ3490S
Mercedes 211 Series E-Klasse,
219 Series CLS-Klasse,
220 Series S-Klasse,
230 Series SL-Klasse



QSJ3491S
Ford Transit



QSJ3492S
Nissan Pathfinder



QSJ3493S
Alfa Romeo Alfa 159, Brera



QSJ3494S
Audi TT



QSJ3495S
Audi TT



QSJ3496S
Ford Mondeo



QSJ3497S
Ford Mondeo

QSJ3498S
Ford Mondeo



QSJ3499S
Ford Mondeo
Jaguar X-Type



QSJ3500S
Skoda Yeti
Volkswagen Golf, Jetta



QSJ3501S
BMW (Mini) Mini



QSJ3502S
BMW (Mini) Mini



QSJ3503S
Jaguar S-Type



QSJ3504S
Nissan Interstar
Opel Movano
Renault Master
Vauxhall Movano



QSJ3505S
BMW 5 Series



QSJ3506S
BMW 5 Series



QSJ3507S
Mazda Premacy



QSJ3508S
Mitsubishi Montero, Pajero, Shogun



QSJ3509S
Nissan Pick-Up



QSJ3510S
Chrysler Grand Voyager, Neon, Voyager



QSJ3511S
Chrysler Grand Voyager, Voyager



QSJ3512S
Hyundai Terracan



QSJ3513S
Hyundai Terracan



QSJ3514S
Toyota Prius



QSJ3515S
Chevrolet Epica, Evanda
Daewoo Evanda



QSJ3516S
Lexus GS300,GS430



QSJ3517S
Lexus GS300,GS430



QSJ3518S
Lexus IS200,IS300



QSJ3519S
Lexus IS200,IS300



QSJ3520S
Lexus LS400



QSJ3521S
Lexus LS400



QSJ3523S
Iveco Daily



QSJ3524S
Honda CR-V



QSJ3525S
Mazda 323



QSJ3526S
Hyundai Sonata



QSJ3527S
Chrysler Grand Cherokee
Jeep Grand Cherokee



QSJ3528S
BMW 3 Series, X3, Z1, Z4



QSJ3529S
Land Rover Freelander

QSJ3530S
Hyundai Santa Fe



QSJ3531S
Hyundai Santa Fe



QSJ3532S
Chrysler Cherokee, Grand Cherokee
Jeep Cherokee, Grand Cherokee



QSJ3533S
Mercedes 216 Series CL-Klasse, 221 Series S-Klasse



QSJ3534S
Mercedes 216 Series CL-Klasse, 221 Series S-Klasse



QSJ3535S
Ford Galaxy, Mondeo, S-Max



QSJ3536S
Hyundai i30, Lantra,Elantra
Kia Cee'd



QSJ3537S
Mercedes 221 Series S-Klasse



QSJ3538S
Mercedes 221 Series S-Klasse



QSJ3539S
Mercedes 221 Series S-Klasse



QSJ3540S
Mercedes 221 Series S-Klasse



QSJ3541S
Land Rover Freelander



QSJ3543S
Audi Q7
Volkswagen Touareg



QSJ3545S
BMW X5, X6



QSJ3546S
BMW X5, X6



QSJ3547S
BMW X5, X6



QSJ3548S
BMW X5, X6



QSJ3549S
Citroën C-Crosser
Mitsubishi Lancer, Outlander
Peugeot 4007



QSJ3550S
Honda Accord



QSJ3551S
Honda Accord



QSJ3552S
Honda S2000



QSJ3553S
Chrysler Grand Cherokee



QSJ3554S
Chrysler Grand Cherokee



QSJ3555S
Chrysler Grand Cherokee



QSJ3556S
Ford B-Max, Fiesta
Mazda 2



QSJ3557S
Renault Laguna



QSJ3558S
Suzuki Carry



QSJ3559S
Suzuki Carry



QSJ3560S
Suzuki Carry



QSJ3561S
Mazda 6



QSJ3562S
BMW 6 Series



QSJ3563S
BMW 6 Series



QSJ3564S
Audi A4, A5, Q5



QSJ3565S
Audi A4, A5, Q5



QSJ3566S
Mercedes 211 Series E-Klasse,
219 Series CLS-Klasse,
230 Series SL-Klasse



QSJ3567S
Toyota Hilux



QSJ3568S
Toyota Hilux



QSJ3569S
Ford Transit



QSJ3571S
Jaguar X-Type



QSJ3572S
Renault Fluence, Megane,
Scenic



QSJ3573S
Renault Twingo



QSJ3574S
Nissan NV400
Opel Movano
Renault Master
Vauxhall Movano



QSJ3575S
Fiat 500, Doblò



QSJ3576S
Honda Civic



QSJ3577S
Honda Civic



QSJ3580S
Nissan Micra



QSJ3581S
Mercedes 211 Series E-Klasse,
219 Series CLS-Klasse,
230 Series SL-Klasse



QSJ3582S
Mercedes 211 Series E-Klasse,
219 Series CLS-Klasse,
230 Series SL-Klasse



QSJ3583S
Mercedes 211 Series E-Klasse,
219 Series CLS-Klasse,
230 Series SL-Klasse



QSJ3584S
Mercedes 211 Series E-Klasse,
219 Series CLS-Klasse,
230 Series SL-Klasse



QSJ3585S
Mercedes 211 Series E-Klasse,
219 Series CLS-Klasse,
230 Series SL-Klasse



QSJ3586S
Mercedes 211 Series E-Klasse,
219 Series CLS-Klasse,
230 Series SL-Klasse



QSJ3587S
Dacia Duster



QSJ3588S
Land Rover Freelander



QSJ3589S
BMW X3



QSJ3590S
BMW 5 Series



QSJ3591S
BMW 5 Series



QSJ3592S
BMW 5 Series



QSJ3593S
BMW 5 Series



QSJ3594S
BMW 5 Series, 7 Series



QSJ3595S
BMW 5 Series, 7 Series



QSJ3596S
BMW 5 Series, 7 Series



QSJ3597S
BMW 5 Series, 7 Series



QSJ3598S
BMW 5 Series, 7 Series



QSJ3599S
BMW 5 Series



QSJ3600S
BMW 5 Series



QSJ3601S
BMW 5 Series, 7 Series



QSJ3602S
Hyundai i800



QSJ3603S
Mazda Demio



QSJ3604S
Mazda Demio



QSJ3605S
Audi Q7
Volkswagen Touareg



QSJ3606S
Audi Q7
Volkswagen Touareg



QSJ3607S
Jeep Grand Cherokee



QSJ3608S
Mazda CX-7



QSJ3609S
Nissan Tiida



QSJ3610S
Nissan Almera



QSJ3611S
Jeep Grand Cherokee



QSJ3612S
Jeep Grand Cherokee



QSJ3613S
BMW X3



QSJ3614S
BMW (Mini) Mini



QSJ3615S
Toyota Landcruiser



QSJ3616S
Toyota Landcruiser



QSJ3618S
Honda CR-V



QSJ3619S
Citroën C4, DS3
Peugeot 208, 301, 2008



QSJ3620S
Hyundai ix35
Kia Sportage



QSJ3621S
BMW X3



QSJ3622S
BMW X3



QSJ3623S
BMW X3



QSJ3624S
BMW X3



QSJ3625S
Audi A4, A5



QSJ3626S
Audi A4, A5



QSJ3628S
Mercedes 204 Series C-Klasse,
212 Series E-Klasse



QSJ3629S
Mercedes 204 Series C-Klasse,
212 Series E-Klasse



QSJ3630S
Mercedes 204 Series C-Klasse,
212 Series E-Klasse



QSJ3631S
Mercedes 204 Series C-Klasse,
212 Series E-Klasse



QSJ3632S
Ford Mondeo



QSJ3633S
BMW (Mini) Mini



QSJ3635S
Citroën DS3
Peugeot 208



QSJ3639S
BMW 1 Series, 2 Series,
3 Series, 4 Series



QSJ3640S
BMW 1 Series, 2 Series,
3 Series, 4 Series



QSJ3641S
BMW 1 Series, 2 Series,
3 Series, 4 Series



QSJ3642S
BMW 1 Series, 2 Series,
3 Series, 4 Series



QSJ3643S
Chevrolet Spark



QSJ3644S
Ford C-Max, Focus



QSJ3645S
Ford C-Max, Focus



QSJ3646S
Ford Kuga



QSJ3647S
Ford Kuga



QSJ3648S
Honda Jazz



QSJ3649S
Hyundai i30, Santa Fe
Kia Cee'd



QSJ3650S
Mercedes 212 Series E-Klasse



QSJ3651S
Nissan Micra



QSJ3652S
Nissan Juke



QSJ3653S
Toyota Avensis



QSJ3655S
Honda Accord



QSJ3656S
Ford C-Max, Focus
Volvo V40



QSJ3657S
Ford Mondeo



QSJ3658S
Mercedes 212 Series E-Klasse



QSJ3659S
Mercedes 212 Series E-Klasse



QSJ3660S
Mercedes 212 Series E-Klasse



QSJ3661S
Mercedes 212 Series E-Klasse



QSJ3663S
Audi A4, A6, A7, Q5



QSJ3664S
Audi A4, A6, A7, Q5



QSJ3665S
Audi A4, A6, A7, Q5



QSJ3666S
Audi A4, A6, A7, Q5



QSJ3671S
Toyota Avensis



QSJ3672S
Kia Picanto, Rio, Soul



QSJ3678S
BMW X5, X6



QSJ3679S
BMW X5, X6



QSJ3680S
BMW X5, X6



QSJ3681S
BMW X5, X6



QSJ3682S
Seat Cordoba, Ibiza
Skoda Fabia, Roomster
Volkswagen Fox, Polo



QSJ3683S
Seat Cordoba, Ibiza
Skoda Fabia, Roomster
Volkswagen Fox, Polo



QSJ3684S
Audi A6



QSJ3685S
Audi A6



QSJ3688S
Audi A6



QSJ3689S
Audi A4, A5, A6, A7



QSJ3690S
Audi A4, A5, A6, A7



QSJ3691S
Audi A8
Volkswagen Phaeton



QSJ3692S
Ford Transit, Transit Custom



QSJ3693S
Citroën C4



QSJ3696S
BMW 5 Series



QSJ3697S
BMW 5 Series



QSJ3698S
BMW 5 Series



QSJ3699S
BMW 5 Series



QSJ3702S
Ford Mondeo



QSJ3703S
Peugeot 308



QSJ3706S
Hyundai Matrix



QSJ3707S
Hyundai Matrix



QSJ3708S
Mercedes 221 Series S-Klasse



QSJ3709S
Mercedes 221 Series S-Klasse



QSJ3710S
Mercedes 204 Series C-Klasse, 204 Series GLK-Klasse



QSJ3711S
Mercedes 164 Series M-Klasse



QSJ3712S
Mercedes 163 Series M Klasse



QSJ3713S
Mercedes 163 Series M Klasse



QSJ3714S
Mercedes 221 Series S-Klasse



QSJ3715S
Mercedes 221 Series S-Klasse



QSJ3716S
Mercedes 204 Series C-Klasse



QSJ3717S
Mercedes 204 Series C-Klasse



QSJ3718S
Mercedes 204 Series C-Klasse



QSJ3719S
Mercedes 204 Series C-Klasse



QSJ3720S
Honda Civic



QSJ3721S
Audi A4
Seat Exeo



QSJ3722S
Audi A4
Seat Exeo



QSJ3723S
Audi A4, A5



QSJ3724S
Audi A4, A5



QSJ3727S
Mitsubishi Lancer



QSJ3728S
Mitsubishi Lancer



QSJ3740S
Audi A4, A5, A6, A7



QSJ3742S
MCC Smart Fortwo



QSJ3743S
Opel Movano
Renault Master
Vauxhall Movano



QSJ3744S
Volvo V70,XC70, XC60



QSJ3746S
Hyundai Trajet



QSJ3747S
Peugeot 508



QSJ3748S
BMW (Mini) Mini



QSJ3750S
Lexus IS220d,IS250



QSJ3751S
Lexus IS220d,IS250



QSJ3755S
Chevrolet Aveo



QSJ3759S
Alfa Romeo Giulietta



QSJ3769S
Hyundai i30
Kia Cee'd



QSJ3774S
Audi A8



QSJ3775S
Dacia Dokker, Lodgy, Logan, Sandero



QSJ3776S
BMW 1 Series, 2 Series, 3 Series, 4 Series



QSJ3777S
BMW 1 Series, 2 Series, 3 Series, 4 Series



QSJ3778S
BMW 1 Series, 2 Series, 3 Series, 4 Series



QSJ3779S
BMW 1 Series, 2 Series, 3 Series, 4 Series



QSJ3780S
Volkswagen Amarok



QSJ3781S
Volkswagen Amarok



QSJ3782S
Mitsubishi Lancer



QSJ5003K
Audi A4, A6
Skoda Superb
Volkswagen Passat



QSJ5004K
Audi A6
Skoda Superb
Volkswagen Passat



QSJ5005K
Audi A4



QSJ5006K
Audi A6
Skoda Superb



QSJ5007K
Audi A4



QSJ5008K
Audi A6



QSJ5009K
Audi A6



QSJ5010K
Audi A4
Seat Exeo



QSJ527S
Jaguar XJ6, XJ12, XJS
Rover Group RV8



QSJ6000S
BMW 3 Series, Z3



QSJ651S
Renault R4,R6, R4



QSJ7000S
BMW 3 Series, Z3



QSJ7001S
BMW 3 Series, Z3



QSJ767S
Lada Niva



QSJ768S
Lada Niva



QSJ793S
Porsche 944
Volkswagen Caddy, Golf, Scirocco



QSJ836S
Rover Group 100, Metro



QSJ839AS
Fiat Panda
Lancia Y10
Seat Marbella, Terra



QSJ839S
Fiat Panda, Uno
Lancia Y10
Seat Marbella, Terra



QSJ844S
Alfa Romeo Alfa 75,90, RZ,SZ



QSJ857S
Lancia Delta



QSJ874S
Opel Astra, Calibra, Vectra
Vauxhall Astra, Astra,Astramax, Calibra, Cavalier



QSJ877S
Chevrolet Lanos
Daewoo Espero, Lanos, Nexia
Opel Kadett
Vauxhall Astra, Astra,Astramax,



QSJ881S
Land Rover 90,110,130, Defender, Discovery



QSJ883S
Lotus Elise



QSJ885S
Renault Clio, Express,Extra, Kangoo, Megane, R5, R19, R21, Twingo



QSJ886S
Renault Espace



QSJ887S
Renault Espace



QSJ888S
Renault R4,R6, R4



QSJ889S
Renault R4,R6, R4



QSJ897S
Ford Fiesta



QSJ909S
Mitsubishi L200



QSJ911S
Ford Maverick
Nissan Cabstar, Pick-Up, Terrano, Urvan



QSJ9136S
Nissan Micra



QSJ9146S
Nissan Pick-Up, Urvan



QSJ9166S
Toyota Paseo, Starlet



QSJ9167S
Toyota Paseo, Starlet



QSJ9181S
Toyota Hiace



QSJ9187S
Toyota Camry



QSJ9188S
Toyota Hilux
Volkswagen Taro



QSJ9189S
Toyota 4-Runner, Hilux
Volkswagen Taro



QSJ9198S
Honda Civic, CR-V, CRX, Integra
Rover 45,MG ZS
Rover Group 400



QSJ9209S
Mazda 323, MX3



QSJ9214S
Mazda B Series



QSJ9215S
Mazda B Series



QSJ9217S
Ford Econovan
Mazda E Series



QSJ9218S
Ford Econovan
Mazda E Series



QSJ9286S
Mitsubishi Challenger, L200, Montero, Pajero, Shogun



QSJ9287S
Mitsubishi Challenger, L200, Montero, Pajero, Shogun



QSJ9288S
Mitsubishi Challenger, L200, Montero, Pajero, Shogun



QSJ9309S
Lancia Kappa



QSJ9316S
Suzuki Vitara, X-90



QSJ9321S
Kia Mentor



QSJ9324S
Subaru Forester, Impreza, Legacy



QSJ9342S
Hyundai Sonata



QSJ9347S
Daewoo Nubira



QSJ9348S
Daewoo Leganza



QSJ9357S
Renault Espace, Grand Espace



QSJ9381S

Isuzu	Trooper
Opel	Frontera, Monterey
Vauxhall	Frontera, Monterey



QSJ952S

Toyota	MR2



QSJ9534S

Peugeot	306



QSJ9537S

Citroën	Berlingo, Xsara
Peugeot	Partner



QSJ9542S

Saab	9-5



QSJ962S

Alfa Romeo	Alfa 33



QSJ965S

Fiat	Daily
Iveco	Daily



QSJ967S

Toyota	Liteace



QSJ971S

Mercedes	124 Series, 129 Series, 201 Series



QSJ972S

Citroën	BX
Peugeot	305, 405



QSJ973S

Citroën	C15
Peugeot	205



QSJ974S

Citroën	C15
Peugeot	205



QSJ975S

Opel	Arena
Renault	Trafic
Vauxhall	Arena



QSJ976S

Renault	Espace, R25



QSJ977S

Renault	Espace, R25



QSJ978S

Renault	Master



QSJ979S

Renault	Master



QSJ9800S

Alfa Romeo	Alfa 33



QSJ980S

Volkswagen	Caravelle, Transporter



QSJ9810S

Alfa Romeo	Alfa 33



QSJ985S

Citroën	C25
Fiat	Ducato
Peugeot	J5
Talbot	Express



QSJ990S

Audi	100, 200



QSJ991S

Audi	100, 200



QSJ9928S

Fiat	Palio



QSJ9931S
Hyundai — Accent, Coupé, Get, Getz, ix20, Lantra, Elantra, Pony, Sonata, Stellar



QSJ994S
BMW — 5 Series, 7 Series



QSJ995S
BMW — 5 Series, 7 Series



QSJ9965S
Ford — Fiesta



QSJ9968S
Mercedes — Sprinter
Volkswagen — LT



QSJ997S
BMW — 3 Series, Z1



QSJ998S
BMW — 3 Series, Z1



QSJ999S
Volkswagen — Caravelle, Transporter



QSK1000S
Ford — Escort, Granada, P100, Scorpio, Sierra



QSK153S
Rover Group — Mini



QSK209S
Rover Group — Mini



QSK213S
Rover — MGF,MGTF
Rover Group — 100, Metro, Mini



QSK214S
Ford — Escort



QSK220S
Ford — Escort, Granada, P100, Scorpio, Sierra



QSK225S
Ford — Kuga, Mondeo, Scorpio



QSK226S
Ford — Courier, Escort, Fiesta, Ka, Orion, Puma, Scorpio, Sierra



QSK227S
Mercedes — 124 Series, 129 Series, 140 Series, 170 Series SLK, 171 Series SLK,



QSK228S
Rover Group — 100, Metro



QSK229S
Fiat — Punto
Lancia — Y



QSK230S
Seat — Toledo
Volkswagen — Golf, Jetta



QSK231S
Seat — Toledo
Volkswagen — Golf, Vento



QSK232S
Volkswagen — Golf



QSK233S
Audi — A3
Seat — Ibiza, Leon, Toledo
Skoda — Fabia, Octavia, Roomster



QSK235S
Volkswagen — Passat



QSK236S
BMW 3 Series



QSK239S
BMW 3 Series



QSK240S
BMW 3 Series, Z4



QSK242S
BMW 3 Series



QSK244S
Mercedes 124 Series, 201 Series



QSK245S
Mercedes 124 Series, 201 Series



QSK249S
Mercedes 163 Series M Klasse



QSK250S
Mercedes 170 Series SLK,
202 Series C-Klasse



QSK251S
Mercedes 201 Series



QSK254S
Mercedes 202 Series C-Klasse



QSK255S
Mercedes 208 Series CLK-Klasse



QSK256S
Mercedes 210 Series E-Klasse



QSK259S
Ford Courier, Fiesta, Ka,
Mondeo, Puma



QSK260S
Ford Fiesta



QSK261S
Ford Courier, Escort, Fiesta,
Ka, Mondeo, Orion,
Puma



QSK262S
Ford Courier, Escort, Fiesta,
Ka, Orion



QSK263S
Ford Mondeo



QSK264S
BMW 5 Series



QSK265S
BMW 3 Series, Z3



QSK266S
BMW 7 Series, Z8



QSK267S
Ford Transit



QSK269S
Ford Focus



QSK270S
Citroën AX, C2, C3, Saxo
Peugeot 106, 206, 207, 1007



QSK275S
Renault Laguna



QWB9000
Citroën BX, C15, Xantia
Peugeot 305



QWB9001
Citroën BX



QWB9004
Citroën XM



QWB9005
Renault Clio



QWB9006
Nissan Kubistar
Renault Kangoo



QWB9007
Renault Megane, R19, Scenic



QWB9008
Fiat Punto
Lancia Y



QWB9009
Alfa Romeo Alfa 145,146, Alfa 155
Fiat Tempra, Tipo
Lancia Dedra, Delta



QWB9010
Mercedes 168 Series A Klasse



QWB9011
Citroën Xsara, ZX
Peugeot 205, 306, 309



QWB9012
Citroën Berlingo, Xsara
Peugeot 405, Partner



QWB9013
Peugeot 206



QWB9015
Peugeot 206



QWB9016
Peugeot 206



QWB9017
Citroën AX, Saxo
Peugeot 106



QWB9018
Citroën AX, Saxo
Peugeot 106



Quinton Hazell



United Kingdom
Quinton Hazell UK

Tetrosyl Ltd, Newgate House,
Rochdale, OL16 1XA

Tel: +44 (0)161 762 6789

Email: csteam@tetrosyl.com
www.tetrosylexpress.com



France
Quinton Hazell France

Quinton Hazell France,
79 rue du Chemin Vert, 59273 Fretin

Tel: +33 (0)3 20 87 02 20

Email: marketing@quintonhazell.fr
www.QuintonHazell.fr

Quinton Hazell distributed by

Northern Ireland
Component Distributors

Belfast Branch:
Component Distributors
Blackwater Road, Mallusk,
Co Antrim, BT36 4UA

Tel: +44 (0) 28 9034 1999
Email: qh@cd-group.com
www.cd-group.com

Ireland
Component Distributors

Dublin Branch:
Component Distributors
31 Rosemount Park Drive,
Rosemount Park Business Park,
Ballycoolin Road, Dublin 11

Tel: +353 1 820 8860
Email: qh@cd-group.com
www.cd-group.com



Germany
Quinton Hazell by JP Group
A/S Automotive

Beratgerstraße 39,
44149 Dortmund,
Germany

Tel: +49 231 700 109 51
E-mail: info@jpgroup.dk
www.quinton-hazell.de



Denmark
Quinton Hazell by JP Group
A/S Automotive

JP Group A/S, Hjulmagervej 2,
8800 Viborg, Denmark

Tel: +45 (0) 86 61 50 00
Email: info@jpgroup.dk
www.quinton-hazell.com



Russia
Quinton Hazell by JP
Group A/S Automotive

Moskow, Russia

Tel: +007 910 490 95 30
E-mail: info@jpgroup.dk
www.quinton-hazell.com

GB

The contents of this catalogue have been prepared to exacting QH standards.
However, responsibility cannot be accepted for errors, omissions and other inaccuracies that may occur.
Application data may only apply up to the catalogue publication date shown on the cover.
Vehicle and component manufacturers names and numbers are used for reference purposes only.

F

Le contenu de ce catalogue a été étudié avec le plus grand soin, selon les exigences de QH.
Cependant notre responsabilité ne saurait être engagée pour les conséquences des erreurs, des omissions ou de toute autre anomalie.
La validité des applications ne peut dépasser la date de publication du catalogue imprimée sur la couverture.
Les designations des marques, des modèles et composants sont données à titre purement indicatif.

D

Alle Angaben in diesem Katalog wurden mit größter Sorgfalt erstellt.
Eine Haftung für Fehler, Auslassungen oder sonstige Ungenauigkeiten ist jedoch ausgeschlossen. Änderungen behalten wir uns vor.
Es besteht die Möglichkeit, dass die in diesem Katalog genannten Anwendungen nur bis zu dem auf dem Katalogdeckblatt angegebenen Erscheinungsdatum zutreffen.
Soweit wir in diesem Katalog auf Ersatzteilnummern von Fahrzeugherstellern und/oder Wettbewerbern Bezug nehmen, dient dies nur zu Vergleichszwecken.
Eine Verwendung derartiger Angaben in Rechnungen an den Fahrzeugbesitzer ist nicht statthaft.
Wir behalten uns alle Rechte vor. Vervielfältigungen, auch auszugsweise, einschliesslich Zeichnungen, ist nur mit schriftlicher Genehmigung von Quinton Hazell gestattet.

NL

Aan de samenstelling van deze catalogus is door QH de grootst mogelijke zorg besteed.
Helaas kunnen wij geen verantwoording dragen voor eventuele fouten, onjuistheden en/of misvattingen.
De vermelde toepassingen gelden tot de datum van uitgifte van de catalogus, zie omslag.
Alle merken genoemd in de catalogus zijn alleen gebruikt ter verheldering en vergelijk.

E

El contenido de este catálogo ha sido preparado de acuerdo a las normas de QH.
De todos modos, no nos podemos hacer responsables de errores, omisiones o cualquier otro tipo de inexactitud que pudiera ocurrir.
Los datos sobre las applicaciones solamente son aplicables hasta la fecha de publicación del catálogo que se muestra en la portada.
Los nombres y numeraciones de los fabricantes de vehículos y componentes tienen simple valor indicativo.

I

Il contenuto di questo calalogo é stato preparato secondo gli standard QH.
Tuttavia, non assumiamo alcuna responsabilit à in caso di errori, omissioni, ed altre inesattezze contenute nello stesso.
I dati delle applicazione si riferiscono alla della pubblicazione del catalogo indicata in copertina.
Nomi e numeri di riferimento di produttori di veicoli e componenti vengono indicati a puro titolo orientativo.

© Tetrosyl Express Limited

Quinton Hazell®

Steering & Suspension



Direction et suspension
Lenkung/achsaufhängung
Direcciòn y suspension
Sterzo e sospensione
Stuur-& ophangingdelen
Układ kierowniczy Zawieszenie
Рулевой механизм/Подвеска

5 050438 256130

www.tetrosylexpress.com