



Tetrosyl has been working within the Refinish Industry for over 50 years. Tetrosyls experience and technical expertise has developed a superior advanced waterborne paint system, agua-t that meets the demands of the VRG market.

Aqua-t waterborne colour system complies with all the latest VOC emission legislation and provides bodyshops with an economic, high quality and simple solution to becoming compliant. Continual research and development into bodywork perfection has developed a comprehensive range of variomorphic compounds and a variosurface bodyfiller.

Tetrosyl refinishing provides a complete range for the vehicle refinishing market.

The Colour Coatings Development Centre is fully staffed and equipped to look after the needs of the refinishing & crash repair markets sectors, with products developed in-house and extensively tested in both the laboratory and the test market. These facilities include 2 full-sized low-bake spray booths & ovens, industry standard bench-top and hand-held spectrophotometers, including multi-angle, using the latest software for predictive matching and quality consistency.

This centre studies new developments in materials technology from our supplier partners, to enable us to bring these developments quickly into products. We utilise such equipment as GC, FT-IR, Coulimetric titrometer, Rheometer, accelerated weathering machine, Digital Electron Microscope etc etc. These items of equipment enable us to remain at the forefront of product developments but especially in resin and polymer technology, colour trends, nano technology and the latest advancements in water-based technology.

Adam Mather (BSc, MRSC, CCHEM, CScI) Group Technical Manager



# Contents



- 1 Panel Wipes
- 2 Fillers
- 3 Primers
- 4 Thinners
- 5 Aqua-t Colour Base System
- 6 Clearcoats
- 7 Compounds
- 8 Specialist Paints
- 9 Paints & Primers
- 10 Underbody
- 11 Masking/Paper Products
- 12 Ancillaries

# Panel wipes

#### Panel Perfection

A waterbased preparation for cleaning and degreasing car body panels, prior to refinishing/painting. At less than 200g/I VOC content, it fully complies with all relevant EU legislation.

Product	Case Oty	Size	Code	Barcode
Panel Perfection (Trigger)	6	1L	WSP010	5010372018690
Panel Perfection	4	5L	WSP050	5010372017761





## Pre-Wipe Degreaser

A preparation product for cleaning panels of oil, grease, waxes, flatting residues, finger marks and reduces the risk of silicone contamination. Can also be used for cleaning prior to polishing.

	Product	Case Oty	Size	Code	Barcode
	Pre-Wipe Degreaser	4	5L	PWD005	5010372014258
IEW	Pre-Wipe Degreaser	1	25L	PWD225	5010373080917

#### Acetone

A preparation product for removing greases and waxes from surfaces which are to be bonded, repaired or primed. Also can be used for cleaning tools and brushes while working with polyester, vinyl ester and epoxy resins.

Product	Case Qty	Size	Code	Barcode
Acetone	4	5L	TACO50	5010373071618
Acetone	1	25L	TACO25	5010373072950





#### Isopropyl Alcohol (IPA)

Isopropyl Alcohol (IPA) is a solvent that can be used for Final preparation prior to painting, cleaning and degreasing all substrates. Giving the ability to be used for cleaning off many uncured adhesives, sealants and resins.

	Product	Case Uty	Size	Lode	Barcode	ı
NEW	Isopropyl Alcohol	4	5L	IPA050	5010373080924	




## Fillers



## MicroFlo 20® Glazing Putty

The latest in our new range of flowable fillers, which is suitable for all metal substrates. Two component\* chemical liquid used for the final skimming of a polyester putty repair. Combines great levelling properties together with easy sanding.

Product	Case Oty	Size	Code	Barcode
MicroFlo 20® Glazing putty *(Includes	6 Hardener)	440ml	MFG500	5010373069981



High tech polyester resin system optimises its compatibility with numerous substrates like galvanised steel, zinc, aluminium, steel, GRP and many others.

Specially vacuum mixed to eliminate air entrapment and defects.

Expanded gas filled plastic microspheres allow the production of lightweight and easy to sand fillers.

Does not clog abrasive papers.

# Fast 20 Ultra Lightweight Bodyfiller

An all-purpose ultra-lightweight bodyfiller suitable for application to numerous substrates. With micro cellular technology and an advanced easy to mix formula, Fast 20 makes sanding easy with an extra smooth finish.

Product	Case Oty	Size	Code	Barcode	
Fast 20 Bodyfiller	6	1L	FBF010	5010373071601	
Fast 20 Bodyfiller	2	3.5L	FBF035	5010372018737	





## UltraSmart 2K Bodyfiller

A lightweight and easy to sand bodyfiller, suitable for use on Steel, GRP, Aluminium, Wood, Stone and most Plastics.

Product	Case Oty	Size	Code	Barcode
UltraSmart 2K Bodyfiller	12	250g	USB025	5010372015521
UltraSmart 2K Bodyfiller	6	600g	USB600	5010372007403

## **Fillers**





A tough Bodyfiller reinforced with fibre glass to give a solid and vibration resistant repair. Ideal for bridging and filling holes in metal and glass fibre surfaces.

Product	Case Oty	Size	Code	Barcode
2K Fibrofil	12	250g	USF025	5010372015538
2K Fibrofil	6	600g	USF600	5010372007380
Color Cure 2K Fibrofil	6	1L	CCF010	5010372013855
Color Cure 2K Fibrofil	4	2L	CCF020	5010372013695

## Glass Fibre Matting

For the bridging of large holes in bodywork, in conjunction with Tetrosyl Polyester Resin.

Product	Case Oty	Size	Code	Barcode
Glass Fibre Matting	12	1 sq.m	GFM001	5010372720609





## Polyester Resin

A Multipurpose resin with controllable setting time for moulding, fabricating and repairing steel, alloy or aluminium (with Etch Primer), glass fibre reinforced plastic, wood, stone etc. Can also be used as a powerful adhesive. Resistant to many solvents, acids, alkalis, oils and salt water.

Product	Case Oty	Size	Code	Barcode
Polyester Resin	6	<b>1</b> L	POR001	5010372012643
Polyester Resin	4	2.5L	P0R002	5010372012650

## Color Cure 2K Stopper

A fine surface pinhole free polyester stopper ideal for minor repairs, dents and scratches. Sets in minutes, creating an easy to sand, tough and smooth repair.

Product	Case Oty	Size	Code	Barcode
Color Cure 2K Stopper	6	600g	CCS600	5010373077399



# 3 Primers



#### Process 540 Primer

Fast Drying 2K HS Primer is for use under basecoats and topcoats. It provides good adhesion and appearance, while offering a fast drying time and easy to sand qualities.

Product	Case Oty	Size	Code	Barcode
2K HS Grey Primer	6	1L	GLG010	5010372015903
2K HS Grey Primer	2	3.5L	GLG004	5010372017303

### Process 540 Activator

Activator for 2K HS Primers has been specially designed to offer excellent performance. Different speeds of activator are available, for all refinishing needs.

Product	Case Oty	Size	Code	Barcode
Slow Activator for HS Primer	12	500ml	GCK500	5010373078983
Standard Activator for HS Primer	12	500ml	GCK501	5010373078976
Standard Activator for HS Primer	6	1L	GPM001	5010372014548
Fast Activator for HS Primer	12	250ml	GPF250	5010372017754
Fast Activator for HS Primer	12	500ml	GCK502	5010373078990
Fast Activator for HS Primer	6	1L	GPF001	5010372014562





## Process 540 Thinner

Formulated for use with 2K HS Primers, the thinner has been specially treated for maximum performance.

Product	Case Oty	Size	Code	Barcode
Thinner for HS Primer	6	1L	GPT001	5010372014586



#### **Etch Primer**

A Chromate free, fast drying etch primer designed especially for use on the repair of rub through areas and on substrates such as galvanised steel & aluminium. Etch primer does not require sanding, just overcoat with primer before colour application. Thinner is specially formulated to maximise the performance of Tetrosyl Etch Primer.

Product	Case Oty	Size	Code	Barcode
Etch Primer	6	1L	GEP001	5010372881409
Etch Primer	2	5L	GEP005	5010372881508
Activated Thinner for Etch Primer	6	1L	GET010	5010372012360
Activated Thinner for Etch Primer	4	5L	GET050	5010372881706
Etch Primer (Aerosol)	12	500ml	AEP500	5010372003344
Etch Primer Kit (GEP001 + GET010)	12	1L	GPT100	:=
Etch Primer Kit (GEP005 + GET050)	8	5L	GPT105	-



#### Plastic Primer

A ready to use adhesion promoting plastic primer for preparing the surfaces of all plastics prior to the application of colour. Tetrosyl plastic primer avoids the need to identify the plastic substrate.

Product	Case Oty	Size	Code	Barcode
Plastic Primer	6	1L	PLP010	5010372015071


## Cellulose EP21 Grey Primer

A high build, fast drying and easy to sand cellulose primer surfacer.

Combining excellent adhesion to bare metal, exceptional 'hold-out' and build.

Dries to a smooth finish suitable for use under most topcoat finishes.

Product	Case Oty	Size	Code	Barcode
EP21 Grey Primer	6	1L	EPS106	5010372017914
EP21 Grey Primer	2	5L	EPS050	5010372750804



# **Thinners**

#### Standard Thinners

Ideal for use as a cleaning product or colour mixing in commercial and industrial applications. A preparatory and pre-cleaning product.

Product	Case Oty	Size	Code	Barcode
Economy Thinners	4	5L	STA005	5010372017792
Economy Thinners	1	25L	STA025	5010372017808
Standard Thinners	4	5L	STT005	5010372730103
Standard Thinners	1	25L	STT025	5010372730202
Standard Thinners	1	205L	STT450	5010372730301





#### Gun Wash

Solely for use in the cleaning of solvent borne spray equipment.

Product	Case Oty	Size	Code	Barcode
Gun Wash	4	5L	GUN005	5010372998480
Gun Wash	1	25L	GUN025	5010372732008



#### Universal Thinner

Ideal for thinning primer. Suitable for use with solvent, base coat and solid colour paints.

Product	Case Oty	Size	Code	Barcode	
Universal Thinner	4	5L	UTH005	5010373071335	



#### Waterbased Gun Cleaner

For cleaning spray equipment used for compliant materials.

Product	Case Qty	Size	Code	Barcode
Waterbased Gun Cleaner	1	25L	AQG025	5010372013916





- Aqua-t is a full waterborne paint system, not a Hybrid/Solvent based system.
- This method can guarantee the same paint finish every time, using the easily repeatable aqua-t method.
- This highly flexible paint system gives the body shop the ability to use chromatic swatches, manufacturer
  colour code spectrometer to match your customers vehicle colour exactly and produce the exact quantities
  required to reproduce this colour with aqua-t paints.
- Our aim is to simplify colour matching by getting the bodyshops to 'Forget the car, just look at the colour'.
- With currently around 55,000 colours in the aqua-t database, you should always be able to find the right colour.
- If not, a technical team is available to take a panel and match a colour within 3 days or less, then get it added into the aqua-t database.
- By removing the solvent part of the bodyshops paint systems, it means reduced gun cleaning, reduced solvent
  usage, a reduction in harmful fumes and reduces the amount of solvent that needs to be disposed of. Even tap
  water can be used to clean out spray guns after using aqua-t.
- Also meaning no specialist ventilation is required in the spray booth. Another cost reduction.
- A giant pitfall in solvent based systems is the differing drying times produce different finishes, but not with aqua-t. No matter what the drying time you will get the same colour finish every time.
- Another difficulty with solvents is figuring out whether it is dry or not, again this is not an issue you need to worry
  about when using aqua-t.
- Aqua-t waterborne system has been developed for ease of use, enabling bodyshops to make less mistakes and spend less time finishing a customer's vehicle, enabling more vehicles to pass through the doors.
- Aqua-t provides a fantastic colour matching system, great technical help and marketing support for all your needs.



## Aqua-t Colour Base System

#### Sizes


Aqua-t is available in a variety of sizes: 250ml, 500ml, 1L, 5L & 20L. The number for the colour will stay the same but the prefix will determine the size of product.

e.g. Super White AQA001 = 1L Super White AQB001 = 20L

Size	Prefix
250ml	AQM
500ml	AQA / AQM
1L	AQA
5L	AQC
20L	AQB

#### Solid Colours

Aqua-t solid colours are manufactured by employing the latest technology, which provides high chroma from pigments, maximises colour fastness and durability, and ensures a deep lustrous base coat.



Product	Available Sizes	Product Code
Black	500ml / 1L / 5L / 20L	017
Red Violet	500ml/1L/5L/20L	018
Perm Red	500ml/1L/5L/20L	019
Claret	500ml/1L/5L/20L	020
Perm Blue	500ml/1L/5L/20L	021
Sunset Yellow	500ml/1L/5L/20L	022
Dense Black	500ml/1L/5L/20L	023
Speed Red	500ml/1L/5L/20L	024
Trans Red	500ml/1L/5L/20L	025
Trans Yellow	500ml/1L/5L/20L	026
Mid Blue	500ml/1L/5L/20L	027
Ferrox	500ml/1L/5L/20L	028
Green Yellow	500ml/1L/5L/20L	029
Trans Scarlet	500ml/1L/5L/20L	030
Super Black	500ml/1L/5L/20L	031

## 'How to' Guide



**PREPARATION** To ensure the best paint application make sure the preparation of the panel is finished perfectly. The final sanded finish should be no coarser grade than P400 and if you wish to blend the panel no lower than P800.

Clean the area to be painted with panel wipe and make sure all residue is removed. Use a Tack Cloth to wipe the surface before you start painting, a tack cloth is very important if you don't have ideal surroundings for your paint job to take place in.



MIXING COLOUR Mixing the Aqua-t is a simple process. Once the correct colour has been identified by checking the colour code and, if available, the swatch chip. Match against the adjacent panel in which to be painted. Weigh out the Aqua-t to the amount you desire, always remembering that 30% of water is added at the end. Once weighed out and mixed up, a test card could be sprayed to make sure the correct match is made. To ensure you will be happy with your paint selection, look at the colour under various lighting conditions both indoors and outdoors.



BASECOAT APPLICATION Appling waterborne basecoat is similar to solvent basecoat. You should hold your gun at a right angle to the surface being painted at a distance of 6-10 inches. All of the Aqua-t coats needs to be painted at a 2 bar pressure (30psi). A gun set up including a fluid tip of 1.2 is needed, any different and you may not get the desired paint finish. 2 full coats are applied, leaving enough time between coats for the basecoat to dry, this may take slightly longer than solvent basecoat but maintaining heat and good airflow will speed up the process. After applying the 2nd full coat and drying it fully, check to see that the area is fully covered and no primer or repair marks can be seen. Then a light drop (dust) coat should be applied. Still at 2 bar pressure and at half trigger apply the drop coat evenly, if blending; arcing away at the area you need to fade out the paint. Waterborne paints leave less overspray than solvent paints so using a Tack Cloth after applying the final drop coat is usually not necessary. If happy with your application move on to the clearcoat.



**CLEARCOAT APPLICATION** The Clearcoat application over Aqua-t will be the same as over a solvent paint. Make sure the paint is fully dry and a matte finish. If using the 420 Clearcoat, 1 light coat should be applied following a full coat without a flash off time. If using the SR Clearcoat 2 full coats should be applied with a 10 minute flash off between coats.



**DRYING TIMES** Drying times will vary depending on how the product will be cured. The recommended process is to flash off the last coat for 10 minutes and then bake for 30 minutes at 60°C panel temperature. Drying the clearcoat with an infra red lamp will have different times, just make sure the panel doesn't get to hot otherwise popping may occur. You can use an infra red laser thermometer to help you settle on how far the infra red lamp needs to be placed.



**POLISHING** Polishing the painted area is the same as polishing a panel painted in solvent basecoat, flat the area with 1500 or 2000 wet and dry paper, or if you prefer flat with 1500 discs and then you can Trizact 3000 it afterwards to make polishing slightly easier. Using Tetrosyl's Super VM Compound is a great way to polish the area to a high gloss, Tetrosyl's Final Finish Bodyshop Polish also protects the panel once finished.

<sup>\*</sup> You must only use Tetrosyl products included together as one paint system. This means if you plan to use Aqua-t paint on your car, you must also use Tetrosyl reducer, hardener, sealer, primer, cleaner, paint and clearcoat for the entire project. You can't mix various products that are from different brands. They are all designed to be used as part of the same paint system



## 5


# Aqua-t



#### **Metallics**

Aqua-t metallic give exacting colour matches to modern effect paint finishes through the design of their tiny bronze, silver and gold metallic platelets.

Product	Available Sizes	Product Code
Light Aluminium	500ml/1L/5L/20L	101
Bright Aluminium	500ml/1L/5L/20L	102
Coarse Aluminium	500ml/1L/5L/20L	103
Sparkle Aluminium	500ml/1L/5L/20L	104
Silver Dollar	500ml/1L/5L/20L	105



\*This image is for illustration only, please refer to Aqua-t swatch set for accurate colour match.


#### **Pearlescents**

Aqua-t pearlescents are specially designed to maximise the shimmering effect of light refraction. The full pearlescent effect comes shining through from un-refracted light, depending on the angle it strikes the surface.

#### **Additives**

Product	Available Sizes	Product Code	
Clear	500ml/1L/5L/20L	201	
Tone Controller	500ml/1L/5L/20L	202	

Product	Available Sizes	Product Code
White Pearl	500ml / 1L /5L / 20L	301
Ultrafine White Pearl	500ml / 1L /5L / 20L	302
Polar White Pearl	500ml / 1L /5L / 20L	303
Gold Pearl	500ml/1L/5L/20L	304
Fine Red Pearl	500ml / 1L /5L / 20L	305
Lilac Pearl	500ml/1L/5L/20L	306
Fine Blue Pearl	500ml / 1L /5L / 20L	307
Blue Pearl	500ml/1L/5L/20L	308
Fine Green Pearl	500ml / 1L /5L / 20L	309
Red Pearl	500ml / 1L /5L / 20L	310
Claret Pearl	500ml / 1L /5L / 20L	311
Frost Pearl	500ml/1L/5L/20L	312
Gold Flash	500ml / 1L /5L / 20L	313
Copper Pearl	500ml/1L/5L/20L	314
Satin Red Pearl	500ml/1L/5L/20L	315
Orange Flash	250ml / 500ml / 5L / 20L	316



#### Xirallics

Aqua-t xirallics are the latest developments in extreme colour intensiveness. They include tiny aluminium flakes which enhance the brilliant colours with a sparkling glitter finish.

Product	Available Sizes	Product Code
Crystal Silver	250ml / 500ml / 5L / 20L	401
Sunbeam Gold	250ml / 500ml / 5L / 20L	402
Radiant Red	250ml/500ml/5L/20L	403
Galaxy Blue	250ml/500ml/5L/20L	404
Stellar Green	250ml / 500ml / 5L / 20L	405
Fireside Copper	250ml / 500ml / 5L / 20L	406
Solaris Red	250ml/500ml/5L/20L	407
Cosmic Turquoise	250ml/500ml/5L/20L	408
Amethyst Dream	250ml / 500ml / 5L / 20L	409

#### Reduced Colours

Aqua-t reduced colours are used for when a small precise amount of clean hue is needed to enhance a very light solid shade or to give a minute hint of colour to metallics or pearlescents.

Product	Available Sizes	Product Code
Reduced Green	250ml / 500ml / 5L / 20L	501
Reduced Blue	250ml/500ml/5L/20L	502
Reduced Red	250ml / 500ml / 5L / 20L	503
Reduced Black	250ml / 500ml / 5L / 20L	504
Reduced Violet	250ml/500ml/5L/20L	505

<sup>\*</sup>This image is for illustration only, please refer to Aqua-t swatch set for accurate colour match.



#### Additional Products Aqua-t provides a complete solution for a Waterbased Paint System.



Product	Product Code
Complete Aqua-t Swatch Set	AQS100
Swatch Set part 1	AQS001
Swatch Set part 2	AQS002
Swatch Set part 3	AQS003
Swatch Set part 4	AQSOO4
Swatch Set part 5	AQS005
Swatch Set part 6	AQS006
Swatch Set part 7	AQS007
Swatch Set part 8	AQS008
Aqua-t Swatch Boards (Pair + Headers)	AQS200

Product	Available Sizes	Product Code
Aqua-t thinner	5L	AQT050
Aqua-t thinner	500ml	AQT500
Product		Product Code

Product	Product Code
Aqua-t Full size Stand	AQS204
Aqua-t Mini Stand (Van mount)	AQS205
Aqua-t Mini Stand (Mobile)	AQS206
Aqua-t Colours Kit List (Liquid only)	AQA701
Aqua-t Colours + Full Size Stand	AQA703
Aqua-t Colours Mini Kit List (Liquid only)	AQM701
Aqua-t Colours + Van Mount	AQM703

#### Schemes



- No need for stirrers or pourers
- Simple shake and pour design
- Side labels for easy colour identification
- Initial installation starter packs available for all schemes
- Full technical, colour and marketing support packages available

#### Aqua-t Full Size Stand

- Space saving shelving
- 52 Base Colours in 1L
- 15 Base Colours in 500ml
- Full system designed for use in large bodyshops and distributors

## Aqua-t Mini Stand (Mobile)

- Mobile storage platform & work station
- 52 Base colours in 500ml bottles
- 15 Base colours in 250ml bottles
- Mobile mini system designed for use in smaller bodyshops and workshops.

#### Aqua-t Mini Stand (Van Mount)

- Static shelving system
- 52 Base colours in 500ml bottles
- 15 Base colours in 250ml bottles
- Mini system designed for use in smaller bodyshops and distributors
- Designed for use with mobile operatives, which can be fitted into the rear of light commercial vehicles
- Online colour matching database for use on the move with mobile phones, tablets or laptops





# adua-t Color Base



# 6 Clearcoats

#### Process 420 Clearcoat

2K HS Clearcoat is formulated to offer high build, good adhesion and durability. With less than 420g/L VOC, it complies with EU legislation. It requires no thinning and is easy to polish. The activator for 2K HS Clearcoat has been specially designed to offer excellent performance.

Product	Case Oty	Size	Code	Barcode
2K HS Clearcoat	6	<b>1</b> L	GLC003	5010372016665
2K HS Clearcoat	4	5L	GLC007	5010372016627
Standard Activator for for 2K HS Clearcoat	4	2.5L	GCS250	5010372016696
Fast Activator for 2K HS Clearcoat	4	2.5L	GCF250	5010372016719










#### Scratch Resistant Clearcoat

A 2K Water White Clear Acrylic Clearcoat for use in clear-over-base applications. With excellent build, gloss, adhesions and durability, this product is fast drying and is suitable for air-dry, low-bake or infra-red curing. Scratch Resistant Clearcoat requires no thinning and can be applied over most basecoat finishes. Scratch Resistant Clearcoat is excellent for matching different colours.

Product	Case Oty	Size	Code	Barcode
Scratch Resistant Clearcoat	4	5L	RACO05	5010373078310
Scratch Resistant Clearcoat Activator Standard	4	2.5L	RAC025	5010373078303



# Compounds



## VM® Compound

Incorporates a unique Variomorphic System® which delivers a fast cutting action through to a high gloss finish in a single application. Contains a new thermos-suspension technology that without water effectively maintains surface temperature avoiding burns or marks on the paint work.

Product	Case Oty	Size	Code	Barcode
VM <sup>®</sup> Compound	6	880ml	VVM010	5010373073070


## Super VM® Compound

The ultimate choice for vehicle refinishing professionals. This fast acting, high performance liquid abrasive removes sanding scratches from both refinished and original paintwork for a good-as-new finish.


Product	Case Oty	Size	Code	Barcode
Super VM® Compound	6	880ml	SVM010	5010373069998



#### **VARIOMORPHIC PROCESS**



The coarser form of aluminium oxide is used to remove dust inclusions and other defects.



The aluminium oxide gradually breaks down to equalise the surface.



At its smallest size the aluminium oxide will now work to optimise gloss.

Lubricants, cooling agents and rheology modifiers, have all been carefully blended within this product to ensure no damage will occur to the paintwork such as scratching or burning.

Silicone free. Bodyshop safe.

# Compounds



## Final Finish Bodyshop Polish

Incorporates a unique Nanomeric System which delivers a durable high-gloss finish. Made of a unique blend of non-silicones. It will rapidly remove swirl marks with minimum effort.

Product	Case Oty	Size	Code	Barcode
Final Finish Bodyshop Polish	6	880ml	FFB010	5010373069974

FINE POLISHING

MICROSCOPIC
POLISHING MEDIUM

**SILICONE FREE! BODYSHOP SAFE** ideal for removing marks such as finger prints and compound splatter.

Developed as an extremely easy to use, hand applied polish.

Can also be machine applied.

Includes advanced lubricants in the formulation to prevent scratching.

# Specialist Paints





# 9 Paints & Primers



## 10

# Underbody



## Stonechip

A tough, flexible, corrosion and chip resistant coating for all-round protection and sound deadening qualities. Suitable for all lower body panels vulnerable to stone chips.

Product	Case Oty	Size	Code	Barcode
Stonechip Black (Aerosol)	12	500ml	SCS500	5010372761107
Stonechip Grey (Aerosol)	12	500ml	SCS501	5010372761503
Stonechip White (Aerosol)	12	500ml	SCS502	5010372761602
Stonechip Black	6	1L	SCS010	5010372015316
Stonechip Grey	6	1L	SCS020	5010372015323
Stonechip White	6	1L	SCS030	5010372015330

#### Tetraschutz

A fine textured, fast drying bitumen based product, Tetraschutz provides excellent rust protection and sound deadening qualities. Suitable for all lower body panels requiring enhanced protection.

Product	Case Oty	Size	Code	Barcode
Tetraschutz (Aerosol)	12	500ml	TSH500	5010372760605
Tetraschutz	12	1L	TSH010	5010372015309





## **Matting Agent**

For use with 2K HS Clearcoat to achieve Satin & Matt finishes. Ideal for use on plastic moulding and bumpers.

Product	Case Oty	Size	Code	Barcode
Matting Agent	6	1L	MTA001	5010372015125

#### Chassis Paint

A high quality alkyd based paint which provides a tough and durable protection against rust and corrosion together with a decorative gloss finish. Chassis paint can be applied to most suitably prepared surfaces and once fully cured is resistant to petrol, oil and grease.

Product	Case Oty	Size	Code	Barcode
Chassis Paint - Black	2	5L	TBL005	5010372870908
Chassis Paint - Aluminium	2	5L	TALO05	5010372871004



# Masking/Paper Products

## Hot 80 Masking Tape

Semi-translucent masking tape for accurate positioning onto trims, badges and stripes. Excellent adhesion/holding power.

Product	Case Oty	Size	Code	Barcode
Hot 80 Masking Tape	48 Rolls / Case	19mm	VMT019	5010372006987
Hot 80 Masking Tape	36 Rolls / Case	24mm	VMT025	5010372006994
Hot 80 Masking Tape	24 Rolls / Case	38mm	VMT038	5010372007007
Hot 80 Masking Tape	20 Rolls / Case	50mm	VMT050	5010372007014






#### Trim Mask

Specially developed creped paper and vinyl tape for the masking of rubber trims either straight or angled.

Product	Case Oty	Size	Code	Barcode
Trim Mask	8	50 x 10m	UTM002	5010372010434





## **Ancillaries**

#### Aurelia Bold Nitrile Gloves

100% Latex Free, black nitrile gloves. Manufactured to meet EN455 CE Class 1 medical grade, PPE Cat III, EN420, EN388, EN374, EN 1186 Food contact approved and AQL1.S.

Product	Case Oty	Size	Code	Barcode
Nitrile Gloves - Medical Grade Black (Powder Free 100 pack)	10	М	NGB002	9555002105211
Nitrile Gloves - Medical Grade Black (Powder Free 100 pack)	10	L	NGB003	9555002105228
Nitrile Gloves - Medical Grade Black (Powder Free 100 pack)	10	XL	NGB004	9555002105235





#### Aurelia Robust Grip Nitrile Gloves

Premium quality yellow nitrile gloves with excellent diamond grip finish, offering greater tensile strength and protection. These powder free nitrile gloves are ambidextrous with a beaded cuff and latex free. Manufactured to meet AQL 1.5, EN  $455\,1.4$ , EN  $420:2003+A\,1:2009$ , EN  $374\,2.3$ , EN  $388\,\&$  EN  $1186\,$ Food contact approved.

Product	Case Oty	Size	Code	Barcode
Robust Grip Nitrile Gloves Yellow (50 per pack)	10	М	NRG101	0781311665170
Robust Grip Nitrile Gloves Yellow (50 per pack)	10	L	NRG102	0781311665187
Robust Grip Nitrile Gloves Yellow (50 per pack)	10	XL	NRG103	0781311665194



#### Tack Rags

A professional grade Tack Rag for use before spraying, ensuring a top class finish. Removes dust, fluff and gets the vehicle ready for coating. Each rag is individually wrapped.

Product	Case Oty	Size	Code	Barcode	
Tack Rags	20	2	UTRO01	5010372015217	

#### Underbody Coating Gun

Underbody coating gun is for use with Tetrosyl StoneChip or Tetraschutz 1L products.

Product	Case Oty	Size	Code	Barcode
Underbody Coating Gun	1	Std	UBA000	5010372761008

#### Berg Thinners Pump

Purpose built to pump solvents from the various 25L barrels in the Refinishing range.

Product	Case Oty	Size	Code	Barcode
Berg Thinners Pump	1	25L	BTP001	5010372996639



## **Ancillaries**



#### Tetrabead Hand Cleaner

A heavy duty hand cleaner for the removal of dirt, grease and oils from hands. Natural citrus extracts and conditioners cut through dirt and leave your hands feeling fresh.

Product	Case Oty	Size	Code	Barcode
Tetrabead Hand Cleaner	1	15L	TBH015	5010373013601

#### Tetra Pads Sound Deadening Pads

Tetra Pads are designed to absorb vibrations on metal panels also providing an effective sound insulation.

Product	Case Oty	Size	Code	Barcode
Textured Sound Deadening Pads	10 Pads	200mm	SDP200	5010372833002
Textured Sound Deadening Pads	4 Pads	500mm	SDP500	5010372832906



## Seam Sealer

A synthetic rubber sealant, which protects overlap seams against dust and water penetration. Permanently flexible, it offers excellent non-slumping characteristics, making it ideal for horizontal or vertical joints.

Product	Case Oty	Size	Code	Barcode
Seam Sealer (Cartridge)	12	310ml	CSS310	5010372833200
Seam Sealer (Brushable)	12	1Kg	BSS001	5010372833101







#### Additional Products

A variety of products to complete the Tetrosyl refinishing solution.

Product	Case Oty	Size	Code	Barcode
Extra Hardener	12	40g	EXH001	5010372702407
Plastic Spreaders	36	8	PLS003	5010372701806
Tin Lid Clips	1000	15	TCL001	(5.)
Berg Closures	24	25L	BBC000	5010372996523



HARDENER

#### Lever Lid Tins

Empty lever lid tins perfect for holding pre-mixed solvent based paints ready for the customer. (Not suitable for waterborne paints). Empty waterborne lever lid tins are specially lacquered to make them perfect for holding pre-mixed

waterborne paints ready for the customer.

Product	Case Oty	Size	Code	Barcode
Empty Lever Lid Tin	48	250ml	EMP250	5010372996356
Empty Lever Lid Tin	115	500ml	EMP005	5010372832104
Empty Lever Lid Tin	57	1L	EMP100	5010372832203
Empty Lever Lid Tin	36	2.5L	EMP025	5010372832302
Empty Lever Lid Tin	24	5L	EMP500	5010372832609
Empty Waterborne Lever Lid Tin	48	250ml	WBT250	5010372014159
Empty Waterborne Lever Lid Tin	115	500ml	WBT005	5010372014166
Empty Waterborne Lever Lid Tin	57	1L	WBT100	5010372014173
Empty Waterborne Lever Lid Tin	36	2.5L	WBT025	5010372014180
Empty Waterborne Lever Lid Tin	24	5L	WBT500	5010372014197
Empty Drum (Plain)	1	25L	EMR025	5010372832500





Technology created and manufactured in the UK